


FOCUSED FEASIBILITY STUDY Thomson Reservoir

SR#1373
Carlton, Minnesota
MPCA Work Order #3000026021



Prepared for:

Minnesota Pollution Control Agency
525 South Lake Avenue Suite 400
Duluth, Minnesota 55802



Prepared by:

Bay West LLC
5 Empire Drive
St. Paul, Minnesota 55103

June 2020
Revision 00
BWJ200100

FOCUSED FEASIBILITY STUDY Thomson Reservoir

SR#1373
Carlton, Minnesota
MPCA Work Order #3000026021

June 2020
Revision 00
BWJ200100

Prepared for:

Minnesota Pollution Control Agency
525 South Lake Avenue Suite 400
Duluth, Minnesota 55802

Prepared by:

Bay West LLC
5 Empire Drive
St. Paul, Minnesota 55103
(651) 291-0456

Executive Summary

This Focused Feasibility Study (FFS) for the Thomson Reservoir (Site) presents: a summary of current Site conditions; a discussion of remedial action objectives (RAOs); the identification, screening, evaluation, and comparison of potential alternatives; and identifies pre-design data gaps still needed to characterize the site before final remedy selection. This report has been prepared by Bay West LLC (Bay West) in accordance with the Minnesota Pollution Control Agency (MPCA) Contract Work Order No. 3000026021.

The Site has been studied as a part of the St. Louis River (SLR) area of concern (AOC). Funding to perform additional studies to determine the nature and extent of contaminated sediments, and complete an FFS, was obtained through the United States Environmental Protection Agency (USEPA), Great Lakes Legacy Act (GLLA) and state funding through the Minnesota Legacy Fund . Detailed investigations previously completed for the Site have identified sediments contaminated with polychlorinated dibenzo-p-dioxins/dibenzofurans (dioxins) and mercury (EA Engineering, Science, and Technology, Inc., PBC [EA], 2015).

In 2016, data was collected to support previous investigations by addressing data gaps identified by the MPCA to investigate the extent and volume of contaminated sediment within Thomson Reservoir, and to evaluate risks to human health and the environment due to potential impacts by the benthic community. Sediment samples were collected and analyzed for Site contaminants of concern (COCs) to gather additional chemical data for delineation of extent and depth of contamination at the Site. Sediment sampling results confirm that mercury in sediment generally did not exceed Midpoint Sediment Quality Targets (SQTs), and dioxin/furan sediment concentrations exceeded Level II SQTs in 21 percent (%) of the samples, primarily in both the 0.0- to 0.15- and 0.15- to 0.50-meter intervals. Benthic macroinvertebrates do not appear to bioaccumulate mercury; however, dioxins appear to bioaccumulate due to exposure to Site sediments significantly more compared to reference samples. Fish tissue collection and testing of six fish species indicate that mercury concentrations appear to be comparable to the reference sample; however, dioxins concentrations in fish tissue is greater than the reference sample and has a statistically significant difference between fish collected from the Site and the reference site. Based on the sediment and tissue testing results, dioxins/furans should be retained as a COC for the Site.

As identified in the SLR Remedial Action Plans (RAPs): RAP Stage I, MPCA and Wisconsin Department of Natural Resources (WDNR), 1992; and RAP Stage II, and MPCA and WDNR, 1995; and later proven with testing, the Site is potentially contributing to two impairments in the SLR AOC:

- Restrictions on dredging; and
- Degradation of the benthos.
-

As recommended by the RAPs, areas that are contributing to river sediment impairments should be addressed through remedial activities. In addition, addressing the contaminated sediments within the Site would also help in the reduction of impaired water resulting from bioaccumulative toxins in the SLR.

Remedial Action Objectives Developed by the MPCA for the Site

RAOs for the Site were developed based on the requirements of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP; 40 Code of Federal Regulations [CFR] §300.430[e][2][i]), which defines RAOs as a listing of the COCs) and media of concern, potential

exposure pathways, and remediation goals. Specific RAOs were developed from a review of the results of site characterization activities, site-specific risk and fate and transport evaluations, and an initial review of Applicable or Relevant and Appropriate Requirements (ARARs). The following RAOs for the Site include goals for the protection of ecological receptors:

- Minimize or remove exposure to sediment contaminants that bioaccumulate in the food chain.
- Minimize or remove exposure of the benthic organisms to contaminated sediments above sediment cleanup goals.
- Maintain current reservoir operating capacity and functionality.

Alternatives Developed for the Site

Alternatives were identified and screened to determine if they could meet these RAOs. The following alternatives were evaluated in this FFS:

Alternative 1: No Action. The NCP at Title 40 CFR provides that a No Action Alternative should be considered at every site. The No Action Alternative should reflect the site conditions described in the baseline risk assessment and remedial investigation (RI). The No Action Alternative included within this FFS does not include any treatment or engineering controls, institutional controls (ICs), or monitoring. There are no costs associated with the No Action Alternative.

Alternative 2: Monitored Natural Recovery. This alternative includes collection of data commencing with the Baseline Characterization but continuing for an additional period of five years. The baseline characterization consists of hydrological investigation; bathymetric survey data collection; SLR-specific data review to determine background concentrations of COCs; and physical, chemical, and biological testing of Site sediments and biota. The Baseline Characterization alternative is necessary for determining current impacts to biota arising from contaminated sediments and to identify potential natural recovery processes within the Site. During this five-year period, natural recovery processes and their trends will be monitored to quantify changes in Site sediment concentrations, extent of sediment deposition (i.e., isolation of contaminated sediments with clean deposits), observed toxicity to benthos, and/or observed bioaccumulative effects in benthos and fish. The approximate present value cost associated with Alternative 2 is \$640,000.

Alternative 3A: Enhanced Monitored Natural Recovery. The Enhanced Monitored Natural Recovery (EMNR) Alternative includes construction of a 0.15-meter (0.5-foot) thin-layer sand cover over contaminated sediments (i.e., sediments with COC concentrations exceeding the cleanup level [CUL; **Section 2.2.1**]) to expedite natural recovery processes occurring within the Site (primarily isolation) and to provide some immediate improved benthic habitat. The thin-layer cover would be placed over 146 acres of contaminated sediments and would require approximately 147,000 cubic yards of sand (including a 4-centimeter [1.5-inch] over-placement). Monitored Natural Recovery (MNR), as presented for Alternative 2, will be conducted following thin-layer cover construction to monitor natural recovery processes and cover integrity. The approximate present value cost for Alternative 3A is \$10,000,000.

Alternative 3B: Enhanced Monitored Natural Recovery with Reactive Cover Amendment. This alternative includes construction of a thin-layer sand cover as presented for Alternative 3A, but also incorporates a reactive reagent, such as carbon-based sorbent, mixed into the cover. Addition of reagent would reduce availability of Site COCs in sediments and sediment pore water to aquatic organisms (primarily through contaminant sequestration) and thereby limit transfer of chemical contaminants to higher trophic organisms. The reactive cover would be placed over the same 146 acres of contaminated sediment as Alternative 3A, and would require approximately

147,000 cubic yards of sand and reagent materials. MNR, as presented for Alternative 2, will be conducted following reactive cover construction to monitor natural recovery processes and cover integrity. The approximate present value cost for Alternative 3B is \$33,000,000.

Alternative 4: Potentially Bioactive Zone (PBAZ) Cap. This alternative includes construction of a 0.5- to 1.2-meter-thick sand cap over 146 acres of contaminated sediments. The constructed cap thickness will be equal in thickness to the PBAZ, which is determined by the varying habitat areas at the Site, and therefore provide contaminant isolation from aquatic plant and animal life. Construction of a cap will also mitigate exposure to human receptors, although human health criteria are not being used as cleanup criteria at this time. MNR, as presented for Alternative 2, will be conducted following cap construction to monitor natural recovery processes and cap integrity. The estimated volume of sand required to construct the cap is 560,000 cubic yards. The approximate present value cost for Alternative 4 is \$29,000,000.

Alternative 5: Dredging with Thin-Layer Cover. This alternative consists of hydraulically dredging approximately 350,000 cubic yards of contaminated sediments over 146 acres of the Site and subsequent construction of a thin-layer sand cover over dredged locations. This alternative would significantly reduce the volume of contaminated sediments within the Site while providing isolation from dredge residuals and/or other contamination remaining after dredging completion. MNR, as presented for Alternative 2, will be conducted following dredging and subsequent thin-layer cover construction to monitor natural recovery processes and cover integrity. The approximate present value cost for Alternative 5 is \$54,000,000.

Alternative 6: Enhanced Monitored Natural Recover with Broadcast Amendment. This EMNR with broadcast amendment alternative would consist of applying a thin 0.01-meter layer of amendment material directly on top of the sediment surface in areas with sediment concentrations of COCs exceeding the preliminary clean up levels (CULs; i.e., areas of the Site with exceedances of the Midpoint SQT for dioxins), hereafter referred to as remedial areas. Amendment material would be mixed into the sediments over time through bioturbation. The chosen amendment would reduce exposure of aquatic life to COCs through sequestration of sediment contaminants. Monitoring of sediment chemical concentrations, sediment toxicity, and bioaccumulation of COCs in aquatic life would be conducted until sufficient contaminant sequestration, degradation, transformation, or other natural recovery processes reduce risks to acceptable levels. A monitoring period and implementation of ICs would be conducted following the construction phase as detailed for Alternative 6. Monitoring and enforcement of ICs would continue indefinitely until RAOs are achieved for the Site, but a period of 30 years was used for incorporation into each alternative's cost analysis. The approximate present value cost associated with Alternative 6 is \$20,000,000.

Comparative Analysis Summary

The comparative analysis of alternatives narrative discussion and quantitation table did not clearly identify a superior alternative to address the contamination at the Site; however, Alternatives 3B and 6 received the highest overall numerical scores in the alternative analysis and should be evaluated further for remedy selection.

Bench-scale treatability testing was completed on sediments collected from Scanlon Reservoir (which are assumed to be similar in composition and COCs to Site sediments) to evaluate the effectiveness of different AC amendments and doses to reduce the bioavailability of dioxins/furans in Site sediments using two AC particle size ranges; a silt-sized powdered activated carbon (PAC) and a fine sand-sized granular activated carbon (GAC). The results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments. Application methods will be retained for further engineering and cost evaluations.

In order to evaluate how a remedial alternative involving AC might affect mercury, which is present in sediment at the Site but determined not to be a COC, a literature review was completed by the United States Army Research and Development Center. The review focused on how a remedy involving AC will impact the potential for mercury toxicity and bioaccumulation. Review of available research indicated either AC is a useful sorbent for reducing the potential for mercury bioaccumulation, or that AC is not effective at sorbing mercury; however, AC does not appear to increase the potential for mercury toxicity and bioaccumulation in water or sediments (U.S. Army Research and Development Center, 2020).

No significant difference in the balancing criteria score was found between these alternatives other than cost. All alternatives, with the exception of Alternative 1, involve relatively high degrees of uncertainty due to limited knowledge and understanding of contaminant distribution, risks to receptors, and hydrodynamics.

The modifying criteria, State/support agency acceptance, and community acceptance are assessed formally after the public comment period. Stakeholder and community input will provide valuable insight as the MPCA considers information for the selection of a preferred alternative. The MPCA will conduct outreach activities to resource managers, current Site users, the public and local units of government prior to the public comment period.

Further studies are recommended during the design phase of the selected alternative. These recommended studies, depending on the alternative selected, may include:

- Further delineation and determination of extent, thickness, and volume of contaminated sediment;
- Hydrodynamic study to understand natural processes such as depositional and scouring forces to inform design and placement of cover materials, and effectiveness of MNR;
- Updated bathymetric survey and mapping of substrate types;
- Investigation into the potential for ongoing sources related to upstream industries.

TABLE OF CONTENTS

1.0	INTRODUCTION AND BACKGROUND	1-1
1.1	Report Organization.....	1-2
1.2	Site Location and Current Use	1-2
1.3	Site History (From Schubauer-Berigan and Crane, 1996).....	1-3
1.4	Site Characterization.....	1-4
1.4.1	Site Geology	1-4
1.4.1.1	Regional Geology.....	1-4
1.4.1.2	Site Specific Geology (Boerboom, 2009).....	1-4
1.4.2	Site Hydrology	1-4
1.4.3	Nature and Extent of Contamination	1-5
1.4.3.1	Previous Reports.....	1-5
1.4.3.2	Screening Criteria	1-7
1.4.3.3	Contaminants of Concern.....	1-8
1.4.3.4	Depth and Volume of Contaminated Sediment.....	1-9
1.4.4	Exposure Pathways	1-10
1.4.4.1	Human Health Exposure Pathways.....	1-10
1.4.4.2	Ecological Exposure Pathways	1-10
1.4.5	Conceptual Site Model.....	1-12
2.0	APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS AND REMEDIAL ACTION OBJECTIVES	2-1
2.1	Applicable or Relevant and Appropriate Requirements.....	2-1
2.1.1	Chemical-Specific ARARs and TBCs.....	2-3
2.1.2	Location-Specific ARARs and TBCs	2-4
2.1.3	Action-Specific ARARs and TBCs.....	2-6
2.1.4	Other Considerations.....	2-11
2.2	Remedial Action Objectives	2-12
2.2.1	Preliminary Sediment Cleanup Levels	2-12
3.0	DEVELOPMENT AND SCREENING OF ALTERNATIVES	3-1
3.1	Remedial Technology Identification and Screening Process.....	3-1
3.1.1	Institutional Controls	3-1
3.1.2	Monitoring.....	3-1
3.1.3	Monitored Natural Recovery	3-2
3.1.4	Enhanced Monitored Natural Recovery	3-3
3.1.5	Capping	3-3
3.1.6	Dredging and Excavation.....	3-4
3.1.7	Dewatering	3-4
3.1.8	Disposal.....	3-4
3.1.9	In Situ Treatment	3-5
3.1.10	Remedial Technology Screening Results.....	3-5
3.2	Development of Alternatives	3-6
3.2.1	Alternative 1: No Action with Baseline Characterization.....	3-6
3.2.2	Alternative 2: Monitored Natural Recovery.....	3-6
3.2.2.1	Baseline Characterization	3-7
3.2.2.2	Institutional Controls.....	3-7
3.2.2.3	Monitoring and Evaluation Period.....	3-8
3.2.2.4	Cost	3-8
3.2.3	Alternative 3A: Enhanced Monitored Natural Recovery.....	3-8

3.2.3.1	Pre-Design Investigation	3-9
3.2.3.2	0.15-Meter Thin-Layer Sediment Cover	3-9
3.2.3.3	Institutional Controls.....	3-10
3.2.3.4	Monitoring and Evaluation Period.....	3-10
3.2.3.5	Cost	3-10
3.2.3.6	Other Logistical Issues.....	3-11
3.2.4	Alternative 3B: Enhanced Monitored Natural Recovery with Cover Amendment.....	3-11
3.2.4.1	Estimated Cost.....	3-11
3.2.5	Alternative 4: Potentially Bioactive Zone Cap.....	3-12
3.2.5.1	Bio-Active Zone Cap	3-12
3.2.5.2	Cost	3-12
3.2.5.3	Other Logistical Issues.....	3-13
3.2.6	Alternative 5: Dredging with Thin-Layer Cover.....	3-13
3.2.6.1	Dredging	3-13
3.2.6.2	Cost	3-14
3.2.6.3	Other Logistical Issues.....	3-15
3.2.7	Alternative 6: Enhanced Monitored Natural Recovery with Broadcast Amendment.....	3-15
3.2.7.1	Amendment Selection and Application Rate.....	3-15
3.2.7.2	Institutional Controls.....	3-16
3.2.7.3	Monitoring and Evaluation Period.....	3-16
3.2.7.4	Cost	3-16
3.2.7.5	Other Logistical Issues.....	3-17
4.0	REMEDY SELECTION CRITERIA	4-1
4.1	Threshold Criteria	4-1
4.1.1	Overall Protection of Human Health and Ecological Receptors.....	4-1
4.1.2	Compliance with Applicable or Relevant and Appropriate Requirements	4-1
4.2	Primary Balancing Criteria	4-1
4.2.1	Long-Term Effectiveness and Permanence	4-1
4.2.2	Reduction of Toxicity, Mobility, or Volume Through Treatment	4-2
4.2.3	Short-Term Effectiveness	4-2
4.2.4	Implementability.....	4-2
4.2.5	Costs	4-3
4.3	Modifying Criteria.....	4-3
4.3.1	State/Support Agency Acceptance.....	4-3
4.3.2	Community Acceptance	4-3
4.4	Green Sustainable Remediation	4-3
5.0	COMPARATIVE ANALYSIS OF ALTERNATIVES.....	5-1
5.1	Threshold Criteria	5-1
5.2	Balancing Criteria	5-2
5.2.1	Long-Term Effectiveness and Permanence	5-2
5.2.2	Reduction of Toxicity, Mobility, or Volume Through Treatment	5-3
5.2.3	Short-Term Effectiveness	5-3
5.2.4	Implementability.....	5-4
5.2.5	Cost.....	5-5
5.3	Modifying Criteria.....	5-6
5.4	Green Sustainable Remediation Criteria.....	5-6
5.4.1	Green House Gas Emissions.....	5-6
5.4.2	Toxic Chemical Usage and Disposal.....	5-6
5.4.3	Energy Consumption	5-6

5.4.4	Use of Alternative Fuels.....	5-7
5.4.5	Water Consumption.....	5-7
5.4.6	Waste Generation.....	5-7
5.5	Comparative Analysis Summary.....	5-7
6.0	REFERENCES.....	6-1

List of Figures

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Bathymetry Map
Figure 4	Dioxins Results Map
Figure 5	Remedial Footprint Map
Figure 6	Habitat Areas Map
Figure 7	Conceptual Site Model
Figure 8	Alternative 2: Monitored Natural Recovery
Figure 9	Alternatives 3A/3B: Enhanced Monitored Natural Recovery
Figure 10	Alternative 4: Potentially Bioactive Zone Cap
Figure 11	Alternative 5: Dredging with Thin-Layer Cover
Figure 12	Alternative 6: Enhanced Monitored Natural Recovery with Broadcast Amendment

List of Tables

Table 1	Statistics for Select Sediment Sample Parameters
Table 2	Contaminants of Concern Summary
Table 3	Technologies Screening Summary
Table 4	Alternatives Summary
Table 5	Cost Estimate – Alternative 2: Monitored Natural Recovery
Table 6	Cost Estimate – Alternatives 3A/3B: Enhanced Monitored Natural Recovery
Table 7	Cost Estimate – Alternative 4: Potentially Bioactive Zone Cap
Table 8	Cost Estimate – Alternative 5: Dredging with Thin-Layer Cover
Table 9	Cost Estimate – Alternative 6: Enhanced Monitored Natural Recovery with Broadcast Amendment
Table 10	Present Worth Calculations
Table 11	Comparative Analysis Summary – Threshold, Balancing, and Modifying Criteria
Table 12	Comparative Analysis Summary – Green Sustainable Remediation Criteria
Table 13	Numerical Comparative Analysis Summary

List of Appendices

Appendix A	Public Works Correspondence
Appendix B	Historical Dioxin Analytical Results
Appendix C	Thomson Reservoir Technical Memorandum, June 2017
Appendix D	2016 Minnesota Power Thomson Reservoir Bathymetry
Appendix E	Focused Feasibility Study Alternatives Technical Memorandum
Appendix F	Draft Benchscale Treatability Testing Report, February 2020

Acronyms and Abbreviations

%	percent	mg/kg	milligrams per kilogram
µg/kg	micrograms per kilogram	MNR	Monitored Natural Recovery
2,3,7,8-TCDD	2,3,7,8-tetrachlorodi-benzo-p-dioxin	MPCA	Minnesota Pollution Control Agency
AC	activated carbon	NCP	National Oil and Hazardous Substances Pollution Contingency Plan
amsl	above mean sea level	ng TEQ/kg	nanograms toxic equivalency per kilogram
AOC	area of concern	ng/kg	nanograms per kilogram
ARAR	Applicable or Relevant and Appropriate Requirement	NPDES	National Pollutant Discharge Elimination System
Bay West	Bay West LLC	O&M	operation and maintenance
BUI	beneficial use impairment	OIRW	Outstanding International Resource Water
CAD	confined aquatic disposal	PAH	polycyclic aromatic hydrocarbon
CDF	confined disposal facility	PBAZ	potentially bioactive zone
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PCB	polychlorinated biphenyl
CFR	Code of Federal Regulations	RAO	Remedial Action Objective
ch. or chs.	chapter or chapters	RAP	Remedial Action Plan
COC	contaminant of concern	RBSE	Risk-Based Site Evaluation
CQA	construction quality assurance	RCRA	Resource Conservation and Recovery Act
CSM	conceptual site model	RI	remedial investigation
CUL	cleanup level	RME	reasonable maximal exposure
DGI	Data Gap Investigation	ROD	Record of Decision
dioxins	polychlorinated dibenzo-p-dioxins/dibenzofurans	ROM	rough order of magnitude
DRO	diesel range organics	RRO	residual range organics
EA	EA Engineering, Science, and Technology, Inc., PBC	SAA	Sediment Assessment Area
EMNR	Enhanced Monitored Natural Recovery	SDS	State Disposal System
FERC	Federal Energy Regulatory Commission	SLR	St. Louis River
FFS	Focused Feasibility Study	SLRIDT	St. Louis River/Interlake/Duluth Tar
GAC	granular activated carbon	SOW	Statement of Work/Cost Estimate
GHG	Greenhouse Gas	SQT	sediment quality target
GLI	Great Lakes Initiative	SSHP	Site Safety and Health Plan
GLLA	Great Lakes Legacy Act	SSV	Sediment Screening Value
GSR	Green Sustainable Remediation	TBC	to be considered
IC	institutional control	TEF	toxicity equivalence factor
ITRC	Interstate Technology and Regulatory Council	TEQ	toxic equivalency
IZ	isolation zone	TOC	total organic carbon
MDH	Minnesota Department of Health	TSD	treatment, storage, and disposal
MDNR	Minnesota Department of Natural Resources	U.S.	United States
MERLA	Minnesota Environmental Response and Liability Act	UECA	Uniform Environmental Covenants Act
		UMD	University of Minnesota Duluth

Focused Feasibility Study
Thomson Reservoir, Carlton, Minnesota

USACE..... United States Army Corps of
Engineers
USC..... United States Code
USEPA..... United States Environmental
Protection Agency

WCAWetland Conservation Act
WDNRWisconsin Department of Natural
Resources
WLSSD.....Western Lake Superior Sanitary
District

1.0 INTRODUCTION AND BACKGROUND

The St. Louis River (SLR), located on the border between Minnesota and Wisconsin, is the second-largest United States (U.S.) tributary to Lake Superior and has a special significance in the region. The lower estuary empties into the Duluth-Superior Harbor, the largest freshwater seaport in North America. It serves as a geographic boundary for Wisconsin and Minnesota, and provides regional shipping access to Lake Superior.

Development along the SLR over the past 130 years has contributed to contaminated sediments. In 1987, concerns over environmental quality conditions prompted the designation of 73 miles of the lower SLR, which includes the segment from Cloquet, Minnesota, to the Duluth/Superior Harbor, as 1 of 43 Great Lakes Areas of Concern (AOCs). The Minnesota Pollution Control Agency (MPCA) and Wisconsin Department of Natural Resources (WDNR) worked together to divide the SLR AOC into Sediment Assessment Areas (SAAs) for the purposes of evaluation and prioritization of remediation and restoration activities. Contaminated sediments have been identified and characterized through several studies that included the collection and analysis of sediments and biota samples throughout the AOC.

Historical sediment contamination in the SLR AOC has resulted in impaired uses, including degradation of bottom-dwelling invertebrate communities, increased incidence of fish tumors and other abnormalities, fish consumption advisories, and restrictions on dredging, resulting in nine beneficial use impairments (BUIs; MPCA, 2008). BUIs are a change in the chemical, physical or biological integrity of the Great Lakes system sufficient to cause any 1 of the 14 established use impairments, or other related uses, such as the microbial objective for waters used for body contact recreational activities (joint commission). The MPCA and WDNR are currently working together to implement a comprehensive long-term plan to restore beneficial use and delist BUIs in the SLR AOC. Many of the BUIs in the AOC are linked to the presence of sediment contaminants. Some sediment-derived contaminants also appear suspended in the water column and are carried by the SLR to Lake Superior.

As identified in the SLR Remedial Action Plans (RAPs): RAP Stage I, MPCA and WDNR, 1992; and RAP Stage II, MPCA and WDNR, 1995; and later proven with testing, the Thomson Reservoir (Site), SAA #99, located northeast of Carlton, Minnesota (**Figure 1**), is potentially contributing to several impairments in the SLR AOC:

- Restrictions on dredging; and,
- Degradation of the benthos environment.

As recommended by the RAPs, areas that are contributing to river sediment impairments should be addressed through remedial activities. According to the MPCA, it is recommended by many programs that toxic substances be reduced within the SLR AOC. Removing or isolating the contaminated sediments from the surface water/sediment interface will help in the reduction of the impaired water resulting from bioaccumulative toxins in the SLR AOC. Removing or isolating contaminated sediments includes the SLR estuary and harbor, and upstream sources identified as possible contributors.

This FFS has been prepared to evaluate remedial alternatives for contaminated sediment at the Site. The scope of this FFS does not consider alternatives for any other matrix such as soil, surface water, or groundwater that may be impacted at the Site.

This report has been developed pursuant to the Bay West LLC (Bay West) Master Contract No. 63186 and MPCA Contract Work Order No. 3000026021, dated February 25, 2020, and accompanying the Scope of Work/budget (SOW) for the Site. Funding to complete the FFS for

the Site comes from the U.S. Environmental Protection Agency (USEPA), Great Lakes Legacy Act (GLLA) and state funding through the Minnesota Legacy Fund .

This FFS has been written in general accordance with the MPCA Site Response Section Guidance Document “Draft Guidelines on Remedy Selection” (MPCA, 1998), the Minnesota Environmental Response and Liability Act (MERLA), the National Oil and Hazardous Substances Pollution Contingency Plan (NCP), 40 Code of Federal Regulations (CFR) Part 300, along with other Minnesota and federal rules, statutes, and guidance.

1.1 Report Organization

Section 1.0 presents general background information including the Site history and a summary of current Site conditions. **Section 2.0** discusses Applicable or Relevant and Appropriate Requirements (ARARs) and summarizes Remedial Action Objectives (RAOs) to provide the framework for alternative evaluations for the Site. **Section 3.0** and **Section 4.0** present alternatives descriptions and the NCP remedy selection criteria used in this FFS. **Section 5.0** presents an evaluation of alternatives against standards and criteria. References are presented in **Section 6.0**.

1.2 Site Location and Current Use

The Thomson Reservoir was constructed in 1908 and consists of multiple earthen or concrete dams used to control water flow through the south portion of the Site. Water enters the Site from the northwest and the northeast, from the SLR and the Midway River, respectively. Water discharges from the Site primarily through sluiceways to the Forbay Channel for power generation and is also routed through Dams #3 and #4, which empty to the SLR immediately upstream of the Highway 210 Bridge (Schubauer-Berigan, M., and J.L. Crane (Schubauer-Berigan and Crane, 1996). **Figure 2** displays the Site, current Site conditions, historical sampling locations, and historic stream paths pre-reservoir construction (provided by Minnesota Power in an email dated February 25, 2016).

The Site dams function as hydroelectric and water level control dams and are operated by Minnesota Power. Minnesota Power stated in an email, February 23, 2016, that the normal operating water level range for the Site is 1059.38 to 1069.38 feet above mean sea level (amsl). Water level range varies due to multiple water uses on Site. Uses include storing water for electricity generation during periods of peak demand, maintaining Minnesota Department of Natural Resources (MDNR) minimum flow requirements from Dams #3 and #4 to the SLR to protect aquatic habitat (Schubauer-Berigan and Crane, 1996), and to enhance whitewater recreation during periods of low water flow.

Under normal operations, the Site has an average surface area of approximately 330 acres (excluding the islands). The Site is the second slow water reservoir downstream from Cloquet, Scanlon Reservoir is the first. As the SLR and Midway River discharge to the Site, flow slows due to channel expansion, resulting in the deposition of sediments. Since its construction, fine sediment buildup has occurred behind the dams and depositional areas within the reservoir basin. The City of Carlton and Town of Thomson are located adjacent to the Site. Carlton is located southwest and Thomson is located south of the Site. North and east of the Site are predominantly forested lands (**Figure 2**).

The Site is immediately downstream of historical industrial waste water discharges associated primarily with the municipal discharges, building materials manufacturing, and paper manufacturing. These waste streams were removed from the SLR in 1979 when they were rerouted to Western Lake Superior Sanitary District (WLSSD). Possible non-point sources

contributing to Site contamination include landfills, runoff, and atmospheric sources (Schubauer-Berigan and Crane, 1996).

All the property directly bordering the Site is owned by Minnesota Power. Minnesota Power, in cooperation with the University of Minnesota Duluth (UMD) Outdoor Program, provides a carry down access point at UMD Outpost Pier, for paddlers at the Site. The UMD Outpost Pier is located east of Dams #3 and #4, approximately 500 feet north of Highway 210.

The City of Carlton and Town of Thomson merged in 2015. They are currently in the process of creating figures that map the storm sewer for the entire area. After verbally discussing the location of storm sewer discharges in both cities with Derek Wolf (City of Carlton, Public Works Superintendent) on January 13, 2016, it was determined that neither city discharges to the Site (**Appendix A**). Both cities are located at elevations below the Site and discharge to the SLR below the dam.

1.3 Site History (From Schubauer-Berigan and Crane, 1996)

Since 1908 to the present, the Site has been used for hydroelectric generation. Historical discharge directly to the SLR, upriver of the Site, includes the following: municipalities, building materials manufacturing, paper manufacturing, and match manufacturing. There is little detail available on the chemical constituents of the waste streams of the abovementioned discharges; available data for two facilities (the building materials manufacturer and the paper manufacturer) are discussed below.

The building materials facility manufactured acoustical tile and a cushioning material in automobile dashboards, shoes, and other items. Select analytical data was available from the waste stream for 1975 and 1977. The 1975 effluent data showed elevated metals and phenols (sample was not analyzed for mercury) and 1977 effluent data showed elevated mercury (sample was not analyzed for polychlorinated biphenyls [PCBs] and polychlorinated dibenzo-p-dioxins/dibenzofurans [dioxins]), when compared to current water quality data.

The paper manufacturer began operation in 1928, located half a mile downstream of Cloquet. Wastewater was discharged from this facility for approximately 50 years. Wastewater over the course of the plants operation went through various forms of treatment, some more protective than others. Effluent from the paper manufacturer was analyzed from two outfalls in 1975 and 1977 for heavy metals and phenols. For the 1975 and 1977 effluent analytical data, mercury and phenols were elevated when compared to current water quality standards. Mercury levels in the effluent from 1950 to 1960 were likely higher than levels observed in the 1975 and 1977 effluent based on the widespread use of mercury as a fungicide in the paper industry at the time.

Dioxins and PCBs were not measured in the paper manufacturer effluent during the 1975 and 1977 sampling events. In 1987, due to increased concern over dioxins contamination, effluent from the paper manufacturer (which had begun discharging to WLSSD in 1979) and WLSSD influent were analyzed for dioxins. Dioxins refer to a broad class of compounds that vary in toxicity, to minimize sampling completed for the effluent and influent 2,3,7,8-tetrachlorodi-benzo-p-dioxin (2,3,7,8-TCDD), the most toxic dioxin congener, was analyzed. From the results of these analyzes pre-1979 dioxins discharges to the SLR can be inferred. The concentration of 2,3,7,8-TCDD in suspended solids from WLSSD influent was 260 nanograms/kilogram and effluent concentrations were 620 nanograms/kilogram, corresponding with estimates that the paper manufacturer contributes to nearly half of WLSSDs influent stream.

Potential nonpoint sources upgradient of the Site may include the following: landfills/hazardous waste sites, agricultural/forestry runoff, stormwater discharge, unsewered community discharge, recreation and commercial activity, spills, and atmospheric deposition.

Based on available analytical information and known contributor processes potential contaminants in the Site may include mercury, heavy metals, phenols, and dioxins.

1.4 Site Characterization

1.4.1 Site Geology

1.4.1.1 Regional Geology

Regional geology in the Duluth area consists primarily of materials deposited during the last glaciation, and more recently as river sediment, overlying Precambrian igneous and sedimentary bedrock. These materials consist of silts, sands, and gravels that were deposited as the glaciers retreated northward. Fine grained sediment, primarily red silt and clay, was deposited in the ancestral glacial Lake Duluth. This red silt and clay occurs over much of the lower elevations in the Duluth area.

Bedrock units underlying the region consist of olivine gabbro and anorthositic gabbro members of the Duluth Complex, and the sedimentary units of the Fond du Lac Formation. The Duluth Complex is lower Precambrian, and the Fond du Lac Formation is upper Precambrian in age. The gabbroic members of the Duluth Complex form the hills to the west of the SLR and Lake Superior shore (MPCA, 1995).

1.4.1.2 Site Specific Geology (Boerboom, 2009)

Surficial geology identified at the Site consists of Bedrock outcrop, Terrace deposits (sand and gravelly sand), and floodplain alluvium (unbedded or thinly interbedded silt, clay, sand and organic-rich material). Terrace deposits at the Site are further described as areas where the historic path of the SLR, intensified due to significant glacial discharge contributions, eroded the landscape exposing bedrock. When river discharges decreased thin deposits of sand and gravel accumulated at the Site, peat developed over top of these deposits.

Bedrock geology at the Site is described as Thomson Formation, graphitic slate and metagraywacke. Bedrock is gray with rhythmically interbedded argillite, siltstone, and greywacke metamorphosed under lower greenschist facies conditions. Strata are folded by nearly upright, open, regional F2 folds; folding has produced a single, subvertical axial-planar slaty cleavage (Boerboom, 2009). Bedrock outcrops are identified throughout the Site. Depth to bedrock in the area is between 0 to 50 feet below grade.

Bedrock geology strongly shapes the topography and bathymetry of the Site. Bedrock outcrops on Site have contributed to the formation of multiple islands and have influenced hydrodynamic flow through the Site. These influences impact sediment distributions and therefore bathymetry on Site.

1.4.2 Site Hydrology

The regional groundwater flow system in the area generally flows from the Minnesota and Wisconsin uplands and discharges to Lake Superior and the SLR estuary.

The Site is located in the SLR Watershed. Although a site-specific groundwater study has not been performed, local groundwater flow in surficial sediments and bedrock is generally depicted in the County Atlas Series (Berg, 2011), Atlas C-19, Part B, Plate 7 and Plate 9, respectively. Generally groundwater in surficial sediments and bedrock north of the Site flows towards the SLR and Midway River, emptying into the Site. Groundwater in surficial sediments and bedrock

southwest of the Site flows towards the Site. Groundwater in surficial sediments and bedrock southeast of the Site flows southeast away from the Site and towards the SLR.

Historic sediment cores and contaminant profiles within the Site, in comparison to those at the Forbay and Fond du Lac Reservoirs (located downstream), indicate that the Site serves as a primary catchment basin for sediment and associated contaminants (Schubauer-Berigan and Crane, 1996). As the St. Louis and Midway Rivers enter the reservoir and expand, flow rates decrease allowing sediment and any associated contaminants to drop out, accumulating in the Site.

Two historic flooding events, which occurred in 1990 and 2012, likely impacted sediment depth and distribution within the Site. The 1990 flooding event as described by Schubauer-Berigan and Crane (1996) impacted sediment contamination in the Site by dilution. Contaminant dilution would have occurred when nearby clean subsurface soils were eroded by the flood and subsequently deposited into the Site. The 2012 event likely would have had similar impacts.

Another potential impact of flooding would be basin floor scouring. As flood waters enter the Site from the SLR and Midway River, abnormally high flow rates could cause the resuspension of contaminated sediments. These sediments could either be moved or deposited elsewhere in the Site or could be pushed out of the Site entirely, discharging through the SLR and Forbay outfalls.

Both sediment deposition and scouring play a role in the hydrodynamics of the Site, particularly during large scale flood events. Sediment deposition is likely the dominant hydrodynamic force acting at the Site based on Site characteristics including sediment drop out previously described and the suppression of flow path due to damming. Sediment deposition and scouring act together during high-flow events to produce a mixing effect, resulting in sediment dilution.

1.4.3 Nature and Extent of Contamination

Several studies have been conducted at the Site over the past 21 years and have included analysis of chemical compounds in sediments and fish. These studies are identified in **Section 1.4.3.1** and the results of the 2014 sample event summarized in **Table 1**. Sample results by sample location are presented in **Appendix B**. This section also presents a discussion of the contaminants of concern (COCs) and the known extent of sediment contamination within the Site.

1.4.3.1 Previous Reports

The following is a list of previous reports and associated studies conducted at the Site that included the collection and analysis of sediments and biota:

- MPCA and WDNR, 1995, “The St. Louis River System Remedial Action Plan, Progress Report Stage I.” The report summarizes sediment and fish sampling completed in the Thomson Reservoir. One bedrock sediment sample, several short sediment cores and fish were collected from the Site. Mercury, PCBs, and 2,3,7,8-TCDD levels were analyzed.
- Schubauer-Berigan and Crane, 1996, “Preliminary Contaminant Assessment of the Thomson, Forbay, and Fond Du Lac Reservoirs”; USEPA, Region V, Great Lakes National Program Office; Chicago, Illinois. Three Site sediment cores and 17 fish tissue samples were analyzed. Analysis performed includes dioxins, PCBs, mercury, and Cesium 137 (to determine sediment deposition rates) for sediments and PCBs and Mercury for fish tissue.
- Minnesota Power, 2011, “2011 Thomson Reservoir Sediment Sampling.” Six Site sediment cores were collected. Mercury analysis was completed on the samples.
- EA Engineering, Science, and Technology, Inc., PBC (EA), 2015, “Site Characterization Report, Assessment of Contaminated Sediment, St. Louis River Site Characterization, St.

Louis River and Bay area of concern (AOC), Duluth, Minnesota"; USEPA, Great Lakes National Program Office, Chicago, Illinois, EP-R5-11-10. One sediment core and one surface sediment sample were collected from 24 Site locations. Analytical completed includes: polycyclic aromatic hydrocarbons (PAHs), diesel-range organics (DRO)/residual range organics (RRO), PCB Aroclor, dioxins, pesticides, and metals.

- Thomson Reservoir Technical Memorandum, Thomson Reservoir, Carlton, Minnesota, June 2017 (2017 Technical Memorandum) - In 2016, data was collected to support previous investigations by addressing data gaps identified by the MPCA to investigate the extent and volume of contaminated sediment within Thomson Reservoir, and to evaluate risks to human health and the environment due to potential impacts by the benthic community (2016 Data Gap Investigation [DGI]). Sediment samples were collected and analyzed for Site COCs to gather additional chemical data for delineation of extent and depth of contamination at the Site. Mercury sediment concentrations exceeded Midpoint and Level 2 SQTs in 3 samples (10 percent [%]), indicating that mercury contamination appears to be occurring throughout the Site. Dioxin/furan sediment concentrations exceeded Midpoint and Level II SQTs in 10 samples (32%) focused within the northeastern portion and western half of Thomson Reservoir. Mercury exceedances were observed at depth in the 0.15–0.5 and 0.5–1.0 meter intervals and dioxin/furan exceedances were observed in the 0.0–0.15, 0.15–0.50, and 0.5–1.0 meter intervals indicating that deposition of contaminated sediment occurred historically and may still be occurring, or that sediment deposition in this area is minimal.

In situ macroinvertebrate tissue samples (macroinvertebrates and crayfish) and ex situ laboratory bioaccumulation testing was completed. Benthic macroinvertebrates do not appear to bioaccumulate mercury due to exposure to Site sediments significantly more compared to reference samples, and it appears that mercury would not migrate up the food chain to higher trophic levels significantly more than reference sites. Benthic macroinvertebrates may bioaccumulate methylmercury due to exposure to Site sediments significantly more compared to reference samples; however, there is limited data for methylmercury concentrations in sediment at the Site and additional evaluation of methylmercury is required to determine if methylmercury is a COC. Benthic macroinvertebrates appear to bioaccumulate dioxins/furans due to exposure to Site sediments significantly more compared to reference samples, indicating that dioxins/furans may migrate up the food chain to higher trophic levels significantly more than reference sites.

Fish tissue collection and testing of eight fish species within trophic Level 2 through 4, was completed by the MPCA, at the Site and reference site. Bioconcentration of mercury and methylmercury appear to increase as trophic level increases, however, only methylmercury appears to be doing so more at the Site compared to the reference site. Bioconcentration of dioxins/furans appear to increase as trophic level increases and dioxins/furans are bioconcentrating significantly more at the Site compared to the reference site.

Based on the sediment and tissue testing results, dioxins/furans should be retained as a COC for the Site. Methylmercury may be bioconcentrating in tissue at the Site, however, information gathered to-date has not been adequate to indicate methylmercury should be considered a COC. The 2017 Technical Memorandum is included in **Appendix C**.

- Minnesota Power and Fond du Lac Natural Resources collected water quality and fish tissue data from 2010 through 2015 at multiple SLR reservoirs and flowages to better understand the relationship between water quality and the mercury methylation rates of game fish in SLR water bodies. Young-of-year perch were sampled in Thomson Reservoir in 2010 and 2015,

which had mercury tissue concentrations slightly higher than the media for all sites in the study. Thomson Reservoir water samples also had the highest total mercury, color, nitrogen, dissolved organic carbon, total organic carbon, and sulfate compared to all sites in the study (Minnesota Power, 2018).

- A literature review was completed by the United States Army Research and Development Center. The review focused on how a remedy involving AC will impact the potential for mercury toxicity and bioaccumulation. Review of available research indicated either AC is a useful sorbent for reducing the potential for mercury bioaccumulation, or that AC is not effective at sorbing mercury; however, AC does not appear to increase the potential for mercury toxicity and bioaccumulation in water or sediments (U.S. Army Research and Development Center, 2020).

As described in the following subsections, results of these investigations indicated the presence of sediment impacts throughout the Site. Chemical compounds found within Site sediments include PAHs, PCBs, mercury, and dioxins. As no official remedial investigation (RI) was conducted for the Site, these chemical compounds and their concentrations in sediments were evaluated as part of this FFS and COCs for the Site determined as detailed in **Section 1.4.3.3**.

1.4.3.2 Screening Criteria

Numerical sediment quality targets (SQTs), adopted for use in the SLR AOC to protect benthic invertebrates, can be used throughout Minnesota as benchmark values for making comparisons to surficial sediment chemistry measurements. Level I and Level II SQTs for the protection of sediment-dwelling organisms are available for 8 trace metals, 13 individual PAHs, total PAHs (all 13 priority PAHs), total PCBs, and 10 organochlorine pesticides. In addition, Level I and Level II SQTs for dioxins were adopted for the protection of fish, as insufficient information is available for sediment-dwelling organisms. The dioxins SQT is based on the dioxin toxic equivalency (TEQ) value, which incorporates results of individual dioxin and furan congeners and toxicity equivalence factors (TEFs) for the protection of fish, denoted as TEQ Fish. SQTs are highly useful when evaluating risk for a specific compound or a group of compounds (i.e., total PCBs and total PAHs).

Contaminant concentrations below the Level I SQTs are unlikely to have harmful effects on sediment-dwelling organisms (i.e., benthic invertebrates). Contaminant concentrations above the Level II SQTs are more likely to result in harmful effects to benthic invertebrates (MPCA, 2007). Based on conversations with the MPCA, a qualitative comparison value midway between the Level I SQTs and Level II SQTs (i.e., Midpoint SQT) were used as criteria to identify, rank, and prioritize sediment-associated COCs within the Site.

Sediment Screening Values (SSVs) were developed to provide a human health-based toxicity value specifically related to sediment for the U.S. Steel Superfund site in the SLR (Minnesota Department of Health [MDH], 2013). The SSVs were developed using reasonable maximal exposures (RMEs) specific to the U.S. Steel site and the Lower SLR. The Updated Human Health Screening Values for St. Louis River Sediments: U.S. Steel Site, dated April, 2013, describes the updated SSVs utilized in this report. SSVs were compared to select PAHs, eight trace metals, and total dioxins (as TEQs for human health). Chemical concentrations in water-covered sediments at or below the SSVs are considered safe for the general public; however, chemical concentrations in sediments exceeding the SSVs should not be considered unsafe because the SSVs were developed using conservative measures of exposure, bioavailability, and toxicity. Based on ongoing ambient concentration studies, some SSVs likely approach, or are less than ambient concentrations in sediment, including SSVs for mercury, benzo(a)pyrene equivalents, PCBs, and dioxins. Further, the SSVs do not include RMEs specific to the Site and are not intended to be used as sediment cleanup values; therefore, SSVs will not be used to identify,

rank, and prioritize sediment-associated COCs within the Site. Instead, the respective Midpoint SQT will be used to identify, evaluate, and prioritize sediment-associated COCs within the Site.

1.4.3.3 *Contaminants of Concern*

Previous studies conducted within the Site found varying levels of PAHs, PCBs, mercury, and dioxins within sediments. In order to assess the most current conditions at the Site, PAH, PCB, mercury, and dioxins results from the 2014 EA investigation (EA, 2015) and mercury/methylmercury and dioxins data from the 2016 DGI were assessed.

Sediment samples were collected from varying depths within the sediment cores in the 2014 EA Investigation. Because of varying core lengths and recovery, sediment sample collection depth was not consistent between sample locations. In order to spatially evaluate analytical results and sediment screening criteria comparisons between sample locations sediment samples were categorized into two depth intervals. The selected intervals allow for relatively easy assessment of sediment quality. The various selected intervals are as follows:

- 0.0 to 0.15 meters
- 0.15 to 0.50 meters
- 0.50 to 1.00 meters
- >1.00 meter

Each sediment sample was categorized into one of the two intervals if at least 25% of the sample length was within an interval. For example, if a sample was collected from 0.30 to 0.55 meters below the sediment surface, the sample would be categorized in the 0.15- to 0.50-meter category. Occasionally, at least 25% of a sample was collected within two intervals. For example, if a sample was collected from 0.10 to 0.30 meters, 25% of the upper portion of the sample is within the 0.0- to 0.15-meter interval, and 75% of the lower portion of the sample is within the 0.15- to 0.50-meter interval. In these cases, the sample was considered in the discussion and evaluation of both the 0.0- to 0.15-meter interval and the 0.15- to 0.50-meter interval. The 2014 data for PAH, PCB, mercury, and dioxins was used to develop statistical summaries for specific depth intervals sampled at the site.

In order to examine all data in a single data set, data from each of the four intervals were combined into a single group called “All Intervals”. Statistical summaries of the 2014 data are presented in **Table 1**.

PAH compounds were detected at all sampled intervals and had a mean total concentration of 602 micrograms per kilogram ($\mu\text{g}/\text{kg}$), well below the Level I SQT of 1,600 $\mu\text{g}/\text{kg}$. Four of the 28 samples had PAH concentrations exceeding the Level I SQT; no samples exceeded the PAH Midpoint or Level II SQTs. PCB compounds were also detected at all sampled intervals and had a mean total concentration of 27.8 $\mu\text{g}/\text{kg}$, less than the Level I SQT of 60 $\mu\text{g}/\text{kg}$. Eight of the 57 PCB samples collected exceeded the Level I SQT; no samples exceeded the PCB Midpoint or Level II SQTs. These compounds were infrequently detected in surface sediments (e.g., 0.0- to 0.15-meter interval) and concentrations generally increased with depth. Due to the low percentage of Level I exceedances (14% for both PAHs and PCBs) and no exceedances of the Midpoint or Level II SQTs in the samples, PAH and PCB compounds will not be considered COCs for the Site.

Mercury was detected at all sampled intervals and had a mean concentration of 0.25 milligrams per kilogram (mg/kg), greater than the Level I SQT of 0.18 mg/kg . The Level 1 SQT was exceeded in 59 of the 165 mercury samples collected, and 16 samples exceeded the Midpoint SQT; only 7 mercury samples exceeded the Level II SQT. Similar to PAHs and PCBs, mercury concentrations

increased with sample depth. Mercury data generated during the 2014 and 2016 investigations is unresponsive of historic data and investigative conclusions for the Site that identified mercury as a contaminant of interest; however, results of the 2014 and 2016 investigations indicate that mercury concentrations at the Site have changed. Due to a low percentage of SQT exceedances within the upper 0.15 meters of sediment (+6% Midpoint SQT) and because the apparent primary source of mercury within the Site is likely atmospheric/environmental deposition within the watershed, mercury is not a COC for the Site. Methylmercury at the Site was evaluated and has been determined to not be considered a COC for the Site. This is further discussed in **Section 1.4.3.1**.

Dioxins were primarily sampled over the 0.0- to 0.15-meter and 0.15- to 0.50-meter intervals. The average concentration of dioxins over these intervals was 33.59 nanograms per kilogram (ng/kg), well above the Level I SQT of 0.85 ng/kg, the Midpoint SQT of 11.20 ng/kg, and the Level II SQT of 21.50 ng/kg. Exceedances of the SQTs occurred for both sampled intervals. Due to the large percentage of SQT exceedances within both intervals and numerous exceedances of the Midpoint SQT, Level II SQTs, dioxins are a COC for the Site. Spatially, dioxins Midpoint SQT exceedances appear to be deposited in four areas within the Site, primarily in low energy areas of the western and eastern extents of the reservoir, as well as low energy areas between islands located just south of the SLR entry point into the Site. A comprehensive assessment of the spatial distribution of dioxins, both vertical and horizontal, is limited due to available sample size. Additional dioxins sediment sampling and correlative studies would provide a more complete assessment of dioxins distribution on Site; however dioxins are considered a COC for the Site.

Table 1 presents a summary of historical analytical data by sample interval evaluated against the SQTs and also presents the Level I SQTs, Midpoint SQTs, Level II SQTs, and general statistics for PAHs, PCBs, mercury, and dioxins. **Table 2** presents a summary of COCs. **Figure 5** presents the estimated areas of COC contaminated sediment that may exceed the Midpoint SQT and Level II SQT.

1.4.3.4 Depth and Volume of Contaminated Sediment

The depth and volume calculations and assumptions discussed below are based on a bathymetric survey of the Site completed in in 2016 by Minnesota Power (**Appendix D; Figure 3**) and analytical data collected in 2014 and 2016 for the Site Characterization Report (EA, 2015). As previously described, a flooding event occurred in 2012, which may have impacted sediment distributions, as can sediment deposition over time. Bay West used only the 2014 Site Characterization Report (EA, 2015) (**Appendix B**) and 2017 Technical Memorandum (**Appendix C**) to ensure that data reflects recent impacts to sediments from flooding and deposition.

Analytical data from the Site Characterization Report indicates that COC (dioxin)-contaminated sediment is present between 0 to 0.50 meters below the sediment surface, but that concentrations are generally substantially greater in the 0.15- to 0.50-meter interval when compared to the 0.0- to 0.15-meter interval. Lower concentrations in surface sediments indicate that sources contributing COCs to the Site are no longer present. This statement agrees with the conceptual site model (CSM) in which the primary contributor to historical COC impacts to the Site—building materials and paper manufacturers upstream—stopped discharging to the SLR in 1979 and began discharging to WLSSD. **Figure 4** presents the results of the most recent sample event conducted in 2014 compared to established SQTs for COCs. **Figure 5** identifies specific areas of concern within the Site based on action level exceedances at any of the sampled depth intervals and kriging of sample results. It is estimated that approximately 290,000 to 380,000 cubic yards of sediment exceeding the Midpoint SQT are present within the Site, assuming contaminated sediment thickness ranging from 0.35 to 0.50 meters, respectively. One data point was collected

during the 2016 DGI in the 0.50- to 1.0-meter interval. Dioxin results in this sample exceeded the Level II SQT, which indicated that dioxin concentrations may be elevated deeper than 0.50 meters; therefore, the vertical extent of contamination may be significantly greater than anticipated. The 1996 preliminary assessment report (Schubauer-Berigan and Crane, 1996) also indicated that dioxins were present at depth greater 0.5 meters; however, it is unknown how these deposits were affected by the 2012 flood event. Additional sampling would be required to refine the vertical extent of current COC impacts within Site sediments.

1.4.4 Exposure Pathways

Exposure pathways represent the linkages among contaminant sources, release mechanisms, exposure pathways and routes, and receptors to summarize the current understanding of the risks to human health and ecological receptors due to contamination. A “complete” exposure pathway means that evidence exists that a COC may be released from a source and may be transported into and through the environment to an exposure point where a receptor is assumed to be present.

The following sections provide greater detail on the human health and ecological exposure pathways.

1.4.4.1 Human Health Exposure Pathways

The Site is in a rural area adjacent to the City of Carlton and the Town of Thomson. Access to the reservoir is limited with much of the surrounding land under ownership by Minnesota Power. No official public swimming beaches are located on the Site, although swimming, and/or wading are not prohibited by the State or Minnesota Power. The portion of the SLR directly upstream of Thomson Reservoir is a popular kayaking route with a carry-down access point at the UMD Outpost Pier and a Kayak and Canoe Center (UMD Kayak and Canoe Center Institute Outpost) located on the southern shore of the Site slightly east of Dams #3 and #4. Kayaking, canoeing, rafting, boating, and fishing occur at the Site. Residential homes are located adjacent, but with no direct access to the Site in and around the City of Carlton and the Town of Thomson. Exposure from contaminated sediments to the public is possible but limited given the depth and location of contaminated sediments the Site. All information to date indicates that the proposed future use of the Site is consistent with the current use.

Fish consumption advisories are in effect for selected fish species in the SLR AOC due to elevated concentrations of PCBs and mercury found in fish tissue (Minnesota Department of Health [MDH], 2000). The State of Minnesota does not have guidance for a dioxins-specific fish consumption advisory; however, current fish consumption advisories for PCBs and mercury are expected to also be protective of potential dioxin concentrations found in fish at the Site.

Dioxins are generally non-volatile and not emitted from the waters of the Site; therefore, the inhalation exposure pathway is considered incomplete for human receptors.

Based on the Site conditions, accessibility, and current advisories discuss above, human health exposure pathways are considered incomplete.

1.4.4.2 Ecological Exposure Pathways

Contaminated sediments within the Site are located within the Potentially Bioactive Zone (PBAZ). The PBAZ is the area within the sediment where significant biological activity may be present. There is no definitive scientific consensus on the maximum depth to which flora and fauna penetrate sediment, but the MPCA’s selection of an appropriate PBAZ thickness is based on a weight-of-available-evidence approach and professional opinion. Due to the large uncertainty in

this type of analysis, the PBAZ incorporates an element of conservatism (i.e., greater depth) to provide an additional safety factor.

Three designated PBAZ thicknesses are applicable in the habitat, water depth, and substrate types, as described as follows (Bay West 2015):

1. Backshore/Foreshore Habitat Zone (Shoreline, Riparian and Wet Transition Areas)
(Minimum PBAZ thickness = 1.20 meters)

Applicable in:

- Shoreline/beach areas
- Sediment flats that are exposed due to periodic low water levels or seiche
- Open water/wet transition areas
- Areas potentially available to deep burrowing mammals
- Areas potentially available for deep rooted herbaceous and/or woody plants

2. Emergent Aquatic Vegetation Habitat Zone (off the Shoreline)
(Minimum PBAZ thickness = 1.00 meter)

Applicable in:

- Emergent aquatic vegetation areas
- Areas with potential for transitioning to emergent aquatic vegetation habitat (i.e., areas with substrates and water depths conducive to establishment of emergent vegetation now or in the future)
- Areas potentially susceptible to deep burrowing amphibians, reptiles or crustaceans

3. Submerged Aquatic Vegetation and Deep Water Habitat Zone
(Minimum PBAZ thickness = 0.50 meters)

Applicable in:

- Areas that support submerged aquatic vegetation habitat with no potential to transition to emergent aquatic vegetation or wetland habitat.
- Areas with water depths too deep to support emergent vegetation but may support benthic organisms
- Areas with a substrate not conducive to deeply rooted aquatic vegetation, wetland herbaceous or woody vegetation, or deep burrowing mammals, amphibians, or crustaceans (i.e., areas with natural rock substrate, or areas armored for erosion control or areas with root barriers or other engineering controls)

The various habitat zones found within the Site, which correspond to estimated PBAZ thicknesses for each habitat, are presented in **Figure 6**. These habitat zones indicate that, while each habitat zone exists at the Site, the submerged aquatic vegetation and deep water habitat zone accounts for a vast majority of the habitat at the Site.

Fish and other aquatic organisms accumulate some chemicals, which, based on the 2016 DGI fish tissue results, include dioxins from food and sediment that they ingest or through direct partitioning from water to biological tissues.

Complete ecological exposure pathways include the following:

- Dermal contact and incidental ingestion of contaminated sediments; and,
- Ingestion of biota that have consumed contaminated sediments.

Dioxins are generally non-volatile and not emitted from the waters of the Site; therefore, the inhalation exposure pathway is considered incomplete for ecological receptors.

Based on a comparison of the complete ecological exposure pathways and available analytical data summarized in **Section 1.4.4**, sediments with concentrations of COCs that exceed the Midpoint SQT value are considered a risk to the benthic community and the larger ecological environment, where they are found.

In summary, the analysis of the 2014 sediment data and available exposure pathways indicated that COCs are present at the Site and exposure pathways are complete; therefore, a potential risk to both human and ecological health from contaminated sediments exists at the Site.

1.4.5 Conceptual Site Model

The development of a CSM allows data obtained during ongoing investigations to be integrated in an iterative approach that increases the understanding of the physical and environmental setting of the Site and the fate and transport of COCs. This section incorporates the site history, regional hydrologic and geologic settings discussed in **Sections 1.3, 1.4.1** and **1.4.2** with site-specific data and observations that have been collected through Site investigations, site reconnaissance, and conversations with the MPCA and Minnesota Power. The CSM provides a baseline for consideration of how remedy alternatives could be implemented to protect human and environmental health at the Site. The CSM is illustrated in **Figure 7**.

Industrial sources up river from the Scanlon and Thomson reservoir likely began contributing contaminants to the SLR as early as 1900s, as previously discussed in **Section 1.3**. These waste streams, specifically the paper manufacturing effluent discharge water, were removed from the SLR in 1979 when they were rerouted to WLSSD.

Based on the previous SLR and Site investigations, the current site conceptual model is that the Site has retained significant levels of COCs and associated sediment that washed into the Site from upstream sources. Industrial sources of COCs have been significantly reduced, if not eliminated, beginning in the 1970s with only ambient COC concentrations now entering the river and Site systems. Sediment washed in the SLR system and accumulated by the Site has gradually covered the highest levels of COCs.

Spatially, COCs appear to be concentrated in areas anticipated to be low energy environments at the Site, areas that would be subject to sediment drop out from daily flow or drop out during flood events. Impacts due to flooding as previously described likely would have increased sediment deposition to the Site, burying contaminated sediment. Lesser impacts from scouring may have played a role in sediment distribution possibly pushing sediment from the primary flow pathways in the reservoir to lower energy areas and/or out of the system back into the SLR. Receptors that are potentially exposed to COCs include the following ecological receptors:

- Emergent and submerged vegetation;
- Benthic and aquatic invertebrates;
- Mammals and birds consuming fish, benthic and aquatic invertebrates, and vegetation; and
- Undetermined receptors if future maintenance dredging is needed.

Reducing surface sediment concentrations or chemical bioavailability is the primary goal of sediment remediation processes. The deposition of cleaner sediment that buries and isolates COCs below the upper bioturbation layer reduces risk of chemical exposure to benthic receptors. A model developed by Beak Consultants (Beak, 1992) predicted that sediment deposition rates in Thomson Reservoir would be on the order of less than 1 millimeter per year. Sediment deposit rates calculated from one core from the 1996 preliminary assessment report estimated Thomson Reservoir sedimentation rates from 1954 to 1964 and 1964 to 1992 as 28 ± 8 and 50 ± 2 millimeters per year. An attempt was made to corroborate the higher core based deposition rates estimated for the Site by setting out sediment traps during the summer of 1993. However, many of the traps were found to contain nesting organisms, such as fish and crayfish and therefore, sediment accumulation in the traps could not be quantified. Therefore the sedimentation rate from the 1996 preliminary assessment report is considered a rough estimation as it is based only on one data point.

Based on estimated sedimentation rates Monitored Natural Recovery (MNR) may be a viable component of the selected remedy. Baseline characterization and predesign investigations will evaluate a wider distribution of sediment cores to further evaluate the resuspension effects of the major flood events that occurred in 1999 and 2012 and the robustness of future sediment and COC stability.

2.0 APPLICABLE OR RELEVANT AND APPROPRIATE REQUIREMENTS AND REMEDIAL ACTION OBJECTIVES

Remedial actions for releases and threatened releases of hazardous substances, pollutants, or contaminants must be selected and carried out in accordance with state and federal requirements. These requirements are referred to as ARARs. RAOs specify COCs, media of concern, potential exposure pathways, and remediation goals. Initially, Site remediation goals for the COCs are developed based on readily available information such as chemical-specific ARARs or other reliable information. The Site RAOs are modified, as necessary, as more information becomes available during the FFS process.

This section presents the preliminary ARARs, RAOs, and COCs to be used in the development of this FFS. The final ARARs, RAOs, and COCs will be developed by the MPCA for the Site.

2.1 Applicable or Relevant and Appropriate Requirements

This preliminary ARAR section summarizes the MPCA, MDNR, and MDH ARARs, and to be considered (TBC) criteria for aquatic sediment associated with the Site. Local and federal ARARs have also been included; however, the list may not include all applicable local and federal ARARs.

The NCP (40 CFR 300.5) defines “applicable” requirements as: “those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations promulgated under federal environmental or state environmental or facility citing laws that specifically address a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstance found at a Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) site.” Only those promulgated state standards identified by a state in a timely manner that are substantive and equally or more stringent than federal requirements may be applicable.

The NCP (40 CFR 300.5) further defines “relevant and appropriate” requirements as: “those cleanup standards, standards of control, and other substantive requirements, criteria, or limitations promulgated under federal environmental or state environmental or facility citing laws that, while not ‘applicable’ to a hazardous substance, pollutant, contaminant, remedial action, location, or other circumstances at a CERCLA site, address problems or situations sufficiently similar to those encountered at the CERCLA site that their use is well suited to the particular site.” Like “applicable” requirements, the NCP also provides that only those promulgated state requirements that are identified in a timely manner and are more stringent than corresponding federal requirements may be relevant and appropriate.

ARARs generally fall into one of the following three classifications:

- **Chemical-specific:** These ARARs are usually health- or risk-based numerical values or methodologies that, when applied to site-specific conditions, result in numerical values. These values establish an acceptable amount or concentration of a chemical that may be found in, or discharged to, the ambient environment. These requirements provide the basis for protective Site remediation levels for the COCs in the designated media.
- **Location-specific:** These ARARs generally restrict certain activities or limit concentrations of hazardous substances solely because of geographical or land use concerns. Requirements addressing wetlands, historic places, floodplains, or sensitive ecosystems and habitats are potential location-specific ARARs.
- **Action-specific:** These ARARs are restrictions on the conduct of certain activities or the operation of certain technologies at a particular site. Examples of action-specific ARARs would be regulations dictating the design, construction, and/or operating procedures for dredging, on-site landfilling, or capping. Action-specific requirements do not themselves

determine the cleanup alternative, but define how the chosen cleanup alternative should be achieved.

In addition, criteria, advisories, guidance, and proposed standards developed by federal and state environmental and public health agencies that are not legally enforceable, but contain helpful information, are collectively referred to as TBCs. TBCs can be helpful in carrying out selected remedies or in determining the level of protectiveness of selected remedies. TBCs are meant to complement the use of ARARs, not compete with or replace them. TBCs are included, where appropriate, in the chemical-, location-, and action-specific discussions.

Several federal and state laws govern or provide the framework for remedial actions. Remedial actions must comply with substantive portions of these laws or acts, which were also reviewed during the ARAR development process. The following provides a summary of laws and acts that do not readily fall into one of the chemical-, location-, or action-specific classifications, but are applicable to the Site:

ARAR/TBC	Citation	Description/Potential Application
CERCLA	42 United States Code (USC) §§9601 et seq.	Federal Superfund Law.
NCP	40 CFR Part 300	Provides organizational structure and procedures for preparing for and responding to discharges of oil and releases of hazardous substances, pollutants, and contaminants.
MERLA	Minn. Stat. §§115B.01 to 115B.20	State Superfund Law.
Water Pollution Control Act	Minn. Stat. chapter (ch.) 115	Administration and enforcement of all laws relating to the pollution of any waters of the state.
Duty to Notify and Avoid Water Pollution	Minn. Stat. §115.061	Requires notification and recovery of discharge pollutants to minimize or abate pollution of the waters of the state.
Pollution Control Agency	Minn. Stat. ch. 116	Provides organizational structure and procedures for responding to problems relating to water, air, and land pollution.
Water Law	Minn. Stat. ch. 103A, 103B, 103C, 103D, 103E; 103F, and 103G	Provides regulations pertaining to any waters of the state, including surface water, wetlands and groundwater.
Safe Drinking Water Act	42 USC §§300f et seq.	Established to protect the quality of drinking water (above or underground).
Clean Water Act	33 USC §§1251 et seq.	Establishes structure for regulating discharges of pollutants and regulating quality standards for surface waters.
Resource Conservation and Recovery Act (RCRA)	42 USC §§6901 et seq.	Establishes RCRA Program and Regulations.
Clean Air Act	42 USC §§7401 et seq.	Regulates air remissions from stationary and mobile sources.
Federal Energy Regulatory Commission (FERC)	FERC was established by congress through various laws.	An independent agency that regulates transmission and wholesale sale of electricity and natural gas in interstate commerce. FERC authorizes and regulates non-federal hydropower projects.

2.1.1 Chemical-Specific ARARs and TBCs

The COCs associated with the sediments include dioxins. The following are the chemical-specific ARARs and TBCs associated with the sediments and shall be used to develop site-specific cleanup levels (CULs):

ARAR/TBC	Citation/Source	Description/Application
Sediment		
SSVs	MDH, 2013. Public Health Consultation, Updated Human Health Screening Values for SLR Sediments: U.S. Steel Site. April.	To be used as benchmark values for making comparisons to surficial sediment chemistry measurements
SQTs	Guidance for the Use and Application of SQTs for the Protection of Sediment-dwelling Organisms in Minnesota	To be used as benchmark values for making comparisons to surficial sediment chemistry measurements
All Media		
Contaminated Sediments Remediation	Contaminated Sediments Remediation. http://www.itrcweb.org/contseds_remedy-selection/	Guidance to assist in selecting remedial technology most appropriate for a specific site.
Contaminated Sediment Remediation	Contaminated Sediment Remediation Guidance for Hazardous Waste Sites, USEPA. December 2005.	Guidance to assist in selecting remedial technology most appropriate for a specific site.
Contaminated Sediment Remediation	Use of Amendments for In Situ Remediation at Superfund Sediment Sites, USEPA. April 2013.	Guidance to assist in situ remediation.
Site screening guidelines	Working Draft Site Screening Evaluation Guidelines. MPCA Risk-Based Site Evaluation (RBSE) Manual (09/98).	Guidelines and criteria for screening human health and ecological risks.

Sediment

Human Health Risk

As discussed in **Section 1.4.4.1**, based on the Site conditions, accessibility, and current advisories discuss above, human health exposure pathways are considered incomplete

Ecological Risk

To achieve protection and restoration of habitat, minimize exposure of the benthic organisms to contaminated sediments and movement of contaminants up the food chain, Preliminary Sediment Remediation Goals were developed for use in this FFS. The MPCA does not have sediment quality standards in rule. SQTs, developed for use in the SLR AOC, can be used throughout the state as benchmark values for making comparisons to surficial sediment chemistry measurements and to guide remedial decisions. For more information about the SQTs, refer to the report *Guidance for the Use and Application of Sediment Quality Targets for the Protection of Sediment-Dwelling Organisms in Minnesota (MPCA, 2007)*.

All Media

This guidance document assists in selecting remedial technology most appropriate for a specific site based on contaminated sediment and site specific characteristics (http://www.itrcweb.org/contseds_remedy-selection/).

The USEPA document, Contaminated Sediment Remediation Guidance for Hazardous Waste Sites, presents remedial options available for contaminated sediments discussing advantages and limitations associated with the options.

The USEPA document, Use of Amendments for In Situ Remediation at Superfund Sediment Sites, presents remedial options using amendments available for contaminated sediments discussing advantages and limitations associated with the options.

The MPCA Site Screening and Evaluation Document presents an overall process for conducting a Tier 1 evaluation of the various exposure pathways at a site. The screening criteria worksheet can be found at the MPCA website (<https://www.pca.state.mn.us/waste/risk-based-site-evaluation-guidance>).

2.1.2 Location-Specific ARARs and TBCs

The Location-Specific ARARs and TBCs for the Site are as follows:

ARAR/TBC	Citation/Source	Description/Application
Waters of the State and Groundwater Protection	Minn. Stat. 103G and 103H	Groundwater protection, non-degradation, and best management practices.
Floodplain Management and Wetlands Protection	40 CFR Part 6, Appendix A, §6.a.(1)	Requires agencies to evaluate potential effects of actions in a floodplain to avoid adverse impacts.
Shoreland and Floodplain Management	Minn. Rules ch. 6120	Conserves economic and natural environmental values (MDNR).
Carlton County Land Use Ordinances	Carlton County Zoning Ordinances #27	Floodplain management, Manages on-site waste disposal and other site activities.
Shoreland Management	Carlton County Zoning Ordinance #27	Carlton County requires a permit for any excavation or grading within 1000 feet of lake or 300 feet of a stream/river.
Endangered Species Act	16 USC §§1531 et seq. 50 CFR §17.11-12	Conservation of threatened and endangered plants and animals and their habitats.
Endangered, Threatened, Special Concern Species	Minn. Rules ch. 6134 Minn. Statute, §84.0895	Protection of endangered, threatened, special concern species (MDNR).
Migratory Bird Treaty Act	16 USC Chapter 7, Subchapter II §§703 and 712.2	Protects migratory birds and their ecosystems.
MDH Advisory for St. Louis River	MDH	Provides fish consumption advisories.

The Site is located within the Lake Superior Drainage Basin. Surface water quality standards and provisions for Class 2B and 3B waters apply. In addition, USEPA and the Great Lakes states agreed in 1995 to a comprehensive plan to restore the health of the Great Lakes. The Final Water Quality Guidance for the Great Lakes System, also known as the Great Lakes Initiative (GLI), includes criteria for states to use when setting water quality standards for 29 pollutants, including bioaccumulative chemicals of concern, and prohibits the use of mixing zones for these toxic chemicals. Because the surface water at the Site is within the drainage basin of Lake Superior,

the ARARs specified in the GLI, Minn. Rules ch. 7052 are applicable to the Site. Requirements of the Great Lakes Water Quality Agreement of 2012 apply to the Site. In addition, the surface waters adjacent to the Site are identified as an Outstanding International Resource Water (OIRW). The objective for OIRW is to maintain water quality at existing conditions when the quality is better than the water quality standards. Generally, OIRWs are considered surface water quality standards applicable to the SLR for Class 2B and OIRWs, as set forth in Minn. Rules, chs. 7050 and 7052, and to the additional surface water quality standards for the SLR, as set forth in Minn. Rules ch. 7065. The OIRW was established after the ROD was issued.

As stated in Minn. Rules ch. 7050.0210 Subp. 2:

Nuisance conditions prohibited. No sewage, industrial waste, or other wastes shall be discharged from either point or nonpoint sources into any waters of the state so as to cause any nuisance conditions, such as the presence of significant amounts of floating solids, scum, visible oil film, excessive suspended solids, material discoloration, obnoxious odors, gas ebullition, deleterious sludge deposits, undesirable slimes or fungus growths, aquatic habitat degradation, excessive growths of aquatic plants, or other offensive or harmful effects.

Title 40 CFR Part 6, Appendix A, Section 6 Requirements: Requires federal agencies to evaluate the potential effects of actions taken within a floodplain to avoid adversely impacting floodplains wherever possible.

Title 40 CFR Part 6, Appendix A, Section 6.a.(1) Floodplain/Wetlands Determination: Before undertaking an Agency action, each program office must determine whether or not the action will be located in or affect a floodplain or wetlands. The Agency shall utilize maps prepared by the Federal Insurance Administration of the Federal Emergency Management Agency (Flood Insurance Rate Maps or Flood Hazard Boundary Maps), Fish and Wildlife Service (National Wetlands Inventory Maps), and other appropriate agencies to determine whether a proposed action is located in or will likely affect a floodplain or wetlands. If there is no floodplain/wetlands impact identified, the action may proceed without further consideration of the remaining procedures set in this section. If floodplain/wetlands impact is identified, this section presents procedures that must be taken.

Shoreland and Floodplain Management (Minn. Rules ch. 6120): Provides standards and criteria intended to preserve and enhance the quality of surface waters, conserve the economic and natural environmental values of shorelands, and provide for the wise use of water and related land resources of the state. Carlton County Zoning Ordinances, ch. 1003, establish additional floodplain management and manage site activities such as on-site waste disposal.

Shoreland Management Permit (Carlton County Zoning Ordinance #27), as defined by Carlton County: Requires a permit for any excavation or grading above the Ordinary High Water Mark within 300 feet of a river. Each alternative will involve some of these activities. The substantive requirements of this permit are found in the ordinance and may govern removal of natural vegetation, grading and filling, placement of roads, sewage and waste disposal, and setbacks.

The Endangered Species Act (16 USC §§1531 et seq.) and the Minnesota Endangered, Threatened, Special Concern Species Act (Minn. Rules ch. 6134): Protect threatened and endangered plants and animals and their habitats.

Title 16 USC Chapter 7, Subchapter II §§703 and 712.2., The Migratory Bird Treaty Act: Protects migratory birds and their ecosystems by specifying the taking, killing, or possessing migratory birds unlawful. Public Law 95-616, an amendment to this act, provides measures to protect identified ecosystems of special importance to migratory birds such as bald eagles against pollution, detrimental alterations, and other environmental degradations.

The MDH has established various fish consumption advisories for the SLR due to the presence of PAHs, PCBs, and Resource Conservation and Recovery Act (RCRA) metals in water and sediments; however, there is no fish consumption advisory for the COC for the Site.

2.1.3 Action-Specific ARARs and TBCs

The following summarizes the action-specific ARARs for the Site. In addition, Occupational Safety and Health Standards (Minn. Rules ch. 5205) for worker health, safety, and training are applicable to remedial actions performed at the Site.

ARAR/TBC	Citation/Source	Description/Application
Waters of the State (both surface and underground)	Minn. Rules ch. 7050 and 7052	Surface water quality during remedy construction.
Wetland Conservation Act (WCA)	Minn. Stat. §§103G.221-.2373	Protection of wetlands.
Wetlands Conservation	Minn. Rules 8420	Protection of wetlands, wetland functions for determining public values.
Floodplain Management Order	Executive Order 11988 and 40 CFR Part 6, Appendix A,	Regulates remedial action implementation in floodplains.
Section 404 Permit and Section 401 Certification (Clean Water Act)	33 CFR Parts 320 and 323; 33 USC §1341	Applies to discharge of dredged or fill material into waters of the U.S.
National Pollutant Discharge Elimination System (NPDES)/ State Disposal System (SDS) permits	Clean Water Act 33 USC §1342	Surface water quality requirements for discharges of pollutants to waters of the state.
Section 10 (Rivers and Harbors Act of 1899)	33 USC 403	Applies to activities that will obstruct or alter any navigable water of the U.S.
Work in Public Waters	Minn. Stat. §103G.245	Permit requirements applicable to work in public waters that will change or diminish its course, current, or cross-section.
Public Water Resources	Minn. Rules ch. 6115	Water appropriation permitting, standards and criteria for alterations to structure of public water (MDNR).
Minnesota Sediment Quality Targets	Guidance for the Use and Application of Sediment Quality Targets for the Protection of Sediment-dwelling Organisms in Minnesota, MPCA Document Number: tdr-gl-04	Establishes procedures for PBAZ caps and covers.
WLSSD	WLSSD Industrial Pre-Treatment Ordinance	Requirements for any dredge water discharged into public sanitary sewers.
Construction and Use of Public Sewers	Minn. Rules ch. 4715	Governs the use of sewers and public water systems if any dredge water is disposed of in public sewers.

ARAR/TBC	Citation/Source	Description/Application
MDNR Invasive Species Management	Minn. Statutes 84D.02	Requirements for sediment transportation if invasive species are present.
Solid Waste	Minn. Rules ch. 7035	Requirements and standards for solid waste facilities.
Hazardous Waste	Minn. Rules ch. 7045	Hazardous waste listing, and generator, transport, and facility standards.
Air Pollution Emissions and Abatement	Minn. Stat. §116.061	Duty to notify and abate excessive or abnormal unpermitted air emissions.
Ambient Air Quality Standards	Minn. Rules ch. 7009	Provides air quality standards.
Preventing Particulate Matter From Becoming Airborne and Emission Standards	Minn. Rule Parts. 7011.0150 and 7011.8010	Provides measures to control dust and emission standards for hazardous air pollutants.
Noise Pollution Control	Minn. Rules ch. 7030	Noise standards applicable to remedy construction.

Water Quality

If any activity associated with the remedial actions results in an unregulated release, in accordance with the Water Pollution Control Act and Minn. Stat. 115.061, Duty to Notify, a notification and recovery of any pollutants discharged to minimize or abate pollution of the waters of the state is required.

In accordance with Minn. Rules ch. 7050, surface water quality standards for the maintenance and preservation of surface water quality during remedy construction, including discharges from treatment/work and stormwater runoff zones, shall be based on surface water quality standards that currently apply to Class 2B and OIRWs, as set forth in Minn. Rules, chs. 7050 and 7052, and to the additional surface water quality standards for the SLR set forth in Minn. Rules ch. 7065. Therefore, if water is discharged directly to the waters on or adjacent to the Site, it shall be treated to a level that meets applicable surface water discharge standards. Groundwater non-degradation and standards for the protection of groundwater during remedy construction are presented in Minn. Rules 7060.

During remediation, the MPCA would consider the areas in which work is performed as “treatment/work zones,” to which the surface water quality standards normally applicable to the SLR would temporarily not apply. These treatment/work zones would be physically separated from adjacent waters through the use of engineering controls such as single or multiple silt curtains, inflatable dams, sheet piling, or other measures. During construction of the remedy, any discharges occurring within those controlled treatment/work zones, such as the discharge of capping material during capping operations, the release of contaminants during dredging operations, or runoff from activities on shore, would not be subject to water quality standards. Rather, water quality standards would apply outside of the treatment/work zone, beyond the outermost engineering control structure where the water from the treatment/work zone is discharged. Other discharges occurring during remedy construction that are not included in a treatment/work zone, including discharges of treated dredge water, and discharges of stormwater

runoff from shoreland modifications outside of the treatment/work zones, would also be subject to regulation.

If water is discharged, it would be treated to a level that meets applicable surface water discharge standards. The MPCA water quality standards may apply to these discharges. Final standards would be determined by the MPCA prior to implementation of the remedial actions. In the event that a standard is exceeded, further management practices would likely be required during remedy construction to reduce the amount of suspended contaminants escaping the treatment/work zone.

Wetlands, Shoreland, and Floodplain Management

In accordance with Minn. Rules ch. 7050, wetlands at the Site are classified as unlisted wetlands, Class 2B and 3B waters. In accordance with Minn. Rules ch. 8420, compliance with wetland ARARs will involve consultation with the MDNR to determine the category of wetlands present at the Site and any avoidance, mitigation, and replacement that may be necessary. Water quality standards for the maintenance and preservation of surface water quality during remedy construction including discharges from treatment/work and stormwater runoff zones shall be based on surface water quality standards that currently apply to Class 2B and 3B waters and shall comply with Minn. Stat. §§103G.221-.2373. Standards and specifications applicable to shoreland and floodplain management can be found in Executive Order 11988 and 40 CFR Part 6, Appendix A, Minn. Rules ch. 6120.

Minn. Stat. §103G.222 provides that a wetland replacement plan must be approved by the Local Governmental Unit before any Wetland Conservation Act (WCA) wetlands may be drained or filled, unless draining or filling falls within the “De Minimis” exemption or another exemption of Minn. Stat. §103G.2241. WCA wetlands are those wetlands that are not public water wetlands regulated by the MDNR and United States Army Corps of Engineers (USACE). WCA wetlands would be located above the Ordinary High Water Mark.

Carlton County provides additional guidance regarding WCA requirements for the Site at the following website:

http://www.co.carlton.mn.us/vertical/Sites/%7B315ADE76-21A3-4241-B977-F94AEE8A7F04%7D/uploads/Carlton_County_and_the_Wetland_Conservation_Act.pdf

Permits and Certifications

Possible permits for cleanup activities include the following:

Section 404 Permit (Clean Water Act): Required for discharge of dredged or fill material into waters of the United States. The substantive requirements of this permit shall be met for alternatives that dredge or fill waters of the state. USACE evaluates applications for Section 404 permits. Substantive requirements that may be incorporated within a Section 404 permit for off-site activities can be found in 33 CFR Parts 320 and 323.

Section 401 Certification: The Clean Water Act, 33 USC §1341, requires that any application for a federal permit that may result in a discharge to a navigable water must be accompanied by a certification from the affected state indicating that the discharge will comply with all applicable water quality standards and effluent limitations of the Act. Thus, a Section 401 certification or a 401 certification waiver for remedial action at the Site would be necessary before the USACE may issue a Section 404 permit, and a certification may be necessary before the USACE may issue a Section 10 permit if that permit authorizes a “discharge.”

National Pollutant Discharge Elimination System (NPDES; Clean Water Act 33 USC §1342): Discharges of pollutants to waters of the state associated with construction of the selected remedy

would be subject to the requirements applicable to a NPDES permit. Discharges could include the discharge of capping material, the discharge of contaminants released and suspended by dredging operations, the discharge of treated dredge water during dredging operations, and the discharge of stormwater runoff from shoreland modifications. These types of discharges would be subject to the same regulatory standards and controls that would apply under an MPCA permit. In addition, NPDES General Permit number MNG990000 has been required for managing dredged materials; however, this permit has expired and has not been renewed. According to *Managing Dredged Materials in the State of Minnesota* (MPCA, 2009), an individual NPDES/State Disposal System (SDS) Dredge Materials Management permit may be required. A NPDES Construction Permit and a Stormwater Pollution Prevention Plan are required by the MPCA if more than one acre of land is disturbed by excavation activities.

Section 10 of the Rivers and Harbors Act of 1899 (33 USC 403): A Section 10 permit is required from the USACE for any construction in or over any navigable water, or the excavation or discharge of material into such water, or the accomplishment of any other work affecting the course, location, condition, or capacity of such waters. The substantive requirements that may be incorporated within a Section 10 permit can be found in 33 CFR Parts 320 and 322.

Work in Public Waters (Minn. Stat. §103G.245): A permit from the MDNR is necessary for any work in public waters that will change or diminish its course, current, or cross-section. If an alternative under consideration involves dredging or capping, a public waters permit from the MDNR may be required. The substantive requirements that the MDNR may incorporate within its public waters permit are codified in statute and at Minn. Rules, ch. 6115. These requirements include compensation or mitigation for the detrimental aspects of any major change in the resource. The MDNR permits may require restoration of bathymetry (water depth) and habitat substrate (bottom) as part of the public waters permit. The MDNR would set the specific cover depth and composition requirements.

Additionally, if capping of contaminated sediments is conducted, requirements would include specifications for cap construction. In situ caps constructed for the containment of contaminated sediment must contain an isolation zone (IZ) and a PBAZ. The IZ is the portion of the cap that is applied directly over the contaminated sediments and is designed to isolate and attenuate the Site contaminants that could potentially be transported upward into the PBAZ at concentrations above the CULs by diffusion or advection transport mechanisms. The PBAZ is the area within the cap above the IZ where significant biological activity may potentially be present. The thickness and material specifications for the IZ and PBAZ should be determined based on pore water transport and attenuation modeling.

Air Emissions and Waste Management Permits: In accordance with Minn. Stat. §116.081, a permit is required for the construction, installation or operation of an emission facility, air contaminant treatment facility, treatment facility, potential air contaminant storage facility, storage facility, or system or facility related to the collection, transportation, storage, processing, or disposal of waste, or any part thereof, unless otherwise exempted by any agency rule now in force or hereinafter adopted, until plans have been submitted to the agency, and a written permit granted by the agency.

On-Site Disposal: The placement of dredged sediment into an on-site confined aquatic disposal (CAD) area and any subsequent seepage from the CAD, if implemented, would be regulated by the MPCA under the requirements applicable to an SDS permit. The legal requirements for an SDS are found in Minn. Stat. §115.07, Minn. Rules, Parts 7065.0100 to 7065.0160 and in other MPCA water quality rules including Minn. Rules chs. 7050 and 7052.

Discharge into Sewers: A permit from the WLSSD will be necessary if any dredge water is discharged into the public sewers. Pretreatment standards that would likely apply can be found at: <http://wlssd.com/wp-content/uploads/2014/12/WLSSDPretreatmentOrdinance.pdf>.

The permit will also include requirements to ensure that there will be no detrimental effects to their bio-solids program. A WLSSD permit would also represent compliance with Minn. Rule, Part 4715.1600 and the MPCA water rules governing indirect discharges.

Invasive Species: A prohibited/regulating invasive species permit will be required to transport sediment to a landfill, if invasive species are present near the proposed work area.

CERCLA provides for waiving of necessary permits for on-site work, provided the work is conducted in compliance with the substantial conditions of such permits. Although the permits themselves may not be required on CERCLA Sites, compliance with the substantial conditions of these identified permits shall be met.

Construction and Use of Public Sewers

Minn. Rules ch. 4715 governing the use of sewers and public water systems would apply if any water associated with remedial activities is disposed of in public sewers.

Waste Management

Solid and hazardous waste management requirements and standards can be found in Minn. Rules chs. 7035 and 7045, respectively. USEPA guidance has consistently stated that Superfund remedies involving movement of contaminated material within the area of a Site where such material is already located (sometimes referred to as an AOC) do not create a “waste” that is subject to RCRA (42 USC §6901 et seq.) or other waste management requirements. Remedy alternatives that require contaminated materials to be moved to an off-site land disposal site are considered to generate waste that must be managed under applicable waste management requirements.

Carlton County zoning ordinance subd. G, FP Flood Plain Management District, establishes additional floodplain management and manages site activities such as on-site waste disposal.

Ambient Air Quality Standards

Air quality standards applicable to releases into the air from cleanup activities include Min. Stat. 116.061, Air Pollution Emissions and Abatement. During remedy construction, activities such as transportation, storage and placement of capping material may result in particulate matter becoming airborne. Minn. Rules ch. 7009 establishes ambient air quality standards for criteria pollutants regulated under the Clean Air Act. Compliance points shall be selected in accordance with Minn. Rules ch. 7009. The ambient air quality standards for particulate matter that apply to remedial actions are found at: <https://www.revisor.mn.gov/rules/?id=7009.0080>.

Control of the generation of airborne particulate matter during remedy construction is regulated in Minn. Rule Part 7011.0150, *Preventing Particulate Matter from Becoming Airborne*, which includes measures to control dust that may be generated during remedy construction activities such as transportation, storage, and placement of capping material, which shall be addressed in the remedial design plan. Minn. Rules Part 7011.8010, Site Remediation, incorporates the National Emission Standards for Hazardous Air Pollutants applicable during Site remediation activities.

Noise Pollution Control

Minn. Rules ch. 7030 establishes noise standards for various land uses. Compliance points will be selected in accordance with Minn. Rules ch. 7030. The noise standards that apply to the selected remedial action can be found at: <https://www.revisor.leg.state.mn.us/rules/?id=7030.0040>.

2.1.4 Other Considerations

Other considerations under MERLA set forth the regulatory requirements, RAOs and CULs that must be met by a remedy to meet the legal standard for a remedy under MERLA and the threshold criterion for protection of public health and welfare and the environment. A remedy, as defined under MERLA, must also include any monitoring, maintenance and institutional controls (ICs) and other measures that the MPCA determines are reasonably necessary to assure the protectiveness of the selected remedy over the long term.

It is particularly important to consider the requirements for long-term assurance of protectiveness where the remedy alternatives involve the use of capping or containment to manage contaminated media within the Site. Some requirements may also be necessary to assure long-term protectiveness of alternatives that involve excavation or dredging and off-site disposal of contaminated soil or sediment.

In addition, MERLA requires the MPCA to consider the planned use of the property where the release of contaminants is located when determining the appropriate standards to be achieved by a remedy.

Long-Term Assurance of Protectiveness

MERLA requires that a remedy include measures that are reasonably required to assure the ongoing protectiveness of a remedy once the components of the remedy have been constructed and entered their operational phase. Such measures may include, but are not limited to, ICs and monitoring and maintenance requirements. This section discusses the measures that the MPCA determines are reasonably necessary to assure long-term protectiveness.

Institutional Controls

ICs are legally enforceable restrictions, conditions or controls on the use of property, groundwater or surface water at a property that are reasonably required to assure the protectiveness of a remedy or other response actions taken at the Site. Areas of the Site where contaminated media remains in place after remedial construction will be subject to ICs (such as easements and restrictive covenants) that are legally binding on current and future owners of the property to assure ongoing protection from disturbance of or exposure to the contamination. Restrictions on use may also be required for areas of the Site where contaminated media are treated and/or removed and where some residual contamination may remain.

Minn. Stat. §115B.16, subd. 2, requires an Affidavit Concerning Real Property Contaminated with Hazardous Substances to be recorded with the Carlton County recorder by the owner of the property. The Uniform Environmental Covenants Act (UECA) and the authority for requiring environmental covenants can be found in Minn. Stat. ch. 114E. This statute requires MPCA approval of environmental covenants (which include restrictive covenants and access) when there is an environmental response project (which includes superfund cleanups) is overseen by the MPCA. Because the Site is not platted, the UECA may not apply and other ICs such as a City Ordinance may be required to prevent anchoring, fishing, dredging, and other activities that may disturb a cap or contaminated sediments left in place.

Long-Term Operation and Maintenance, Monitoring, and Contingency Action

On-site containment facilities and capping of impacted media (sediment) or any other alternative that may leave impacted media on-site will require post-construction monitoring, operation and maintenance (O&M), and contingency action plan to assure that ARARs, RAOs, and CULs that apply to the alternative are fully achieved and maintained over time.

General details of the post-construction monitoring, O&M, and contingency action plan requirements would be set forth in the FFS, along with an estimate of the cost to carry out each activity.

Planned Use of Property

In a provision entitled “Cleanup Standards” (Minn. Stat. §115B.17, subd. 2a), MERLA provides that when the MPCA determines the standards to be achieved by response actions to protect public health and welfare and the environment from a release of hazardous substances, the agency must consider the planned use of the property where the release is located. The purpose of this provision of MERLA is to allow the MPCA to select cleanup standards that provide a level of protection that is compatible with the uses of the Site property that can be reasonably foreseen.

The specific properties directly affected by the remedies are currently part of treatment or containment facilities considered to be commercial/industrial land use (i.e., hydroelectric power generation). In addition, impacted areas include wetlands/semi-aquatic and aquatic areas and associated habitat. The cleanup standards must provide protection of public health and welfare and the environment that is consistent with any planned or potential future uses of the Site, including natural resource and habitat restoration, navigation and recreational uses. These cleanup standards are also compatible with the use of the adjacent land for residential, recreational, habitat restoration, or commercial and industrial use.

2.2 Remedial Action Objectives

The RAOs developed by the MPCA for the Site are:

- Minimize or remove exposure to sediment contaminants that bioaccumulate in the food chain.
- Minimize or remove exposure of the benthic organisms to contaminated sediments above sediment cleanup goals.
- Preserve water depth to enable the current and/or planned use of the Site.

The following subsection present preliminary sediment CULs developed to achieve these RAOs.

2.2.1 Preliminary Sediment Cleanup Levels

To minimize exposure of the benthic organisms to contaminated sediments and to stop movement of contaminants up the food chain, the remedy should meet the Preliminary Sediment CUL. The Midpoint SQT for dioxins is expected to be near the background concentration of dioxins within the upper SLR AOC; therefore, the Midpoint SQT will serve as the CUL for dioxins. On-going background concentration studies are currently being undertaken in the SLR, should the results of these studies identify a dioxins background concentration in sediment different from the Midpoint SQT the CUL in this FFS will be revised. The following table presents the CUL for the COCs identified in **Section 1.4.3.3**.

Contaminant	Units	Cleanup Level	Maximum Concentration Detected	Mean Concentration
Dioxins	ng TEQ/kg	11.2	392.7	32.58

ng TEQ/kg = nanograms toxic equivalency per kilogram

3.0 DEVELOPMENT AND SCREENING OF ALTERNATIVES

3.1 Remedial Technology Identification and Screening Process

Potential technologies for addressing conditions at the Site were identified through conversations with the MPCA as well as guidance developed for the remediation of contaminated sediment sites (USEPA, 2005; Interstate Technology and Regulatory Council [ITRC], 2014). Information collected during the 2014 Site characterization and the development of the CSM was used to identify feasible technologies for the Site.

A qualitative approach was used to screen technologies using a three-part ranking system where each technology was evaluated on effectiveness, implementability, and relative cost:

- Effectiveness was evaluated by the predicted ability of the technology under consideration to assure long-term protection of human health and the environment while minimizing short-term impacts during implementation, as well as the technology's ability to meet RAOs.
- Implementability was evaluated by considering the technical and administrative feasibility of the technology. Technical feasibility includes the ability to achieve RAOs and the avoidance of creating additional risk during implementation, including the degree of disruption in the project area. Administrative feasibility includes the consideration of permits required for technology implementation, availability of disposal facilities and equipment necessary for the technology, and coordination with applicable agencies and stakeholders.
- Relative costs used for technology screening were based on engineering judgment, rather than detailed estimates. The cost evaluation considered direct and indirect expenses such as costs for dredging and capping, transport and disposal of sediment, and monitoring and evaluation periods.

Table 3 presents a summary of the technology screening results. The following sections describe the technologies that were screened using the three-part ranking system.

3.1.1 Institutional Controls

ICs are legally enforceable restrictions, conditions, or controls on the use of property, groundwater, or surface water at a contaminated site that are reasonably required to assure the protectiveness of a remedy or other response actions taken at the Site. If contaminated sediments remain in place after remedial actions are taken, the Site would be subject to ICs (such as easements and restrictive covenants) that are legally binding on current and future owners of the property to assure ongoing protection from disturbance of or exposure to the contamination. ICs are necessary to minimize exposure to contaminants. ICs may include restrictions on recreational use such as beach use limitations, and restrictions on sediment disturbance.

3.1.2 Monitoring

Monitoring is the collection and analysis of data (chemical, physical, and/or biological) over a sufficient period of time and frequency to determine the status and/or trend in one or more environmental parameters or characteristics. Monitoring should not produce a “snapshot in time” measurement, but rather should involve repeated sampling over time in order to define the trends in the parameters of interest relative to clearly defined management objectives. Monitoring is recommended for all types of sediment remedies both during and after remedial action and can be classified as construction monitoring and performance monitoring (also referred to as long-term monitoring), respectively. Monitoring should be conducted for a variety of reasons, including:

1) to assess compliance with design and performance standards; 2) to assess short-term remedy performance and effectiveness in meeting sediment CULs; and/or 3) to evaluate long-term remedy effectiveness in achieving RAOs and in reducing human health and/or environmental risk. In addition, monitoring data are usually needed to complete the five-year review process where a review is conducted.

Monitoring activities applicable to the Site could include one or more of the following based on the selected remedy:

- Collection of sediment chemical data to ensure that CULs have been achieved (due to dredging, in situ treatments, or degradation);
- Measurements of cover/cap thicknesses to ensure continued isolation of contaminants;
- Measurement of COC concentrations in cover/cap material to ensure that contaminants are not migrating into or through the cover/cap; and
- Measurement of toxicity to and bioaccumulation of COCs within aquatic organisms such as benthics and fish in order to evaluate reduction trends.

Construction monitoring may also be performed to ensure that contamination or nuisance materials are not released during construction activities. Construction monitoring activities applicable to the Site include one or more of the following:

- Turbidity monitoring to ensure that the off-site release of suspended sediments containing COCs is mitigated during dredging and/or cover/cap placement;
- Air monitoring to ensure that the off-site release of nuisance and/or contaminated dusts is mitigated during construction activities such as the mixing of sediments and amendment materials, hauling over dirt or gravel roadways, and excavation or other intrusive Site work;
- Periodic sampling of treated dredge contact water to mitigate contaminant inputs to water bodies or local sewage systems and to ensure that treated water meets permit or municipality requirements;
- Periodic sampling of dredged materials to ensure that landfill requirements for acceptance are achieved;
- Periodic sampling of imported materials (e.g., cover/cap materials, shoreline restoration materials, etc.) to mitigate impacts to water bodies or upland areas as a result of placement; and
- Pre- and post-construction soil sampling to assess impacts of construction activities on lands used during the construction phase.

Both construction and performance monitoring are incorporated into each of the remedial alternatives developed for this FFS.

3.1.3 Monitored Natural Recovery

MNR is defined by the National Research Council (2000) as a remediation practice that relies on natural processes to protect the environment and receptors from unacceptable exposures to contaminants. This remedial approach depends on natural processes to decrease chemical contaminants in sediment to acceptable levels within a reasonable time frame. With MNR, contaminated sediments are left in place and monitored for ongoing physical, chemical, and biological processes that transform, immobilize, isolate, or remove contaminants until they no longer pose a risk to receptors. Natural processes that contribute to MNR may include sediment burial, sediment erosion or dispersion, and contaminant sequestration or degradation (for example, precipitation, adsorption, or transformation). These natural processes, discussed in

detail below, can reduce exposure to receptors (and thus reduce risk) and contribute to the recovery of the aquatic habitat and the ecological resources that it supports. MNR can be used alone or in combination with active remediation technologies to meet RAOs (ITRC 2014).

3.1.4 Enhanced Monitored Natural Recovery

Enhanced Monitored Natural Recovery (EMNR) relies on the same natural processes as MNR to decrease chemical contaminants in sediment but includes the application of material or amendments to enhance these natural recovery processes. EMNR can use several technologies including, but not limited to, thin-layer capping and introduction of adsorptive or reactive amendments such as activated carbon (AC). Thin-layer caps (typically less than one foot) are often applied as part of an EMNR approach. For the purposes of this FFS, a thin-layer thickness of 0.15-meters was evaluated; however, the thickness of the cover will be evaluated further, should it be selected as a remedial alternative. These caps enhance ongoing natural recovery processes, while minimizing effects on the aquatic environment. Thin-layer caps are not intended to completely isolate the affected sediment, as in a conventional isolation capping remedy. This layer also accelerates the process of physical isolation, which continues over time by natural sediment deposition (ITRC, 2014).

Bench-scale treatability testing was completed on sediments collected from Scanlon Reservoir (which are assumed to be similar in composition and COCs to Site sediments) to evaluate the effectiveness of different activated carbon (AC) amendments and doses to reduce the bioavailability of dioxins/furans in Site sediments (**Appendix F**). Two AC particle size ranges were evaluated—a silt-sized powdered activated carbon (PAC) and a fine sand-sized granular activated carbon (GAC). The two different types of AC amendments (PAC at 2% and 4% dose, and GAC at 4% dose) were mixed directly into Site sediments, and continuous agitation was applied to accelerate the uptake kinetics of dioxins by the AC. The results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments. Extrapolating the results of this study to assess the short- and long-term effectiveness of different AC amendment application methods requires additional calculations to be conducted in a follow-on engineering phase. Application methods will be retained for further engineering and cost evaluations.

3.1.5 Capping

Capping is the process of placing a clean layer of sand, sediments or other material over contaminated sediments in order to mitigate risk posed by those sediments. The cap may also include geotextiles to aid in layer separation or geotechnical stability, amendments to enhance protectiveness, or additional layers to armor and maintain its integrity or enhance its habitat characteristics.

When amendments (such as AC) are mixed directly into sediments, the resulting remedy is termed “in situ treatment.” When these amendments are added to cap material, the remedy is called an “amended cap,” and the amendments enhance the performance of the cap material. The same amendment used in the same proportions is generally more effective at isolating contaminants when used in a cap than when placed directly into sediments. The amended cap provides the benefits of capping in addition to the benefits of the treatment amendment (ITRC, 2014).

3.1.6 Dredging and Excavation

Dredging consists of the removal of contaminated sediment from water bodies in order to reduce risks to human health and the environment. Removal is particularly effective for source control (mass removal of hot spots) but potentially less effective for overall risk reduction because of resuspension and residual contamination. The three methods of contaminated sediment removal are mechanical dredging, hydraulic dredging and excavation. As with any type of removal operation, additional technologies are required to appropriately handle the removed sediment. Dredged material handling technologies may involve transport, dewatering, treatment, and or disposal of sediment (ITRC, 2014). Mechanical dredging, hydraulic dredging, and excavation were screened independently in this evaluation.

After removal, the contaminated sediment can be treated or disposed of in a controlled setting, such as an off-site landfill or other treatment, storage, and disposal (TSD) facility, an on-site aquatic or terrestrial confined disposal facility (CDF), or a facility that converts the sediment to a reusable product. Disposal methods were evaluated independently from dredging and excavation and are described further in **Section 3.1.6**.

3.1.7 Dewatering

Dewatering may be necessary to prepare dredged materials for disposal. Dewatering reduces the water content and hence the volume and weight of the disposed sediment. If the material is to be reused or further treated, dewatering also leads to reduced transportation cost and improves handling properties. The nature and extent of dewatering needed depends on the sediment characteristics and the type of dredging, transport, and disposal methods planned for the removed material (ITRC, 2014). Dewatering technologies may rely upon gravity draining and evaporation processes (e.g., spreading and geotextile bags), mechanical processes (e.g., filter presses), and chemical conditioning (e.g., polymer additions and stabilization additives). The type of dewatering technology selected for use may depend upon the amount of space available for dewatering, the distance of the dewatering space from dredging operations, discharge options for treated dredge contact water, project scope, and cost of implementing the technology.

3.1.8 Disposal

Disposal of dredged or excavated sediment is the placement of materials into a controlled site or facility to permanently contain contaminants within the sediment. Management is achieved through the placement of materials into facilities such as sanitary landfills, hazardous material landfills, CDFs, or confined aquatic disposal (CAD) facilities. Off-site landfills are generally used for dredged material disposal when on-site disposal is not feasible or when off-site disposal is more cost effective.

Landfills have been used for sediment volumes of over 1 million cubic yards. Typically, some type of on-site or near-site disposal facility is used at sites where dredged material volumes greater than 200,000 cubic yards are generated. Landfilling is also favored at smaller or moderately sized sites, where transportation is feasible. The associated hazards and cost of transporting and landfilling large volumes of sediment, along with treating and subsequent discharging of large volumes of dredge contact water as a result of sediment dewatering, make this disposal method somewhat less desirable than other solutions. Other considerations, such as public and stakeholder acceptance, lack of access to suitable on-site land- or water-based disposal facilities, and proximity to an existing off-site landfill may support the landfilling option.

CDFs are constructed to isolate dredged sediment from the surrounding environment. CDFs can be located upland, near shore, or in the water (as an island). Material staging or a temporary CDF

may be necessary for dewatering dredged sediment. CDFs represent a common disposal method and typically are built for larger volume sites (200,000 cubic yards or more of sediment).

The CAD method deposits dredged material within a nearby body of water. A pre-existing depression within the sediment surface is preferred, though one can be created if necessary. Dredged sediment is deposited in the depression and capped with clean material. This process carries with it the same risks associated with using capping as a remedy (see **Section 3.1.5**). The goal of moving the contaminated sediment to the aquatic disposal site is to reduce the risk of exposure to contaminated materials (ITRC, 2014).

Disposal at landfills, CDFs, and CADs were screened independently in this evaluation.

3.1.9 In Situ Treatment

In situ sediment treatment involves applying or mixing of an amendment (such as AC) into sediments. Mixing may be achieved either passively, through natural biological processes such as bioturbation, or actively through mechanical means such as augers. In situ treatment technologies can achieve risk reduction in environmentally sensitive environments such as wetlands and submerged aquatic vegetation habitats, where sediment removal or containment by capping might be harmful. Treatment amendments typically reduce concentrations of freely dissolved chemicals that are available for exposure to organisms or that may be mobilized and transferred from sediment to the overlying water column. The following in situ treatment technologies were screened in this evaluation:

- Immobilization – Immobilization treatments add chemicals or cements to reduce the leachability of contaminants. Mechanisms include solidification (encapsulation) or stabilization (chemical or absorptive reactions that convert contaminants to less toxic or mobile forms);
- Enhanced bioremediation – Microbial degradation by bacteria or fungi is enhanced by adding materials such as oxygen, nitrate, sulfate, hydrogen, nutrients, or microorganisms to the sediment;
- Chemical reduction – The addition of chemical reductants such as zero valent iron can facilitate the decomposition of organic matter;
- Chemical oxidation – The addition of chemical oxidizers to sediment can cause the rapid and complete chemical destruction of many toxic organic chemicals;
- Phytoremediation – Phytoremediation uses plant species to remove, transfer, stabilize, and destroy contaminants in sediment. Generally limited to sediments in shallow water zones and low concentrations; and
- Adsorption – Adsorbents can be used as sediment amendments for in situ treatment of contaminants. Sorption of metals and organics can take place simultaneously with a suitable combination of sorbents.

As discussed in Section 3.1.4, the results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments.

3.1.10 Remedial Technology Screening Results

Table 3 documents the technology screening process and results. The following remedial technologies were determined to be the most effective, implementable, and cost-effective and were retained for assembling the alternatives described in **Section 3.2**:

- ICs;

- Monitoring;
- MNR;
- EMNR/In Situ Treatment;
- Capping;
- Hydraulic Dredging;
- Gravity and Chemical Conditioning Dewatering; and
- Landfill Disposal.

3.2 Development of Alternatives

This section describes the alternatives evaluated for the Site. The alternatives were developed using the selected remedial technologies discussed in **Section 3.2** and proposed in the Technical Memorandum (Remediation and Cleanup Goals of Dioxin Sediment Sites Outside of SLR AOC and Potential RAOs and Focused Feasibility Study Alternatives) included in **Appendix E**. The following alternatives represent real-world options for remedial action at the Site. The 2016 DGI address data gaps previously identified through discussions with the MPCA; however, additional data collection would be required to delineate vertical extents of contamination, which may affect remedial alternatives involving construction elements. The following sections summarize the proposed alternatives. A summary of the proposed alternatives is presented in **Table 4**.

The total present value costs for alternatives presented within this FFS should be considered to be rough order of magnitude (ROM) costs. Based on the Association for the Advancement of Cost Engineering ROM classification chart, estimates presented in this FFS are considered Class 4. Class 4 estimates are considered Schematic Designs; 15 to 20% of the level of effort required to have a complete estimate has been done. Actual cost of the project could be 50% greater or 30% less (+50/-30) than the estimates developed thus far. ROM cost estimates for the FFS were compiled using a variety of sources. These sources include the following: construction cost data from RSMeans estimating software for open shop pricing in Duluth, Minnesota; current Bay West and state contract rates for labor, equipment, and sample analysis; personal communication with vendors; historic cost data from projects similar in size and scope; other FFS documents, presentations, or technical papers that provided estimated or real construction cost data; and available online vendor pricing of materials. Present value calculations are included in **Table 10**.

3.2.1 Alternative 1: No Action with Baseline Characterization

The NCP at Title 40 CFR provides that a No Action Alternative should be considered at every site. A No Action Alternative should reflect the site conditions described in the baseline risk assessment and RI. The No Action Alternative included within this FFS does not include any treatment or engineering controls, ICs, or monitoring. There are no costs associated with the No Action Alternative.

3.2.2 Alternative 2: Monitored Natural Recovery

This alternative consists of the Baseline Characterization, implementation of ICs, and a monitoring and evaluation period of 5 years. The objective of this alternative is to provide data to determine the potential for natural recovery processes to reduce availability and concentrations of COCs in sediment and/or reducing toxic/bioaccumulative effects in marine organisms (i.e., benthics and fish) at the Site. The major components of the MNR Alternative are described in the following sections.

3.2.2.1 *Baseline Characterization*

The Baseline Characterization Alternative includes gathering additional physical, chemical, biological, and hydrodynamic data with an overall objective of investigating some of the existing data gaps and determining specifically if a no action approach and/or MNR is a viable alternative for the Site. The Baseline Characterization will seek to evaluate biological effects of contaminants on aquatic life and evaluate how contaminant concentrations relate to depth below the sediment surface, sediment type, depositional areas, etc. It is important to note that fully delineating contamination in the Site is not the objective of the Baseline Characterization, although the collection of additional physical and chemical sediment data will assist in further estimating the vertical and horizontal extent of dioxins contamination. Further sampling to define vertical and horizontal extents of contamination would be required prior to further development of remedial alternatives for the Site or remedy selection. The scope of this additional investigation is included within this FFS for Alternatives 3A, 3B, 4, 5, and 6 as the Pre-Design Investigation. The Baseline Characterization is a key element incorporated into each of the remedial alternatives presented in this FFS as such a characterization will need to be conducted to evaluate a no action approach and/or the MNR alternative.

The Baseline Characterization alternative includes the following elements:

- Sampling Work Plan;
- Collecting additional sediment samples from approximately 8 locations sampled in 2014 and collecting new sediment data from approximately 16 locations not previously sampled (**Figure 8**); samples to be analyzed for one or more of the following: dioxins as congeners, grain size, and total organic carbon (TOC);
- Conducting 10-day toxicity, 28-day toxicity, and 28-day bioaccumulation testing on sediments collected from eight 2014 sample locations with COCs exceeding Midpoint SQTs;
- Collecting approximately five composite whole body and fillet fish samples for analysis of Site COCs;
- Collecting hydrodynamic Site data to include analysis of erosion and sediment deposition rates, flow velocities, and new bathymetric survey data;
- Evaluating ambient dioxins concentrations for the upper SLR study area and the entire SLR AOC; and
- Baseline Characterization Completion/Summary Report.

The overall objective of the Baseline Characterization is to determine if a no action approach and/or MNR is a viable alternative for the Site. New data will be collected to assist in this determination and will include collection of physical, chemical, biological, and hydrodynamic parameters. Certain outcomes of the Baseline Characterization (e.g., observed toxic or bioaccumulative effects in marine organisms) could rule out a no action approach and/or MNR as a viable alternative for the Site. In addition, the Baseline Characterization will aid in filling data gaps for evaluating capping and dredging alternatives.

3.2.2.2 *Institutional Controls*

ICs applicable to this alternative include those that would protect future cap integrity. The MDH currently communicates fish consumption guidelines for the lakes and rivers of Minnesota. Advisories for consumption of fish within the SLR and below the Fond du Lac Dam are in place for 11 species of fish due to the presence of mercury and PCBs within fish tissue. No specific advisories are in place related to dioxins. It is currently unknown whether the meal advice provided

within the fish consumption guidelines for mercury is protective for dioxins as well; therefore, the applicability of meal guidelines to dioxins would require investigation. Postings warning of contaminated sediments would be posted near potential Site access locations, and restrictions would be placed on intrusive Site activities such as dredging, construction of docks or piers, or other invasive Site improvements or alterations. ICs would be maintained until RAOs are achieved.

3.2.2.3 *Monitoring and Evaluation Period*

Contaminated sediments would remain in place as part of the MNR alternative and therefore a monitoring and evaluation period would be necessary to evaluate whether COC concentrations in affected media meet RAOs, or continue to decrease and are expected to meet RAOs in an acceptable time frame. A 5-year monitoring period was used to determine monitoring and evaluation costs based on discussions with MPCA. Monitoring and evaluation events would be performed 1, 3, and 5 years following selection of the MNR remedy. It is likely that the monitoring and evaluation period will be recommended to continue after the initial 5 years.

The monitoring and evaluation period includes the following elements:

- MNR Remedy Implementation Work Plan;
- Bulk sediment physical/chemical monitoring at the 16 Baseline Characterization sample locations (**Figure 8**) for dioxins and mercury and for corroboration with benthic biological testing (subject to change during remedy “design”); samples to be analyzed for one or more of the following: dioxins as congeners, grain size, and TOC;
- Continued monitoring of erosion pins and sediment traps installed during the Baseline Characterization;
- Biological monitoring including benthic toxicity testing and benthic and fish bioaccumulation (i.e., tissue) testing;
- Bathymetric survey of the entire Site on Year 5; and
- MNR Remedy Implementation Completion Report to include recommendations.

3.2.2.4 *Cost*

The estimated total present value cost for Alternative 2 is approximately \$640,000 and includes the Baseline Characterization cost of \$215,000. **Table 5** presents a general breakdown of the estimated costs associated with Alternative 2.

3.2.3 Alternative 3A: Enhanced Monitored Natural Recovery

This alternative consists of the Baseline Characterization as detailed within **Section 3.2.2.1**, a Pre-Design Investigation to support active remedy design, construction of a thin-layer non-reactive sediment cover in areas exceeding the CUL, implementation of ICs, and a monitoring and evaluation period as detailed within **Section 3.2.2.3**. The objective of this alternative is to provide an immediate, cost-conscious improvement to the PBAZ through construction of a 0.15-meter (0.5-foot) sand cover over sediments with concentrations of dioxins exceeding the CUL of 11.2 ng/kg (i.e., the Midpoint SQT), an area of approximately 146 acres. The objective is to “assist” and accelerate naturally occurring processes within the Site, such as contaminant isolation through sedimentation, and thus reduce risks to aquatic life. The major components of the EMNR alternative are described in the following sections.

3.2.3.1 *Pre-Design Investigation*

A pre-design investigation would be conducted for Alternatives 3A, 3B, 4, and 5 to collect specific physical and chemical sediment data required for design of the specific remedy selected. The objectives of the pre-design investigation could include: collecting sediment chemical data to refine remedial areas, volumes, depths, etc.; collecting sediment physical data to assist in design of remedy implementation efforts such as dredging, dewatering dredged sediments, evaluating cover/cap stability, etc.; and collecting hydrodynamic data to further refine the CSM, define areas under erosive forces, assist in selection of cover/cap materials, etc. The pre-design investigation includes the following elements:

- Pre-design Investigation Work Plan;
- Bulk sediment chemical sampling at up to 50 locations and an average of three intervals per location to include dioxins (congeners);
- Bulk sediment grain size analysis at up to 50 locations and up to two intervals per location;
- Miscellaneous engineering tests such as shear strength testing, treatability studies, etc.;
- Pre-construction bathymetric survey of the entire reservoir; and
- Pre-Design Investigation Results Report.

3.2.3.2 *0.15-Meter Thin-Layer Sediment Cover*

The EMNR thin-layer cover (cover) in this alternative would be approximately 0.15 meter thick and placed in areas where sediments exhibit dioxins concentrations exceeding the CUL (**Figure 9**). As previously stated, the thickness of the cover will be evaluated further, should it be selected as a remedial alternative. The depth of contamination would likely impact areas in which a thin-layer cover is constructed and could be influenced by the thickness of the PBAZ in a particular habitat area. The cross sectional detail presented in **Figure 9** presents a possible scenario of how contamination could be addressed by a cover using a habitat zone approach. Final thin-layer cover construction details would be determined during the design phase. The thin-layer cover material would consist of natural materials approximating the common substrates found in the area where the thin-layer cover is placed (USEPA, 2005), such as a fine to medium-grained sand. The estimated volume of sand to be placed is 160,000 cubic yards, which includes a 4-centimeter (1.5-inch) average over placement.

Implementation of the EMNR Alternative would likely include the following:

- Remedial design services, permitting, reporting, and project and construction management;
- Mobilization/Demobilization to include assembly/breakdown of equipment;
- Construction of an upland support area;
- Purchasing of cover material, such as sand, and import to upland staging area;
- Labor and equipment to construct the thin-layer cover;
- Site operating expenses and site security;
- Construction quality assurance (CQA); and
- Site restoration.

Implementation of the EMNR Alternative or any remedy involving construction activities would require construction of an upland support area in which to stage and conduct all construction activities. The upland support area would be located in an easily accessible area that is both acceptable to the land owner (Minnesota Power) and is not disruptive to nearby residences. A

potential staging area includes the open lot adjacent to the Forbay Reservoir flow control structure, as shown on **Figure 2**. Features of the upland support area would consist of a site entrance, office trailer and parking area, cover material stockpile area, various equipment storage areas, and a hopper area.

Sand placement for construction of covers and caps has been conducted via numerous methods, including dumping from barges, washing materials overboard from barge decks, spraying of sand/water slurry, mechanical placement with buckets, and hydraulic pumping with controlled discharge (e.g., diffuser box or plate). For large expanses requiring relatively thin, even applications, hydraulic methods appear to be the preferred method of placement and can be both time and cost efficient. Additionally, certain hydraulic methods, such as hydraulic spreader barge with diffuser plate or diffuser box, are capable of applying cover/cap materials in a uniform manner and allow materials to accumulate in layers, which is often necessary to avoid displacement or mixing with the underlying contaminated sediment (Parsons, 2004). This method of hydraulic spreader barge with diffuser plate or diffuser box was incorporated into the cost analysis.

It is estimated that construction of the thin-layer cover could be conducted in a single construction season and using a single hydraulic spreader barge based on the conceptual remedial area of 157-acres as presented in **Figure 9**. If future data collection indicates a substantial increase in the remedial area is necessary, additional spreader barges or longer working durations could be utilized to construct the remedy within a single construction season. As shown in **Table 4**, the total time to implement construction of the cover is 29 weeks.

3.2.3.3 Institutional Controls

Contaminated sediments would remain in place beneath the cover; therefore, ICs could be required to maintain the integrity of the cover. ICs may include restrictions on dredging in the reservoir as well as ICs as detailed in **Section 3.2.2.2**.

3.2.3.4 Monitoring and Evaluation Period

Contaminated sediments would remain in place as part of the EMNR Alternative and therefore a monitoring and evaluation period would be necessary. Monitoring and evaluation events would be performed 1, 3, and 5 years following construction completion. In general, monitoring and evaluation would be conducted as detailed within **Section 3.2.2.3**; however, the scope of the final monitoring and evaluation program will be determined during remedy design and will be partially based on results of the Baseline Characterization. The monitoring and evaluation period will also include periodic coring to ensure that the integrity of the cover is maintained.

3.2.3.5 Cost

The cost of the EMNR Alternative will be largely dependent on the total volume of cover material placed. Assuming that construction of the cover would be conducted within a fixed time frame (i.e., a single northern Minnesota construction season), the amount of cover material required will likely dictate the method of placement, the crew size and working periods (i.e., length of work day and work week), the daily production rate, the number of trucks required to haul material on-site each day, and ultimately reductions in project cost per cubic yard of material placed due to economies of scale.

The estimated total present value cost for Alternative 3A is approximately \$10,000,000 and includes costs for the Baseline Characterization at \$215,000, the Pre-Design Investigation at \$280,000, and the Monitoring and Evaluation Period at \$530,000 (2016 costs). The ROM cost assumes construction of a 0.15-meter sand cover, plus an average 4-centimeter (1.5-inch) over

placement, over the entire remedial area. **Table 6** presents a breakdown of the estimated costs associated with Alternative 3A.

3.2.3.6 *Other Logistical Issues*

Logistical issues that may affect cover placement operations include a construction window limited to spring through fall time periods. The reservoir is typically ice-covered by mid-December through mid-March.

Some areas of the Site experience erosion or deposition, especially in high-flow events. The forces responsible will need to be further studied and considered during the Baseline Characterization and Pre-Design Investigation stages, possibly leading to placement of armoring materials as part of the cover design.

Thomson Reservoir has an operating range of approximately 10 vertical feet. There must be sufficient water depth within the Site during the construction window to allow for sufficient barge draft in shallow cover construction areas.

3.2.4 Alternative 3B: Enhanced Monitored Natural Recovery with Cover Amendment

This alternative includes the same elements as Alternative 3A except that the 0.15-meter (0.5-foot) cover would consist of sand mixed with one or more amendment materials (such as GAC, PAC, pelletized AC, etc.) appropriate for sequestration of dioxins. It is anticipated that a single layer of a sand/amendment mix would be constructed rather than separate amendment and sand layers. Amendments mixed into and applied with soil or sand may provide better dispersion, uniformity, placement controls, and contact time when the required quantity of amendment is small, versus bulk placement of amendment materials (USEPA, 2013). As discussed in **Section 3.1.4**, the results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments. AC was incorporated into the cost analysis to address dioxins contamination for the purposes of this FFS. For the purpose of this FFS, an estimated 4,000 cubic yards of GAC is necessary for the Alternative 3B application, based on a 4% ratio of GAC to sand by weight in the upper 0.15 meters of sediment. Likewise, the application rate of amendment material would also be conducted at the design phase. The chosen application rate of amendment to be applied should be capable of sequestering COCs migrating upward through the reactive cover material for an indefinite period of time and should account for mixing of cover material into underlying sediments over time through bioturbation processes. The final amendment application rate may depend upon COC sediment concentrations, depth of contamination, and the presence or absence of groundwater upwelling. An application rate of 4 % carbon by weight was incorporated into the cost analysis for the purposes of this FFS.

3.2.4.1 *Estimated Cost*

The total cost for Alternative 3B will be greater than the cost for Alternative 3A as it would include costs for purchasing and shipping the reactive amendment material and would include additional labor and equipment to mix the amendment and primary cover materials. This additional cost will be highly dependent on the type of amendment material used. The estimated total present value cost for Alternative 3B assuming a carbon-based sorbent is approximately \$28,700,000 and includes costs for the Baseline Characterization at \$215,000, the Pre-Design Investigation at \$280,000, and the monitoring and evaluation period at \$530,000 (2016 costs). **Table 6** presents a breakdown of the estimated costs associated with Alternative 3B.

3.2.5 Alternative 4: Potentially Bioactive Zone Cap

This alternative consists of the Baseline Characterization as detailed within **Section 3.2.2.1**, the Pre-Design Investigation as detailed within **Section 3.2.3.1**, construction of a 0.5- to 1.2-meter (1.6- to 3.9-feet) thick PBAZ sand cap (cap), implementation of ICs as detailed within **Section 3.2.3.3**, and a Monitoring and Evaluation Period as detailed within **Section 3.2.2.3**. The constructed cap would be equal in thickness to the PBAZ, which in turn is determined based on the various habitat areas present at the Site. Construction of a cap equal to or greater in thickness than the PBAZ should provide contaminant isolation from aquatic plant and animal life. Construction of a cap would also mitigate exposure to human receptors, although human health criteria are not being used as cleanup criteria at this time. The cap would be constructed over sediments with concentrations of dioxins exceeding the CUL. The major components of the PBAZ Cap Alternative are described in the following sections.

3.2.5.1 Bio-Active Zone Cap

The cap in this alternative would be a minimum of 0.50 meters thick and constructed in areas where COCs exceed the CUL (**Figure 10**), an area of approximately 157 acres. The cap material would consist of natural materials approximating the common substrates found in the area where the cap is constructed (USEPA, 2005), such as a fine to medium-grained sand. The cap thickness would be sufficient to protect aquatic life from burrowing or rooting into contaminated sediments below and prevent against contaminated sediments mixing with cap materials due to plant or animal bioturbation. This “zone” of animal and plant activity is referred to as the PBAZ.

The three habitat zones and associated PBAZ thicknesses are presented in **Section 1.4.4.2** and on **Figures 6** and **10**. All three habitat areas exist within the Site boundary and, therefore, 0.50-meter, 1.0-meter, and 1.2-meter cap thicknesses were incorporated into the theoretical cap design for this FFS. In addition to the PBAZ zone thickness an additional 0.15 meter was incorporated into the cap design to account for mixing of sediments and capping material during construction. Approximately 620,000 cubic yards of material would be required to construct the cap.

The cross sectional detail included in **Figure 10** presents one potential method of cap construction using a habitat zone/PBAZ approach. An alternative construction method, also using a habitat/PBAZ approach, is also shown that incorporates recently deposited sediments (e.g., sediments deposited after primary sources of dioxins to the Site were removed) into the cap construction. Final cap construction details would be determined during the design phase.

Methods used to construct the cap would likely be identical to those outlined in **Section 3.2.3.2** for construction of the thin-layer cover. It was assumed for the purposes of this FFS that two spreader barges would complete construction of the PBAZ cap in approximately 50 weeks, working 12 hours per day; therefore, remedy implementation would be completed over two construction seasons. It is likely that remedy implementation could be completed within a single construction season if work is conducted 24 hours per day.

3.2.5.2 Cost

The cost of the PBAZ Cap Alternative will be largely dependent on the total volume of cap material to be placed. Assuming that cap placement would be conducted within a fixed time frame (i.e., a single northern Minnesota construction season), the amount of cap material required will likely dictate the method of placement, the crew size and working periods (i.e., length of work day and work week), the daily production rate, the number of trucks required to haul material on-site each day, and ultimately reductions in project cost per cubic yard of material placed due to economies of scale.

The estimated total present value cost for Alternative 4 is approximately \$34,000,000 and includes costs for the Baseline Characterization at \$215,000, the Pre-Design Investigation at \$280,000, and the Monitoring and Evaluation Period at \$530,000 (2016 costs). **Table 7** presents a breakdown of the estimated costs associated with Alternative 4.

3.2.5.3 *Other Logistical Issues*

Logistical issues that may affect thin-layer cover placement as detailed in **Section 3.2.3.6** also apply to the PBAZ Cap Alternative. Because the PBAZ Cap Alternative includes placement of a much larger volume of material, the detailed logistical issues are of greater concern.

3.2.6 Alternative 5: Dredging with Thin-Layer Cover

The Dredging Alternative consists of the Baseline Characterization as detailed within **Section 3.2.2.1**, the Pre-Design Investigation as detailed within **Section 3.2.3.1**, hydraulically dredging and disposing of contaminated sediments, post-dredge construction of a 0.15-meter thin-layer sand cover (cover), implementation of ICs as detailed within **Section 3.2.3.3**, and a Monitoring and Evaluation Period as detailed within **Section 3.2.2.3**. The objective of this alternative is to remove accessible sediments with dioxins concentrations exceeding the CUL and thus removing contaminant mass from the Site. The major components of the dredging alternative are described in the following sections.

3.2.6.1 *Dredging*

Dredging would be conducted to remove sediments with dioxins concentrations exceeding the CUL (**Figure 11**). Dredging will likely focus on areas with CUL exceedances within the upper 0.50 meters of sediment as the benefit of removing sediments in areas solely having deep contamination (e.g., beginning at 0.50 meters below the sediment surface) may not outweigh the high cost of also having to remove large volumes of non-impacted or less-impacted overburden. Construction of a thicker sand cover/cap may be a more desirable option in these areas.

Based on input from MPCA multiple dredging passes instituted based on exceedances of post dredge verification criteria would not be conducted. Dredging would be conducted to a defined dredge prism neat line using best management practices to control and reduce contaminated dredge residuals. A Normal Dredge Residue (NDR) verification approach may be used to ensure that best management practices are being followed and that “undredged inventory” is accounted for. A 0.15-meter (0.5-foot) thin-layer cover would be placed over all dredged areas of the Site to manage dredge residuals (**Figure 11**).

Implementation of the Dredging Alternative would likely include the following:

- Remedial design services, permitting, reporting, and project and construction management;
- Mobilization/Demobilization to include assembly/breakdown of equipment;
- Construction of an upland support area to include a sediment dewatering pad and water treatment plant;
- Labor and equipment to dredge contaminated sediments;
- Labor, equipment, and materials to treat dredge contact water;
- Purchasing of cover material, such as sand, and import to upland staging area;
- Habitat restoration and wetland plantings;
- Labor and equipment to construct the thin-layer cover;

- Labor and equipment to excavate dewatered sediments;
- Transportation to and disposal of dewatered non-hazardous sediments at a local landfill;
- Site operating expenses and site security;
- CQA; and
- Site restoration.

Implementation of the Dredging Alternative would require construction of an upland staging area to stage and conduct all construction activities, as detailed in **Section 3.2.3.2**. The amount of land area required for the Dredging Alternative would be significantly larger than the EMNR and PBAZ Cap Alternatives as the Dredging Alternative would require a dedicated area for sediment dewatering and dredge water treatment. It was assumed for the purposes of this FFS that dredging would be conducted hydraulically. The determination to incorporate hydraulic methods into the cost analysis was made solely based on the large volume of material to be removed from the Site. Further investigation into sediment removal methods would be conducted during the design phase.

It is expected that dredging and subsequent placement of the thin-layer cover could be conducted in a single construction season using two dredges working 24 hours per day, 5 days per week. Completion of construction within a single season would also likely necessitate concurrent placement of the thin-layer cover as dredge areas are completed. This timeframe estimate is based off a total dredge volume of 380,000 cubic yards, or an average cut of 0.30 meters (1 foot) across the conceptual 157-acre remedial area plus a 0.15-meter (0.5-foot) over-dredge. Due to additional time required to construct the large upland support area, large increases in the total dredge volume could push dredging and/or placement of the thin-layer cover into a second construction season. Regardless of the final dredge volumes, however, excavation of the dewatered sediments (i.e., the “bag field”) would likely be conducted during a second construction season as sediments would require several months to dewater following completion of dredging. As shown in **Table 4**, the total time to implement the Dredging Alternative is 33 weeks during the first construction season and 28 weeks during the second construction season for excavation, transportation, and disposal of dewatered sediments.

3.2.6.2 Cost

The cost of the Dredging Alternative will be largely dependent on the total volume of the designed dredge prisms. Assuming that dredging and subsequent thin-layer cover placement would be conducted within a fixed time frame (i.e., a single northern Minnesota construction season), the amount of sediments to be dredged will likely dictate the size and number of dredges required, the crew size and working periods (i.e., length of work day and work week), the daily production rate, the timeframe required for dewatered sediment excavation, and ultimately influence reductions in project cost per cubic yard of material dredged due to economies of scale. Additionally, the total dredge volume will influence cost elements typically more expensive than dredging alone, such as sediment dewatering and contact water treatment, excavation and transportation of dewatered sediments to the landfill, and landfill disposal costs.

The estimated total present value cost for Alternative 5 is approximately \$51,000,000 and includes costs for the Baseline Characterization at \$215,000, the Pre-Design Investigation at \$280,000, and the Monitoring and Evaluation Period at \$530,000 (2016 costs). **Table 8** presents a breakdown of the estimated costs associated with Alternative 5. Present worth calculations for all alternatives are included in **Table 10**.

3.2.6.3 *Other Logistical Issues*

Logistical issues that may affect dredging operations include high bedrock elevations within and surrounding Thomson Reservoir. These bedrock outcroppings may be encountered during dredging and could potentially make it difficult or impossible to remove all contaminated sediments on top of or within the recesses of these outcroppings. An amendment such as granular carbon may need to be added to the thin-layer cover in areas with inaccessible, highly contaminated sediments.

Bedrock outcroppings within the proposed upland support area could drastically increase the cost and complexity of grading the dewatering pad and could necessitate using a different dewatering technology altogether.

The size of the upland support area is large (estimated at 15 acres) primarily due to the large dredge volumes and sediment dewatering pad. The borders of the upland support area have the potential to encroach on residential properties to the south and could be received as a nuisance. The site entrance should be located adjacent to the spillway to minimize truck traffic through the residential area. Additionally, fence line air monitoring should be conducted to minimize off-site migration of dust during construction and/or hauling activities.

Thomson Reservoir has an operating range of approximately 10 vertical feet. There must be sufficient water depth within the Site during the construction window to allow for sufficient dredge and spreader barge draft within the shallow areas.

Some areas of the Site experience erosion or deposition, especially in high-flow events. The forces responsible will need to be further studied and considered during the Baseline Characterization and Pre-Design Investigation stages, possibly leading to placement of armoring materials as part of the thin-layer cover design.

3.2.7 Alternative 6: Enhanced Monitored Natural Recovery with Broadcast Amendment

This alternative consists of the Baseline Characterization as detailed within **Section 3.2.2.1**, the Pre-Design Investigation as detailed within **Section 3.2.3.1** and broadcasting an amendment material over sediments with COC concentrations exceeding the Midpoint SQT (i.e., the CULs). Areas of the Site exceeding the CULs are presented in **Figure 12** and equal approximately 157 acres. The objective of applying an amendment material to in situ sediments at the Site is to reduce availability of Site COCs in sediments and sediment pore water to aquatic organisms and thereby limit the exposure and affects to the organisms, and transfer of chemical contaminants to higher trophic organisms. This alternative was developed to minimize intrusive remedial action construction activities within habitats already established at the Site.

ICs would be implemented and a monitoring/evaluation period would commence following application of the selected amendment to remedial areas. The major components of Alternative 2 are described in the following sections.

3.2.7.1 *Amendment Selection and Application Rate*

This alternative consists of applying a thin layer of amendment material directly on top of in situ contaminated sediments. It is anticipated that the amendment material would be mixed into the underlying sediments over time through natural bioturbation processes caused by burrowing organisms, larger animal life, and rooting plants; therefore, this alternative is intended to reduce contaminant availability rather than provide isolation from contaminants as in a traditional capping scenario. The chosen amendment material would reduce exposure of aquatic life to COCs through sequestration of COCs in sediments and sediment pore water. Selection of an amendment material would be conducted during the design phase; however, as discussed in

Section 3.1.4, the results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments. Potential amendment materials for consideration include pelletized AC, phosphate additives (e.g., apatite), bauxite, biopolymers, and zeolite (USEPA, 2013). Any potential negative effects of these amendments, such as the potential for increased levels of eutrophication for phosphate additives, should also be considered during amendment selection. For the purposes of this FFS, the selected amendment material will be pelletized AC.

The chosen application rate (i.e., thickness) of amendment to be applied should be capable of sequestering COCs in sediments and sediment pore water for an indefinite period of time, assuming that no ongoing source of contamination is present. It was assumed that a 0.01-meter layer of amendment material would be applied to in situ sediments strictly for cost analysis purposes. The final amendment application rate would be determined during the design phase and may largely depend upon COC sediment concentrations, depth of contamination, and the presence or absence of groundwater upwelling.

Implementation of this alternative assumes that approximately 8,100 cubic yards of amendment material would be broadcasted over a 157-acre area at an average thickness of 0.01 meter.

3.2.7.2 Institutional Controls

Contaminated sediments would remain in place beneath the cover; therefore, ICs could be required to maintain the integrity of the cover. ICs may include restrictions on dredging in the reservoir as well as ICs as detailed in **Section 3.2.2.2**.

3.2.7.3 Monitoring and Evaluation Period

Contaminated sediments would remain in place as part of the EMNR Alternative, and therefore, a monitoring and evaluation period would be necessary. Monitoring and evaluation events would be performed 1, 3, and 5 years following construction completion. In general, monitoring and evaluation would be conducted as detailed within **Section 3.2.2.3**; however, the scope of the final monitoring and evaluation program will be determined during remedy design and will be partially based on results of the Baseline Characterization. The monitoring and evaluation period will also include periodic coring to ensure that the integrity of the cover is maintained.

3.2.7.4 Cost

The cost of the EMNR with Broadcast Amendment Alternative will be largely dependent on the total volume of amendment material placed. Assuming that construction of the cover would be conducted within a fixed time frame (i.e., a single northern Minnesota construction season), the amount of amendment material required will likely dictate the method of placement, the crew size and working periods (i.e., length of work day and work week), the daily production rate, the number of trucks required to haul material on-site each day, and ultimately reductions in project cost per cubic yard of material placed due to economies of scale.

The estimated total present value cost for Alternative 6 is approximately \$20,000,000 and includes costs for the Baseline Characterization at \$215,000, the Pre-Design Investigation at \$280,000, and the Monitoring and Evaluation Period at \$530,000 (2016 costs). The ROM cost assumes an average 1-centimeter amendment placement over the entire remedial area. **Table 9** presents a breakdown of the estimated costs associated with Alternative 6.

3.2.7.5 *Other Logistical Issues*

Logistical issues that may affect cover placement operations include a construction window limited to spring through fall time periods. The reservoir is typically ice-covered by mid-December through mid-March.

Some areas of the Site experience erosion or deposition, especially in high-flow events. The forces responsible will need to be further studied and considered during the Baseline Characterization and Pre-Design Investigation stages, possibly leading to placement of armoring materials as part of the cover design.

Thomson Reservoir has an operating range of approximately 10 vertical feet. There must be sufficient water depth within the Site during the construction window to allow for sufficient barge draft in shallow cover construction areas.

4.0 REMEDY SELECTION CRITERIA

The alternatives were evaluated and compared using the NCP remedy selection criteria outlined below and in general accordance with USEPA guidelines for feasibility studies (USEPA, 1990). The NCP remedy selection criteria are divided into three groups based on the function of the criteria in remedy selection. The NCP definitions of each criterion are included below. Green Sustainable Remediation (GSR) criteria were also evaluated during this FFS and are included as a fourth group of criteria. Additional detail may be added from MPCA and/or USEPA guidance where appropriate.

4.1 Threshold Criteria

The Threshold Criteria relate to statutory requirements that each alternative must satisfy in order to be eligible for selection and include the following:

4.1.1 Overall Protection of Human Health and Ecological Receptors

Alternatives shall be assessed to determine whether they can adequately protect human health and ecological receptors, in both the short- and long-term, from unacceptable risks posed by hazardous substances, pollutants, or contaminants present at the Site by eliminating, reducing, or controlling exposures to levels established during development of remediation goals. Overall protection of human health and ecological receptors draws on the assessment of other evaluation criteria, especially long-term effectiveness and permanence, short-term effectiveness, and compliance with ARARs. RAOs for the Site do not include the protection of human health; therefore, the overall protection of human health was not assessed for remedial alternatives in this FFS.

4.1.2 Compliance with Applicable or Relevant and Appropriate Requirements

The alternatives shall be assessed to determine whether they attain applicable or relevant and appropriate requirements under federal environmental laws and state environmental or facility citing laws or provide grounds for invoking a waiver.

4.2 Primary Balancing Criteria

The Primary Balancing Criteria are the technical criteria upon which the detailed analysis is primarily based and include the following.

4.2.1 Long-Term Effectiveness and Permanence

Alternatives shall be assessed for the long-term effectiveness and permanence they afford, along with the degree of certainty that the alternative will prove successful. Factors that shall be considered, as appropriate, include the following:

1. Magnitude of residual risk remaining from untreated waste or treatment residuals remaining at the conclusion of the remedial activities. The characteristics of the residual should be considered to the degree that they remain hazardous, taking into account their volume, toxicity, mobility, and propensity to bioaccumulate.
2. Adequacy and reliability of controls, such as containment systems and ICs, necessary to manage treatment residuals and untreated waste. This factor addresses, in particular, the uncertainties associated with land disposal for providing long-term protection from residuals; the assessment of the potential need to replace technical components of the

alternative, such as a cap, a slurry wall, or a treatment system; and the potential exposure pathways and risks posted should the remedial action need replacement.

4.2.2 Reduction of Toxicity, Mobility, or Volume Through Treatment

The degree to which alternatives employ recycling or treatment that reduces toxicity, mobility, or volume shall be assessed, including how treatment is used to address the principal risks posed by the Site. Factors that shall be considered, as appropriate, include the following:

1. The treatment or recycling processes the alternatives employ and materials they will treat;
2. The amount of hazardous substances, pollutants, or contaminants that will be destroyed, treated or recycled;
3. The degree of expected reduction in toxicity, mobility, or volume of the waste due to treatment or recycling and the specification of which reductions(s) are occurring;
4. The degree to which the treatment is irreversible;
5. The type and quantity of residuals that will remain following treatment, considering the persistence, toxicity, mobility, and propensity to bioaccumulate of such hazardous substances and their constituents; and
6. The degree to which treatment reduces the inherent hazards posed by principal threats at the Site.

4.2.3 Short-Term Effectiveness

The short-term impacts of alternatives shall be assessed considering the following:

1. Short-term risks that might be posed to the community during implementation of an alternative;
2. Potential impacts on workers during remedial action and the effectiveness and reliability of protective measures;
3. Potential environmental impacts of the remedial action and the effectiveness and reliability of mitigating measures during implementation; and
4. Time until protection is achieved.

4.2.4 Implementability

The ease or difficulty of implementing the alternatives shall be assessed by considering the following types of factors, as appropriate:

1. Technical feasibility, including technical difficulties and unknowns associated with the construction and operation of a technology, the reliability of the technology, ease of undertaking additional remedial actions, and the ability to monitor the effectiveness of the remedy;
2. Administrative feasibility, including activities needed to coordinate with other offices and agencies and the ability and time required to obtain any necessary approvals and permits from other agencies (for off-site actions); and
3. Availability of services and materials, including the availability of adequate off-site treatment, storage capacity, and disposal capacity and services; the availability of necessary equipment and specialists, and provisions to ensure any necessary additional resources; the availability of services and materials; and the availability of prospective technologies.

4.2.5 Costs

The types of costs that shall be assessed include the following:

1. Capital costs, including both direct and indirect costs;
2. Annual O&M costs; and
3. Net present value of capital and O&M costs.

The USEPA guidance document “A Guide to Developing and Documenting Cost Estimates During the Feasibility Study” (USEPA, 2000) was used to develop cost estimates presented in this FFS. The cost estimates developed for this FFS are primarily for the purpose of comparing remedial alternatives during the remedy selection process, not for establishing project budgets.

4.3 Modifying Criteria

The third group is made up of the Modifying Criteria specified below. These last two criteria are assessed formally after the public comment period, although to the extent that they are known will be factored into the identification of the preferred alternative.

4.3.1 State/Support Agency Acceptance

Assessment of state/agency concerns may not be completed until comments on this FFS are received, but may be discussed, to the extent possible, in the proposed plan issued for public comment. The state/agency concerns that shall be assessed include the following:

1. The state’s/agency’s position and key concerns related to the preferred alternative and other alternatives; and
2. State/agency comments on ARARs or the proposed use of waivers.

4.3.2 Community Acceptance

This assessment includes determining which components of the alternatives interested persons in the community support, have reservations about, or oppose. This assessment may not be completed until comments on the proposed plan are received.

4.4 Green Sustainable Remediation

The last group is made up of the GSR criteria specified below. There are six criteria included with this analysis, which are then summarized to provide each alternative with an overall qualitative GSR rating. The six GSR criteria evaluated with this FFS include the following:

- Greenhouse Gas (GHG) Emissions;
- Toxic Chemical Usage and Disposal;
- Energy Consumption;
- Use of Alternative Fuels;
- Water Consumption; and
- Waste Generation.

5.0 COMPARATIVE ANALYSIS OF ALTERNATIVES

The purpose of the comparative analysis is to identify and compare advantages and disadvantages of each evaluated alternative relative to one another with respect to remedy selection criteria presented in **Section 4.0** in order to determine which of the alternatives best meets those criteria. The comparative analysis is documented in this section and summarized in **Table 11** and **Table 12**. **Table 13** presents a numerical comparison of the evaluated alternatives.

5.1 Threshold Criteria

Only those alternatives that would meet the threshold criteria of providing overall protection of ecological receptors and would attain compliance with ARARs were carried forward for comparative analysis. Based on available information, all alternatives discussed in **Section 3.2** will achieve some protection of ecological receptors from unacceptable risks posed by hazardous substances, pollutants, or contaminants present at the Site to varying degrees.

Alternatives 1 would provide no achievement of this criteria. Alternative 2 would provide a low achievement of protection because all contaminated sediment would be left in place and no actions would be performed to isolate contaminated sediments from receptors. This alternative instead relies on ICs and natural sedimentation to slowly isolate and biodegrade contaminants. Sedimentation rates at the Site may range between less than 1 millimeter per year (Beak, 1992) and 50 millimeters per year (Schubauer-Berigan and Crane, 1996). Based on ITRC guidance, sites with net sedimentation rates of 5 millimeters per year are candidates for MNR (ITRC, 2014); however, sedimentation data for the Site is sparse and the uncertainty of sedimentation at the site is high. Therefore, Alternative 2 may provide protection of human health and ecological receptors over time. ARARs would not be met for sediment because contamination would remain in place.

Alternatives 3A, 3B, 4, 5, and 6 would eliminate or control exposure to contaminated sediment over time; however, contaminated sediment would remain in place under Alternatives 3A, 3B, 4, and 6, requiring monitoring to assure long-term effectiveness. Further, hydrodynamics of the Site, including sediment erosion and deposition, are limited or unknown; therefore, uncertainty of the ability for Alternatives 3A, 3B, 4, and 6 to meet threshold criteria is high. Alternatives 3A, 3B, and 6 would rely on natural sedimentation to isolate contaminated sediment from receptors. Natural sedimentation rates at the Site are currently poorly understood. Alternative 4 would provide a higher level of protection than Alternatives 3A, 3B, and 6 because contaminated sediments would be isolated and a new PBAZ would be established; however, contaminated sediments would remain and place and a high degree of uncertainty regarding the overall effectiveness of Alternative 4 due to a lack up understanding of hydrodynamics at the Site. Alternative 5 would provide the highest level of protection, since contaminated sediments would be removed from the aquatic environment; however, the depth of sediments impacted with dioxins is currently not known and complete removal of all contaminated sediment may not be feasible and the ability to meet threshold criteria is uncertain.

In summary, Alternatives 1 and 2 provide a no and low achievement of protection ecological receptors and a low achievement of ARARs, respectively; however, the degree of environmental effects requires additional evaluation. Alternatives 3A, 3B, 4, and 6 provide moderate to moderately high achievement, respectively, of protection of ecological receptors and ARARs. Alternative 5 provides the highest achievement of protection of ecological receptors and ARARs at the Site, but contaminated sediment would be relocated off-site.

5.2 Balancing Criteria

5.2.1 Long-Term Effectiveness and Permanence

Alternative 1 provides no achievement of this criteria. Alternative 2 provides a low achievement of long-term effectiveness or permanence as the MNR at the Site is currently poorly understood and the Site may not achieve RAOs in a reasonable time frame.

Based on ITRC guidance, sites with net sedimentation rates of 5 millimeters per year are candidates for MNR (ITRC, 2014). Alternatives 2, 3A, 3B, and 6 may be effective in the long-term because historical sedimentation data indicates sedimentation rates at the Site range between 28 and 50 millimeters per year; however, sediment erosion and deposition data are limited for the Site and uncertainty of the long-term effectiveness and permanence of these alternatives is high. Unknowns in the hydrodynamic model, such as the erosion of contaminated sediments, as well as the effects of periodic flooding, may also reduce the long-term effectiveness and permanence of Alternatives 2, 3A, 3B, and 6. Additionally, contaminated sediment would remain in place under Alternatives 2, 3A, 3B, and 6, requiring a monitoring and evaluation period and ICs to assure long-term effectiveness; therefore, these alternatives have a low to moderate degree of permanence. Of these three alternatives, Alternative 2 would achieve the least long-term effectiveness and permanence because it relies only on natural sedimentation, which may be inadequate to isolate contaminated sediments. Alternative 3A would achieve better long-term effectiveness and permanence than Alternative 2 because natural sedimentation would be supplemented by the 0.15-meter thin-layer cover, accelerating the process of physical isolation. Alternative 3B would provide better long-term effectiveness and permanence than Alternative 3A because the amended thin-layer cover material would likely reduce exposure to contaminants through flux while also accelerating the process of physical isolation. Alternative 6 may provide better long-term effectiveness than Alternative 3A because the broadcast amendment would likely reduce exposure to contaminants, similar to Alternative 3B; however, Alternative 6 would not benefit from the isolation from contaminants that is included in Alternative 3A/3B. Bench-scale testing indicates that Alternative 3B and Alternative 6 will likely be effective in the long term when amendment materials mix into underlying sediments and sequester sediment contaminants throughout the entire PBAZ.

Alternative 4 has a higher degree of long-term effectiveness than Alternatives 2, 3A, 3B, and 6. Contaminated sediments would remain in place under Alternative 4, requiring a monitoring and evaluation period to assure long-term effectiveness and permanence. Hydrodynamic data for the Site, including flow velocities and sediment erosion and deposition, are limited or currently unavailable; therefore, uncertainty of the long-term effectiveness and permanence of Alternative 4 is relatively high.

Dredging and disposal of dewatered sediment at an off-site landfill under Alternative 5 would be the most effective in the long-term compared to Alternatives 2, 3A, 3B, 4, and 6; however, contaminants would not be permanently destroyed. All accessible contaminated sediments would potentially be removed under Alternative 5, providing the most permanence. The depth of sediments impacted with dioxins is currently not known and complete removal of all contaminated sediment under Alternative 5 may not be feasible; therefore, Alternative 5 has a high degree of uncertainty regarding long-term effectiveness and permanence.

In summary, Alternative 5 would provide the highest degree of long-term effectiveness, followed by Alternative 4 because contaminants would either be removed completely or made inaccessible by a cap; however, because the depth of contamination and hydrodynamics of the Site are not well understood, the long-term effectiveness and permanence of these remedies is uncertain. Alternatives 3A, 3B, and 6 provide moderate long-term effectiveness and permanence because

these alternatives rely on natural sedimentation, which is currently not well understood. Alternatives 1 and 2 provide the lowest degree of long-term effectiveness and permanence.

5.2.2 Reduction of Toxicity, Mobility, or Volume Through Treatment

Treatment of contaminants sediments to reduce toxicity, mobility, or volume is not a major component of any of the evaluated alternatives.

Alternatives 1, 2, and 3A would not provide a reduction in the toxicity, mobility, or volume through treatment; however, mobility of contaminants would be reduced over time providing adequate sedimentation is occurring at the Site. The amended material utilized in Alternative 3B and 6 would provide some reduction of toxicity by reacting with contaminated materials that pass through the thin-layer cover through ebullition, infiltration, and bioturbation processes. Alternative 4 would also not provide a reduction in the toxicity, mobility, or volume through treatment; however, mobility of contaminants would be reduced at the time of the remedial action because contaminated sediments would be capped in place and toxicity would be reduced over time through natural processes.

Alternative 5 would not provide a reduction in the toxicity, mobility, or volume through treatment; however, the volume of contaminated sediment would be reduced at the Site because all accessible contaminated sediment would be removed from the aquatic environment, though the volume of contaminated sediment transported to the off-site landfill would not change. Therefore, removal of contaminants from the aquatic environment would provide a reduction in toxicity, mobility, and volume of contaminants within the Reservoir. Removal of the contaminants would be considered permanent.

In summary, Alternatives 1, 2, and 3A provide the lowest degree of toxicity, mobility, and volume reduction through natural processes. Alternative 3B and 6 are the only remedies that achieves reduction of toxicity, mobility, or volume through treatment via amendment material, achieving a moderate to high achievement of these criteria. Alternative 4 effectively reduces the mobility of contaminated sediments and would reduce the toxicity over time, providing a moderate to high achievement of these criteria. Alternative 5 would provide the highest degree of reduction of volume, though not through treatment. Natural degradation and sedimentation is poorly understood at the Site, therefore uncertainty of the level of achievement for all alternatives is high, with exception to Alternative 5.

As summarized in **Section 1.4.3.1**, in order to evaluate how a remedial alternative involving AC might affect mercury, which is present in sediment at the Site but determined not to be a COC, a literature review was completed by the United States Army Research and Development Center. The review focused on how a remedy involving AC will impact the potential for mercury toxicity and bioaccumulation. Review of available research indicated either AC is a useful sorbent for reducing the potential for mercury bioaccumulation, or that AC is not effective at sorbing mercury; however, AC does not appear to increase the potential for mercury toxicity and bioaccumulation in water or sediments (U.S. Army Research and Development Center, 2020).

5.2.3 Short-Term Effectiveness

There are no short-term risks associated with Alternative 1. Alternative 2 has low short-term risks as sampling and monitoring activities would have no effect on the Site; with the exception of minimal risk to site workers during sampling efforts, which is mitigated through the Site Safety and Health Plan (SSHP). The rest of the alternatives would have short-term risks during implementation of the remedy. Alternatives 3A, 3B, 4, 5, and 6 require varying amounts of capping or dredging that may impact short-term effectiveness. The potential short-term risks increase as the complexity of each alternative increases. Alternatives 6, 3A, 3B, 4, and 5 have a respectively

increasing degree of complexity. The potential short-term risks to the community and workers with Alternatives 3A, 3B, 4, 5, and 6 are associated with increased boat/barge and trucking traffic, daily job hazards, and contact with contaminated materials, dust, and noise.

No short-term adverse effects to aquatic habitat and biota are associated with Alternatives 1 and 2, with the exception of continued exposure to contaminated sediments.

Short-term adverse effects to aquatic habitat and biota would be similar among Alternatives 3A, 3B, 4, 5, and 6, and would include displacement of fish and smothering or removal of benthic organisms; however, the degree of these effects varies with each alternative. Alternative 6 would result in the least amount of short-term adverse effects, followed by Alternatives 3A and 3B because benthic organisms would likely survive placement of broadcast amendment or thin-layer cover material. Under Alternatives 3A and 3B, benthic organisms would benefit from immediate access to 0.15 meters of contaminant-free habitat to reside in; however, benthic organisms would still have access to contaminated sediments within their natural habitat until natural sedimentation provides adequate isolation of contaminated sediment. Alternative 4 would have more short-term adverse effects because benthic organisms would not survive cap placement and former habitat would be smothered; however, cap design and construction incorporating habitat zones and associated PBAZ thicknesses would prevent exposure of newly established benthic organism colonies to contaminated sediments.

Alternative 4 would have immediate short-term impacts to the power-generating potential of Thomson Reservoir because the alternative includes construction of a cap up to 1.20 meters in thickness. This cap thickness would reduce the overall capacity of the reservoir and limit the power-generating capabilities of the hydroelectric generator in Forbay Reservoir.

Alternative 5 would likely present similar adverse effects as Alternative 4 since dredging contaminated sediments would result in a complete loss of the established habitat and benthic community. Additionally, the thin-layer cover placed following dredging would not provide as much habitat for benthic communities to recover. The total depth of contamination is not currently known; therefore, if contaminated sediments are not completely removed benthic organisms may be exposed to contamination not previously accessible.

Benthic organisms would be expected to be re-established for all alternatives within several growing seasons.

Short-term adverse effects to surface water may also occur during thin-layer cover and cap placement, as well as dredging activities. Surface water control structures have shown that they are reliable in minimizing these short-term adverse effects.

In summary, Alternative 6 will have the highest achievement of the short-term effectiveness criterion followed by Alternative 3A and 3B. Alternative 1 and 2 will have a moderate achievement of this short-term effectiveness criterion. Alternative 4 and 5 have a low achievement of short term effectiveness due to an increase in short-term risks from construction activities and immediate destruction of existing benthic communities and habitat.

5.2.4 Implementability

There are no implementability concerns associated with Alternatives 1 and few with Alternative 2. Alternative 2 ICs limiting access to the Reservoir may be difficult to enforce. Varying degrees of capping, dredging, upland construction, surface water control structures, and/or monitoring and evaluation would be required under Alternatives 3A, 3B, 4, 5, and 6. These alternatives are technically feasible and implementable from an engineering perspective. These technologies have been implemented successfully at other sediment sites and could be readily implemented at the Site. Services and materials are available for implementing each component of the remedy.

Alternative 5 includes dredging contaminated sediment that is in contact with subgrade (bedrock) that may pose additional but not insurmountable difficulties. Additionally, depth of contamination is currently not known; therefore, if the depth of contamination is significantly greater than what is currently estimated, removal of all contaminated sediment under Alternative 5 may be difficult to implement.

Weather could significantly impact productivity of Alternatives 3A, 3B, 4, 5, and 6, particularly if done in the early spring or late fall. High winds in the late fall produce large waves that could impact productivity. Winter or freezing conditions in the fall could also impact productivity or shorten the construction season altogether. Alternative 5 has the longest estimated time to complete and therefore would stand to be the most impacted by weather.

Implementability also includes administrative feasibility of the remedy. As with most sediment remediation activities, multiple state and federal agencies and other stakeholders input is required, providing a lower achievement of administrative feasibility of implementing a remedy. Additional time will be required to obtain any necessary approvals and permits from other agencies. Alternatives 3A, 3B, 4, 5, and 6 will require extensive coordination and concurrence with Minnesota Power, the entity that manages the Reservoir and owns much of the surrounding land. Several of these alternatives will impact the capacity of the reservoir and would require extensive construction for lay-down and staging areas, which could pose difficulties to implementation.

Alternative 5 will require more coordination with other regulatory agencies than Alternatives 3A, 3B, 4, and 6 because off-site disposal will be required. Permits for capping, however, would be required for Alternatives 3A, 3B, 4, and 6. Alternatives 1 and 2 will require the least amount of coordination with regulatory agencies and stakeholders.

In summary, Alternative 1 provides the greatest achievement of the implementability criterion. Alternative 2 is then the next easiest to implement since it requires only sampling and monitoring. Alternatives 3A, 3B, and 6 have the next highest achievement of implementability, respectively, because they impact the reservoir the least, require a shorter implementation schedule, and are generally less complex compared to Alternatives 4 and 5. Alternative 5 is more complex than Alternative 4, and will require the most permitting and a longer construction schedule; therefore, Alternative 5 achieves the lowest implementability ranking of all the alternatives. **Table 13** presents a numerical score that provides a scale to compare all alternatives.

5.2.5 Cost

Cost estimates developed for each alternative are included in **Section 3.0** and summarized in **Table 4**. Cost estimates include capital costs for professional/technical services, construction activities, and ICs, monitoring and evaluation costs over a 5-year period, and periodic costs such as bathymetric surveys. Costs are presented as present value in each respective alternative cost estimate summary table (**Table 5** through **Table 9**) with a base year of 2016 and a discount rate of 7%.

Cost estimates are presented as ROM costs as insufficient data exists in which to delineate the horizontal and vertical extent of contamination at the Site, and significant assumptions regarding contaminated sediment volumes and the spatial extent of contamination were made to facilitate cost estimating. Full delineation of remedial areas is essential for conducting cost estimating as unit volumes (i.e., volume of sediments requiring removal, transportation, disposal, etc.; volume of cover/cap materials to be purchased, placed, etc.) have a dramatic influence over total project cost. For example, larger scale projects typically see reduced costs per unit of material dredged/placed due to economies of scale and potential efficiencies gained by working several shifts in a single day (e.g., 16-hour or 24-hour production days) and through maximizing use of

rented equipment/facilities and constructed upland support features. Additionally, changes in unit volumes can increase the total project cost rapidly as individual cost elements can be more expensive than sediment removal or cover/cap placement alone, such as transportation, disposal, sediment dewatering and contact water treatment, and purchase of amendments, treatment media, or other consumables.

Site hydrodynamics are also poorly understood. Development of a hydrodynamic model would be beneficial in defining erosive and depositional areas of the Site. Definition of erosive areas could add to total project cost as additional armoring materials could be required over sand cover/cap areas to prevent scouring. Definition of depositional areas of the Site could reduce total project costs as alternatives involving natural recovery through contaminant isolation could be implemented.

In summary, the cost estimates provided within this FFS should be considered to be ROM costs and should be refined after additional Site data is collected. As compiled, Alternative 1 has no cost. Alternative 2 is the most cost effective option; however, it only includes a baseline study and a monitoring and evaluation period of 5 years. Alternative 3A is the next most cost-effective option as only a thin-layer sand cover is required. Alternative 6 is the next most cost-effective option as it requires application of amendment material, which is significantly more expensive than sand used in Alternative 3A. Alternative 4 is similar in cost effectiveness to Alternative 3B, but it requires significantly more sand than Alternative 3A. Alternative 3B is significantly more costly than Alternatives 3A and 6 because it requires both sand and amendment material. Alternative 5 is the least cost effective option as it requires complete removal of contaminated sediments, transportation and disposal of contaminated sediments, and placement of thin-cover material. **Table 13** presents a score that compares the costs for all alternatives.

5.3 Modifying Criteria

The modifying criteria, State/support agency and community acceptance, are typically assessed formally after a public comment period; however, this FFS will not go to public comment. This FFS was developed in coordination with the MPCA and the final document will have MPCA acceptance.

5.4 Green Sustainable Remediation Criteria

5.4.1 Green House Gas Emissions

Alternative 1 produces no GHG. Alternative 2 would only produce GHG emissions associated with mobilization/demobilization and boat operation associated with sampling efforts. Alternatives 3A, 3B, 4, 5, and 6 would result in GHG emissions from the mobilization, operation, and demobilization of all fuel-powered construction equipment required to construct the cap/cover, and/or dredge. Alternative 5 would also produce emissions during transport by truck to the disposal facility. Reduction of emissions can be accomplished by using equipment that is compliant with the latest USEPA non-road engine standards and retrofitting older equipment with appropriate filters.

5.4.2 Toxic Chemical Usage and Disposal

There are no known toxic chemicals associated with these alternatives.

5.4.3 Energy Consumption

Alternative 1 has no energy consumption. Alternative 2 would consume minimal amounts of fossil fuels compared to the other alternatives. Alternatives 3A, 3B, 4, 5, and 6 would result in the

consumption of fossil fuels for the mobilization, operation, and demobilization of all diesel-powered construction equipment associated with the dredging, hauling, and disposal of the contaminated sediment and the installation of the cover/cap material. The amount of cover/cap material placed in Alternatives 3A and 3B is considerably less than in Alternative 4; therefore, the energy consumption for cover/cap construction for Alternatives 3A and 3B would be less than Alternative 4. Alternative 5 would require the greatest amount of energy to implement.

5.4.4 Use of Alternative Fuels

Alternatives 1 and 2 would not require the use of alternative fuels. Biodiesel blended fuels (B10 or B20) could be used as a supplemental fuel source for all diesel powered construction equipment associated with Alternatives 3A, 3B, 4, 5, and 6.

5.4.5 Water Consumption

Alternatives 1 and 2 would not require the consumption of water. There are few water consumption considerations associated with Alternatives 3A, 3B, 4, 5, and 6. A minimal quantity of water would be required to decontaminate personnel and equipment during sediment dredging activities associated with Alternative 5, and water utilized for hydraulic dredging would be sourced from the Reservoir, treated during the dewatering process, and returned to the Reservoir.

5.4.6 Waste Generation

Alternatives 1, 2, 3A, 3B, 4, and 6 would not generate a significant amount of waste. Alternative 5 would generate a large volume of waste that includes the dredged contaminated sediments.

5.5 Comparative Analysis Summary

The comparative analysis of alternatives narrative discussion and quantitation table (**Table 13**) did not clearly identify a superior alternative to address the contamination at the Site and no significant difference in the balancing criteria score was found between these alternatives other than cost; however, Alternatives 3B and 6 received the highest overall scores and should be evaluated further for remedy selection. All alternatives, with the exception of Alternative 1, involve relatively high degrees of uncertainty due to limited knowledge and understanding of contaminant distribution, risks to receptors, and hydrodynamics at the Site.

Bench-scale treatability testing (**Appendix F**) was completed on sediments collected from Scanlon Reservoir (which are assumed to be similar in composition and COCs to Site sediments) to evaluate the effectiveness of different AC amendments and doses to reduce the bioavailability of dioxins/furans in Site sediments using two AC particle size ranges; a silt-sized powdered activated carbon (PAC) and a fine sand-sized granular activated carbon (GAC). The results of the bench-scale treatability indicated that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins in Site sediments. Application methods will be retained for further engineering and cost evaluations.

Review of available research indicates either AC is a useful sorbent for reducing the potential for mercury bioaccumulation, or that AC is not effective at sorbing mercury; however, AC does not appear to increase the potential for mercury toxicity and bioaccumulation in water or sediments (U.S. Army Research and Development Center, 2020).

The comparative analysis summary tables and comparative analysis quantitation table are presented in **Table 11**, **Table 12**, and **Table 13**, respectively.

The modifying criteria, State/support agency acceptance, and community acceptance are assessed formally after the public comment period. Stakeholder and community input will provide valuable insight as the MPCA considers information for the selection of a preferred alternative. The MPCA will conduct outreach activities to resource managers, current Site users, the public and local units of government prior to the public comment period.

Further studies are recommended during the design phase of the selected alternative. These recommended studies, depending on the alternative selected, may include:

- Further delineation and determination of extent, thickness, and volume of contaminated sediment;
- Hydrodynamic study to understand natural processes such as depositional and scouring forces to inform design and placement of cover materials, and effectiveness of Monitored Natural Recovery (MNR);
- Updated bathymetric survey and mapping of substrate types;
- Investigation into the potential for ongoing sources related to upstream industries.

6.0 REFERENCES

- Bay West LLC, 2015. DRAFT Technical Memorandum, Remedial Action Objectives, Preliminary Remedial Goals, Potentially Bioactive Zone Thicknesses, SR#276 – U.S. Steel Duluth Works Site. October.
- Beak Consultants, LTD. 1992. Estimation of suspended solids loadings in the lower St. Louis River system. Report for Minnesota Power, Duluth, Minnesota. Beak Report #4302.1, Brampton, Ontario.
- Berg, James A., 2011. “Hydrogeology of the Surficial Aquifer, County Atlas Series, Atlas C-19, Part B, Plate 7 of 10”; State of Minnesota, Department of Natural Resources, Division of Ecological and Water Resources.
- Boerboom, Terrence J., 2009. “Geologic Atlas of Carlton County, Minnesota, Atlas C-19, Part A.” Minnesota Geological Survey.
- Department of Natural Resources, 1996. Thomson Reservoir Bathymetry.
- EA Engineering, Science, and Technology, Inc., PBC (EA), 2015. “Site Characterization Report, Assessment of Contaminated Sediment, St. Louis River Site Characterization, St. Louis River and Bay Area of Concern, Duluth, Minnesota”; U.S. Environmental Protection Agency, Great Lakes National Program Office, Chicago, Illinois. EP-R5-11-10.
- Interstate Technology and Regulatory Council (ITRC) Contaminated Sediments Team. 2014. “Contaminated Sediments Remediation – Remedy Selection for Contaminated Sediments.” August.
- Minnesota Department of Health (MDH), 2014. Minnesota fish consumption advisory. Health Risk Assessment Unit, MDH, St. Paul, Minnesota.
- Minnesota Power, 2011. 2011 Thomson Reservoir Sediment Sampling.
- Minnesota Power, 2018. Water Quality and Fish Tissue Report for the St. Loius River Project System, 2010-2015. Environmental and Land Management Department. March 1.
- Minnesota Pollution Control Agency (MPCA), 1998. Risk-Based Site Evaluation Manual. September.
- MPCA, 2003. “Bioactive Zone for the Sediment Operable Unit of the St. Louis River/Interlake/Duluth Tar Superfund Site.” February.
- MPCA, 2007. “Guidance for the Use and Application of Sediment Quality Targets for the Protection of Sediment-Dwelling Organisms in Minnesota.” February.
- MPCA, 2008. “Beneficial Use Impairments.” June.
- MPCA, 2009. Managing Dredged Materials in the State of Minnesota. June.
- MPCA, 1995. “Draft Work Plan, Sediment Operable Unit Supplemental Remedial Investigation and Feasibility Study Reports SLRIDT Site, Duluth Minnesota.” November 1995.
- MPCA and Wisconsin Department of Natural Resources (WDNR), 1992. “The St. Louis River System Remedial Action Plan. Stage I.”
- MPCA and WDNR, 1995. “The St. Louis River System Remedial Action Plan, Progress Report Stage II.”
- Parsons Corporation, November 2004. “Onondaga Lake Feasibility Study Report.”
- Schubauer-Berigan, M., and J.L. Crane, 1996. “Preliminary Contaminant Assessment of the Thomson, Forbay, and Fond Du Lac Reservoirs”; U.S. Environmental Protection Agency (USEPA), Region V, Great Lakes National Program Office; Chicago, Illinois.

- U.S. Army Research and Development Center, 2020. DRAFT. "The potential for unintended formation of methylmercury and increased mercury bioaccumulation when using activated carbon for remediation of dioxin/furan contaminated sediments at Scanlon and Thomson Reservoirs". March 19.
- USEPA, 2003. NAS Review Draft – Exposure and Human Health Reassessment of 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Related Compounds: Part I: Volume 3: Chapter 3: Levels of CDD, CDF, and PCB Congeners in Environmental Media and Food. USEPA, Exposure Assessment and Risk Characterization Group, National Center for Environmental Assessment – Washington Office, Office of Research and Development, Washington, D.C. EPA/600/P-00/001Cb. December.
- USEPA, 1990. "The Feasibility Study: Detailed Analysis of Remedial Action Alternatives." Office of Solid Waste and Emergency Response (OSWER) Directive 9955.3-01FS4. March.
- USEPA, 2000. A Guide to Developing and Documenting Cost Estimates During the Feasibility Study, USEPA, 2000. A Guide to Developing and Documenting Cost Estimates During Feasibility Studies, EPA-540-R-00-002. July.
- USEPA, 2005. "Contaminated Sediment Remediation Guidance for Hazardous Waste Sites."
- USEPA, 2013. "Use of Amendments for In Situ Remediation at Superfund Sediment Sites." April.

Figures

Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\001_FFS_2017\U160749 FIG 1 Thomson Reservoir Site Location Map.mxd





Figure 1

Site Location Map

Thomson Reservoir
SLR Sediment AOCs
Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: National Geographic Society, i-cubed



Y:\Clients\MP\CA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\U160749\001_FFS_2017\U160749 FIG 2 Thomson Reservoir Site Map.mxd







Figure 2
Site Map

Thomson Reservoir
SLR Sediment AOCs
Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Sediment Sample Locations(2016)
- Historical Sediment Sample Locations (2014)
- ⊕ Carry-Down Access Point (UMD Outpost Pier)
- △ UMD Kayak and Canoe Institute Outpost
- ⬡ Thomson Reservoir Site Boundary
- ⬢ City Boundary
- ▨ Historical Stream Area (Carlton County Map, 1948)



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\001_FFS_2017\J160749 FIG 3 Thomson Reservoir Bathymetry.mxd





Figure 3





Bathymetry

Thomson Reservoir SLR Sediment AOCs Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



-  Low Water Line (1059ft)
-  Bathymetry Contour Line (2ft Intervals)
-  Thomson Reservoir Site Boundary and High Water Line (1069ft)
-  Historical Stream Area (Carlton County Map, 1948)

Water Depth




Figure 4


Dioxins Results

Thomson Reservoir
SLR Sediment AOCs

Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



Thomson Reservoir Site Boundary

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

NOTE: Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\001_FFS_2017\J160749 FIG 4 Thomson Reservoir Dioxins Results.mxd






Figure 5
Remedial Footprint

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Thomson Reservoir Site Boundary
- Remedial Footprint (156.80 Acres)

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)


Dioxins SQT Exceedance Areas

- Estimated Area Exceeding Midpoint SQT (156.80 Acres)

NOTE: Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\U160749\001_FFS_2017\U160749 FIG 5 Thomson Reservoir Remedial Footprint.mxd



Additional Features

- Bathymetric Contour Line
- Historical Stream Area (Carlton County Map, 1948)

Y:\Clients\MP\CA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\U160749\001_FFS_2017\U160749 FIG 6 Thomson Reservoir Habitat Areas.mxd






Figure 6





Habitat Areas

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



-  Thomson Reservoir Site Boundary
-  Backshore/Foreshore Habitat Zone (29.56 Acres)
-  Emergent Aquatic Vegetation Habitat Zone (43.47 Acres)
-  Submerged Aquatic Vegetation and Deep Water Habitat Zone (299.40 Acres)



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\001_FFS_2017\J160749 FIG 7 Thomson Reservoir Conceptual Site Model.mxd




Figure 7

Conceptual Site Model

Thomson Reservoir
SLR Sediment AOCs
Duluth, MN



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDoes\J160749\001_FFS_2017\160749 FIG 8 Thomson Reservoir Alternative 2 Monitored Natural Recovery.mxd




Figure 8

Alternative 2 - Monitored Natural Recovery

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS



- Proposed Sediment Sample
- Thomson Reservoir Site Boundary

Sample Type

- △ 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample


Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

NOTE: Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\001_FFS_2017\160749 FIG 9 Thomson Reservoir Alternative 3A_3B Enhanced Monitored Natural Recovery.mxd

NOTES: 1) Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.
 2) Contamination is present within the bioactive zone (BAZ) for all three habitat zones. The backshore zone has a BAZ thickness of 1.2 meters, the emergent aquatic vegetation zone has a BAZ thickness of 1.0 meter, and the deep water zone has a BAZ thickness of 0.5 meter.





Figure 9
Alternative 3A/3B - Enhanced Monitored Natural Recovery

**Thomson Reservoir
 SLR Sediment AOCs
 Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
 Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Proposed Sediment Monitoring Locations
- Thomson Reservoir Site Boundary
- Targeted Thin-Layer Cover Areas

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

Dioxins SQT Exceedance Areas


Estimated Area Exceeding Midpoint SQT (156.80 Acres)



Conceptual Cross Sections

SHALLOW IN-SITU CONTAMINATION			MID-DEPTH IN-SITU CONTAMINATION			DEEP IN-SITU CONTAMINATION			DEEP IN-SITU CONTAMINATION		
BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed at all areas of the Reservoir with in-situ sediment contamination exceeding the Midpoint SQT (i.e., cleanup level) within the upper 0.50 meter of sediment.	BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed within areas of the backshore/foreshore habitat and emergent aquatic vegetation habitat zones where in-situ sediment contamination exceeds the cleanup level between 0.50 and 1.0 meters below the sediment surface. Contamination is located within the bioactive zone (BAZ) for these habitats.	BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed within areas of the backshore/foreshore habitat where in-situ sediment contamination exceeds the cleanup level between 1.0 and 1.20 meters below the sediment surface. Contamination is located within the bioactive zone (BAZ) for this habitat.	BEFORE	AFTER	In-situ contamination exceeding the cleanup level is not located within any of the defined habitat zones. No cover is placed.
WATER COLUMN	WATER COLUMN		THIN-LAYER COVER	WATER COLUMN		WATER COLUMN	THIN-LAYER COVER		WATER COLUMN	WATER COLUMN	
0-0.15 METER	0-0.15 METER		0-0.15 METER	0-0.15 METER		0-0.15 METER	0-0.15 METER		0-0.15 METER	0-0.15 METER	
0.15-0.50 METER	0.15-0.50 METER		0.15-0.50 METER	0.15-0.50 METER		0.15-0.50 METER	0.15-0.50 METER		0.15-0.50 METER	0.15-0.50 METER	
0.50 - 1.0 METER	0.50 - 1.0 METER		0.50 - 1.0 METER	0.50 - 1.0 METER		0.50 - 1.0 METER	0.50 - 1.0 METER		0.50 - 1.0 METER	0.50 - 1.0 METER	
1.0-1.2 METER	1.0-1.2 METER		1.0-1.2 METER	1.0-1.2 METER		1.0-1.2 METER	1.0-1.2 METER		1.0-1.2 METER	1.0-1.2 METER	
>1.2 METER	>1.2 METER		>1.2 METER	>1.2 METER		>1.2 METER	>1.2 METER		>1.2 METER	>1.2 METER	

Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\001_FFS_2017\160749 FIG 10 Thomson Reservoir Alternative 4 Bio Active Zone Cap.mxd




Target BAZ Cap Areas

- 120cm Cap Thickness - 10.83 Acres (Backshore/Foreshore Habitat Zone)
- 100cm Cap Thickness - 14.45 Acres (Emergent Aquatic Vegetation Habitat Zone)
- 50cm Cap Thickness - 131.10 Acres (Submerged Aquatic Vegetation and Deep Water Habitat Zone)

Figure 10
Alternative 4 - Bio-Active Zone Cap

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Proposed Sediment Monitoring Locations
- Thomson Reservoir Site Boundary

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

NOTE: Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.



Conceptual Cross Sections

BACKSHORE/FORESHORE HABITAT ZONE		EMERGENT AQUATIC VEGETATION ZONE		DEEP WATER HABITAT ZONE		ALTERNATIVE CONSTRUCTION		
BEFORE	AFTER	BEFORE	AFTER	BEFORE	AFTER	BEFORE	AFTER	
WATER COLUMN	1.2 METER CAP	WATER COLUMN	1.0 METER CAP	WATER COLUMN	0.5 METER CAP	WATER COLUMN/ NO CAP	WATER COLUMN/ NO CAP	WATER COLUMN/ NO CAP
	AQUABLOCK IZ		AQUABLOCK IZ		AQUABLOCK IZ	0-1.20 METER	0-1.0 METER	0-0.50 METER
0-0.15 METER	0-0.15 METER	0-0.15 METER	0-0.15 METER	0-0.15 METER	0-0.15 METER			0-0.15 METER
0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER			0.15-0.50 METER
0.50-1.0 METER	0.50-1.0 METER	0.50-1.0 METER	0.50-1.0 METER	0.50-1.0 METER	0.50-1.0 METER			0.50-1.0 METER
>1.0 METER	>1.0 METER	>1.0 METER	>1.0 METER	>1.0 METER	>1.0 METER	>1.20 METER	>1.0 METER	>1.0 METER
The backshore/foreshore habitat zone has a bioactive zone (BAZ) thickness of 1.2 meters. If sediments exceed the CUL (i.e., Midpoint SQT) within the 0-1.2 meter interval then an AquaBlok isolation zone (IZ) and 1.2 meter sand cap is constructed.		The emergent aquatic vegetation habitat zone has a bioactive zone (BAZ) thickness of 1.0 meter. If sediments exceed the CUL within the 0-1.0 meter interval then an AquaBlok isolation zone (IZ) and 1.0 meter sand cap is constructed.		The deep water habitat zone has a bioactive zone (BAZ) thickness of 0.5 meter. If sediments exceed the CUL within the 0-0.50 meter interval then an AquaBlok isolation zone (IZ) and 0.5 meter sand cap is constructed.		A sand cap will not be constructed in areas where sediments do not exceed the CUL within the appropriate depth of BAZ per the habitat zone (e.g. 1.2 meter for backshore/foreshore habitat, 1.0 meter for emergent aquatic vegetation zone, and 0.5 meter for deep water habitat zone).		

Alternative methods of cap construction may be determined during the design phase, such as that shown above. This alternative construction method incorporates existing sediments with concentrations less than the CUL into the cap thickness. This example is representative of the emergent aquatic vegetation habitat zone and has a BAZ zone thickness of 1.0 meter with concentrations below the CUL.

NOTE: Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.






Figure 11
Alternative 5 - Dredging with Thin-Layer Cover

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Proposed Sediment Monitoring Locations
- Thomson Reservoir Site Boundary
- Targeted Dredge and Thin-Layer Cover Areas

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

Dioxins SQT Exceedance Areas

Estimated Area Exceeding Midpoint SQT (156.80 Acres)



Conceptual Cross Sections

DREDGE RESIDUAL SCENARIO			NO DREDGE RESIDUAL SCENARIO			DEEP CONTAMINATION SCENARIO			HABITAT REPLACEMENT SCENARIO			BEDROCK RESIDUAL SCENARIO		
BEFORE	TARGET	AFTER	BEFORE	TARGET	AFTER	BEFORE	OPTION 1	OPTION 2	BEFORE	TARGET	AFTER	BEFORE	TARGET	AFTER
WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN	WATER COLUMN
0-0.15 METER			0-0.15 METER	DREDGE		0-0.15 METER	0-0.15 METER	THIN-LAYER COVER OR 0.5-0.7 METER CAP	0-0.15 METER	0-0.15 METER	0-0.15 METER	DREDGE	THIN-LAYER COVER	0-0.15 METER
0.15-0.50 METER	DREDGE		0.15-0.50 METER	OVERDREDGE	VERIFICATION SAMPLE	0-0.15 METER		0-0.15 METER	0.15-BEDROCK			0.15-BEDROCK	DREDGE	THIN-LAYER COVER
>0.50 METER	OVERDREDGE	THIN-LAYER COVER	>0.50 METER	0.15-0.50 METER	>0.50 METER	0.15-0.50 METER	DREDGE	0.15-0.50 METER	BEDROCK	BEDROCK	BEDROCK	BEDROCK	BEDROCK	BEDROCK
	>0.50 METER	VERIFICATION SAMPLE	>0.50 METER	>0.50 METER	>0.50 METER	>0.50 METER		>0.50 METER						
<p>Overburden between 0 and 0.15 meter below the sediment surface is removed along with sediment exceeding the cleanup level (i.e., Midpoint SQT) to a depth of 0.50 meter, plus an average over dredge of 0.15 meter. Due to the high concentrations in the area, post-dredge verification sampling indicates residuals exceeding the CUL remain at the sediment surface. Residuals persist after additional cleanup passes. A 0.15 meter sand cover is constructed.</p>			<p>Surface contamination between 0 and 0.15 meter below the sediment surface is removed along with a 0.15 meter over dredge. Post-dredge verification sampling indicates dredging achieved the cleanup level. A 0.15 meter thin-layer sand cover is not constructed.</p>			<p>0.50 meter or more of sediment below the cleanup level is present over contaminated sediments. Cost-effectiveness of dredging should be weighed against thin-layer cover or bioactive zone (BAZ) cap. The thickness of the cover/cap would likely be made based on Decisions regarding the habitat zone where contamination is located and the associated bioactive zone (BAZ) thickness.</p>			<p>Overburden between 0 and 0.15 meter below the sediment surface is removed along with sediment exceeding the cleanup level to bedrock. A 0.15 meter sand cover is placed to restore some benthic habitat.</p>			<p>Overburden between 0 and 0.15 meter below sediment surface is removed along with sediment exceeding the cleanup level to bedrock. In-situ sediments or dredge residuals exceeding the cleanup level remain inaccessible within bedrock crevices following dredging. A 0.15 meter sand cover is placed.</p>		

Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\001_FFS_2017\J160749 FIG 11 Thomson Reservoir Alternative 5 Dredging with Thin Layer Cover.mxd

Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\001_FFS_2017\160749 FIG 12 Thomson Reservoir Alternative 6 Enhanced Monitored Natural Recovery With Broadcast Amendment.mxd

NOTES: 1) Dioxins results used in SQT comparison are TEQ KM FISH values from MPCA sediment database.
 2) Contamination is present within the bioactive zone (BAZ) for all three habitat zones. The backshore zone has a BAZ thickness of 1.2 meters, the emergent aquatic vegetation zone has a BAZ thickness of 1.0 meter, and the deep water zone has a BAZ thickness of 0.5 meter.






Figure 12
Alternative 6 - Enhanced Monitored Natural Recovery With Broadcast Amendment

Thomson Reservoir
SLR Sediment AOCs
 Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
 Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Proposed Sediment Monitoring Locations
- Thomson Reservoir Site Boundary
- Targeted Thin-Layer Cover Areas

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Dioxins SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)

Dioxins SQT Exceedance Areas

Estimated Area Exceeding Midpoint SQT (156.80 Acres)



Conceptual Cross Sections

SHALLOW IN-SITU CONTAMINATION			MID-DEPTH IN-SITU CONTAMINATION			DEEP IN-SITU CONTAMINATION			DEEP IN-SITU CONTAMINATION		
BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed at all areas of the Reservoir with in-situ sediment contamination exceeding the Midpoint SQT (i.e., cleanup level) within the upper 0.50 meter of sediment.	BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed within areas of the backshore/foreshore habitat and emergent aquatic vegetation habitat zones where in-situ sediment contamination exceeds the cleanup level between 0.50 and 1.0 meters below the sediment surface. Contamination is located within the bioactive zone (BAZ) for these habitats.	BEFORE	AFTER	A 6-inch thin-layer sand cover will be constructed within areas of the backshore/foreshore habitat where in-situ sediment contamination exceeds the cleanup level between 1.0 and 1.20 meters below the sediment surface. Contamination is located within the bioactive zone (BAZ) for this habitat.	BEFORE	AFTER	In-situ contamination exceeding the cleanup level is not located within any of the defined habitat zones. No cover is placed.
WATER COLUMN	WATER COLUMN BROADCAST COVER		0-0.15 METER	0-0.15 METER		0-0.15 METER	0-0.15 METER		0-0.15 METER	0-0.15 METER	
0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	0.15-0.50 METER	
0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	0.50 - 1.0 METER	
1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	1.0-1.2 METER	
>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	>1.2 METER	

Tables

**Table 1
Statistics for Select Sediment Sample Parameters
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency**

All Intervals																				
Statistic	Units	Level 1	Midpoint SQT	Level 2	SSV	Number of Results	Mean	Median	Standard Deviation	Range	Minimum	Maximum	Level 1 Exceedances	Level 1 Percent	Midpoint Exceedances	Midpoint Percent	Level 2 Exceedance	Level 2 Percent	SSV Exceedances	SSV Percent
Total PAHs	µg/kg	1600.00	12300.00	23000.00	NE	28	602.34	347.25	660.47	2288.85	43.15	2332.00	4	14.29%	0	0.00%	0	0.00%	NE	NE
PCB	µg/kg	60.00	370.00	680.00	5.00	66	42.38	0.00	81.68	320.00	0.00	320.00	14	21.21%	0	0.00%	0	0.00%	19	28.79%
Mercury	mg/kg	0.18	0.64	1.10	0.02	165	0.25	0.13	0.35	2.19	0.01	2.20	58	35.15%	16	9.70%	7	4.24%	164	99.39%
D/Fs	ng/kg	0.85	11.20	21.50	0.02	81	33.59	7.38	91.74	670.96	0.14	671.10	74	91.36%	29	35.80%	17	20.99%	53	65.43%

0.0 - 0.15 Meter																				
Statistic	Units	Level 1	Midpoint SQT	Level 2	SSV	Number of Results	Mean	Median	Standard Deviation	Range	Minimum	Maximum	Level 1 Exceedances	Level 1 Percent	Midpoint Exceedances	Midpoint Percent	Level 2 Exceedance	Level 2 Percent	SSV Exceedances	SSV Percent
Total PAHs	µg/kg	1600.00	12300.00	23000.00	NE	11	224.59	179.00	122.11	335.85	43.15	379.00	0	0.00%	0	0.00%	0	0.00%	NE	NE
PCB	µg/kg	60.00	370.00	680.00	5.00	27	19.36	0.00	52.08	240.00	0.00	240.00	3	11.11%	0	0.00%	0	0.00%	5	18.52%
Mercury	mg/kg	0.18	0.64	1.10	0.02	80	0.17	0.08	0.28	1.86	0.01	1.87	15	18.75%	5	6.25%	2	2.50%	79	98.75%
D/Fs	ng/kg	0.85	11.20	21.50	0.02	41	18.02	5.17	44.96	254.52	0.14	254.66	37	90.24%	10	24.39%	4	9.76%	24	58.54%

0.15 - 0.50 Meter																				
Statistic	Units	Level 1	Midpoint SQT	Level 2	SSV	Number of Results	Mean	Median	Standard Deviation	Range	Minimum	Maximum	Level 1 Exceedances	Level 1 Percent	Midpoint Exceedances	Midpoint Percent	Level 2 Exceedance	Level 2 Percent	SSV Exceedances	SSV Percent
Total PAHs	µg/kg	1600.00	12300.00	23000.00	NE	9	364.33	300.00	256.12	702.80	109.70	812.50	0	0.00%	0	0.00%	0	0.00%	NE	NE
PCB	µg/kg	60.00	370.00	680.00	5.00	24	41.14	0.00	88.98	320.00	0.00	320.00	5	20.83%	0	0.00%	0	0.00%	5	20.83%
Mercury	mg/kg	0.18	0.64	1.10	0.02	46	0.25	0.15	0.25	1.07	0.03	1.10	18	39.13%	4	8.70%	1	2.17%	46	100.00%
D/Fs	ng/kg	0.85	11.20	21.50	0.02	33	53.47	9.57	132.57	670.67	0.43	671.10	31	93.94%	16	48.48%	10	30.30%	23	69.70%

0.50 - 1.00 Meter																				
Statistic	Units	Level 1	Midpoint SQT	Level 2	SSV	Number of Results	Mean	Median	Standard Deviation	Range	Minimum	Maximum	Level 1 Exceedances	Level 1 Percent	Midpoint Exceedances	Midpoint Percent	Level 2 Exceedance	Level 2 Percent	SSV Exceedances	SSV Percent
Total PAHs	µg/kg	1600.00	12300.00	23000.00	NE	7	1298.31	1247.00	820.33	1850.70	481.30	2332.00	3	42.86%	0	0.00%	1	14.29%	NE	NE
PCB	µg/kg	60.00	370.00	680.00	5.00	9	36.69	0.00	60.67	160.00	0.00	160.00	2	22.22%	0	0.00%	0	0.00%	3	33.33%
Mercury	mg/kg	0.18	0.64	1.10	0.02	17	0.35	0.20	0.49	2.12	0.08	2.20	10	58.82%	1	5.88%	1	5.88%	17	100.00%
D/Fs	ng/kg	0.85	11.20	21.50	0.02	1	0.00	0.00	0.00	0.00	0.00	143.54	1	0.00%	1	0.00%	1	0.00%	0	0.00%

1.00+ Meter																				
Statistic	Units	Level 1	Midpoint SQT	Level 2	SSV	Number of Results	Mean	Median	Standard Deviation	Range	Minimum	Maximum	Level 1 Exceedances	Level 1 Percent	Midpoint Exceedances	Midpoint Percent	Level 2 Exceedance	Level 2 Percent	SSV Exceedances	SSV Percent
Total PAHs	µg/kg	1600.00	12300.00	23000.00	NE	8	1389.53	1597.50	802.10	1850.70	481.30	2332.00	4	50.00%	0	0.00%	1	12.50%	NE	NE
PCB	µg/kg	60.00	370.00	680.00	5.00	14	83.91	35.38	105.37	299.25	0.00	299.25	5	35.71%	0	0.00%	0	0.00%	8	57.14%
Mercury	mg/kg	0.18	0.64	1.10	0.02	33	0.42	0.22	0.43	1.84	0.05	1.89	20	60.61%	7	21.21%	3	9.09%	33	100.00%
D/Fs	ng/kg	0.85	11.20	21.50	0.02	6	12.34	8.09	11.69	26.45	0.60	27.05	5	83.33%	2	33.33%	2	33.33%	6	100.00%

D/Fs = polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans

µg/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

ng/kg = nanograms per kilogram

PCB = polychlorinated biphenyl

NA - Not Applicable

NE - Not Established

Table 2
Contaminants of Concern Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Contaminant	Units	Cleanup Level	Maximum Concentration Detected	Mean Concentration
Dioxins	ng TEQ/kg	11.2	392.7	32.58

ng TEQ/kg – nanograms toxic equivalence per kilogram

Table 3
Technologies Screening Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Category	Technology	Description	Applicability	Ranking			Retained for Consideration	Rationale			
				Effectiveness	Implementability	Relative Cost					
Institutional Controls	Institutional Controls	Institutional controls in the form of an environmental restrictive covenant or conditions of future permits may be used to prevent exposure and contact with impacted soil or sediment by restricting land uses or disturbances to the material.	May consist of fish consumption advisories, commercial fishing bans, waterway use restrictions, or deed restrictions		Effective in meeting RAOs when combined with other remedies.		Easily implemented with little disruption to the Site.	\$	Minimal but there are long term costs associated with initiating and maintaining institutional controls.	Yes.	Some institutional controls already in place; however, additional controls are expected to be a required component of any remedy.
Natural Recovery	Monitored Natural Recovery	MNR leaves impacted sediment in place and relies on ongoing, naturally occurring processes to isolate, destroy, or reduce exposure or toxicity of impacted sediment.	While burial of contaminated sediments appears to be occurring in depositional areas of the reservoir, deposition rates may not be sufficient to isolate COCs in reasonable timeframe and concentrations do not appear to be reducing.		Burial is occurring however current data does not indicate the extent of MNR effectiveness in COC reduction.		Highly implementable with no disturbance to the Site.	\$	The main cost of NR is associated with monitoring.	Yes.	Effectiveness at Thomson has not been demonstrated, known to be effective under right conditions and/or when combined with other remedies.
	Enhanced Monitored Natural Recovery	EMNR adds amendments to the soil or sediment to accelerate physical isolation process and facilitates re-establishment of benthic or plant habitat. May include a granular or carbon sorbent cover (over sediments) or biological stimulants (to soil).	EMNR should be effective in areas where burial already occurring in some areas of the Site; however, insufficient mixing of sediment may reduce effectiveness of COC reduction via MNR alone.		EMNR should be effective in areas where burial already occurring; however, insufficient mixing of sediment or lack of natural degradation processes may reduce effectiveness of COC reduction.		Implementable; however, requires site access, staging area, and placement equipment. Impact to reservoir operation can be minimal with advanced planning.	\$\$	Greater initial cost than NR due to thin cover or amendment placement however capital cost will be partially offset by reduced time to RAOs. Lower compared to sediment removal and capping.	Yes.	Proven method. Effective for contaminant scenario at Site.
Capping	Capping	Capping provides a physical barrier and chemical isolation from COCs. Caps may be constructed from clean sediment, sand, gravel, geotextiles, liners, reactive or absorptive material and may consist of multiple layers. Granular sediment caps can provide erosion protection and limit bioturbation.	Cap thickness depends on bioactive zone (BAZ) thickness requirements, which vary by habitat, substrate and water depth. A cap may alter hydrologic and habitat conditions, as well as reservoir capacity.		Highly effective and prevent technology. COCs have low solubility and mobility. Short term movement of COCs in porewater is possible during consolidation. Armoring potentially required in areas of scour.		Implementable. Dredging may be required in shallow areas to achieve cap thickness, specialized equipment may be necessary to multilayer caps, maintenance may be required depending on hydrologic conditions.	\$\$\$	Capping costs are generally less than sediment removal, and depend on cap thickness, material, lateral extent and surface water engineering factors. Material costs for a synthetic cap are generally higher than a granular cap.	Yes.	Proven effective method to control exposure and erosion.

Table 3
Technologies Screening Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Category	Technology	Description	Applicability	Ranking			Retained for Consideration	Rationale			
				Effectiveness	Implementability	Relative Cost					
Excavation and Removal	Mechanical Dredging	Sediment is lifted to the surface using a mechanical excavator or crane and placed on a barge for transport. Removed sediment has a similar moisture content as the in situ material, requiring dewatering prior to disposal. Residual cover is typically needed to manage remaining impacts.	Mechanical dredging may be inhibited if slanted slate bedrock underlying sediments is encountered. Sediment resuspension controls expected to be needed.		Highly effective and preventative technology; however, resuspension and bedrock may limit effectiveness.		Requires dredging equipment and up land staging infrastructure for sediment treatment and transportation. Less staging space required than hydraulic dredging.	\$\$\$	Main capital costs include equipment mobilization, staging area development, equipment operation, residual cover materials, and construction and operation of a containment area for dredged material.	No	Incompatible with bedrock underlying sediments.
	Hydraulic Dredging	Hydraulic dredging captures water with the sediment and removes it by pumping the sediment slurry typically through a pipeline to the dewatering location or final disposal site. High water content of slurry requires significant dewatering. Residual cover is typically needed to manage remaining impacts.	Hydraulic dredging favorable in area of the site where slanted slate bedrock may be encountered.		Highly effective and proven technology. More effective for potential dredge depths (average 30 cm) than mechanical dredging.		Implementable. Requires large staging area for dewatering equipment, requires more water treatment than mechanical dredging.	\$\$\$	Higher costs than mechanical dredging due to the need for mechanical equipment to remove debris, and the additional treatment and disposal costs due to greater water content of the slurried sediment.	Yes.	Suitable for dredging soft sediments and navigating uncertain bedrock terrane.
	Mechanical Removal in Dry Conditions	Water is diverted or drained from the excavation area using a containment barrier such as a cofferdam to allow for excavation of dry sediment with conventional equipment (e.g. backhoe). Typically limited to shallow areas.	Well suited for shallow areas and geometry that allows for construction of containment barrier and water diversion. May be applicable for shallow areas of reseviior if water level can be coordinated with Minniesota Power		Effective and proven technology. Allows for visual inspection during removal. Minimal resuspension/redeposition. High degree of accuracy.		Not feasible in large-volume removal areas. Site preparation difficult due to water management. Must be coordinated with Minniesota Power to not interfere with dam operations.	\$\$\$	Costs are similar to mechanical dredging, with the added cost to construct diversion or containment structures.	No	Not suitable for large volume removal areas.
Disposal	Off-Site	Removed soil or sediment is transported to an offsite disposal location that will accept the waste. Dewatering of sediments is generally required before transport.	Transportation of large volumes of sediment would create significant truck traffic through the surrounding community for a long duration.		Effective at meeting RAOs, low risk of spills during transportation.		Infrastructure required to support large volume of trucking. Disruption to neighbors during trucking, may result in limited work hours. Seasonal restrictions may also apply.	\$\$\$\$	Costs for offsite disposal include dewatering, water treatment, loading and transportation costs and landfill disposal fees. Transportation costs depend on distance to the landfill.	Yes.	Suitable. Sparse residential housing results in minimal disruption to community. Onsite storage facilities are not available.
	Confined Disposal Facility (CDF)	CDFs are engineered structures enclosed by dikes and specifically designed to contain sediment. CDFs may be located either upland (above the water table), near-shore (partially in the water), or completely in the water (island CDFs).	Land is available for a CDF; however, significant land alteration and associated infrastructure required.		Most widely used method for disposal and has been demonstrated effective.		Requires high level of design, detailed knowledge of dredge plans, requires large permanent area for construction, and treatment of discharge.	\$\$\$	Costs for a CDF include engineering and design costs, materials for dikes and suspended solids control, and construction equipment and labor.	No	Based on the surrounding land use and lack of input from Minnesota Power, consolidation areas are not developed or feasible.
	On-site Contained Aquatic Disposal (CAD)	Dredged or excavated sediment is disposed within a natural or excavated depression elsewhere in the water body.	A suitable location to accommodate entire sediment volume is not available. Areas of sufficient depth to hold some volume are subject to erosion and resuspension or are adjacent to dam structures.		May be effective at containing COCs due to low mobility/solubility; stream flow may cause erosion.		A suitable location to accommodate entire sediment volume is not available.	\$\$\$	Specialized equipment for a CAD may be required, especially if the disposal site is in deep water. Dredging to create a CAD would add cost.	No	Based on the reservoir characteristics as well as its use for hydroelectric generation and public recreation, a suitable location is not available in the reservoir to accommodate the required disposal volume.

Table 3
Technologies Screening Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Category	Technology	Description	Applicability	Ranking			Retained for Consideration	Rationale			
				Effectiveness	Implementability	Relative Cost					
In Situ Treatment	Immobilization	Immobilization treatments add chemicals or cements to reduce the leachability of COCs. Mechanisms include solidification (encapsulation) or stabilization (chemical or absorptive reactions that convert COCs to less toxic or mobile forms).	Implementation at a sediment site is difficult, due to submerged work requirement and concerns with interfering with reservoir/dam operations.		Is effective for dioxins. Stabilization of sediments reduces erosion potential. May result in poor environment for benthic community.		Sediment mixing can be difficult. May require dewatering. Requires equipment for mixing. Solidified sediment would proven reservoir maintenance dredging.	\$\$\$	Costs for solidification or stabilization affected by the quantity and type of reagents added to the waste and the need for specialized equipment for mixing reagents with sediment.	No	Not proven to be effective for sediments. Costly and more difficult to implement than other technologies.
	Enhanced Bioremediation	Microbial degradation by bacteria or fungi is enhanced by adding materials such as oxygen, nitrate, sulfate, hydrogen, nutrients, or microorganisms to the sediment or soil.	Can be effective for dioxins.		Requires specific geochemical parameters to be successful (temperature, Ph, nutrient availability)		Easily implemented with little disruption to the Site.	\$\$\$	Costs of enhanced bioremediation are relatively low, but several treatments and monitoring similar to MNR may be required.	No	Difficult to implement sub aqueously.
	Oxidation/Reduction	Chemicals are injected into sediment to act as an oxidant/electron acceptor to facilitate aerobic decomposition of organic matter.	chemical addition may create toxic conditions.		Chemical addition may create toxic conditions.		Bench-scale testing and pilot-scale testing required to determine the type, concentration, and quantity of oxidant and amendments required.	\$\$\$	Costs include bench- or pilot-scale tests. Monitoring may be required.	No	Not proven safe for subaqueous conditions.
	Chemical Oxidation	The addition of chemical oxidizers to sediment can cause the rapid and complete chemical destruction of many toxic organic chemicals.	Limited effectiveness for Site COCs. Dirk/Ric/???		Addition of chemicals may form temporarily toxic conditions for benthic or aquatic organisms		Pilot studies would be required to determine the effectiveness of specific oxidants for COCs.	\$\$\$	Costs include bench- or pilot-scale tests to determine effectiveness, oxidants for injection, and a delivery system. Monitoring may also be required.	No	Limited effectiveness. Chemical addition may create toxic conditions.
	Phytoremediation	Phytoremediation uses plant species to remove, transfer, stabilize, and destroy COCs in soil and sediment. Generally limited to sediments in shallow water zones and low concentrations.	Habitat restoration not likely necessary, technology not effective in deep areas of reservoir.		Effective only in shallow contaminated areas, which are sparse at the Site.		Implementation involves planting and in some cases harvesting with little disruption to the Site.	\$\$	Primary costs are purchasing and planting applicable species. Monitoring may also be required.	No	May be implemented for habitat restoration, but not effective alone.
	Adsorption	Adsorbents can be used as sediment amendments for in situ treatment of COCs. Sorption organics can take place simultaneously with a suitable combination of sorbents.	May be useful as EMNR amendment.		Sorption organics can take place simultaneously with a suitable combination of sorbents.		Sorbent amendments can be delivered to the sediment in the form of pellets that are dense enough to sink through the water column and are resistant to re-suspension while being worked into the sediments	\$\$	The main costs include the adsorbent material, and a method for depositing it on the surface sediment. Monitoring may also be required.	No	Not retained as sole remedy, but may be useful as capping or ENR amendment.

**Table 3
Technologies Screening Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency**

Category	Technology	Description	Applicability	Ranking			Retained for Consideration	Rationale			
				Effectiveness	Implementability	Relative Cost					
Dewatering	Passive Dewatering	Passive dewatering relies on natural evaporation and drainage to remove moisture from the sediment. Drainage may be driven by gravity or assisted with a vacuum pump. Passive dewatering may occur in CDFs, lagoons, tanks, or temporary holding/rehandling facilities.	Upland areas need to be developed at the site to serve as a staging area and passive dewatering area.		Passively dewatered sediments may not have low enough water content for landfill disposal, so supplemental technologies may be required. CDF volume must be designed to account for passive dewatering residence time.		Significant footprint required for construction of lagoons or a CDF. Time frames for passive dewatering likely longer than for mechanical dewatering. With a proper CDF design passive methods may be easily supplemented with other dewatering technologies.	\$\$	Costs to consider include construction of a dewatering facility or adequately sized CDF.	No	Not appropriate for offsite disposal, given duration of construction season and time to achieve passive dewatering.
	Sediment Reworking	Reworking sediments to promote drainage, and mixing sediments with excavation equipment can enhance passive dewatering.	If a CDF is constructed, sediment reworking could be performed within the CDF.		Sediment mixing and reworking would facilitate a timelier and more complete dewatering.		Mixing and reworking sediments would decrease time needed to dewater with passive methods. Reworking and mixing could be done with standard excavation equipment already required for the project.	\$\$	Cost savings are expected over passive dewatering alone due to time saved.	No	Not appropriate for offsite disposal.
	Hydrospic Amendment Addition	Dredged sediments are mixed with amendments such as slags or cementitious materials to remove moisture and improve strength and stability.	Could be used to enhance dewatering in conjunction with sediment reworking.		Effectiveness of amendments depend on the moisture content of removed sediment. Pre-treatment dewatering likely required due to hydraulic dredging for maximum effectiveness and to achieve desired geotechnical properties.		Would require staging, mixing, and curing areas. However, the process can be completed in a relatively short time frame. Amendment addition creates a greater volume and mass, which needs to be considered in disposal options. Likely requires pre-treatment dewatering.	\$\$	Costs include amendment materials and mixing equipment. Costs increase with increased moisture content. Both the addition rate and the bulking factor of treated material should be considered when evaluating costs of amendment material.	No	Not appropriate for offsite disposal.
	Geotextile Tube Dewatering	Sediment slurry from hydraulic dredging is pumped into the geotextile tube and filtered by the geotextile fabric. Sediment is retained within the geotextile tube, while free liquids pass through the exterior of the tube.	Applicable to hydraulic dredging, which is retained for alternatives for the Site. Upland areas need to be developed at the site to serve as a staging area and passive dewatering area.		Applicable to hydraulic dredging. For fine grained sediment, polymer addition is usually needed to facilitate dewatering. Treatability testing required to determine if filtrate would need treatment to meet water quality criteria.		Would require a staging location if transported to landfill. Dewatering duration likely to be shorter than for passive dewatering but longer than mechanical.	\$\$\$	Costs include flocculent and coagulant materials, cost of geotextile tubes and construction of staging area.	Yes.	Appropriate for use with hydraulic dredging.
	Mechanical Dewatering	Mechanical dewatering technologies include use of plate filters, presses, centrifuges or other equipment to squeeze, press, or draw water from dredged sediment.	Requires homogeneous waste stream provided by hydraulic dredging methods and site sediments.		Generally works best with a homogeneous waste stream produced via hydraulic dredging. Selection of specific mechanical dewatering equipment depends on treatment or disposal methods that follow.		Faster than passive dewatering and requires less space. Production rates depend on size and quality of the dewatering device and on the solids content of the input stream.	\$\$\$\$	Costs of mechanical dewatering are generally higher than passive dewatering due to the energy and equipment requirement.	No	Not cost effective.
	Rapid Dewatering Systems	A system that continuously processes the slurry from a hydraulic dredge and separates solids into piles of debris; shells; and gravel, sand, and fines. Includes polymer addition and flocculation, which may remove some COCs.	Suitable for hydraulic dredging methods, which are retained.		Applicable to hydraulic dredging methods. Pilot scale testing may be needed to evaluate effectiveness for site specific conditions.		The complete system is mobile and has a relatively small footprint.	\$\$\$	Exact cost would depend on site-specific treatment needs.	No	Not appropriate for offsite disposal.

Table 3
Technologies Screening Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Category	Technology	Description	Applicability	Ranking			Retained for Consideration	Rationale			
				Effectiveness	Implementability	Relative Cost					
Water Treatment	Filtration	Filters remove solids and sediments from wastewater, also removing absorbed COCs from the waste stream. Flocculants may be added to the waste stream to facilitate solids removal.	Filtration is a standard method for water treatment and would be effective at removing site COCs sorbed to suspended sediments in the waste stream.		Filters can be selected based on the required particulate size. Treatability study to determine if filtration is effective at reducing the COC concentration.		Filtration is a widely used method for water treatment. Selection of the filtration methods and type requires engineering design and site specific knowledge of the waste stream.	\$\$\$	Costs depend on change out frequency of filtration material.	Yes.	Effective for COC removal.
	Liquid Absorption	Involves pumping water through a vessel containing granular activated carbon (GAC), organoclay, or another adsorbent material; dissolved compounds to adsorb to its surface.	Conventional absorptive materials would remove dioxins.		Activated carbon vessels are appropriate for treating dioxins. The presence of multiple constituents can impact the performance of activated carbon systems.		Liquid adsorption systems are widely available, have a relatively small footprint, and require a relatively short timeframe for treatment.	\$\$\$	Costs include activated carbon, or other adsorbent vessels. The adsorbent must be recharged or replaced periodically. Power is required for pumping.	Yes.	Effective for COC removal.
	Advanced Oxidation	Advanced oxidation uses UV light and the addition of strong oxidizers to destroy organic constituents in water.	Advanced oxidation is applicable for treating most organics, including dioxins.		Advanced oxidation is applicable for treating most organics, including dioxins.		Advanced oxidation systems are widely available, have a relatively small footprint, and require a relatively short timeframe for treatment. Handling and storage of oxidizers would require special safety precautions.	\$\$\$\$	Costs may be higher because of energy requirements to power UV lights.	No	Effective for COC removal but cost too high.

	Effectiveness	Implementability	Relative Cost
	Not effective at reaching RAOs	Not implementable at the Site	\$\$\$\$ - High
	Partially effective for some COCs or Site areas	Difficult to implement	\$\$\$ - Medium-high
	Effective under certain conditions	Implementable, requires technical knowledge	\$\$ - Moderate
	Demonstrated effective technology	Readily implemented	\$ - Low

**Table 4
 Alternatives Summary
 Focused Feasibility Study
 Thomson Reservoir
 Minnesota Pollution Control Agency**

Alternative	Alternative 1: No Action	Alternative 2: Monitored Natural Recovery (MNR)	Alternative 3A: Enhanced MNR	Alternative 3B: Enhanced MNR with Cover Amendment	Alternative 4: Potentially BioActive Zone Cap	Alternative 5: Dredging with Thin-Layer Cover	Alternative 6: Enhanced MNR with Broadcast Amendment
Total Present Worth Cost	\$0	\$644,000	\$10,200,000	\$28,685,000	\$29,370,000	\$53,040,000	\$20,200,000
Remedial Area	0 acres	157 acres	157 acres	157 acres	157 acres	157 acres	157 acres
Yearly Schedule	No schedule required for this alternative	Baseline Characterization Year 0; Monitoring and evaluation Years 1, 3, and 5	Baseline Characterization Year 0; Pre-Design Investigation Year 1; Remedy construction Year 2; Monitoring and evaluation Years 3, 5, and 7	Baseline Characterization Year 0; Pre-Design Investigation Year 1; Remedy construction Year 2; Monitoring and evaluation Years 3, 5, and 7	Baseline Characterization Year 0; Pre-Design Investigation Year 1; Remedy construction Years 2 and 3; Monitoring and evaluation Years 3, 5, and 7	Baseline Characterization Year 0; Pre-Design Investigation Year 1; Remedy construction Years 2 and 3 (upland work only Year 3); Monitoring and evaluation Years 3, 5, and 7	Baseline Characterization Year 0; Pre-Design Investigation Year 1; Remedy construction Year 2; Monitoring and evaluation Years 3, 5, and 7
Volumes	No estimated volumes associated with this alternative	No estimated volumes associated with this alternative	0.15-meter (0.5-foot) cover plus an assumed 4-centimeter (1.5-inch) over placement totalling 158,000 cubic yards	0.15-meter (0.5-foot) amended cover plus an assumed 4-centimeter (1.5-inch) over placement totalling 162,000 cubic yards	0.5- to 1.2-meter (1.6- to 3.9-feet) sand cover over 0.15-meter (0.5-foot) mixing layer totalling 561,000 cubic yards	Average dredge depth 0.30 meter (1 foot) Sitewide with assumed 0.15-meter (0.5-foot) over dredge totaling 353,000 cubic yards; Placement of 0.15-meter (0.5-foot) sand cover with an assumed 4-centimeter (1.5-inch) over placement totaling 147,000 cubic yards.	0.01-meter cover, totalling 8,100 cubic yards
Construction Equipment	No construction phase associated with this alternative	No construction phase associated with this alternative	One hydraulic spreader barge with 12-hour shifts, 5 days per week	One hydraulic spreader barge with 12-hour shifts, 5 days per week	Two hydraulic spreader barges with 12-hour shifts, 5 days per week	Two hydraulic dredges with 24-hour shifts, 5 days per week; One hydraulic spreader barge with 24-hour shifts, 5 days per week	Two stone slinger/hoppers with 12-hour shifts, 5 days per week
Pre-Construction Timeframe (Construct Upland Support Area, Mobilization, and Equipment Setup/Calibration)	No construction phase associated with this alternative	No construction phase associated with this alternative	6 weeks	6 weeks	6 weeks	8 weeks	4 weeks
Active Construction Timeframe (Implement Remedy)	No construction phase associated with this alternative	No construction phase associated with this alternative	20 weeks	21 weeks	38 weeks	22 weeks dredging; 9 weeks cover (concurrent with dredging)	11 weeks
Post-Construction Timeframe (Demobilization and Site Restoration)	No construction phase associated with this alternative	No construction phase associated with this alternative	3 weeks	3 weeks	3 weeks	2 weeks Season 1 demobilization; 25 weeks excavation, transportation, and disposal of dewatered sediment; 3 weeks Season 2 demobilization	3 weeks
Total On Site Project Duration	No construction phase associated with this alternative	No construction phase associated with this alternative	29 weeks	30 weeks	47 weeks (Two construction seasons required)	32 weeks Season 1; 28 weeks Season 2; 60 weeks total	18 weeks

Table 5
Cost Estimate - Alternative 2: Monitored Natural Recovery
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Baseline Characterization Costs						
Work Plan	Report	\$ 8,000	1	\$ 8,000	\$ 8,000	FSP, QAPP, and project coordination; Year 0
Field Sampling	Event	\$ 40,000	1	\$ 40,000	\$ 40,000	Labor and equipment; Year 0
Sample Analysis	Event	\$ 102,000	1	\$ 102,000	\$ 102,000	Physical/chemical sediment, tox/bio testing, and benthic fish tissue; Year 0
Hydrodynamic Field Data Collection	Event	\$ 3,000	2	\$ 6,000	\$ 6,000	One day per data collection event; twice per year during Year 0
Bathymetric Surveying	Survey	\$ 42,000	1	\$ 42,000	\$ 42,000	Multi-beam bathymetric survey; Year 0
Baseline Characterization Summary Report	Report	\$ 17,000	1	\$ 17,000	\$ 17,000	Report, hydrodynamic investigation, background study, figures; Year 0
Total Cost for Baseline Characterization				\$ 215,000	\$ 215,000	See Table 3-1 for cost breakdown; Year 0
Monitoring and Evaluation Costs						
Work Plan	Report	\$ 8,000	1	\$ 8,000	\$ 7,000	FSP, QAPP, and project coordination; Year 1
Field Sampling	Event	\$ 40,000	3	\$ 120,000	\$ 99,000	Labor and equipment; Years 1, 3, and 5
Sample Analysis	Event	\$ 88,000	3	\$ 264,000	\$ 217,000	Physical/chemical sediment, tox/bio testing, and benthic fish tissue; Years 1, 3, and 5
Collect Hydrodynamic Data	Event	\$ 3,000	6	\$ 18,000	\$ 15,000	One day per data collection event; twice per year; Years 1, 3, and 5
Institutional Control Site Review	Event	\$ 2,000.00	3	\$ 6,000	\$ 5,000	Years 1, 3, and 5
Sampling and IC Results Report	Report	\$ 8,000.00	3	\$ 24,000	\$ 20,000	Years 1, 3, and 5
Bathymetric Survey	Survey	\$ 42,000.00	1	\$ 42,000	\$ 30,000	Multi-beam bathymetric survey; Year 5
Implement Institutional Controls	Lump Sum	\$ 50,000.00	1	\$ 50,000	\$ 36,000	Year 5
			SUBTOTAL	\$ 532,000	\$ 429,000	
			TOTAL	\$ 747,000	\$ 644,000	

Notes:

All values are based on 2016 dollars with an assumed discount rate of 7 percent per year. See Table 3-6 for present value calculations.

Assumptions are based on professional judgment and experience of specialists at Bay West. Actual project costs will be highly dependent upon final design.

Table 6
Cost Estimate - Alternatives 3A/3B: Enhanced Monitored Natural Recovery
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Baseline Characterization						
Total Cost for Baseline Characterization	Lump Sum	\$ 215,000.00	1	\$ 215,000	\$ 215,000	See Table 5 for cost breakdown; Year 0
Pre-Design Investigation Costs						
Work Plan	Report	\$ 25,000	1	\$ 25,000	\$ 23,000	FSP, QAPP, and project coordination; Year 1
Field Sampling	Event	\$ 40,000	2	\$ 80,000	\$ 75,000	Labor and equipment; initial and step-out sampling events; Year 1
Sample Analysis	Lump Sum	\$ 156,000	1	\$ 156,000	\$ 146,000	Initial and step-out sampling events; Year 1
Results Report	Report	\$ 17,000	1	\$ 17,000	\$ 16,000	Detailed report with figures, cross sections, etc.; Year 1
			SUBTOTAL	\$ 278,000	\$ 260,000	
Construction Costs						
Equip. Mobil/Demob, Setup/Breakdown, Calibration	Lump Sum	\$ 213,000.00	1	\$ 210,000	\$ 190,000	Heavy equipment, spreader barge, distribution system, office trailers, etc.; Year 2
Site Work	Lump Sum	\$ 361,000.00	1	\$ 360,000	\$ 320,000	Construct upland support area; Year 2
Purchase Cover Material and Import to Site	Cubic Yard	\$ 20.80	158107.00	\$ 3,290,000	\$ 2,870,000	Purchase and haul from local upland borrow source; Year 2
Labor and Equipment to Place Cover	Cubic Yard	\$ 14.97	158107.00	\$ 2,370,000	\$ 2,070,000	Construct in single lift with single spreader barge; 12-hr day; Year 2
Site Operating Expenses and Security	Month	\$ 24,000.00	8.00	\$ 190,000	\$ 170,000	Office trailers and site security; Year 2
Construction Quality Assurance and Oversight	Week	\$ 16,000.00	29.00	\$ 460,000	\$ 400,000	Two full-time staff labor, equipment, and sample analysis; Year 2
Site Restoration	Lump Sum	\$ 128,000.00	1	\$ 130,000	\$ 110,000	Remove upland staging area; plantings; Year 2
			SUBTOTAL	\$ 7,010,000	\$ 6,130,000	
Monitoring and Evaluation Costs						
Monitoring and Evaluation Work Plan	Report	\$ 8,000.00	1	\$ 8,000	\$ 7,000	FSP, QAPP, and project coordination; Year 3
Monitoring and Evaluation Field Sampling	Event	\$ 40,000.00	3	\$ 120,000	\$ 86,000	Labor and equipment; Years 3, 5, and 7
Continue Hydrodynamic Data Collection	Event	\$ 3,000.00	6	\$ 18,000	\$ 6,000	One day per data collection event; twice per year; Years 3, 5, and 7
Monitoring and Evaluation Sample Analysis	Event	\$ 88,000.00	3	\$ 264,000	\$ 189,000	Physical/chemical sediment, tox/bio testing, and benthic fish tissue; Years 3, 5, and 7
Monitoring and Evaluation IC Site Review	Report	\$ 2,000.00	3	\$ 6,000	\$ 4,000	Years 3, 5, and 7
Sampling and IC Results Report	Report	\$ 8,000.00	3	\$ 24,000	\$ 17,000	Years 3, 5, and 7
Monitoring and Evaluation Bathymetric Survey	Survey	\$ 42,000.00	1	\$ 42,000	\$ 26,000	Multi-beam bathymetric survey; Year 7
Implement Institutional Controls	Lump Sum	\$ 50,000.00	1	\$ 50,000	\$ 31,000	Year 7
			SUBTOTAL	\$ 532,000	\$ 366,000	
			TOTAL	\$ 8,035,000	\$ 6,970,000	
			25% Contingency	\$ 2,009,000	\$ 1,740,000	
			CONSTRUCTION GRAND TOTAL	\$ 10,044,000	\$ 8,710,000	
Professional and Technical Services						
Remedial Design (6%)	Lump Sum	\$ 600,000.00	1	\$ 600,000	\$ 524,000	Year 2
Project Management and Permitting (5%)	Lump Sum	\$ 500,000.00	1	\$ 500,000	\$ 437,000	Year 2
Construction Management (6%)	Lump Sum	\$ 600,000.00	1	\$ 600,000	\$ 524,000	Year 2
			SUBTOTAL	\$ 1,700,000	\$ 1,490,000	
			ALTERNATIVE 3A TOTAL	\$ 11,740,000	\$ 10,200,000	
Adjustment for Amended Cap						
Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Place additional material	Cubic Yard	\$ 15.94	4053.27	\$ 65,000	\$ 56,774	
			SUBTOTAL	\$ 65,000	\$ 56,774	
			25% Contingency	\$ 16,000	\$ 14,000	
			GRAND TOTAL	\$ 81,000	\$ 70,774	
Remedial Design (6%)	Lump Sum	\$ 5,000	1	\$ 5,000	\$ 4,000	Year 2
Project Management and Permitting (5%)	Lump Sum	\$ 4,000	1	\$ 4,000	\$ 3,000	Year 2
Construction Management (6%)	Lump Sum	\$ 5,000	1	\$ 5,000	\$ 4,000	Year 2
			SUBTOTAL	\$ 14,000	\$ 11,000	
Bulk Material Costs (Not Included in Contingency or P&T Services)						
Materials, shipping, and extra labor and equipment	Lump Sum	\$ 21,069,844.44	1.00	\$ 21,070,000	\$ 18,403,000	Granular activated carbon; Year 2
			ALTERNATIVE 3B TOTAL	\$ 32,905,000	\$ 28,685,000	

Notes:

All values are based on 2016 dollars with an assumed discount rate of 7 percent per year. See Table 3-6 for present value calculations.
Assumptions are based on professional judgment and experience of specialists at Bay West. Actual project costs will be highly dependent upon final design.

Table 7
Cost Estimate - Alternative 4: Potentially Bioactive Zone Cap
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Baseline Characterization						
Total Cost for Baseline Characterization	Lump Sum	\$ 215,000	1	\$ 215,000	\$ 215,000	See Table 5 for cost breakdown; Year 0
Pre-Design Investigation Costs						
Total Cost for Pre-Design Investigation	Lump Sum	\$ 278,000	1	\$ 278,000	\$ 260,000	See Table 6 for cost breakdown; Year 1
Construction Costs						
Equipment Mobilization/Demobilization, Setup/Break	Lump Sum	\$ 343,000	1	\$ 343,000	\$ 300,000	Heavy equipment, spreader/conveyor barges, distribution system, office trailers, etc.; Year 2
Site Work	Lump Sum	\$ 361,000	1	\$ 361,000	\$ 320,000	Construct upland support area; Year 2
Purchase Cover Material and Import to Site	Cubic Yard	\$ 20.80	620173.00	\$ 12,900,000	\$ 11,270,000	Purchase and haul from local upland borrow source; Year 2
Labor and Equipment to Place Cover	Cubic Yard	\$ 11.70	620173.00	\$ 7,256,000	\$ 6,340,000	Construct in multiple lifts using two barges; 12-hr day; Year 2
Site Operating Expenses and Security	Month	\$ 23,677	12.00	\$ 284,000	\$ 250,000	Office trailers and site security; Year 2
Construction Quality Assurance and Oversight	Week	\$ 16,000	46	\$ 736,000	\$ 640,000	Two full-time staff labor, equipment, and sample analysis; Year 2
Site Restoration	Lump Sum	\$ 128,000	1	\$ 128,000	\$ 110,000	Remove upland staging area; plantings; Year 2
			SUBTOTAL	\$ 22,008,000	\$ 19,230,000	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	Lump Sum	\$ 532,000	1	\$ 532,000	\$ 366,000	See Table 6 for cost breakdown; Years 3, 5, and 7
			TOTAL	\$ 23,033,000	\$ 20,071,000	
			25% Contingency	\$ 5,760,000	\$ 5,020,000	
			CONSTRUCTION GRAND TOTAL	\$ 28,790,000	\$ 25,090,000	
Professional and Technical Services						
Remedial Design (6%)	Lump Sum	\$ 1,730,000	1	\$ 1,730,000	\$ 1,510,000	Year 2
Project Management and Permitting (5%)	Lump Sum	\$ 1,440,000	1	\$ 1,440,000	\$ 1,260,000	Year 2
Construction Management (6%)	Lump Sum	\$ 1,730,000	1	\$ 1,730,000	\$ 1,510,000	Year 2
			SUBTOTAL	\$ 4,900,000	\$ 4,280,000	
			TOTAL	\$ 33,690,000	\$ 29,370,000	

Notes:

All values are based on 2016 dollars with an assumed discount rate of 7 percent per year. See Table 3-6 for present value calculations.

Assumptions are based on professional judgment and experience of specialists at Bay West. Actual project costs will be highly dependent upon final design.

Table 8
Cost Estimate - Alternative 5: Dredging with Thin-Layer Cover
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Baseline Characterization						
Total Cost for Baseline Characterization	Lump Sum	\$ 215,000.00	1	\$ 215,000	\$ 215,000	See Table 5 for cost breakdown; Year 0
Pre-Design Investigation Costs						
Total Cost for Pre-Design Investigation	Lump Sum	\$ 278,000.00	1	\$ 278,000	\$ 260,000	See Table 6 for cost breakdown; Year 1
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	Lump Sum	\$ 570,000.00	1	\$ 570,000	\$ 500,000	Heavy equipment, dredges, piping, treatment vessels, office trailers, etc.; Year 2
Site Work	Lump Sum	\$ 1,062,237.00	1	\$ 1,060,000	\$ 930,000	Construct upland support area; Year 2
Dredge Sediments	Cubic Yard	\$ 10.70	379456.00	\$ 4,060,000	\$ 3,550,000	Dredge sediments using two dredges; 24-hr day; Year 2
Treat Dredge Contact Water (per CY sediment removed)	Cubic Yard	\$ 40.00	379456.00	\$ 15,180,000	\$ 13,260,000	"All-in" ROM estimate including mob/demob, materials, equipment, labor, and disposal
Purchase Cover Material and Import to Site	Cubic Yard	\$ 20.80	158106.67	\$ 3,290,000	\$ 2,870,000	Purchase and haul from local upland borrow source; Year 2
Labor and Equipment to Place Cover	Cubic Yard	\$ 8.35	158106.67	\$ 1,320,000	\$ 1,150,000	Construct in single lift using single spreader barge; 24-hr day; Year 2
Excavation and T&D of Dewatered Sediments	Lump Sum	\$ 13,433,000.00	1	\$ 13,430,000	\$ 10,960,000	Excavate dewatered sediments, truck to landfill, dispose; Year 3
Site Operating Expenses and Security	Month	\$ 23,677.00	20	\$ 470,000	\$ 410,000	Office trailers and site security; Year 2
Construction Quality Assurance and Oversight	Lump Sum	\$ 1,515,000.00	1	\$ 1,520,000	\$ 1,320,000	Two full-time staff labor, equipment, and sample analysis; Year 2
Site Restoration	Lump Sum	\$ 407,000.00	1	\$ 410,000	\$ 360,000	Remove upland staging area; plantings; Year 2
			SUBTOTAL	\$ 41,310,000	\$ 35,310,000	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	Lump Sum	\$ 532,000.00	1	\$ 532,000	\$ 367,000	See Table 6 for cost breakdown; Years 3, 5, and 7
			TOTAL	\$ 42,335,000	\$ 36,152,000	
			25% Contingency	\$ 10,580,000	\$ 9,040,000	
			CONSTRUCTION GRAND TOTAL	\$ 52,915,000	\$ 45,192,000	
Professional and Technical Services						
Remedial Design (6%)	Lump Sum	\$ 3,170,000.00	1	\$ 3,170,000	\$ 2,770,000	Year 2
Project Management and Permitting (5%)	Lump Sum	\$ 2,650,000.00	1	\$ 2,650,000	\$ 2,310,000	Year 2
Construction Management (6%)	Lump Sum	\$ 3,170,000.00	1	\$ 3,170,000	\$ 2,770,000	Year 2
			SUBTOTAL	\$ 8,990,000	\$ 7,850,000.00	
			TOTAL	\$ 61,910,000	\$ 53,040,000	

Notes:

All values are based on 2016 dollars with an assumed discount rate of 7 percent per year. See Table 3-6 for present value calculations.

Assumptions are based on professional judgment and experience of specialists at Bay West. Actual project costs will be highly dependent upon final design.

Table 9
Cost Estimate - Alternatives 6: Enhanced Monitored Natural Recovery - Broadcast Ammendment
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Description	Unit	Estimated Unit Cost	Estimated Quantity	Extended Value	Present Value	Comments
Baseline Characterization						
Total Cost for Baseline Characterization	Lump Sum	\$ 215,000.00	1	\$ 215,000	\$ 215,000	See Table 5 for cost breakdown; Year 0
Pre-Design Investigation Costs						
Total Cost for Pre-Design Investigation	Lump Sum	\$ 278,000.00	1	\$ 278,000	\$ 260,000	See Table 6 for cost breakdown; Year 1
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	Lump Sum	\$ 87,000.00	1	\$ 90,000	\$ 80,000	Heavy equipment, spreader barge, office trailers, etc.; Year 2
Site Work	Lump Sum	\$ 360,992.00	1	\$ 360,000	\$ 320,000	Construct upland support area; Year 2
Labor and Equipment to Place Cover	Cubic Yard	\$ 138.44	4860.80	\$ 670,000	\$ 590,000	Broadcast ammdment with 1 stone slinger barge; 12-hr day; Year 2
Site Operating Expenses and Security	Month	\$ 21,000.00	6.20	\$ 130,000	\$ 110,000	Office trailers and site security; Year 2
Construction Quality Assurance and Oversight	Week	\$ 7,000.00	24.80	\$ 170,000	\$ 150,000	One full-time staff labor and equipment; Year 2
Site Restoration	Lump Sum	\$ 127,614.00	1	\$ 130,000	\$ 110,000	Remove upland staging area; plantings; Year 2
			SUBTOTAL	\$ 1,550,000	\$ 1,360,000	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	Lump Sum	\$ 532,000.00	1	\$ 532,000	\$ 367,000	See Table 6 for cost breakdown; Years 3, 5, and 7
			TOTAL	\$ 2,575,000	\$ 2,200,000	
			25% Contingency	\$ 644,000	\$ 550,000	
			CONSTRUCTION GRAND TOTAL	\$ 3,219,000	\$ 2,750,000	
Professional and Technical Services						
Remedial Design (6%)	Lump Sum	\$ 190,000.00	1	\$ 190,000	\$ 166,000	Year 2
Project Management and Permitting (5%)	Lump Sum	\$ 160,000.00	1	\$ 160,000	\$ 140,000	Year 2
Construction Management (6%)	Lump Sum	\$ 190,000.00	1	\$ 190,000	\$ 166,000	Year 2
			SUBTOTAL	\$ 540,000	\$ 470,000	
Bulk Material Costs (Not Included in Contingency or P&T Services)						
Purchase Pelitized AC and Import to Site	Ton	\$ 4,000.00	4860.80	\$ 19,440,000	\$ 16,980,000	Purchase and ship from manufacturer; Year 2
			ALTERNATIVE 6 TOTAL	\$ 23,200,000	\$ 20,200,000	

Notes:

All values are based on 2016 dollars with an assumed discount rate of 7 percent per year. See Table 3-6 for present value calculations.

Assumptions are based on professional judgment and experience of specialists at Bay West. Actual project costs will be highly dependent upon final design.

Table 10
Present Worth Calculations
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Discount rate used for present worth calculations: 7.00%

Notes:
 Present worth calculation is: $[(2016 \text{ Cost})/(1.07^{\text{Event Year 1}})] + [(2016 \text{ Cost})/(1.07^{\text{Event Year 2}})] + \dots$
 Year 0 is 2016.
 The Baseline Characterization for all alternatives would be conducted during Year 0.
 The Pre-Design Investigation would be conducted on Year 1 for the cover/cap/dredge alternatives.
 Construction would be conducted on Year 2 for the cover/cap/dredge alternatives.
 Monitoring and evaluation would be conducted on Years 1, 3, and 5 for the MNR Alternative, and Years 3, 5, and 7 for the cover/cap/dredge alternatives.

Alternative 2: Monitored Natural Recovery	2016 Costs	Years			Total Present Worth	Note
Baseline Characterization Costs						
Baseline Characterization Work Plan	\$8,000	0			\$8,000	
Field Sampling	\$40,000	0			\$40,000	
Sample Analysis	\$102,000	0			\$102,000	
Hydrodynamic Field Data Collection	\$6,000	0			\$12,000	Times 2 for two events
Bathymetric Surveying	\$42,000	0			\$42,000	
Baseline Characterization Summary Report	\$17,000	0			\$17,000	
Monitoring and Evaluation Costs						
Work Plan	\$8,000	1			\$7,477	
Field Sampling	\$40,000	1	3	5	\$98,555	
Sample Analysis	\$88,000	1	3	5	\$216,820	
Collect Hydrodynamic Data	\$3,000	1	3	5	\$14,783	Times 2 for two events per year
Institutional Control Site Review	\$2,000	1	3	5	\$4,928	
Sampling and IC Results Report	\$8,000	1	3	5	\$19,711	
Bathymetric Survey	\$42,000	5			\$29,945	
Implement Institutional Controls	\$50,000	5			\$35,649	

Alternative 3: Enhanced MNR	2016 Costs	Years			Total Present Worth	Note
Baseline Characterization						
Total Cost for Baseline Characterization	\$215,000	0			\$215,000	
Pre-Design Investigation Costs						
Work Plan	\$25,000	1			\$23,364	
Field Sampling	\$40,000	1			\$74,766	Times 2 for two events
Sample Analysis	\$156,000	1			\$145,794	
Results Report	\$17,000	1			\$15,888	
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	\$213,000	2			\$186,042	
Site Work	\$361,000	2			\$315,311	
Purchase Cover Material and Import to Site	\$3,290,000	2			\$2,873,613	
Labor and Equipment to Place Cover	\$2,370,000	2			\$2,070,050	
Site Operating Expenses and Security	\$190,000	2			\$165,953	
Construction Quality Assurance and Oversight	\$460,000	2			\$401,782	
Site Restoration	\$130,000	2			\$113,547	
Monitoring and Evaluation Costs						
Monitoring and Evaluation Work Plan	\$8,000	3			\$6,530	
Monitoring and Evaluation Field Sampling	\$40,000	3	5	7	\$86,081	
Continue Hydrodynamic Data Collection	\$3,000	3	5	7	\$6,456	
Monitoring and Evaluation Sample Analysis	\$88,000	3	5	7	\$189,379	
Monitoring and Evaluation IC Site Review	\$2,000	3	5	7	\$4,304	
Sampling and IC Results Report	\$8,000	3	5	7	\$17,216	
Monitoring and Evaluation Bathymetric Survey	\$42,000	7			\$26,155	
Implement Institutional Controls	\$50,000	7			\$31,137	
Professional and Technical Services						
Remedial Design (6%)	\$600,000	2			\$524,063	
Project Management and Permitting (5%)	\$500,000	2			\$436,719	
Construction Management (6%)	\$600,000	2			\$524,063	
Adjustment for Amended Cap						
Materials, shipping, and extra labor and equipment	\$21,069,844	2			\$18,403,218	
Place additional material	\$65,000	2			\$56,774	
Remedial Design (6%)	\$5,000	2			\$4,367	
Project Management and Permitting (5%)	\$4,000	2			\$3,494	
Construction Management (6%)	\$5,000	2			\$4,367	

Table 10
Present Worth Calculations
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Alternative 4: BAZ Cap	2016 Costs	Years			Total Present Worth	Note
Baseline Characterization						
Total Cost for Baseline Characterization	\$215,000				\$215,000	
Pre-Design Investigation Costs						
Total Cost for Pre-Design Investigation	\$278,000	1			\$259,813	
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	\$343,000	2			\$299,589	
Site Work	\$361,000	2			\$315,311	
Purchase Cover Material and Import to Site	\$12,900,000	2			\$11,267,360	
Labor and Equipment to Place Cover	\$7,256,000	2			\$6,337,671	
Site Operating Expenses and Security	\$284,000	2			\$248,057	
Construction Quality Assurance and Oversight	\$736,000	2			\$642,851	
Site Restoration	\$128,000	2			\$111,800	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	\$532,000				\$367,260	
Professional and Technical Services						
Remedial Design (6%)	\$1,730,000	2			\$1,511,049	
Project Management and Permitting (5%)	\$1,440,000	2			\$1,257,752	
Construction Management (6%)	\$1,730,000	2			\$1,511,049	

Alternative 5: Dredging	2016 Costs	Years			Total Present Worth	Note
Baseline Characterization						
Total Cost for Baseline Characterization	\$215,000	0			\$215,000	
Pre-Design Investigation Costs						
Total Cost for Pre-Design Investigation	\$278,000	1			\$259,813	
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	\$ 570,000	2			\$497,860	
Site Work	\$ 1,062,237	2			\$927,799	
Dredge Sediments	\$ 4,060,000	2			\$3,546,161	
Treat Dredge Contact Water	\$ 15,180,000	2			\$13,258,800	
Purchase Cover Material and Import to Site	\$ 3,290,000	2			\$2,873,613	
Labor and Equipment to Place Cover	\$ 1,320,000	2			\$1,152,939	
Excavation and T&D of Dewatered Sediments	\$ 13,430,000	3			\$10,962,880	
Site Operating Expenses and Security	\$ 470,000	2			\$410,516	
Construction Quality Assurance and Oversight	\$ 1,515,000	2			\$1,323,260	
Site Restoration	\$ 407,000	2			\$355,490	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	\$532,000				\$367,260	
Professional and Technical Services						
Remedial Design (6%)	\$ 3,170,000	2			\$2,768,801	
Project Management and Permitting (5%)	\$ 2,650,000	2			\$2,314,613	
Construction Management (6%)	\$ 3,170,000	2			\$2,768,801	

**Table 10
Present Worth Calculations
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency**

Alternative 6: Enhanced MNR with Broadcast Amendme	2016 Costs	Years			Total Present Worth	Note
Baseline Characterization						
Total Cost for Baseline Characterization	\$215,000	0			\$215,000	
Pre-Design Investigation Costs						
Total Pre-Design Investigation Costs	\$278,000	1			\$259,813	
Construction Costs						
Equip. Mob/Demob, Setup/Breakdown, Calibration	\$ 87,000	2			\$75,989	
Site Work	\$ 360,992	2			\$315,304	
Purchase Pelitized AC and Import to Site	\$ 19,440,000	2			\$16,979,649	
Labor and Equipment to Place Cover	\$ 670,000	2			\$585,204	
Site Operating Expenses and Security	\$ 130,000	2			\$113,547	
Construction Quality Assurance and Oversight	\$ 170,000	2			\$148,485	
Site Restoration	\$ 127,614	2			\$111,463	
Monitoring and Evaluation Costs						
Total Cost for Monitoring and Evaluation	\$ 532,000	3			\$434,270	
Professional and Technical Services						
Remedial Design (6%)	\$ 190,000	2			\$165,953	
Project Management and Permitting (5%)	\$ 160,000	2			\$139,750	
Construction Management (6%)	\$ 190,000	2			\$165,953	

**Table 11
Comparative Analysis Summary - Threshold, Balancing, and Modifying Criteria
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency**

Evaluation Criteria	Alternative 1: No Action with Baseline Characterization	Alternative 2: Monitored Natural Recovery (MNR)	Alternative 3A: Enhanced MNR	Alternative 3B: Enhanced MNR with Cover Amendment	Alternative 4: Potentially Bioactive Zone Cap	Alternative 5: Dredging with Thin-Layer Cover	Alternative 6: Enhanced MNR with Broadcast Amendment
Threshold Criteria							
Overall Protection of Human Health & Environment	Provides a low achievement of protection of Human Health and the Environment as contaminant concentrations remain with minimal controls to prevent exposure.	Provides a low achievement of protection of Human Health and the Environment as contaminant concentrations remain with minimal controls to prevent exposure.	Provides a moderate achievement of protection of Human Health and the Environment. Contaminated sediment would remain in place but concentrations would reduce to less than RAOs over time.	Provides a moderate to high achievement of protection of Human Health and the Environment. Contaminated sediment would remain in place but concentrations would reduce to concentrations less than RAOs over less time than Alternative 3a time.	Provides a moderate to high achievement of protection of Human Health and the Environment. Contaminated sediment would remain in place but contaminants would be completely isolated and would reduce to concentrations less than RAOs over less time than Alternative 3a and 3b.	Provides a high achievement of protection of Human Health and the Environment. Only residual contaminated sediment would remain in place; however, it is anticipated that the residual contamination will not exceed the RAOs.	Provides a moderate achievement of protection of Human Health and the Environment. Contaminated sediment would remain in place but concentrations would reduce to less than RAOs over time.
ARARs	Provides a low achievement of ARARs since chemical-specific TBCs are not met for sediment. Location and action-specific ARAR s do not apply to this alternative.	Provides a low achievement of ARARs since chemical-specific TBCs are not met for sediment. Location and action-specific ARAR s do not apply to this alternative.	Provides a moderate achievement of ARARs if implemented properly. All contaminants would likely be reduced to concentrations less than RAOs over time.	Provides a moderate achievement of ARARs if implemented properly. All contaminants would likely be reduced to concentrations less than RAOs over time.	Provides a moderate achievement of ARARs if implemented properly. All contaminants would likely be reduced to concentrations less than RAOs over time.	Provides a high achievement of ARARs if implemented properly. Contaminants above the RAOs would be removed.	Provides a moderate achievement of ARARs if implemented properly. All contaminants may be reduced to concentrations less than RAOs over time.
Primary Balancing Criteria							
Long-term Effectiveness and Permanence	Provides a low achievement of long-term effectiveness and remedy is not long-term effective or permanent.	Provides a low achievement of long-term effectiveness and remedy is not long-term effective or permanent; however, long-term monitoring would document if and how soon RAOs might be achieved.	Provides a moderate achievement of long-term effectiveness and permanence because it reduces contaminant concentrations in sediments to less than RAOs over time; however, sedimentation rates necessary for achieving RAOs are poorly understood at the Site. Monitoring, and possible reapplication of the thin-cover material may be necessary as all contaminants would remain in place .	Provides a moderate to high achievement of long-term effectiveness and permanence because it reduces contaminant concentrations in sediments to less than RAOs over time; however, sedimentation rates necessary for achieving RAOs are poorly understood and the long-term effectiveness is unproven for some amendments. Monitoring, and possible reapplication of the thin-cover material may be necessary as all contaminants would remain in place.	Provides a high achievement of long-term effectiveness and permanence because it isolates contaminated sediments from receptors and reduces contaminant concentrations in sediments to less than RAOs over time; however, monitoring, and possible reapplication of the cap material may be necessary as all contaminants would remain in place .	Provides a high achievement of long-term effectiveness. Contaminated sediments would be permanently removed from the Site; however, contaminated sediments would be placed in a disposal facility requiring long-term O&M.	Provides a moderate achievement of long-term effectiveness and permanence because it reduces contaminant concentrations in sediments to less than RAOs over time; however, sedimentation rates necessary for achieving RAOs are poorly understood at the Site. Monitoring, and possible reapplication of the amendment material may be necessary as all contaminants would remain in place .
Reduction of Toxicity, Mobility or Volume through Treatment	Provides a low achievement of this criterion as no reduction in toxicity, mobility, or volume is provided.	Provides a low achievement of this criterion as no reduction in toxicity, mobility, or volume is provided.	Provides a low to moderate achievement of this criterion as all contaminated sediment that exceed the RAOs would be left in place; however, toxicity and volume of contaminated sediment would be reduced over time. Contaminant mobility would remain unchanged.	Provides a moderate achievement of this criterion as all contaminated sediment that exceed the RAOs would be left in place; however, toxicity, volume, and mobility of contaminants would be reduced over time.	Provides a moderate to high achievement of this criterion as all contaminated sediment that exceed the RAOs would be reduced at the time of cap placement and toxicity of contaminants would be reduced over time.	Provides a high achievement of this criterion by removing all contaminated sediments that exceed the RAOs. The removed sediments would be treated through stabilization.	Provides a moderate achievement of this criterion as all contaminated sediment that exceed the RAOs would be left in place; however, toxicity and volume of contaminated sediment would be reduced over time and contaminant mobility would be reduced due to the addition of amendment material.
Short-term effectiveness	Provides a moderate achievement of this criterion as no actions are implemented, so no risks to the community would result from remedy implementation; however, receptors would continue to be exposed to contaminated sediment.	Provides a moderate achievement of this criterion as no actions are implemented, so no risks to the community would result from remedy implementation; however, receptors would continue to be exposed to contaminated sediment.	Provides a moderate to high achievement of this criterion since it would take a moderate amount of time to place thin-cover material; however, impacts to the community and risks to workers is low. This alternative would also provide some isolation from contaminated sediments and would not eliminate benthic communities or habitat.	Provides a high achievement of this criterion since it would take a moderate amount of time to place thin-cover material; however, impacts to the community and risks to workers is low. This alternative would also provide some isolation from contaminated sediments and would not eliminate benthic communities or habitat. This alternative would also provide some treatment of contaminated sediments.	Provides a moderate achievement of this criterion since it would take a longer amount of material and time than Alternatives 3a and 3b to place install the cap which would result in increased trucking and impacts to the community. Risks to workers is moderate.	Provides a low achievement of this criterion since it would take longer to implement on-site dredging and would affect the aquatic habitat longer. Off-site disposal lowers the effectiveness due to a slight increase in short-term risks from truck traffic to an off-site landfill.	Provides a high achievement of this criterion since it requires the least amount of time to place amendment material, resulting in less impacts/risks to the community and workers. This alternative would also provide some isolation from contaminated sediments and would not eliminate benthic communities or habitat.
Implementability	Provides a high achievement of this criterion as no actions would be implemented.	Provides a high achievement of this criterion as no actions would be implemented.	Provides a moderate to high achievement of implementability since it requires placement of thin cover material using proven methods with a low level of complexity.	Provides a moderate to high achievement of implementability since it requires placement of thin cover material using proven methods with a moderate level of complexity.	Provides a moderate achievement of implementability since it requires placement of thin cap material using proven methods with a moderate to high level of complexity.	Provides a low to moderate achievement of implementability since it requires a large amount of dredging and staging coordination.	Provides a moderate to high achievement of implementability since it requires placement of amendment material using proven methods with a low level of complexity.
Cost (1)	\$ -	\$ 644,000	\$ 10,200,000	\$ 28,685,000	\$ 29,370,000	\$ 53,040,000	\$ 20,200,000
Modifying Criteria							
State Support / Agency Acceptance	TBD	TBD	TBD	TBD		TBD	TBD
Community Acceptance	TBD	TBD	TBD	TBD		TBD	TBD

Notes
(1) Cost are presented as Present Value.
M = Million
* Not included in numerical comparison on (Table 5-2).
TBD = To Be Determined

Table 12
Comparative Analysis Summary - Green Sustainable Remediation Criteria
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Evaluation Criteria	Alternative 1: No Action with Baseline Characterization	Alternative 2: Monitored Natural Recovery (MNR)	Alternative 3A: Enhanced MNR	Alternative 3B: Enhanced MNR with Cover Amendment	Alternative 4: Potentially Bioactive Zone Cap	Alternative 5: Dredging with Thin-Layer Cover	Alternative 6: Enhanced MNR with Broadcast Amendment
Green Sustainable Remediation (GSR) Criteria*							
Green House Gas (GHG) Emissions	Total GHG emissions are limited to equipment mobilization/demobilization related to sampling activities.	Total GHG emissions are limited to equipment mobilization related to sampling activities.	Least GHG emissions produced during thin cover placement and equipment mobilization related to sampling activities.	Least GHG emissions produced during thin cover placement and equipment mobilization related to sampling activities.	Least GHG emissions produced during thin cover placement and equipment mobilization related to sampling activities.	Total GHG emissions are limited to dredging activities and hauling wastes by land to landfill. More dredging and hauling generates more GHG emissions.	Least GHG emissions produced during amendment placement and equipment mobilization related to sampling activities.
Toxic Chemical Usage and Disposal	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.	No toxic chemicals are used or disposed.
Energy Consumption	Fossil fuels are limited to equipment mobilization/demobilization for sampling activities.	Fossil fuels are limited to equipment mobilization for sampling activities.	Fossil fuels are limited to the equipment mobilization for sampling activities and thin cover placement operations only.	Fossil fuels are limited to the equipment mobilization for sampling activities and thin cover placement operations only.	Fossil fuels are limited to the equipment mobilization for sampling activities and thin cover placement operations only.	Fossil fuels are required for equipment mobilization for sampling activities, dredging activities, and hauling wastes by land to landfill. More dredging and hauling requires more fossil fuels.	Fossil fuels are limited to the equipment mobilization for sampling activities and amendment placement operations only.
Use of Alternative Fuels	Does not warrant the use of alternative fuels.	Does not warrant the use of alternative fuels.	Alternative fuels could be used to run heavy construction equipment.	Alternative fuels could be used to run heavy construction equipment.	Alternative fuels could be used to run heavy construction equipment.	Alternative fuels could be used to run heavy construction equipment.	Alternative fuels could be used to run heavy construction equipment.
Water Consumption	No water consumption is necessary.	No water consumption is necessary.	Little water consumption is necessary.	Little water consumption is necessary.	Little water consumption is necessary.	Little water consumption is necessary.	Little water consumption is necessary.
Waste Generation	No waste generation.	No waste generation.	No waste generation.	No waste generation.	No waste generation.	XXX yd3 of sediment for disposal will be generated.	No waste generation.
GSR Criteria Summary	Provides a high achievement of the GSR criterion.	Provides a high achievement of the GSR criterion.	Provides a moderate to high achievement of the GSR criterion.	Provides a moderate to high achievement of the GSR criterion.	Provides a moderate achievement of the GSR criterion.	Provides a low achievement of the GSR criterion.	Provides a moderate to high achievement of the GSR criterion.

Notes
(1) Cost are presented as Present Value.
M = Million
* Not included in numerical comparison on (Table 5-2).
TBD = To Be Determined

Table 13
Numerical Comparative Analysis Summary
Focused Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Evaluation Criteria	Alternative 1: No Action with Baseline Characterization	Alternative 2: Monitored Natural Recovery (MNR)	Alternative 3A: Enhanced MNR	Alternative 3B: Enhanced MNR with Cover Amendment	Alternative 4: Potentially Bioactive Zone Cap	Alternative 5: Dredging with Thin-Layer Cover	Alternative 6: Enhanced MNR with Broadcast Amendment
Overall Protection of Human Health & Environment	1	1	2	2.5	2.5	3	2
ARARs	1	1	2	2	2	3	2
Long-term Effectiveness and Permanence	0.5	1	2	2.5	3	3	2
Reduction of Toxicity, Mobility or Volume through Treatment	1	1	1	2.5	2	2	2.5
Short-term effectiveness	2	2	2.5	2.5	2	1	3
Implementability	3	3	2.5	2.5	2	1.5	2.5
Cost (1)	3	3	2.5	1.5	1.5	0.5	2
State Support / Agency Acceptance	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Community Acceptance	TBD	TBD	TBD	TBD	TBD	TBD	TBD
Total Numerical Value	11.5	12	14.5	16	15	14	16

Notes

(1) Cost are presented as Present Value.

Ratings are based on achievement of criterion: low achievement; moderate achievement; and high achievement.

Scores are based on 1 = low achievement; 2 = moderate achievement; and 3 = high achievement.

Scoring for cost are based on the following cost breakpoints: > \$40 million = low achievement; \$20 - \$40 Million = moderate achievement; and < \$20 million = high achievement.

GSR criteria not included in this numerical comparison.

See Table 6 for a discussion of each criterion.

Appendix A

Public Works Correspondence

Appendix A – Record of Communications
Interim Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

- Dirk Pohlmann with Bay West corresponded with John Hull, Aquablok, in October 2015 via email. Mr. Hull provided Bay West with information regarding AquaBlok products and applications.
- Dirk Pohlmann with Bay West corresponded with Matthew Lambert, Environmental Protection Agency, November 2015 via email. Mr. Lambert provided Bay West with clarification regarding Tier 1 and 2 sediment site lists, site action levels, site cleanup levels, objectives and goals.
- Jonna Bjelland with Bay West spoke with Derek Wolf, Public Works Superintendent for the City of Carlton on January 13, 2016. Mr. Wolf stated that the City is currently in the process of creating figures that map the storm sewer for the entire area. After verbally discussing the location of storm sewer discharges in both cities with Mr. Wolf it was determined that neither city discharges to the Reservoir. Both cities are located at elevations below the Reservoir and discharge to the St. Louis River below the dam.
- Jonna Bjelland with Bay West spoke with Tony Compo, Public Works Lead, January 21st, 2016. Mr. Compo stated that there are no storm sewer maps for the City of Scanlon. Mr. Compo stated that two storm sewers discharge on the west side of Highway 45 ultimately enter streams, which discharge to the Reservoir.
- Chris Musson of Bay West corresponded with Omar's Sand and Gravel, Inc. (Omar's) of Carlton, Minnesota via email and phone between February 10th and 18th, 2016. The Thomson Reservoir alternative scopes were discussed with John, a long-term employee at Omar's, and it was stated that projects on the scale of Thomson Reservoir are conducted regularly by Omar's. Supply, loading, and transportation services are offered by Omar's, and large quantities of washed sand are always kept in stock (i.e., stockpiled and ready for load-out). Quotes for supply and delivery of crushed concrete and washed sand were supplied to Bay West, but it was requested that pricing information be kept confidential (this pricing was incorporated into cost estimates). Gradation reports for two types of washed sand were also supplied to Bay West.
- Chris Musson of Bay West corresponded with Kyle Backstrom of SKB Environmental Services/Shamrock Trucking (Shamrock Landfill) located in Cloquet, Minnesota, via phone and email on February 10th, 2016. The Thomson Reservoir Dredging Alternative scope was discussed and Mr. Backstrom stated that Shamrock Landfill would have capacity to accept the dredge material and could also supply trucking services. No discount for use of sediment as daily cover would likely be given as large quantities of daily cover are already available. A rough estimate cost of \$16 per ton for disposal and approximately \$100 per hour per 23.5-ton end dump truck was supplied.
- Dirk Pohlmann with Bay West corresponded with Greg Prom, Minnesota Power/Allete, February 23, 2016, via email. Mr. Prom provided Bay West with the normal operating bands for the reservoirs: Scanlon = 1119.30 to 1120.30 and Thomson = 1059.38 to 1069.38.
- Dirk Pohlmann with Bay West corresponded with Greg Prom, Minnesota Power/Allete, February 25, 2016, via email. Mr. Prom provided Bay West with some diagrams of the river system around Scanlon and Thomson prior to the hydro construction.

Appendix B

Historical Dioxin Analytical Results

Appendix B - Historical Dioxin Analysis Results
Interim Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Sample Location	Sample Name	Sample Date	Sample Depth Upper (cm)	Sample Depth Lower (cm)	Sample Interval	Result (ng TEQ/kg)
THO	B	06/23/1992	4	16	0-15	0.55
THO	E	06/23/1992	44	52	15-50	0.835
THO	H	06/23/1992	112	120	100+	3.4
THO	J	06/23/1992	144	154	100+	6.875
THO	L	06/23/1992	176	184	100+	9.3
THO	M	06/23/1992	184	192	100+	26.835
THO	N	06/23/1992	192	200	100+	27.045
THO	P	06/23/1992	264	280	100+	0.6
STL14-TR01	TR01-0	08/16/2014	15	61	15-50	6.97315
STL14-TR01	TR01-S	08/13/2014	0	15	0-15	0.201311733
STL14-TR02	TR02-0	08/15/2014	15	61	15-50	0.430544922
STL14-TR02	TR02-S	08/13/2014	0	15	0-15	19.3216625
STL14-TR03	TR030b	08/14/2014	15	61	15-50	5.450064815
STL14-TR03	TR03-S	08/13/2014	0	15	0-15	8.933545
STL14-TR04	TR04-0	08/16/2014	15	61	15-50	3.678436364
STL14-TR04	TR04Sb	08/13/2014	0	15	0-15	1.754102857
STL14-TR05	TR05-0	08/16/2014	15	61	15-50	24.6666
STL14-TR05	TR05-S	08/12/2014	0	15	0-15	1.121029447
STL14-TR06	TR060b	08/14/2014	15	61	15-50	256.174
STL14-TR06	TR06-S	08/13/2014	0	15	0-15	6.225546667
STL14-TR07	TR07-0	08/14/2014	15	61	15-50	29.46225
STL14-TR07	TR07-S	08/13/2014	0	15	0-15	4.054512977
STL14-TR08	TR08-0	08/17/2014	15	61	15-50	46.6925
STL14-TR08	TR08-S	08/13/2014	0	15	0-15	254.656825
STL14-TR10	TR10-S	08/12/2014	0	15	0-15	0.138287273
STL14-TR11	TR11-0	08/16/2014	15	61	15-50	9.076222222
STL14-TR11	TR11-S	08/12/2014	0	15	0-15	8.835627852
STL14-TR12	TR120a	08/08/2014	15	61	15-50	4.335792
STL14-TR12	TR12-S	08/13/2014	0	15	0-15	10.12245926
STL14-TR13	TR13-0	08/15/2014	15	61	15-50	92.355
STL14-TR13	TR13-S	08/12/2014	0	15	0-15	88.51176
STL14-TR14	TR14-0	08/16/2014	15	61	15-50	26.4618
STL14-TR14	TR14-S	08/12/2014	0	15	0-15	2.324709359
STL14-TR15	TR15-0	08/16/2014	15	61	15-50	4.218688125
STL14-TR15	TR15-S	08/12/2014	0	15	0-15	1.037249362
STL14-TR16	TR16-0	08/16/2014	15	61	15-50	349.528
STL14-TR16	TR16-S	08/13/2014	0	15	0-15	9.533608392
STL14-TR17	TR17-0	08/17/2014	15	61	15-50	12.64566667
STL14-TR17	TR17-S	08/13/2014	0	15	0-15	27.63589091
STL14-TR18	TR18-0	08/17/2014	15	61	15-50	15.50735
STL14-TR18	TR18-S	08/13/2014	0	15	0-15	20.85326675
STL14-TR19	TR19-0	08/17/2014	15	61	15-50	7.379357143

Appendix B - Historical Dioxin Analysis Results
Interim Feasibility Study
Thomson Reservoir
Minnesota Pollution Control Agency

Sample Location	Sample Name	Sample Date	Sample Depth Upper (cm)	Sample Depth Lower (cm)	Sample Interval	Result (ng TEQ/kg)
STL14-TR19	TR19-S	08/13/2014	0	15	0-15	1.778103896
STL14-TR20	TR20-O	08/16/2014	15	61	15-50	4.745645455
STL14-TR20	TR20-S	08/12/2014	0	15	0-15	16.581257
STL14-TR21	TR21-O	08/13/2014	15	61	15-50	3.051878492
STL14-TR21	TR21-S	08/13/2014	0	15	0-15	1.818740396
STL14-TR22	TR22-O	08/13/2014	15	61	15-50	4.960676364
STL14-TR22	TR22-S	08/13/2014	0	15	0-15	1.998355879
STL14-TR23	TR23-O	08/16/2014	15	61	15-50	19.197
STL14-TR23	TR23-S	08/12/2014	0	15	0-15	3.70088
STL14-TR24	TR24-O	08/17/2014	15	61	15-50	45.2735
STL14-TR24	TR24-S	08/13/2014	0	15	0-15	2.634521143

Notes

cm - centimeters

ng TEQ/kg - nanogram toxic effect quotient, per kilogram

SQT - Sediment Quality Target

Results shaded in yellow exceed Level 1 SQT (0.85 ng TEQ/kg)

Results shaded in orange exceed the midpoint SQT (11.2 ng TEQ/kg)

Results shaded in red exceed Level 2 SQT (21.5 ng TEQ/kg)

Appendix C

Thomson Reservoir Technical Memorandum, June 2017

Thomson Reservoir Technical Memorandum

Thomson Reservoir
Carlton, Minnesota

June 2017



Thomson Reservoir Technical Memorandum

Thomson Reservoir
Carleton, Minnesota

June 2017



Prepared for:



**Minnesota Pollution
Control Agency**

520 Lafayette Road North
St. Paul, Minnesota 55155

Prepared by:



Bay West LLC
5 Empire Drive
St. Paul, Minnesota 55103

Table of Contents

1.0	INTRODUCTION	1
1.1	Purpose and Objectives	1
1.2	Report Organization.....	2
1.3	Site Setting	2
1.4	Investigation History and COIs.....	2
2.0	FIELD ACTIVITIES AND METHODS	3
2.1	Sediment Sampling Overview	3
2.1.1	Ponar Equipment Description and Procedure	3
2.1.2	Check Valve Push Core Collection Equipment and Procedure	3
2.1.3	Russian Peat Borer Equipment Description and Procedure	4
2.1.4	Equipment Decontamination.....	5
2.2	Benthic Macroinvertebrate Tissue Sampling Overview	5
2.2.1	In Situ Benthic Macroinvertebrate Tissue Sampling	5
2.2.2	Ex Situ Benthic Macroinvertebrate Tissue Sampling.....	6
2.3	Fish Sampling Overview	6
2.4	Community Assessment Equipment Description and Procedure.....	7
2.5	Sample Processing	7
2.5.1	Sample Collection and Analysis.....	8
2.5.1.1	Sediment Physical/Chemical Analysis	8
2.5.1.2	Community Assessments	9
2.5.1.3	Bioaccumulation Testing	9
2.5.1.4	Fish Tissue Testing	10
2.5.2	Rinsate Blanks.....	10
2.5.3	Waste Characterization and Disposal	10
2.6	Data Interpretation	10
2.6.1	Treatment of Non-Detect Data	10
2.6.2	Sediment Quality Targets (SQTs)	11
2.6.3	Sample Interval Categorization	11
3.0	SUMMARY OF RESULTS	13
3.1	Sample Depth and Sediment Recovery	13
3.2	Sediment Chemistry Data	13
3.2.1	Mercury (Sediment)	13
3.2.2	Dioxins/Furans (Sediment)	14
3.3	Physical Sediment Characterization.....	16
3.3.1	Grain Size.....	16
3.3.1.1	Total Organic Carbon	18
3.4	Tissue Chemistry Data.....	18
3.4.1	Mercury and Methylmercury (Tissue).....	19
3.4.1.1	Benthic Macroinvertebrate Tissue	19
3.4.1.2	Fish Tissue.....	20
3.4.2	Dioxins/Furans (Tissue).....	22
3.4.2.1	Benthic Macroinvertebrate Tissue	22
3.4.2.2	Fish Tissue.....	23
3.5	Community Assessment Comparison Data.....	24

4.0	DATA QUALITY REVIEW.....	26
4.1	Analytical Data QA/QC Review	26
4.2	Interpretation of Concentrations Less Than Detection Limits	27
4.3	Summary	27
5.0	DISCUSSION AND CONCLUSION.....	28
6.0	REFERENCES.....	30

List of Tables

Table 1	Sample Analysis Summary
Table 2	Sample Locations
Table 3	Core Summary
Table 4	Poling Summary
Table 5	Analytical Testing Parameters Summary
Table 6	Total Organic Carbon Results
Table 7	Community Assessment
Table 8	Metals Results Sediment
Table 9	Dioxin/Furans Results Sediment
Table 10	Benthic Macroinvertebrate Tissue Results - Macrobenthos
Table 11	Benthic Macroinvertebrate Tissue Results - Lumbriculus
Table 12	Fish Tissue Results

List of Figures

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Sample Locations
Figure 4	Poling Locations and Sediment Thicknesses
Figure 5	Mercury SQT Results
Figure 6	TEQ KM Fish SQT Results
Figure 7	Mercury and Methylmercury In situ and Ex Situ Bioaccumulation Results
Figure 8	TEQ KM Fish In situ and Ex Situ Bioaccumulation Results

List of Appendices

Appendix A	Field Notes, Core Logs, and Photos
Appendix B	2016 Tissue Analysis Project Plan for Duluth Reservoirs Draft Report
Appendix C	Disposal Documentation
Appendix D	Laboratory Analytical Reports
Appendix E	Classical Oneway ANOVA Statistics Tests

Acronyms and Abbreviations

%	percent	mg/kg	milligrams per kilogram
µg/kg	micrograms per kilogram	MPCA.....	Minnesota Pollution Control Agency
ANOVA.....	analysis of variance	MS/MSD.....	matrix spike/matrix spike duplicate
AOC.....	Area of Concern	ng	nanograms
ASTM	American Society for Testing and Materials	Pace.....	Pace Analytical Services, Inc.
Bay West.....	Bay West LLC	PAH.....	polycyclic aromatic hydrocarbon
BAZ	bioactive zone	PCB.....	polychlorinated biphenyl
bss.....	below sediment surface	QA.....	quality assurance
BUI	beneficial use impairment	QAPP	Quality Assurance Project Plan
CoC	chain of custody	QC.....	quality control
COC	chemical of concern	SOP	standard operating procedure
COI.....	constituent of interest	SQT.....	sediment quality target
CSM	conceptual site model	TEF	toxicity equivalency factor
DQO	data quality objective	TEQ.....	toxicity equivalent
ELAP	Environmental Laboratory Accreditation Program	TEQ/kg.....	toxicity equivalent per kilogram
FFS.....	focused feasibility study	TestAmerica.....	TestAmerica Laboratories, Inc.
FSP	Field Sampling Plan	TOC	total organic carbon
GC/MS.....	gas chromatograph/mass spectrometer	TR	Thomson Reservoir
GLEC.....	Great Lakes Environmental Center, Inc.	USACE	United States Army Corps of Engineers
GPS.....	Global Positioning System	USDA	United States Department of Agriculture
HD	Hester Dendy	USEPA.....	United States Environmental Protection Agency
HH	human health	WDNR.....	Wisconsin Department of Natural Resources
ID.....	identification	WHO	World Health Organization
IDW	investigation-derived waste		
KM.....	Kaplan-Meier		
K-W	Kruskal-Wallis		
LCS	laboratory control sample		
LCSD.....	laboratory control sample duplicate		
MDH	Minnesota Department of Health		
MDL.....	method detection limit		

1.0 INTRODUCTION

Bay West LLC (Bay West) has completed a Technical Memorandum to support the Focused Feasibility Study (FFS) completed June 2016 by Bay West under contract with the Minnesota Pollution Control Agency (MPCA) at Thomson Reservoir (TR), also designated as SR #1373 (the Site). Limited field activities were conducted as part of ongoing work to investigate the extent and volume of contaminated sediment within Thomson Reservoir, and to evaluate risks to human health and the environment due to potential impacts to the benthic and fish communities. A site location map is included as **Figure 1**, and a site map is included as **Figure 2**.

This Technical Memorandum describes investigation field activities conducted in September and October of 2016, presents chemical, physical, and bioaccumulation site data collected during this event, discusses data results, conclusions, and recommendations. This Technical Memorandum is intended to be a supplement to the FFS; therefore, only data from the September and October 2016 event will be presented in this document. Historical data collected at the Site is summarized in the FFS.

1.1 Purpose and Objectives

Historical industrial activities in the St. Louis River (SLR) Area of Concern (AOC) has resulted in beneficial use impairments (BUIs). BUIs are a change in the chemical, physical or biological integrity of the Great Lakes system sufficient to cause any one of the 14 established BUIs, or other related uses, such as the microbial objective for waters used for body contact recreational activities (2013 Joint Commission). Sediment contamination in the SLR AOC causes BUIs, including degradation of bottom-feeding invertebrate communities, increased incidence of fish tumors and other abnormalities, fish consumption advisories, and restrictions on dredging (MPCA, 2008). The MPCA and Wisconsin Department of Natural Resources (WDNR) are currently working together to implement a comprehensive long-term plan to restore beneficial use and delist BUIs in the SLR AOC. Many of the BUIs in the AOC are linked to the presence of sediment contaminants. Some sediment-derived contaminants also appear suspended in the water column and are carried by the river to Lake Superior.

The purpose of this Technical Memorandum was to collect new and supplement existing information discussed in the FFS regarding sediment quality at the Site, including chemical and physical site data. Data collected will ultimately be used to develop a course for remedial action, if needed, to restore and delist the Site BUIs.

Specific objectives for the September and October 2016 investigation are to:

- Provide site-specific information regarding benthic organisms and the chemicals of concern (COCs; i.e., mercury and dioxins/furans) as defined within the FFS to benthic organisms;
- Conduct limited benthic macroinvertebrate community assessments to assess the “health” of the benthic community at locations with elevated COC concentrations and to provide an additional line of evidence regarding contaminant impacts at the Site using the sediment quality triad approach;
- Collect and analyze sediment samples for Site COCs to corroborate findings of bioaccumulation testing and to further define the vertical extent of contamination at the Site;
- Collect and analyze fish tissue samples for Site COCs to assess potential COC bioaccumulation; and

- Refine the conceptual site model (CSM) that evaluates contaminant fate and transport, and provides a comparison between SLR AOC-specific risk-based screening values and existing conditions to identify unacceptable risks to human health and/or the environment.

1.2 Report Organization

Section 1.0 – Introduction: This section provides a brief overview of the SLR AOC, Thomson Reservoir, and summarizes previous investigations and constituents of interest (COIs) relative to the Site.

Section 2.0 – Field Activities and Methods: This section describes the field activities and methods utilized.

Section 3.0 – Summary of Results: This section summarizes the results of the data collection, including chemical and physical site data.

Section 4.0 – Data Quality Review: This section describes the data quality review process and the results of quality assurance (QA)/quality control (QC) review of chemical data.

Section 5.0 – Discussion and Conclusion: This section discusses the results and conclusions.

Section 6.0 – References: This presents references for the report.

1.3 Site Setting

This document serves as a supplement to the existing FFS completed in 2016, which provides a full description of the site settings and history.

1.4 Investigation History and COIs

Numerous investigations of sediment quality have occurred at the Site, resulting in various report documents, which have been summarized in the FFS. Prior to reading this document, a review of Section 1.4.3 of the FFS should be completed to provide a better understanding of the Site history. Those investigations and reports not summarized in the FFS are summarized as follows.

Data Gap Investigation Field Sampling Plan (FSP), Thomson Reservoir, prepared by Bay West, September 2016 (FSP)

The FSP was developed by Bay West and approved by the MPCA in September 2016.

2.0 FIELD ACTIVITIES AND METHODS

Sampling activities and procedures were conducted in accordance with the September 2016 Thomson Reservoir Site-Specific Data Gap Investigation FSP, the September 2016 Quality Assurance Project Plan Addendum (2016 Quality Assurance Project Plan [QAPP] Addendum) for the Baseline and Data Gap Investigation at the SLR Areas of Concern, and applicable Bay West standard operating procedures (SOPs). The following section describes applicable physical site data, sediment sampling and procedure, and analytical results evaluation procedure.

All sample locations were pre-determined and aerial background maps were loaded onto a Trimble Global Positioning System (GPS) unit with sub-meter accuracy prior to site mobilization. The GPS was used to navigate as close to the pre-determined sample locations as possible, and GPS locational data was also collected at each of the sampled locations.

2.1 Sediment Sampling Overview

Site sediment sampling took place September 27 through October 6, 2016, and was conducted from a boat. The objectives of the September and October event were to collect bulk surface sediments for laboratory bioaccumulation testing, sediment community assessments, and to gather additional vertical and horizontal sediment quality data, as further defined in the FSP.

Sediment samples were collected only for physical and chemical analysis at the following locations: BW16TR-002 through BW16TR-007, BW16TR-009 through BW16TR-011, BW16TR-014, and BW16TR-015.

The following sections contain additional information on the sampling event, and the methods, procedures, and equipment used during sediment sample collection, if not already covered in the FFS or FSP. Sample locations are shown on **Figure 3**.

2.1.1 Ponar Equipment Description and Procedure

All surface sediment samples were collected using a Wildco Petite Ponar grab sampler (ponar). The ponar was used to collect sediments from the sediment/water interface for submission as a bioaccumulation testing media, for benthic community assessments, and for physical and chemical analysis.

The ponar has a maximum sediment penetration depth of 2.75 inches (0.07 meter) and a total jaw volume of 2.4 liters. Due to the small size of the sampler, multiple “grabs” of sediment were performed at each location to collect a sufficient volume of sediment for testing/analysis (up to 5 gallons of sediment per location). After each grab of sediment, the team repositioned the sampler so that the next grab was collected approximately 0.25–0.50 meter away from the previous grab. This method of sediment collection was repeated to ensure that the final composite samples were representative of a single in situ sediment elevation (i.e., 0–0.07 meter).

Collected sediment was transferred directly from the ponar into clean, laboratory supplied, 5-gallon buckets. Once a sufficient volume of sediment had been collected, overlying water was decanted and the sediment was thoroughly homogenized within the buckets. A sub-sample was then collected and placed within Ziploc-type bags (double bagged) for grain size analysis.

2.1.2 Check Valve Push Core Collection Equipment and Procedure

Samples to be analyzed for physical and chemical parameters were collected using a 3-inch (inner diameter) check valve push core sampler. The check valve push core sampler used disposable acetate liners that minimized equipment decontamination and facilitated easy transport and storage of samples.

To begin sampling at a location, the water column depth was measured using a weighted 100-foot measuring tape. The water depth was then added to the desired depth of sampler advancement (i.e., desired core length), and this value was marked on the sampler's extension rods using marking tape. To collect the core, the sampler was lowered through the water column and advanced into the sediment until the mark met the water surface (indicating that a full push had been achieved), or until refusal was encountered. If refusal was encountered, the push was recorded by subtracting the distance between the mark and the water surface from the desired depth of sampler advancement.

Once the push was complete, the sampler was retracted while remaining in a vertical orientation. The recovery goal of the sampling event was 80 percent (%). If less than 80% recovery was achieved after three push attempts, or if refusal was encountered, the team attempted to obtain a core with the best feasible length and percent recovery based on Site conditions. Once the Engineer determined that the sample recovery was acceptable, the sample core was prepared for transport by draining excess overlying water, removing any excess core tubing to limit head space, and sealing both ends using disposable plastic caps. The core was then measured and identifying information was recorded on the core using an indelible ink marker.

In addition to core collection, poling was conducted at each check valve push core sampler location, based on Site conditions, using an approximate 2-inch diameter aluminum rod with graduated depth markings. Data recorded included: depth to resistance, depth to refusal, refusal type (i.e., soft [stiff sediments] or hard [rock or wood]), and observations of sediment type encountered. All field data related to sample collection and poling was recorded within a field notebook and/or on field sampling data sheets. The recorded field data included sample location, sample date/time, push, recovery, and any other observations that occurred during sampling, such as refusal. Core collection information is presented in **Table 3**, and field notes are included in **Appendix A**. A summary of poling is included in **Table 4**. Poling locations and sediment thicknesses are shown on **Figure 4**.

2.1.3 Russian Peat Borer Equipment Description and Procedure

The Russian peat borer is a side-filling chambered sampler. The closed chamber is pushed through the sediment until the desired sample depth/interval is reached, prohibiting sediment from entering the chamber. Once the target depth is reached, the "T" handle is turned clockwise to initiate sampling. As the sampler is turned 180 degrees, the sharpened edge of the bore longitudinally cuts a semi-cylindrical shaped sample until the opposite side of the cover plate is contacted. The contained sample can then be recovered without the risk of contamination by overlying sediments. The chamber length of the sampler used was approximately 0.40 meter.

The first 0.0 to 0.15-meter interval was collected using the check valve push core sampler, as previously explained. Once a check valve push core sample had been collected, the boat was either allowed to pivot several feet away from its previous location or deep sediment sampling using the Russian Peat Borer was conducting from a different location of the boat so that only undisturbed sediments would be collected. Once in position, the water depth was recorded and the sampler was advanced until refusal.

Once the sampler hit refusal, the depth was recorded and the "T" handle was turned to collect the sample. The sampler was laid horizontal within the boat and the side filling chamber was opened. Sediment was removed from the chamber and collected. All samples were placed directly into separate Ziploc bags and labeled with identifying information, and later stored on ice until they could be processed.




Photo showing discrete sample collected with Russian Peat Borer.

Poling was conducted at each sample location using an approximate 2-inch diameter aluminum rod with graduated depth markings. Data recorded included the following: depth to resistance, depth to refusal, refusal type (i.e., soft [stiff sediments] or hard [rock or wood]), and observations of sediment type encountered. All field data that related to sample collection and poling was recorded within a field notebook and/or on field sampling data sheets. The recorded field data included sample location, sample date/time, push, recovery, and any other observations that occurred during sampling, such as refusal. Core collection information is presented in **Table 3**, and field notes are included in **Appendix A**.

2.1.4 Equipment Decontamination

After each coring attempt, all materials in contact with sediments were washed with lake water to remove visible sediments (i.e., Wildco Petite Ponar, check valve push core sampler, and Russian Peat Borer). After each sample location, sampling equipment was decontaminated using Alconox, water, and a stiff bristled brush.

2.2 Benthic Macroinvertebrate Tissue Sampling Overview

2.2.1 In Situ Benthic Macroinvertebrate Tissue Sampling

Benthic invertebrate tissue sampling consisted of the attempted collection of benthic invertebrates using sediment sampling and sifting techniques, as well as Hester Dendy (HD) traps; however, tissue collection using sediment sampling and sifting techniques resulted in no appreciable mass of tissue. Only HD traps resulted in sufficient tissue mass for laboratory analysis. Benthic macroinvertebrate samples collected from HD traps will be referred to as “in situ” tissue samples. In situ benthic macroinvertebrate tissue sampling was collected using an HD trap placed in the sediment at the Site for approximately one month. The United States Environmental Protection Agency (USEPA) installed the HD traps at the Site in September 2016 and collected the traps in October 2016. The traps were placed into the sediment allowing the benthic macroinvertebrates to burrow into the spaces between the disks within the trap. The USEPA removed the HD traps and sorted the macroinvertebrates by species. The in-situ tissue samples consisted of composited macrobenthos and crawfish from the Site, and were used for chemical analysis.



Photo showing discs within the Hester Dendy trap

The in-situ tissue samples consisted of composited macrobenthos and crawfish from the Site, and were used for chemical analysis. For the purpose of this report, macrobenthos are a composition of macroinvertebrates, such as mayflies, dragonflies, and alderflies encountered at the Site. The compositing of macroinvertebrates was done at the Site due to insufficient mass of tissue for one specific macroinvertebrate species. Macrobenthos were composited from BW16TR-008, BW16TR-013, BW16TR-016, BW16TR-017, and BW16TR-018. Crawfish were composited from BW16TR-008, BW16TR-013, and BW16TR-016. Two tissue samples were submitted for analysis using HD traps (BW16TR-HD-001-MRCS and BW16TR-HD-001-C).

2.2.2 Ex Situ Benthic Macroinvertebrate Tissue Sampling

Sediment was also collected for the purpose of performing laboratory controlled 28 day (28-d) *Lumbriculus variegatus* bioaccumulation testing. These samples will be referred to as “ex situ” tissue samples. Ex situ benthic invertebrate tissue collection was done at locations where HD traps were not able to produce sufficient in situ tissue volume for analysis. Sediment was collected using the Ponar grab sampler and stored in laboratory supplied buckets. The sediment was submitted to the laboratory for bioaccumulation analysis, and chemical and physical analysis. Sediment for ex situ analysis was collected at BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018.

Details regarding the in situ and ex situ tissue analysis was documented in The Tissue Analysis Project Plan for Duluth Reservoirs, Draft Report, AEM; prepared for United States Army Corps of Engineers (USACE; 2016 Tissue Analysis Report) in **Appendix B**.

2.3 Fish Sampling Overview

Fish sampling was completed by the MPCA. Details regarding fish sampling was documented in the field forms and COCs provided to Advanced Environmental Management Group (AEM Group) as described in The Tissue Analysis Project Plan for Duluth Reservoirs, Draft Report, AEM Group; prepared for USACE (2016 Tissue Analysis Report) in **Appendix B**, Section 3.1, which provides a detailed explanation of fish sampling procedures completed at the Site.

2.4 Community Assessment Equipment Description and Procedure

Community assessments were completed by collecting approximately three ponar grabs of sediment from each sample location. The sediment was sieved through a 425-micron (35 mesh) screen. All material captured on the screen was placed into white plastic trays with fresh, cool water. Benthic organisms were removed from the tray, separated by organism type, and placed into smaller ice cube trays.



Photo showing a community assessment in progress.

Search and removal of organisms from each plastic tray took place for 15 minutes to retain consistency across all sample locations. A count of each species identified was recorded on community assessment worksheets, a field notebook, or an electronic log. Benthic organisms were released back into the water once assessments were complete. Additional information regarding benthic community assessments is included in the Bay West Site Specific Benthic Macroinvertebrate Community Assessment SOP found in the FSP and as an appendix to the QAPP addendum. Sediment for community assessments was collected at BW16TR-008, BW16TR-013, BW16TR-016, BW16TR-017, and BW16TR-018.

2.5 Sample Processing

Collected sediment was brought back to shore for processing for submittal to a laboratory as a media during bioaccumulation testing, for physical and chemical analysis, and for community assessment. Sediment to be used as media and for physical and chemical analysis from each location either remained in the 5-gallon bucket or was transferred into the appropriate laboratory supplied containers, dependent on sampling parameters for that particular sample location. Once a sample was collected and the container sealed, the container (not the lid) was labeled with the sample location identification (ID), sample date, and time of collection using an indelible ink marker.

Sediment samples were processed and submitted for chemical analysis in accordance with the approved site-specific FSPs.

All sample processing was conducted following the sampling event. The following activities were conducted during sample processing:

- Sample collection information (e.g., location ID, sample time, push, recovery, interval depth, etc.) was transferred from each sample core or Ziploc bag to Bay West’s Sediment Sampling Log Sheet;
- Each sample was photographed during field sampling or during processing;
- Visual and physical observations of the sample were recorded on the log sheet in accordance with the site specific FSPs following the American Society for Testing and Materials (ASTM) D 2488 and the United States Department of Agriculture (USDA) descriptor classification, including sample color, material composition, grain size, firmness, cohesiveness, odor, and any other notable observations such as sheen.
- Analytical sample intervals were determined for core samples in accordance with the site-specific FSPs;
- Sample material was placed in appropriate laboratory-supplied containers, labeled, and placed on ice for delivery to either Pace Analytical Services, Inc. (Pace), Test America Laboratories, Inc. (Test America), Axys, or Great Lakes Environmental Center, Inc. (GLEC); and
- All reusable sampling tools used for homogenization or other purposes were decontaminated after processing in a solution of Alconox and distilled water using the procedures described in **Section 2.1.4**.

2.5.1 Sample Collection and Analysis

2.5.1.1 Sediment Physical/Chemical Analysis

Sediment samples from BW16TR-002 through BW16TR-007, BW16TR-009 through BW16TR-011, BW16TR-014, and BW16TR-015 were collected to gather additional chemical data for delineation of extent and depth using a check valve push core sampler and Russian Peat Borer Sampler as detailed in **Section 2.1.3**. Sediment samples from BW16TR-001, BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018, were collected to gather information to support bioaccumulation tissue data using a Ponar sampler as detailed in **Section 2.1.1**.

Samples collected for additional delineation of contamination were submitted for the following:

- Dioxins/furans as congeners (Pace, USEPA 8290A);
- Mercury (Pace, USEPA 7471B); and
- Total organic carbon (TOC; Pace, USEPA 9060A).
- Grain size (Pace, ASTM D422 with hydrometer).

All samples were collected, prepared, and handled in accordance with the FSP, project QAPP and addendum, and Bay West SOPs.

The specific analysis for each sample is detailed in **Table 1**. Each sample was accounted for on chain of custody (CoC) completed during sample processing. All samples were stored on ice and delivered to the appropriate laboratory.

QC samples collected by the processing team consisted of duplicates and matrix spike/matrix spike duplicates (MS/MSDs). Field duplicates and matrix MS/MSD samples were collected for sediments at a frequency of 10% and 5%, respectively, for dioxins/furans and mercury. No duplicate or MS/MSD sample was collected for TOC or grain size analysis. Field equipment rinsate blanks were collected at a frequency of 1 per day for each day the ponar sampler was

used and analyzed for mercury. No duplicate or MS/MSD samples were collected in relation to benthic tissue analysis due to constraints in available tissue mass and project budget.

2.5.1.2 *Community Assessments*

Site benthic macroinvertebrates were collected from locations BW16TR-001, BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018, for community assessments. Community assessments were completed as described in **Section 2.4** and the community assessment findings are discussed in **Section 3.5**.

2.5.1.3 *Bioaccumulation Testing*

As outlined in the FSP, Site benthic macroinvertebrate tissue collected from locations BW16TR-001, BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018, were sampled for in situ and ex situ tissue. Ex situ bioaccumulation testing, which was not included as part of the FSP, was completed at locations BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018 because a sufficient tissue volume for analysis could not be collected during the field event. Sediment samples collected from BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018 were submitted for ex situ laboratory exposure testing, and physical and chemical analysis of sediment and tissue.

In situ Site benthic macroinvertebrate tissue was sampled only at BW16TR-001. Ex situ tissue samples were exposed to the sediment collected from the following locations BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018 because insufficient tissue volume could not be collected from the Site. Additionally, USACE conducted fish sampling at the Site. The bioaccumulation fish tissue sampling results were provided to Bay West by the USACE and are summarized in **Section 3.4.1.2**. The specific analysis for each sample is detailed in **Table 1**.

Sediment collected from BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018 were containerized and delivered to the GLEC Laboratory in laboratory-supplied containers. The GLEC laboratory conducted the following tests:

- 28-d *Lumbriculus variegatus* bioaccumulation testing (USEPA Method 100.3 and laboratory SOP).

Following the 28-d *Lumbriculus variegatus* bioaccumulation testing, *Lumbriculus variegatus* tissue was extracted from the sediment substrate by GLEC. Subsamples from the sediment samples and *Lumbriculus variegatus* tissue samples were submitted to multiple laboratories for analysis summarized as follows. Additionally, Bay West submitted in situ collected tissue and sediment from location BW16TR-001. Samples were submitted to the following laboratories using the following methods:

- Tissue Analysis–Dioxins/furans as congeners and lipids content (TestAmerica, USEPA 1613B or 8290A);
- Sediment Analysis–Dioxins/furans as congeners (Pace, USEPA 1613B or 8290A);
- Tissue Analysis–Mercury (TestAmerica; ASTM D2216);
- Sediment Analysis–Mercury (Pace; ASTM D2216);
- Tissue Analysis–Methyl Mercury (TestAmerica, EPA 1630 USEPA);
- Sediment Analysis–TOC (Pace; USEPA method such as 9060A); and
- Sediment Analysis–Grain size (Pace, ASTM D422 with hydrometer).

Bioaccumulation testing samples were collected, prepared, and handled in accordance with the laboratory's SOPs on collection and handling of environmental samples. For a detailed description of bioaccumulation testing, procedures, and results see the 2016 Tissue Analysis Report in **Appendix B**.

2.5.1.4 Fish Tissue Testing

Both the MPCA and the USEPA collected six different fish species from the Site, homogenized by fish species and delivered to the Test America in laboratory-supplied containers. Fish homogenization and laboratory testing is discussed in the 2016 Tissue Analysis Report fish sampling procedures completed at the Site (**Appendix B**, Section 3.1). Samples were submitted to the following laboratories using the following methods:

- Dioxins/furans as congeners and lipids content (TestAmerica, USEPA 1613B or 8290A);
- Mercury (TestAmerica; ASTM D2216); and
- Methyl Mercury (TestAmerica, EPA 1630 USEPA);

Fish tissue samples were collected, prepared, and handled in accordance with the laboratory's SOPs on collection and handling of environmental samples. For a detailed description of fish tissue testing, procedures, and results see the 2016 Tissue Analysis Report in **Appendix B**.

2.5.2 Rinsate Blanks

Rinsate blank samples were collected by pouring distilled water over non-disposable sampling equipment and into bottles provided by the analytical laboratory to verify proper decontamination of sampling equipment. Rinsate blanks were only taken for the ponar to verify proper decontamination of sampling equipment; it was not necessary to take rinsate samples from the check valve push core sampler because the majority of the sample only comes in contact with the disposable liner. The rinsate blanks were labeled BW16-RB01-100416 and BW16-RB02-100516 and were analyzed for mercury. Mercury was not detected at concentrations exceeding the laboratory reporting limit for rinsate blanks.

2.5.3 Waste Characterization and Disposal

IDW consisting of excess sediment and disposable sampling supplies was placed in two 55-gallon steel drums along with the investigation-derived waste (IDW) generated during the sampling event and two additional sampling events completed at Thomson Reservoir and Mud Lake West. A total of two drums of waste were generated during the three sampling events. An IDW sample was collected from the drums at the completion of sampling and submitted for analysis of landfill disposal parameters. The drums were transported to Bay West, under MPCA approval, and stored until IDW sample results were obtained. All IDW was characterized as non-hazardous waste and disposed of by Veolia ES Technical Solutions. Disposal documentation is included in **Appendix C**.

2.6 Data Interpretation

2.6.1 Treatment of Non-Detect Data

Scaling censored (non-detected) data was performed for dioxin/furan toxicity equivalent (TEQ) calculations for sediment and tissue with the goal to provide an accurate and consistent way to estimate TEQ values by eliminating false positives and false negatives from the final data set.

The sediment and tissue dioxin/furan data was input into a United States Environmental Protection Agency (USEPA) TEQ Kaplan Meier (KM) calculator which includes calculations that support a simple, quasi-sensitivity analysis that examines the effect of various ways of handling non-detect or rejected (R-flagged) analytical data results within a sample's congener profile. The

TEQ KM Calculator utilized 1998 World Health Organization (WHO) toxicity equivalency factors (TEFs) for fish (TEQ KM Fish value). The calculator was used to determine the TEQ KM Fish value for dioxin/furan sediment analysis. The tissue dioxin/furan data was calculated by Bay West. The tissue dioxin/furan data was calculated twice. The non-detect analytical data was calculated by taking half of the detection limit value. Once using the WHO 2005 TEFs for human health and a second time using the WHO 1998 TEF for fish. TEQ KM Fish sediment quality target (SQT) results are shown in **Figure 6** and **Figure 8**.

The fish tissue mercury, methylmercury, TEQ KM Human Health (HH), and TEQ KM Fish data was input into the USEPA ProUCL Oneway Analysis of Variance (ANOVA) statistics calculator. The ANOVA module has both classical and nonparametric Kruskal-Wallis (K-W) tests and is used to compare means (or medians) of multiple groups such as comparing mean concentrations of areas of concern and to perform inter-sample comparisons. Classical Oneway ANOVA tests were used to determine statistical differences in each trophic level between the Site and Boulder Lake Reservoir (reference Site).

2.6.2 Sediment Quality Targets (SQTs)

Numerical SQTs, adopted for use in the SLR AOC to protect benthic invertebrates, can be used throughout Minnesota as benchmark values for making comparisons to sediment chemistry measurements. Level 1 and Level 2 SQTs for the protection of sediment-dwelling organisms are available for 8 trace metals, 13 individual polynuclear aromatic hydrocarbons (PAHs), total PAHs (all 13 priority PAHs), total polychlorinated biphenyls (PCBs), and 10 organochlorine pesticides. In addition, Level 1 and Level 2 SQTs for COCs were adopted for the protection of fish, as insufficient information is available for sediment-dwelling organisms. SQTs are highly useful when evaluating risk for a specific compound or a group of compounds (i.e., total PCBs and total PAHs).

Contaminant concentrations below the Level 1 SQTs are unlikely to have harmful effects on sediment-dwelling organisms (i.e. benthic invertebrates). Contaminant concentrations above the Level 2 SQTs are more likely to result in harmful effects to benthic invertebrates (MPCA, 2007). Based on conversations with the MPCA, a qualitative comparison value midway between the Level 1 SQTs and Level 2 SQTs (i.e., midpoint SQT) will be used as conservative criteria to identify, rank, and prioritize sediment-associated contaminants within the Site.

2.6.3 Sample Interval Categorization

Sediment samples were collected from horizons (A, B, and C) within the sediment core, in accordance with the FSP. Horizons were determined by core length, recovery, and the observation of anthropogenic materials, such as sheens, staining, or non-native debris. Because of varying core lengths and recovery, sediment sample collection depth was not consistent between sample locations. In order to spatially evaluate analytical results and sediment screening criteria comparisons between sample locations, sediment samples were categorized into depth intervals. Sediment intervals and the methods for categorizing sediment samples into intervals were determined through discussions with the MPCA. Sediment samples were categorized into four intervals based on the depth of collection. The intervals focus on the stratigraphy of contamination within the bioactive zone (BAZ), which is assumed to be the upper meter of sediment. The intervals are as follows:

- 0.0 to 0.15 meter;
- 0.15 to 0.50 meter;
- 0.50 to 1.00 meter; and
- >1.0 meter.

Each sediment sample was categorized into one of the three intervals if at least 25% of the sample length was within an interval. For example, if a sample was collected from 0.30 to 0.55 meter below the sediment surface, the sample would be categorized in the 0.15 to 0.50-meter category. Occasionally, 25% of a sample was collected within two intervals. For example, if a sample was collected from 0.64 to 1.15 meters, 71% of the upper portion of the sample is within the 0.50 to 1.00-meter interval, and 29% of the lower portion of the sample is within the >1.00-meter interval. In these cases, the sample was considered in the discussion and evaluation of both the 0.5 to 1.00-meter interval and the >1.00-meter interval.

3.0 SUMMARY OF RESULTS

This section summarizes the results obtained from field activities.

3.1 Sample Depth and Sediment Recovery

The sampling objective at the Site, as outlined within the FSP, was to collect surface sediment samples and sediment samples for vertical and horizontal extent of Site contaminants.

As stated in **Section 2.1.1**, surface sediment samples were collected using a Wildco Petite Ponar sampler. Grab sample recovery was a 100%.

As stated in **Section 2.1.2**, additional sediment samples were collected using a check valve push core sampler. The sampler was advanced from the sediment surface to an average depth of 0.49 meter below sediment surface (bss) at the Site. Refusal was encountered at five of the eight locations sampled. Refusal appeared to be due to clay and gravel layers encountered below an average 2.07 meters bss, creating increased resistance as the sampler was advanced. The average sediment recovery was approximately 82%, not achieving sediment recovery goals for the Site due to refusal at multiple locations.

Completed sediment collection logs and photographs of sediment prior to processing are included in **Appendix A. Table 1** and **Table 2** provide a summary of sample locations, water depths, sediment elevations, type of sample collected, and number of samples from each location.

3.2 Sediment Chemistry Data

The following discussion presents the summarized sediment analytical results from samples obtained from 17 locations collected during the September and October 2016 sampling event at the Site. Analytical results are presented with respect to the following depth intervals: 0.0 to 0.15 meters, 0.15 to 0.5 meter, 0.5 to 1.0 meter, and >1.0 meter. An explanation of sample interval calculations can be found in the **Section 2.5**.

Laboratory analyses and sampling frequency selected for sediment samples collected at the Site include the following:

- Mercury by SW-7471B (100%); and
- Dioxins and furans by SW-846 8290A (100%).

Table 5 provides a summary of sediment samples and laboratory analyses selected for each sample. Analytical results are presented in **Table 8** and **Table 9**, and laboratory analytical reports are included in **Appendix D. Figure 5** and **Figure 6** present analytical results for mercury and dioxin/furans at distinct intervals compared to their respective SQTs. The following sections present a summary of analytical results and calculations.

3.2.1 Mercury (Sediment)

All sediment samples were analyzed for mercury, and results were screened in comparison to the respective SQT values. The following table summarizes the mercury results. Mercury SQT results are illustrated in **Figure 5**.

Level I SQT exceedances occurred in samples BW16TR-004, BW16TR-006, BW16TR-007, and BW16TR-012 in the 0 to 0.15 and 0.15 to 0.5 meter intervals. The SQT Midpoint was exceeded in sample BW16TR-001 in the 0.15 to 0.5-meter interval. Level II SQT was exceeded in BW16TR-002 in the 0.15 to 0.50 and BW16TR-011 in the 0.5 to 1.0-meter interval. The maximum concentration of mercury (2.2 mg/kg) was identified at location BW16TR-011 in the 0.5 to 1.0-meter interval.

Sample Name	Sample Interval (meter)	Result (mg/kg)	Results Qualifier
BW16TR-001-0.0-0.15	0.0-0.15	0.13	
BW16TR-001-0.15-0.35	0.15-0.5	0.65	J
BW16TR-002-0.0-0.15	0.0-0.15	0.096	
BW16TR-002-0.30-0.55	0.15-0.5	1.1	J
BW16TR-003-0.0-0.15	0.0-0.15	0.072	
BW16TR-003-0.27-0.52	0.15-0.5	0.13	
BW16TR-004-0.0-0.15	0.0-0.15	0.054	
BW16TR-004-0.21-0.46	0.15-0.5	0.50	
BW16TR-005-0.0-0.15	0.0-0.15	0.13	
BW16TR-005-0.23-0.48	0.15-0.5	0.10	
BW16TR-006-0.0-0.15	0.0-0.15	0.098	
BW16TR-006-0.15-0.28	0.15-0.5	0.39	
BW16TR-007-0.0-0.15	0.0-0.15	0.050	
BW16TR-007-0.26-0.51	0.15-0.5	0.38	
BW16TR-008-0.0-0.15	0.0-0.15	0.050	
BW16TR-009-0.0-0.15	0.0-0.15	0.055	
BW16TR-010-0.0-0.15	0.0-0.15	0.068	
BW16TR-010-0.15-0.38	0.15-0.5	0.075	
BW16TR-011-0.0-0.15	0.0-0.15	0.12	
BW16TR-011-0.60-0.85	0.5-1.0	2.2	
BW16TR-012-0.0-0.15	0.0-0.15	0.56	
BW16TR-013-0.0-0.15	0.0-0.15	0.10	
BW16TR-014-0.0-0.15	0.0-0.15	0.077	
BW16TR-014-0.15-0.38	0.15-0.5	0.087	
BW16TR-015-0.0-0.15	0.0-0.15	0.088	
BW16TR-015-0.15-0.36	0.15-0.5	0.15	
BW16TR-017-0.0-0.15	0.0-0.15	0.13	
BW16TR-018-0.0-0.15	0.0-0.15	0.12	

Notes:

J = estimated value

mg/kg = milligrams/kilogram

SQT = Sediment Quality Target

Values highlighted in yellow indicate concentration exceeding SQT Level I (0.18 mg/kg).

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II (0.64 mg/kg).

Values highlighted in red indicate concentration exceeding SQT Level II (1.1 mg/kg).

3.2.2 Dioxins/Furans (Sediment)

The following table summarizes dioxin/furan concentrations as TEQ KM Fish for Site sediment samples with respect to the dioxin TEQ KM for aquatic health (fish), calculated as described in **Section 2.6.1** and compared to the respective SQTs.

FINAL Technical Memorandum
Thomson Reservoir – Carleton, MN

Sample Name	Sample Interval (meter)	TEQ KM Fish Results	Result Qualifier
BW16TR-001-0.0-0.15	0.0-0.15	17.599	
BW16TR-001-0.15-0.35	0.15-0.50	40.768	
BW16TR-002-0.0-0.15	0.0-0.15	4.2386	J
BW16TR-002-0.30-0.55	0.15-0.50	671.1	J
BW16TR-003-0.0-0.15	0.0-0.15	8.0509	J
BW16TR-003-0.27-0.52	0.15-0.50	9.5693	J
BW16TR-004-0.0-0.15	0.0-0.15	2.7601	J
BW16TR-004-0.21-0.46	0.15-0.50	11.4242	
BW16TR-005-0.0-0.15	0.0-0.15	12.3498	
BW16TR-005-0.23-0.48	0.15-0.50	6.7474	J
BW16TR-006-0.0-0.15	0.0-0.15	5.3182	J
BW16TR-006-0.15-0.28	0.15-0.50	17.678	
BW16TR-007-0.0-0.15	0.0-0.15	4.5554	J
BW16TR-007-0.26-0.51	0.15-0.50	8.4865	J
BW16TR-008-0.0-0.15	0.0-0.15	18.5059	
BW16TR-009-0.0-0.15	0.0-0.15	0.407	J
BW16TR-010-0.0-0.15	0.0-0.15	5.1709	J
BW16TR-010-0.15-0.38	0.15-0.50	4.2465	J
BW16TR-011-0.0-0.15	0.0-0.15	4.443	J
BW16TR-011-0.60-0.85	0.5-1.0	143.536	
BW16TR-012-0.0-0.15	0.0-0.15	134.253	
BW16TR-013-0.0-0.15	0.0-0.15	7.895	
BW16TR-014-0.0-0.15	0.0-0.15	3.0314	J
BW16TR-014-0.15-0.38	0.15-0.50	8.3836	
BW16TR-015-0.0-0.15	0.0-0.15	4.2794	J
BW16TR-015-0.15-0.36	0.15-0.50	13.04	J
BW16TR-017-0.0-0.15	0.0-0.15	5.4032	J
BW16TR-018-0.0-0.15	0.0-0.15	6.1638	

Notes:

J = estimated value

ng TEQ/kg = nanograms of dioxin toxicity equivalent per kilogram

SQT = Sediment Quality Target

TEQ = dioxin toxicity equivalent

Values highlighted in yellow indicate concentration exceeding SQT Level I (0.85 ng TEQ/kg).

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II (11.2 ng TEQ/kg).

Values highlighted in red indicate concentration exceeding SQT Level II (21.5 ng TEQ/kg).

TEQ values calculated using the USEPA Advanced Kaplan-Meier TEQ Calculator.

Dioxins analyzed by EPA Method SW8290.

For TEQ KM Fish, Level 1 SQT exceedances occurred in multiple samples. Midpoint SQT exceedances occurred in BW16TR-001, BW16TR-004 through BW16TR-006, BW16TR-008, and BW16TR-015 in the 0.0 to 0.15 and 0.15 to 0.50 meter intervals. Level II SQT exceedances occurred in the 0.0 to 0.15-meter interval at BW16TR-012. In the 0.15 to 0.50-meter interval at BW16TR-001 and BW16TR-002. Finally, in the 0.50 to 1.0-meter interval at BW16TR-011. The maximum concentration of TEQ KM FISH (671.1 ng TEQ/kg) was identified in the 0.0 to 0.15 and 0.15 to 0.50 meter intervals at location BW16TR-002.

3.3 Physical Sediment Characterization

Surface sediment samples collected at the Site generally contained dark brown to very dark brown silt loam.

Deeper sediment samples collected at the Site, up to a maximum depth of 0.85 meter, generally contained dark brown to very dark brown silt loam or silt clay, consisting of up to 50% fibrous woody debris. In sample locations BW16TR-001, BW16TR-014, and BW16TR-015 the silty loam was underlain by a peat layer up to a depth of 0.35 meters. A firm dark brown clay to silty clay was observed within the bottommost sediments in core samples collected from locations BW16TR-001, BW16TR-014, and BW16TR-015.

3.3.1 Grain Size

Grain size distribution was analyzed in 100% of sample locations to meet site investigation objectives presented in the FSP. The following table summarizes this grain size analysis. Grain size distribution charts are presented in laboratory analytical reports included in **Appendix D**.

Sample ID (depth interval [meters])	Soil Classification	Percent +3 inches	Percent Gravel		Percent Sand			Percent Fines		d10
			Coarse	Fine	Coarse	Medium	Fine	Silt	Clay	Percent Finer
BW16TR-001 (0.0–0.15)	Silt	0	0	0	0	3	8	61	28	100
BW16TR-001 (0.15–0.35)	Silt	0	0	0	0	0	2	65	33	100
BW16TR-002 (0.0–0.15)	Silt with Sand	0	0	0	0	1	21	57	21	100
BW16TR-002 (0.30–0.55)	Silt	0	0	0	0	0	5	69	26	100
BW16TR-003 (0.0–0.15)	Silt with Sand	0	0	0	0	2	25	62	11	100
BW16TR-003 (0.27–0.52)	Silt with Sand	0	0	0	0	2	25	62	11	100
BW16TR-004 (0.0–0.15)	Sandy Silt	0	0	0	0	2	16	68	14	100
BW16TR-004 (0.21–0.46)	Silt	0	0	0	0	1	12	70	17	100
BW16TR-005 (0.0–0.15)	Silt	0	0	0	0	1	8	74	17	100
BW16TR-005 (0.23–0.48)	Silt	0	0	0	0	1	6	74	19	100

FINAL Technical Memorandum
Thomson Reservoir – Carleton, MN

Sample ID (depth interval [meters])	Soil Classification	Percent +3 inches	Percent Gravel		Percent Sand			Percent Fines		d10
			Coarse	Fine	Coarse	Medium	Fine	Silt	Clay	Percent Finer
BW16TR-006 (0.0–0.15)	Sandy Silt	0	0	0	0	2	38	46	14	100
BW16TR-006 (0.15–0.28)	Silt	0	0	0	0	1	13	69	17	100
BW16TR-007 (0.0–0.15)	Silt with Sand	0	0	0	0	1	17	69	13	100
BW16TR-007 (0.26–0.51)	Sandy Silt	0	0	0	0	8	35	45	12	100
BW16TR-008 (0.0–0.15)	Sandy Silt	0	0	0	0	5	43	41	11	100
BW16TR-009 (0.0–0.15)	Poorly Graded Sand	0	0	0	1	58	37	3	1	99
BW16TR-010 (0.0–0.15)	Silty Sand	0	0	2	2	10	41	36	9	96
BW16TR-010 (0.15–0.38)	Silt with Sand	0	0	0	0	4	22	62	12	100
BW16TR-011 (0.0–0.15)	Silt	0	0	0	0	0	6	73	21	100
BW16TR-011 (0.60–0.85)	Silt	0	0	0	0	0	2	71	27	100
BW16TR-012 (0.0–0.15)	Silt	0	0	0	1	1	2	66	30	99
BW16TR-013 (0.0–0.15)	Silt	0	0	0	0	1	1	65	33	100
BW16TR-014 (0.0–0.15)	Silt	0	0	0	0	0	3	72	25	100
BW16TR-014 (0.15–0.38)	Silt	0	0	0	0	0	3	82	15	100
BW16TR-015 (0.0–0.15)	Silt	0	0	0	0	0	10	63	27	100
BW16TR-015 (0.15–0.36)	Silt	0	0	0	0	0	4	71	25	100
BW16TR-017 (0.0–0.15)	Silt	0	0	0	0	3	5	63	29	100
BW16TR-018 (0.0–0.15)	Silt with Sand	0	0	0	0	5	19	55	21	100

3.3.1.1 Total Organic Carbon

TOC analyses were performed on all sediment samples collected. A summarized results table is presented as follows, a full table with TOC results summarized can be found in **Table 6**.

TOC results ranged from 3,940 to 50,900 milligrams per kilogram (mg/kg); the average TOC value was 29,448 mg/kg.

Sample Name	Sample Depth Start (meters)	Sample Depth End (meters)	Result (mg/kg)
BW16TR-001-0.0-0.15	0	0.15	25100
BW16TR-001-0.15-0.35	0.15	0.35	31800
BW16TR-002-0.0-0.15	0	0.15	26100
BW16TR-002-0.30-0.55	0.3	0.55	43800
BW16TR-003-0.0-0.15	0	0.15	30400
BW16TR-003-0.27-0.52	0.27	0.52	27900
BW16TR-004-0.0-0.15	0	0.15	23900
BW16TR-004-0.21-0.46	0.21	0.46	37500
BW16TR-005-0.0-0.15	0	0.15	45700
BW16TR-005-0.23-0.48	0.23	0.48	26600
BW16TR-006-0.0-0.15	0	0.15	19500
BW16TR-006-0.15-0.28	0.15	0.28	50900
BW16TR-007-0.0-0.15	0	0.15	27300
BW16TR-007-0.26-0.51	0.26	0.51	44100
BW16TR-008-0.0-0.15	0	0.15	20500
BW16TR-009-0.0-0.15	0	0.15	3940
BW16TR-010-0.0-0.15	0	0.15	32800
BW16TR-010-0.15-0.38	0.15	0.38	33700
BW16TR-011-0.0-0.15	0	0.15	42500
BW16TR-011-0.60-0.85	0.6	0.85	33000
BW16TR-012-0.0-0.15	0	0.15	19500
BW16TR-013-0.0-0.15	0	0.15	29500
BW16TR-014-0.0-0.15	0	0.15	21300
BW16TR-014-0.15-0.38	0.15	0.38	21400
BW16TR-015-0.0-0.15	0	0.15	22200
BW16TR-015-0.15-0.36	0.15	0.36	23300
BW16TR-017-0.0-0.15	0	0.15	25700
BW16TR-018-0.0-0.15	0	0.15	34600

Notes:
 mg/kg = milligrams/kilogram

3.4 Tissue Chemistry Data

The following discussion presents the summarized analytical results from samples obtained from five locations (BW16TR-HD-001, BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018) collected during the September and October 2016 sampling event at the Site.

Laboratory analyses and sampling frequency selected for tissue samples collected at the Site include the following:

- Mercury by SW-846 7471B (100%);
- Methyl Mercury by EPA 1630 (100%); and
- Dioxins and furans by SW-846 8290A (83%).

Tissue samples were either collected from in situ benthic macroinvertebrates from pre-selected sample locations or were grown ex situ in the lab from sediment collected from the sample location. The following tables specify whether tissue was in situ or ex situ and which species of benthic macroinvertebrate was sampled. **Table 1** provides a summary of tissue samples and laboratory analyses selected for each sample. Analytical results are presented in **Table 10** through **Table 12**, and laboratory analytical reports are included in **Appendix D. Figure 7** through **Figure 8** present bioaccumulation data. The following sections present a summary of analytical results and calculations.

3.4.1 Mercury and Methylmercury (Tissue)

3.4.1.1 *Benthic Macroinvertebrate Tissue*

The following table summarizes the sample results for the total observed range of mercury and methylmercury for Site in situ benthic macroinvertebrate tissue samples.

In Situ Benthic Macroinvertebrate Tissue				
Species	Mercury (mg/kg)		Methylmercury (µg/kg)	
	Range	Average	Range	Average
Crayfish	0.036	0.036	2.7	2.7
Macro*	0.036	0.036	34	34
Site Average	0.036	0.036	18.4	18.4
Reference Sample – Boulder Lake				
HD^b Sampler^{*a}	0.032	0.032	4.3	4.3

Notes:

^aOnly one sample analyzed, data range and average were not applicable

^bHester-Dendy Sampler

*Sample weight was subsidized with additional macroinvertebrates sampled from Boulder Lake by Bay West

mg/kg = milligrams per kilogram

µg/kg = micrograms per kilogram

Average mercury results for in situ tissue observed for all species as compared to the reference sample appear to be comparable. Average methylmercury results for in situ tissue observed for all species as compared to the reference sample appear to be over double. For the methylmercury, the HD sampler tissue results were observed to have a higher concentration of methylmercury than crayfish or the reference HD sampler tissue. Crayfish tissue at the Site were found to have less methylmercury than the reference HD sampler tissue. The greater variation observed in methylmercury tissue results may be an indication that bioaccumulation of methylmercury is likely impacted by both contaminate distribution and benthic macroinvertebrate species type and possibly life cycle stage. Due to the variety in species and sampling methods between the Site and reference site, a one-way ANOVA test was not performed.

The following table summarizes the sample results for the total observed range of mercury and methylmercury for Site ex situ *Lumbriculus variegatus* tissue samples.

Ex Situ Benthic Macroinvertebrate Tissue						
Species	Number of Samples Locations	Duration of Bioaccumulation Test (days)	Mercury (mg/kg)		Methylmercury (µg/kg)	
			Range	Average	Range	Average
Lumbriculus variegatus¹	4	28	0.030–0.038	0.035	0.19–0.25	0.22
Reference Sample – Boulder Lake						
Lumbriculus variegatus^{2*}	1	28	0.038	0.038	0.15	0.15
Reference Sample – Background						
Lumbriculus variegatus^{3*}	1	0	0.038	0.038	0.088	0.088

Notes:

**Only one sample analyzed, data range and average were not applicable*

¹Lab grown in Site sediment samples

²Lab grown in Boulder Lake sediment samples

³Lab grown in lab supplied sediment samples

mg/kg = milligrams per kilogram

µg/kg = micrograms per kilogram

For ex situ, benthic macroinvertebrate samples life cycle stage and species type are comparable. Mercury concentrations in the in situ samples were all non-detect. As observed in in situ samples, average mercury appears to be comparable between the Site and the reference samples. Methylmercury appears to be an order of magnitude higher than the background sample and comparable to the reference sample. Due to the variety in species and sampling methods between the Site and reference site, a one-way ANOVA test was not performed.

3.4.1.2 Fish Tissue

The following table summarizes mercury and methylmercury results for Site fish tissue samples by fish species.

Mercury and methylmercury concentrations for Site fish samples versus reference samples were observed to be within the same order of magnitude. When comparing mercury concentrations by species, tissue samples appear to have similar average mercury values or in some instances the reference site samples were observed to have larger concentrations of mercury. When comparing methylmercury by species Shiner and Walleye appear to have higher concentrations in the reference samples where White Sucker and Yellow Perch appear to be lower in the reference samples. As observed in benthic macroinvertebrate tissue samples variations may be attributed to fish life cycle stage.

Trophic Level 4, carnivorous fish, appear to have the greatest levels of mercury and methylmercury with the exception of the black clappie from the reference Site. The black clappie has the highest concentration of mercury in comparison to the other fish sampled for Site and reference Site data. The trophic level associated with the black clappie is 3.8, the upper half of trophic Level 3.

Bioconcentration of mercury and methylmercury appears to increase as trophic level increases, consistent with common understanding of bioconcentration in fish trophic levels. Bottom feeding fish, lower trophic levels, accumulate less contaminant. As trophic level increases, fish are more predatory, eating lower trophic level fish and accumulating higher concentrations of contaminant.

Fish Tissue							
Fish Species	Total Number of Fish	Total Weight of Fish (g)	Trophic Level	Mercury (mg/kg)		Methylmercury (µg/kg)	
				Range	Average	Range	Average
Walleye ¹	3	932	4.5	0.17	0.17	200	200
Northern Pike ¹	3	539	4.1	0.066	0.066	78	78
Yellow Perch	7	1640	3.7	0.053–0.085	0.074	49–74	65
Smallmouth Bass	27	5735	3.6	0.078–0.22	0.142	70–220	132
Rock Bass	11	400	3.4	0.049–0.11	0.080	83–92	88
White Sucker	9	8441	2.8	0.086–0.12	0.1065	94–110	106
Reference Sample – Boulder Lake							
Walleye	10	420	4.5	0.098–0.13	0.120	130–140	136.7
Black Clappie ¹	6	116	3.8	0.68	0.68	53	53
Yellow Perch	26	841	3.7	0.068–0.077	0.073	54–65	58
Rock Bass ¹	9	208	3.4	0.077	0.077	76	76
White Sucker	9	9289	2.8	0.051–0.071	0.059	57–110	82.67
Shiner Mix	12	467	2.1	0.064–0.071	0.068	62–65	63

Notes:

¹Only one sample analyzed, data range and average were not applicable.

mg/kg = milligrams per kilogram

µg/kg = micrograms per kilogram

A Classical Oneway ANOVA test was completed using fish tissue concentrations to determine if there is a statistically significant difference between tissue concentrations from Site fish and reference area Fish, for any given trophic level. The following table summarizes the mercury and methylmercury Classical Oneway ANOVA test results for Site and reference fish tissue samples by fish species and trophic level, calculated as described in **Section 2.6.1**.

Methylmercury concentrations were observed to have greater statistical variation between trophic levels. Trophic Level 2, bottom feeders, showed statistically significant differences between fish collected from the Site and reference Site. Trophic Level 3 fish appear to be comparable between Site fish tissue samples and reference samples. The fish tissue mercury and methylmercury concentrations within trophic Level 4 were not able to be statistically calculated, due to insufficient data. The Classical Oneway ANOVA statistics tests are included in **Appendix E**.

Fish Tissue			
Fish Species	Trophic Level	Mercury (p-value)	Methylmercury (p-value)
Walleye	4.5	NC	NC
Northern Pike ¹	4.1		
Black Clappie ²	3.8	0.213	0.114
Yellow Perch	3.7		
Smallmouth Bass ¹	3.6		
Rock Bass	3.4		
White Sucker	2.8	0.00215	0.0376
Shiner Mix ²	2.1		

Notes:

¹Fish species only collected from Thomson Reservoir

²Fish species only collected from Boulder Lake Reservoir

Bold values indicate statistically significant difference between site trophic level species and reference area trophic level species.

NC = Not Calculated. Insufficient data to complete the Classical Oneway ANOVA statistics tests.

A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in mean/median characteristics of the various groups at 0.05 or other selected level of significance

A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.

3.4.2 Dioxins/Furans (Tissue)

3.4.2.1 Benthic Macroinvertebrate Tissue

The following table summarizes the total observed range of dioxins/furans (as TEQ Fish) for Site ex situ Lumbriculus variegatus tissue samples. In situ tissue samples were not analyzed for dioxins/furans because of insufficient benthic macroinvertebrate volume collected from the Site.

Ex Situ Benthic Macroinvertebrate Tissue				
Benthic Macroinvertebrate Species	Number of Samples Locations	Duration of Bioaccumulation Test (days)	TEQ Fish (ng TEQ/kg)	
			Range	Average
Lumbriculus variegatus ¹	4	28	0.16–0.26	0.22
Reference Sample – Boulder Lake				
Lumbriculus variegatus ^{2*}	1	28	0.09	0.09
Reference Sample – Background				
Lumbriculus variegatus ³	1	0	0.06	0.06

Notes:

¹Lab grown in Site sediment samples

²Lab grown in Boulder Lake sediment samples

³Lab grown in lab supplied sediment samples

ng TEQ/kg = nanograms of dioxin toxicity equivalency per kilogram

*For TEQ Fish calculations, TEQ values with non-detect values were set to half of the Detection Limit value

Ex situ average TEQ Fish for the Site were observed to be within the same order of magnitude as the reference sample and background Day 0 sample; however, almost double the reference and background Day 0 samples. Ex situ average TEQ Fish for the Site is greater than both the reference sample and background Day 0 sample, indicating that benthic organisms exposed to site sediments likely bioaccumulate dioxins/furans.

3.4.2.2 Fish Tissue

The following table summarizes dioxin/furans concentrations as TEQ calculation results for Fish TEFs (TEQ Fish) and Human Health TEFs (TEQ HH), calculated as described in **Section 2.6.1** detected in Site fish tissue samples and reference site samples.

Fish Tissue							
Fish Species	Total Number of Fish	Total Weight of Fish (g)	Trophic Level	TEQ Fish (ng TEQ/kg) ²		TEQ HH* (ng TEQ/kg) ³	
				Range	Average	Range	Average
Walleye ¹	3	932	4.5	0.29	0.29	0.32	0.32
Northern Pike ¹	3	539	4.1	0.25	0.25	0.27	0.27
Yellow Perch	7	1640	3.7	0.43–0.72	0.54	0.46–0.77	0.57
Smallmouth Bass	27	5735	3.6	0.13–0.73	0.40	0.11–0.66	0.36
Rock Bass	11	400	3.4	0.08–0.27	0.18	0.09–0.28	0.19
White Sucker	9	8441	2.8	0.30–0.84	0.61	0.35–1.06	0.70
Reference Sample – Boulder Lake							
Walleye	10	420	4.5	0.05–0.16	0.09	0.05–0.18	0.09
Black Clappie ¹	6	116	3.8	0.05	0.05	0.05	0.05
Yellow Perch	26	841	3.7	0.05–0.07	0.06	0.04–0.07	0.06
Rock Bass ¹	9	208	3.4	0.06	0.06	0.06	0.06
White Sucker	9	9289	2.8	0.06–0.11	0.11	0.06–0.11	0.11
Shiner Mix	12	467	2.1	0.04–0.49	0.20	0.04–0.50	0.20

Notes:

*HH = Human Health

¹Only one sample analyzed; data range and average were not applicable.

²For TEQ Fish calculations, the TEQ values with non-detect values were set half the detection limit value.

³For TEQ HH calculations, the TEQ values with non-detect values were set to half the detection limit value.

ng TEQ/kg = nanograms of dioxin toxicity equivalent per kilogram

Fish tissue samples from the Site for TEQ Fish appear to be slightly higher for Site TEQ Fish versus reference sample TEQ Fish. TEQ HH appears to generally be an order of magnitude larger than TEQ HH values observed for the reference sample. TEQ Fish values for fish tissue samples from the Site are typically greater than TEQ Fish values for fish tissue samples from the reference site. Dioxin/furan concentrations in trophic Level 2 species exceeds concentrations in Level 3 and Level 4 species at the Site and the reference site. TEQ HH values for the Site are greater than those at the reference site by an order of magnitude. For the Site and the reference site, trophic Level 2 exceeds Level 3 and Level 4 values.

Overall, dioxin/furan concentrations in fish collected from the Site are greater than reference site, indicating conditions at the Site are resulting in the bioaccumulation of dioxins/furans in fish at the Site.

A Classical Oneway ANOVA test was completed using fish tissue concentrations to determine if there is a statistically significant difference between tissue concentrations from Site fish and reference area Fish, for any given trophic level. The following table summarizes the TEQ Fish and TEQ HH Classical Oneway ANOVA test results for Site and reference fish tissue samples by fish species and trophic level, calculated as described in **Section 2.6.1**.

Fish Tissue			
Fish Species	Trophic Level	TEQ Fish (p-value)	TEQ HH (p-value)
Walleye	4.5	NC	NC
Northern Pike¹	4.1		
Black Clappie²	3.8	0.01	0.00916
Yellow Perch	3.7		
Smallmouth Bass¹	3.6		
Rock Bass	3.4		
White Sucker	2.8	0.00598	0.0045
Shiner Mix²	2.1		

Notes:

¹Fish species only collected from Thomson Reservoir

²Fish species only collected from Boulder Lake Reservoir

Bold values indicate statistically significant difference between site trophic level species and reference area trophic level species.

NC = Not Calculated. Insufficient data to complete the Classical Oneway ANOVA statistics tests.

A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in mean/median characteristics of the various groups at 0.05 or other selected level of significance

A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.

Concentrations of dioxins/furans in fish tissue have a statistically significant difference between fish collected from the Site and reference Site in trophic Level 2 and 3. Although, fish tissue dioxin/furans concentrations within trophic Level 4 were not able to be statistically calculated, due to insufficient data, the significant differences between fish collected from the Site and reference Site indicate that conditions at the Site are resulting in the bioaccumulation of dioxins/furans in fish at the Site. The Classical Oneway ANOVA statistics tests are included in **Appendix E**.

3.5 Community Assessment Comparison Data

Community assessments were completed as described in **Section 2.4**. A summarized results table is presented as follows, the full table with specific benthic macroinvertebrate species identified can be found in **Table 7**.

FINAL Technical Memorandum
Thomson Reservoir – Carleton, MN

Location	Collection Information				Biotic Index Score ²	Biotic Health Score ³
	Date	Number of Ponar Grabs	Approximate Collection Area ¹ (cm)	Community Assessment Duration (min)		
BW16TR-008	9/27/2016	3	675	15	1.7	Poor
BW16TR-013	9/27/2016	3	675	15	0.0	Poor
BW16TR-016	9/27/2016	3	675	15	1.0	Poor
BW16TR-017	9/27/2016	3	675	15	0.0	Poor
BW16TR-018	9/27/2016	3	675	15	0.0	Poor
Boulder Lake Reservoir (Reference Sample)						
BW16BLR-001	9/20/2016	3	675	15	0.0	Poor

Notes:

¹Each grab = 15.2 cm x 15.2 cm (225 cm²)

²Biotic Index Score Calculation: <http://watermonitoring.uwex.edu/pdf/level1/datasheets/data-Biotic2014.pdf>

³Biotic Health Score: Good: 2.6–2.5, Fair: 2.1–2.5, and Poor: 2.0–1.0

cm = centimeters

min = minutes

4.0 DATA QUALITY REVIEW

4.1 Analytical Data QA/QC Review

In accordance with the St. Louis River Sediment Area of Concern QAPP dated July 2014 and the QAPP Addendum dated February 2015, data verification was performed on the following organic and inorganic analyses: mercury, methylmercury, dioxin/furans, and TOC. A cursory review was performed on grain size. All data was collected and samples were analyzed by Pace, Axys, or GLEC, Minnesota Department of Health (MDH) Environmental Laboratory Accreditation Program (ELAP)-accredited laboratories. The following table describes methods and percentage of total samples for each parameter.

Parameter	Media ^b	Total Samples	Percentage of Total Sampled	Analytical Method
Mercury	Sediment	28	100%	SW-846 Method 7471B
Dioxins/Furans	Sediment	28	100%	SW-846 Method 8290A
TOC	Sediment	28	90%	SW-846 Method 9060A
Grain size	Sediment	28	100%	ASTM D422
Percent Moisture	Sediment	28	from BW16BR-002 through 005 from BW16BR-002 through 005	ASTM D2974-07
Total Mercury	Benthic Tissue	8 ^a	100%	SW-846 7471B
Methylmercury	Benthic Tissue	8 ^a	100%	EPA Method 1630
Dioxins/Furans	Benthic Tissue	6 ^a	83%	SW-846 Method 8290A

Notes:

a = Samples included Macrobenthos composite of samples 008, 013, 016, 017, & 018; Macrobenthos composite included samples BW16BR-002 through 005.

b = Fish samples were not included in this table because the MPCA and USACE collected the fish samples and the USEPA was responsible for the QA/QC for fish tissue analysis.

In general, the areas covered by the data verification process included reviewing the following:

- CoC records;
- Technical holding times and preservation;
- Laboratory and field QC reporting forms (method blanks, rinsate blanks, surrogates, laboratory control samples [LCSs], laboratory control sample duplicates [LCSDs], and MS/MSDs, as appropriate);
- Required analytical methods;
- Reporting limits;
- Case narrative;
- Completeness of Results; and
- Data usability (compliance with data quality objectives [DQOs]).

Level II Laboratory reports were provided by the laboratory and reviewed, so the following areas were not covered by the data verification:

- Tune summaries (gas chromatograph/mass spectrometer [GC/MS] only);
- Initial calibrations;
- Continuing calibrations;
- Internal standards;

- Target compound/analyte ID;
- Target Compound/analyte quantitation; and
- System performance.

As per the approved QAPP, data verification was performed by a Bay West Chemist and documented using the MPCA Laboratory Data Review Checklist. Data verification was performed by comparing the contents of the data packages and QA/QC results to the requirements in the QAPP, the respective analytical methods, and the laboratory SOPs. Additional qualifiers were added, as needed, and summarized in the MPCA Laboratory Data Review Checklists, included in **Appendix D**. All metals samples analyzed by SW-846 Method 6020A were analyzed at 20-fold dilution in accordance with the Pace SOP.

Field duplicates, MS/MSDs, method blanks, and rinsate blanks were collected and/or analyzed at required frequencies specified in the approved QAPP as follows. Field duplicates met or exceeded the required frequencies of 10% for the samples analyzed for mercury and dioxin/furans. MS analysis met or exceeded the required frequency of 5% for mercury and dioxin/furans. Rinsate blanks were collected daily (see **Section 2.5.2** for additional discussion), for mercury only as discussed in Section 4.6.4 of the FSP. Analytes detected in samples at concentrations less than 10% of the method blank or rinsate blank concentrations were qualified “U” as undetected.

Samples results were considered estimated if the sample results were associated with LCS/LCSD or MS/MSD recoveries outside QC limits. When LCS or MS/MSD recoveries were biased low, both detected and undetected sample results were flagged with a “J” or “UJ” to indicate that the concentration or reporting limit is considered estimated. When LCS or MS/MSD recoveries were biased high, only the detected results were qualified “J” as estimated. Only detected results were qualified “J” when relative percent differences were high in field duplicates, MS/MSDs, and LCS/LCSDs. All non-detect values were flagged with a “U.”

4.2 Interpretation of Concentrations Less Than Detection Limits

The MPCA Guidance: Laboratory Quality Control and Data Policy requires concentrations less than the reporting limit but above the method detection limits (MDLs) to be qualified with a “J” because they are considered estimated. Samples below the MDL were qualified with a “U.” Bay West replaced all “E,” “I,” and “P” Pace qualifiers with a “J” flag to indicate that the sample concentrations are considered estimated.

Since guidance for calculations of toxicity quotients do not prescribe which scaling factor for non-detect results should be used, non-detection values were set equal to the reporting limit for mercury and dioxin/furans.

4.3 Summary

Overall, no significant data quality discrepancies were observed. All data were verified and found acceptable, as qualified, and met DQOs. Additional information regarding data verification can be found in Laboratory Data Review Checklists in **Appendix D**.

5.0 DISCUSSION AND CONCLUSION

The following section describes the results obtained during the limited field activities.

All Community Assessment comparisons completed for BW16TR-008, BW16TR-013, BW16TR-016 through BW16TR-018 and BW16BLR-001 (reference site) surface sediments indicated that the benthic community health at these locations was poor to fair. Macroinvertebrate species diversity was low and species consisted only of pollutant tolerant and semi-tolerant macroinvertebrates for the Site and the reference Site. This assessment was completed at the very end of the organism growing season which likely skewed the outcome of the assessment; therefore, this data is considered inconclusive. Additional assessments would need to be completed during the growing season to develop a more definitive conclusion of benthic community quality at these locations.

Sediment samples were collected and analyzed for Site COCs to gather additional chemical data for delineation of extent and depth of contamination at the Site. Mercury sediment concentrations exceeded Midpoint and Level 2 SQTs in three samples, or 10% of the samples indicating mercury contamination appears to be occurring throughout the Site. Dioxin/furan sediment concentrations exceeded Midpoint and Level II SQTs in ten samples, or 32% of the samples, focused within the northeastern portion and western half of Thomson Reservoir. mercury exceedances were observed at depth in the 0.15–0.5 and 0.5–1.0 meter intervals and dioxin/furan exceedances were observed in the 0.0–0.15, 0.15–0.50, and 0.5-1.0 meter intervals indicating that deposition of contaminated sediment occurred historically and may still be occurring, or that sediment deposition in this area is minimal.

Two in situ macroinvertebrate tissue samples (macroinvertebrates and crayfish) were collected at one location BW16TR-HD-001. Sufficient in situ tissue volume could not be collected from BW16TR-008, BW16TR-013, BW16TR-017, and BW16TR-018; therefore, ex situ laboratory bioaccumulation testing was completed using the sediment collected from these four locations.

Benthic macroinvertebrates do not appear to bioaccumulate mercury due to exposure to Site sediments significantly more compared to reference samples. Benthic macroinvertebrate tissue results for mercury for both in situ and ex situ samples were also not observed to vary greatly between Site samples and reference/background samples. Based on these results, it appears that mercury would not migrate up the food chain to higher trophic levels significantly more than reference sites.

Benthic macroinvertebrates appear to bioaccumulate methylmercury due to exposure to Site sediments comparably more than the reference samples. The Site average for in situ methylmercury tissue concentration was almost double the reference Site. Additionally, concentrations varied between in situ species sampled, indicating that some organisms are bioaccumulating methylmercury more than others; however, methylmercury concentration variations in in situ tissue may be attributed to contaminant distribution, benthic species type and lifecycle, and age. Methylmercury in tissue from organisms exposed to Site sediments under controlled laboratory conditions (ex situ tissue) appears to be greater than the background day 0 sample and the reference sample, indicating that benthic organisms may be bioaccumulating methylmercury due to exposure to Site sediments. Methylmercury in site sediments appear to bioaccumulate in benthic tissue, indicating that this contaminant may migrate up the food chain to higher trophic levels significantly more than reference sites; however, there is limited data for methylmercury concentrations in sediment at the Site.

Fish tissue collection and testing of eight fish species within trophic Level 2 through 4, was completed by the MCPA, at the Site and reference site. Concentrations of mercury in fish tissue

were not observed to vary greatly between the Site and the reference Site. Statistically, mercury concentrations appear to be comparable to the reference sample and coincide trophic level for both Site fish tissue samples and reference samples. Concentrations of methylmercury in fish tissue were observed to have a statistically significant difference between fish collected from the Site and the reference site within trophic Level 2 only. Bioconcentration of mercury and methylmercury appear to increase as trophic level increases.

Benthic macroinvertebrates appear to bioaccumulate dioxins/furans due to exposure to Site sediments significantly more compared to reference samples. The dioxins/furans concentration in ex situ tissue is almost double the reference and background samples. These results indicate that dioxins/furans may migrate up the food chain to higher trophic levels significantly more than reference sites.

Fish tissue results for dioxins/furans, at the Site and the reference Site, showed trophic Level 2 exceeding Level 3 and Level 4 in fish tissue concentrations at both the Site and the reference site. This may be attributed to a preferential uptake of dioxin/furans in fish species at trophic Level 2. Dioxins/furans concentrations in fish tissue were greater in tissue collected from the Site compared to the reference site and concentrations have a statistically significant difference in trophic Level 2 and 3 between Site samples and reference Site samples. Bioconcentration of dioxins/furans appear to increase as trophic level increases and dioxins/furans are bioconcentrating significantly more at the Site compared to the reference site.

Based on the sediment and tissue testing results, dioxins/furans should be retained as a COC for the Site. Methylmercury also appears to be bioconcentrating in tissue at the Site significantly more than reference site and/or reference samples; however, there is insufficient analytical data to determine whether methylmercury should be considered a COC for the Site. Additionally, future sediment investigations and/or potential Site remedies may require analysis of methylmercury.

6.0 REFERENCES

- Advanced Environmental Management Group (AEM Group), 2017. *2016 Tissue Analysis Project Plan for Duluth Reservoirs*, Draft Report, prepared for United States Army Corps of Engineers (USACE), March.
- Bay West LLC (Bay West), 2014. Final Quality Assurance Project Plan, St. Louis River Sediment Areas of Concern, Version 00. July.
- Bay West, 2016. *FINAL Focused Feasibility Study, Thomson Reservoir, St. Louis River, Duluth, St. Louis County, Minnesota*. (Bay West, 2016), June.
- Bay West, 2016. *FINAL Data Gap Investigation Field Sampling Plan, Thomson Reservoir, St. Louis River, Duluth, St. Louis County, Minnesota*. (Bay West, 2016), September.
- Crane, J.L., D.D. MacDonald, C.G. Ingersoll, D.E. Smorong, R.A. Lindskoog, C.G. Severn, T.A. Berger, and L.J. Field. 2000. Development of a framework for evaluating numerical sediment quality targets and sediment contamination in the St. Louis River Area of Concern. United States Environmental Protection Agency (USEPA), Great Lakes National Program Office, Chicago, IL. EPA-905-R-00-008.
- International Joint Commission, 2013. <http://www.ijc.org/rel/boards/annex2/buis.htm#table1>
- Schubauer-Berigan, M., and J.L. Crane, 1996. "Preliminary Contaminant Assessment of the Thomson, Forbay, and Fond Du Lac Reservoirs"; USEPA, Region V, Great Lakes National Program Office; Chicago, Illinois.
- Somat Engineering (Somat), 2012. *Sediment Investigation Report, Lower St. Louis River, Fond Du Lac Dam to Kingsbury Bay, Duluth, St. Louis County, Minnesota*. (Somat, 2012), August.
- USEPA, 2000. *Instructions on the Preparation of a Superfund Division Quality Assurance Project Plan*. Region V USEPA, Revision 0. (USEPA, 2000), June 5.
- USEPA, 2001. *EPA Requirements for Quality Assurance Project Plans*, EPA/240/B-01/003. (USEPA, 2001), March.
- USEPA, 2016. <https://www.epa.gov/land-research/proucl-software>

Tables

Table 1 - Sample Analysis Summary

Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Location	Sample ID	Sediment										Community Assessment	Tissue								
		Sample Interval (m)	Sample Type (G or C)	Chemical/Physical					Toxicity		Bioaccumulation		In Situ (Mayfly, Dragonfly, & Crawfish)	In Situ Hester Dendy (Macrobenthos & Crawfish)	Laboratory Exposed (Lumbriculus)	Grams Collected	Dioxins and furans by SW-846 8290A	Mercury by SW-846 7471B	Methyl Mercury EPA 1630	% LIPIDS	Type
Dioxins and furans by SW-846 8290A	Mercury by SW-846 7471B			TOC by SW-846 9060A	Grain size by ASTM D422	Percent moisture by ASTM D2216	10-d	28-d	28-d												
BW16TR-001	BW16TR-001-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-001-0.15-0.35	0.15-0.35	G	X	X	X	X	X													
	BW16TR-101-0.15-0.35	0.15-0.35	G	X	X			X													
	BW16TR-HD-001-MCRS	0.0-0.15	C										Macrobenthos		4		X		X		Composite (016, 017, 013, 008, & 018)
	BW16TR-HD-001-C	0.0-0.15	C										Crawfish		9		X		X		Composite (016, 013, & 008)
BW16TR-002	BW16TR-002-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-002-0.30-0.55	0.30-0.55	G	X	X	X	X	X													
BW16TR-003	BW16TR-003-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-003-0.27-0.52	0.27-0.52	G	X	X	X	X	X													
BW16TR-004	BW16TR-004-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-004-0.21-0.46	0.21-0.46	G	X	X	X	X	X													
BW16TR-005	BW16TR-005-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-005-0.23-0.48	0.23-0.48	G	X	X	X	X	X													
	BW16TR-105-0.23-0.48	0.23-0.48	G	X	X			X													
BW16TR-006	BW16TR-006-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-006-0.15-0.28	0.15-0.28	G	X	X	X	X	X													
BW16TR-007	BW16TR-007-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-007-0.26-0.51	0.26-0.51	G	X	X	X	X	X													
	BW16TR-107-0.26-0.51	0.26-0.51	G	X	X			X													
BW16TR-008	BW16TR-008-0.0-0.15	0.0-0.15	G	X	X	X	X	X			X	X			X	X	X	X	X		
BW16TR-009	BW16TR-009-0.0-0.15	0.0-0.15	G	X	X	X	X	X					X		X	X	X	X			
BW16TR-010	BW16TR-010-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-010-0.15-0.38	0.15-0.38	G	X	X	X	X	X													
BW16TR-011	BW16TR-011-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-011-0.60-0.85	0.60-0.85	G	X	X	X	X	X													
BW16TR-012	BW16TR-012-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
BW16TR-013	BW16TR-013-0.0-0.15	0.0-0.15	G	X	X	X	X	X			X	X	X	X	X	X	X	X	X		
BW16TR-014	BW16TR-014-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-014-0.15-0.38	0.15-0.38	G	X	X	X	X	X													
BW16TR-015	BW16TR-015-0.0-0.15	0.0-0.15	G	X	X	X	X	X													
	BW16TR-015-0.15-0.36	0.15-0.36	G	X	X	X	X	X													
BW16TR-016	BW16TR-016	0.0-0.15	G									X									
BW16TR-017	BW16TR-017-0.0-0.15	0.0-0.15	G	X	X	X	X	X			X	X	X	X	X	X	X	X	X		
BW16TR-018	BW16TR-018-0.0-0.15	0.0-0.15	G	X	X	X	X	X			X	X	X	X	X	X	X	X	X		
Boulder Lake Reservoir (Reference Sample)																					
BW16BR-001	BW16BR-HD-001-MCRS	0.0-0.15	C										Macrobenthos		17	X	X	X	X		
	BW16BLR-001-0.0-0.15	0.0-0.15	C	X	X	X	X			X	X			X		X	X	X	X	Composite from BW16BR-001 through 005	
BW16BR-002	BW16BR-002	0.0-0.15	C																	Chemistry Composite from BW16BR-002 through 005	
BW16BR-003	BW16BR-003	0.0-0.15	C																		
BW16BR-004	BW16BR-004	0.0-0.15	C																		
BW16BR-005	BW16BR-005	0.0-0.15	C																		

Notes:
Sampled
Summary does not include fish tissue or EPA-collected benthic tissue
Grab (G)
Composite (C)

Table 2 - Sample Locations
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Location	Sample ID	Poling Location		Water Depth (ft)	Date Sampled
		Longitude	Latitude		
BW16TR-001	BW16TR-001-0.0-0.15	-92.416279	46.673537	6.0	9/27/2016
	BW16TR-001-0.15-0.35				
	BW16TR-101-0.15-0.35				
	BW16TR-HD-001-C				
	BW16TR-HD-001-MCRS				
BW16TR-002	BW16TR-002-0.0-0.15	-92.413273	46.671111	10.2	9/27/2016
	BW16TR-002-0.30-0.55				
BW16TR-003	BW16TR-003-0.0-0.15	-92.413558	46.669569	7.1	9/27/2016
	BW16TR-003-0.27-0.52				
BW16TR-004	BW16TR-004-0.0-0.15	-92.414145	46.667646	2.6	9/27/2016
	BW16TR-004-0.21-0.46				
BW16TR-005	BW16TR-005-0.0-0.15	-92.408346	46.667397	8.1	9/27/2016
	BW16TR-005-0.23-0.48				
	BW16TR-105-0.23-0.48				
BW16TR-006	BW16TR-006-0.0-0.15	-92.402078	46.672651	4.2	10/6/2016
	BW16TR-006-0.15-0.28				
BW16TR-007	BW16TR-007-0.0-0.15	-92.401366	46.671843	5.1	10/6/2016
	BW16TR-007-0.26-0.51				
	BW16TR-107-0.26-0.51				
BW16TR-008	BW16TR-008	-92.416167	46.672033	20 ¹	9/27/2016
	BW16TR-008-0.0-0.15				
BW16TR-009	BW16TR-009-0.0-0.15	-92.403498	46.669742	2.3	10/6/2016
BW16TR-010	BW16TR-010-0.0-0.15	-92.400407	46.667956	0.8	10/6/2016
	BW16TR-010-0.15-0.38				
BW16TR-011	BW16TR-011-0.0-0.15	-92.395398	46.670441	5.0	10/6/2016
	BW16TR-011-0.60-0.85				
BW16TR-012	BW16TR-012-0.0-0.15	-92.392195	46.670553	3.1	10/6/2016
BW16TR-013	BW16TR-013	-92.392617	46.669583	5.6	9/27/2016
	BW16TR-013-0.0-0.15				
BW16TR-014	BW16TR-014-0.0-0.15	-92.396198	46.668093	4.5	10/6/2016
	BW16TR-014-0.15-0.38				
BW16TR-015	BW16TR-015-0.0-0.15	-92.396876	46.666873	2.08	10/6/2016
	BW16TR-015-0.15-0.36				
BW16TR-016	BW16TR-016	NR	NR	20 ¹	9/27/2016
BW16TR-017	BW16TR-017	-92.4083	46.668867	21 ¹	9/27/2016
	BW16TR-017-0.0-0.15				
BW16TR-018	BW16TR-018	-92.411667	46.668611	19.5 ¹	9/27/2016
	BW16TR-018-0.0-0.15				
Boulder Lake Reservoir (Reference Sample)					
BW16BR-001	BW16BR-HD-001-MCRS	-92.208112	47.056288	NR	NR
	BW16BLR-001-0.0-0.15			8.0	9/20/2016
BW16BR-002	BW16BR-002	-92.183069	47.076127	14.2	9/20/2016
BW16BR-003	BW16BR-003	-92.201496	47.070839	7.5	9/21/2016
BW16BR-004	BW16BR-004	NR	NR	NR	NR
BW16BR-005	BW16BR-005	NR	NR	NR	NR

NR- Not recorded

¹Water depth derived from 2016 Minnesota Power Bathymetry Survey

Table 3 - Core Summary
Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Location	Sample ID	Date Sampled	Sample Method	Depth of Push (m)	Depth of Push (ft)	Recovery (m)	Recovery (ft)	Percent Recovery
BW16TR-001	BW16TR-001-0.0-0.15	9/27/2016	Check Valve	0.61	2	0.38	1.25	63
	BW16TR-001-0.15-0.35							
	BW16TR-101-0.15-0.35							
BW16TR-002	BW16TR-002-0.0-0.15	9/27/2016	Check Valve	0.76	2.5	0.58	1.9	76
	BW16TR-002-0.30-0.55							
BW16TR-003	BW16TR-003-0.0-0.15	9/27/2016	Check Valve	1.22	4	0.58	1.9	48
	BW16TR-003-0.27-0.52							
BW16TR-004	BW16TR-004-0.0-0.15	9/27/2016	Check Valve	0.91	3	0.52	1.7	57
	BW16TR-004-0.21-0.46							
BW16TR-005	BW16TR-005-0.0-0.15	9/27/2016	Check Valve	0.91	3	0.52	1.7	57
	BW16TR-005-0.23-0.48							
	BW16TR-105-0.23-0.48							
BW16TR-006	BW16TR-006-0.0-0.15	10/6/2016	Check Valve	0.37	1.2	0.30	1	83
	BW16TR-006-0.15-0.28							
BW16TR-007	BW16TR-007-0.0-0.15	10/6/2016	Check Valve	0.91	3.0	0.55	1.8	60
	BW16TR-007-0.26-0.51							
	BW16TR-107-0.26-0.51							
BW16TR-008	BW16TR-008-0.0-0.15	9/27/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16TR-009	BW16TR-009-0.0-0.15	10/6/2016	Check Valve	0.30	1.0	0.24	0.8	80
BW16TR-010	BW16TR-010-0.0-0.15	10/6/2016	Check Valve	0.40	1.3	0.40	1.3	100
	BW16TR-010-0.15-0.38							
BW16TR-011	BW16TR-011-0.0-0.15	10/6/2016	Check Valve	0.76	2.5	0.49	1.6	64
	BW16TR-011-0.60-0.85							
BW16TR-012	BW16TR-012-0.0-0.15	10/6/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16TR-013	BW16TR-013-0.0-0.15	9/27/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16TR-014	BW16TR-014-0.0-0.15	10/6/2016	Check Valve	0.40	1.3	0.40	1.3	100
	BW16TR-014-0.15-0.38							
BW16TR-015	BW16TR-015-0.0-0.15	10/6/2016	Check Valve	0.43	1.4	0.37	1.2	86
	BW16TR-015-0.15-0.36							
BW16TR-016	BW16TR-016-0.0-0.15	9/27/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16TR-017	BW16TR-017-0.0-0.15	9/27/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16TR-018	BW16TR-018-0.0-0.15	9/27/2016	Ponar	0.15	0.5	0.15	0.5	100
Boulder Lake Reservoir (Reference Sample)								
BW16BR-001	BW16BLR-001-0.0-0.15	9/20/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16BR-002	BW16BR-002-0.0-0.15	9/20/2016	Ponar	0.15	0.5	0.15	0.5	100
BW16BR-003	BW16BR-003-0.0-0.15	9/21/2016	Ponar	0.15	0.5	0.15	0.5	100

Table 4 - Poling Locations
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Location	Date Sampled	Poling ID Location	Poling Location		Depth of Water (cm)	Depth of Water (ft)	Depth to Resistance (cm)	Depth to Refusal (cm)	Depth to Refusal (ft)	Soft Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal	Sediment Surface Elevation (ft AMSL)	Refusal Elevation (ft AMSL)
			Longitude	Latitude										
PL-01	6/1/2016	NA	-92.39241	46.66886	190	6.2	230	260	8.5	70	Sediment	Silt/clay	1057.8	1055.5
PL-02	6/1/2016	NA	-92.39193	46.66969	190	6.2	210	240	7.9	50	Sediment	Silt/clay	1057.8	1056.1
PL-03	6/1/2016	NA	-92.39292	46.66980	200	6.6	240	250	8.2	50	Rock	Silt/clay	1057.4	1055.8
PL-04	6/1/2016	NA	-92.39305	46.67074	190	6.2	220	220	7.2	20	Rock	Silt/clay	1057.8	1056.8
PL-04	6/1/2016	NA	-92.39557	46.67040	190	6.2	260	260	8.5	70	Sediment	Silt/clay	1057.8	1055.5
PL-05	6/1/2016	NA	-92.39731	46.67001	210	6.9	290	320	10.5	110	Sediment	Silt/clay	1057.1	1053.5
PL-06	6/1/2016	NA	-92.39912	46.67153	190	6.2	240	370	12.1	180	Sediment	Silt/clay	1057.8	1051.9
PL-07	6/1/2016	NA	-92.40575	46.67176	250	8.2	350	360	11.8	110	Sediment	Silt/clay	1055.8	1052.2
PL-08	6/1/2016	NA	-92.40749	46.67096	490	16.1	540	600	19.7	110	Sediment	Granular	1047.9	1044.3
PL-09	6/1/2016	NA	-92.41076	46.67122	380	12.5	480	480	15.7	110	Rock	Granular	1051.5	1048.3
PL-10	6/1/2016	NA	-92.41443	46.67167	290	9.5	370	370	12.1	90	Sediment	Granular	1054.5	1051.9
PL-11	6/1/2016	NA	-92.41369	46.66995	290	9.5	330	330	10.8	40	Rock	Granular	1054.5	1053.2
PL-12	6/1/2016	NA	-92.41596	46.66986	170	5.6	260	300	9.8	130	Sediment	Silt/clay	1058.4	1054.2
PL-13	6/1/2016	NA	-92.41507	46.66725	250	8.2	340	400	13.1	150	Sediment	Silt/clay	1055.8	1050.9
PL-14	6/1/2016	NA	-92.41223	46.66781	120	3.9	140	210	6.9	90	Sediment	Silt/clay	1060.1	1057.1
PL-15	6/1/2016	NA	-92.41012	46.66864	100	3.3	150	170	5.6	70	Sediment	Silt/clay	1060.7	1058.4
PL-16	6/1/2016	NA	-92.40420	46.66854	250	8.2	330	430	14.1	180	Sediment	Silt/clay	1055.8	1049.9
PL-17	6/1/2016	NA	-92.39916	46.66689	490	16.1	620	620	20.3	130	Sediment	Silt/clay	1047.9	1043.7
PL-18	6/1/2016	NA	-92.39553	46.66664	70	2.3	90	90	3.0	20	Sediment	Silt/clay	1061.7	1061.0
PL-19	6/1/2016	NA	-92.39150	46.66680	200	6.6	290	310	10.2	110	Sediment	Silt/clay	1057.4	1053.8
PL-20	6/1/2016	NA	-92.39158	46.66652	140	4.6	230	250	8.2	110	Sediment	Silt/clay	1059.4	1055.8
BW16TR-001	9/27/2016	PL-01	-92.41628	46.67354	182	6.0	277	277	9.1	95	Sediment	NA	1058.0	1054.9
BW16TR-002	9/27/2016	PL-01	-92.41327	46.67111	311	10.2	429	457	15.0	146	Sediment	Silt Loam	1053.8	1049.0
BW16TR-003	9/27/2016	PL-01	-92.41356	46.66957	216	7.1	442	442	14.5	226	Sediment	Silt Loam	1056.9	1049.5
BW16TR-004	9/27/2016	NA	-92.41415	46.66765	79.2	2.6	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-005	9/27/2016	PL-01	-92.40835	46.66740	247	8.1	419	419	13.7	172	Sediment	Gravel	1055.9	1050.3
BW16TR-006	10/6/2016	PL-01	-92.40208	46.67265	128	4.2	182	182	6.0	54	Sediment	Gravel	1059.8	1058.0
BW16TR-007	10/6/2016	PL-01	-92.40137	46.67184	155	5.1	198	251	8.2	96	Sediment	Gravel	1058.9	1055.8
BW16TR-008	9/27/2016	NA	-92.41617	46.67203	NA	NC	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-009	10/6/2016	PL-01	-92.40350	46.66974	81	2.7	173	173	5.7	91	Sediment	Coarse Sand	1061.3	1058.3
BW16TR-010	10/6/2016	PL-01	-92.40041	46.66796	24	0.8	46	107	3.5	83	Sediment	Silt Loam	1063.2	1060.5
BW16TR-011	10/6/2016	PL-01	-92.39540	46.67044	152	5.0	243	259	8.5	107	Sediment	Silt Loam	1059.0	1055.5
BW16TR-012	10/6/2016	NA	-92.39220	46.67055	NA	NC	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-013	9/27/2016	NA	-92.39262	46.66958	NA	NC	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-014	10/6/2016	PL-01	-92.39620	46.66809	137	4.5	180	287	9.4	150	Sediment	Silt Loam	1059.5	1054.6
BW16TR-015	10/6/2016	PL-01	-92.39688	46.66687	71	2.3	132	142	4.7	71	Sediment	Silt Loam	1061.7	1059.3
BW16TR-016	9/27/2016	NA	NA	NA	6126.5	20 ¹	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-017	9/27/2016	NA	-92.4083	46.668867	6431.3	21 ¹	NA	NA	NC	NA	NA	NA	NC	NC
BW16TR-018	9/27/2016	NA	-92.41167	46.668611	594.7	19.5 ¹	NA	NA	NC	NA	NA	NA	NC	NC
Boulder Lake Reservoir (Reference Sample)														
BW16BR-001	9/20/2016	PL-01	-92.20811	47.056288	254	NC	289	315	NC	61	Woody Debris	Silt Loam	NC	NC
BW16BR-002	9/20/2016	PL-01	-92.18307	47.076127	432	NC	549	605	NC	173	Sediment	Silt	NC	NC
BW16BR-003	9/21/2016	PL-01	-92.2015	47.070839	239	NC	249	272	NC	33	Sediment	Silt Loam	NC	NC

Note:
 Water elevation = Average of Low Water Line (1059 ft) and High Water Line (1069 ft)
 NC- Not Calculated
 NA-Not Available
¹Water depth derived from 2016 Minnesota Power Bathymetry Survey

Table 5 - Analytical Parameters Summary

Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Analytical Parameters	Chemical Abstract Number or Analyte Code	Analytical Method
Metals		
Mercury	7439-97-6	SW-846 7471B
Polychlorinated Dibenzo-p-dioxins (Dioxins)/Polychlorinated Dibenzofurans (Furans)		
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	1746-01-6	SW-846 8290A
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (PeCDD)	40321-76-4	SW-846 8290A
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	57653-85-7	SW-846 8290A
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	39227-28-6	SW-846 8290A
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD)	19408-74-3	SW-846 8290A
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD)	35822-46-9	SW-846 8290A
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	3268-87-9	SW-846 8290A
2,3,7,8-Tetrachlorodibenzofuran (TCDF)	51207-31-9	SW-846 8290A
1,2,3,7,8-Pentachlorodibenzofuran (PeCDF)	57117-41-6	SW-846 8290A
2,3,4,7,8-Pentachlorodibenzofuran (PeCDF)	57117-31-4	SW-846 8290A
1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF)	57117-44-9	SW-846 8290A
1,2,3,7,8,9-Hexachlorodibenzofuran (HxCDF)	72918-21-9	SW-846 8290A
1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)	70648-26-9	SW-846 8290A
2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF)	60851-34-5	SW-846 8290A
1,2,3,4,6,7,8-Heptachlorodibenzofuran (HpCDF)	67562-39-4	SW-846 8290A
1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)	55673-89-7	SW-846 8290A
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	39001-02-0	SW-846 8290A
TCDD Equivalent	--	--
General Chemistry		
Total Organic Carbon	--	SW-846 9060A
Physical Testing		
Grain Size	--	ASTM D422

Table 6 - Total Organic Carbon Results
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Sample Name	Sample Depth Start (m)	Sample Depth End (m)	Result (mg/kg)	Result Qualifier
BW16TR-001-0.0-0.15	0	0.15	25100	
BW16TR-001-0.15-0.35	0.15	0.35	31800	
BW16TR-002-0.0-0.15	0	0.15	26100	
BW16TR-002-0.30-0.55	0.3	0.55	43800	
BW16TR-003-0.0-0.15	0	0.15	30400	
BW16TR-003-0.27-0.52	0.27	0.52	27900	
BW16TR-004-0.0-0.15	0	0.15	23900	
BW16TR-004-0.21-0.46	0.21	0.46	37500	
BW16TR-005-0.0-0.15	0	0.15	45700	
BW16TR-005-0.23-0.48	0.23	0.48	26600	
BW16TR-006-0.0-0.15	0	0.15	19500	
BW16TR-006-0.15-0.28	0.15	0.28	50900	
BW16TR-007-0.0-0.15	0	0.15	27300	
BW16TR-007-0.26-0.51	0.26	0.51	44100	
BW16TR-008-0.0-0.15	0	0.15	20500	
BW16TR-009-0.0-0.15	0	0.15	3940	
BW16TR-010-0.0-0.15	0	0.15	32800	
BW16TR-010-0.15-0.38	0.15	0.38	33700	
BW16TR-011-0.0-0.15	0	0.15	42500	
BW16TR-011-0.60-0.85	0.6	0.85	33000	
BW16TR-012-0.0-0.15	0	0.15	19500	
BW16TR-013-0.0-0.15	0	0.15	29500	
BW16TR-014-0.0-0.15	0	0.15	21300	
BW16TR-014-0.15-0.38	0.15	0.38	21400	
BW16TR-015-0.0-0.15	0	0.15	22200	
BW16TR-015-0.15-0.36	0.15	0.36	23300	
BW16TR-017-0.0-0.15	0	0.15	25700	
BW16TR-018-0.0-0.15	0	0.15	34600	

Notes:

TOC - Total organic carbon

J - estimated value

U - indicates non-detected because of TOC contamination in the method blank

m - meters

TOC analyzed by EPA Method SW9060

Table 7 - Community Assessment
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Location	Collection Information				Benthic Macroinvertebrates												
	Date	Number of Ponar Grabs	Approximate Collection Area (cm ²) ¹	Community Assessment Duration (min)	Alderfly (Sensitive)	Mayfly (Semi-Sensitive)	Fingernail Clam (Semi-Sensitive)	Non-Red Midge (Semi-Tolerant)	Horsefly (Tolerant)	Horsehair Worm (Tolerant)	Thread Worm (Tolerant)	Snails (Semi-Tolerant)	Bloodworm (Tolerant)	Tubifex Worm (Tolerant)	Needleworm (Tolerant)	Biotic Index Score ²	Biotic Health Score ³
BW16TR-008	9/27/2016	3	675	15	1	3	0	4	0	0	0	6	3	1	0	1.7	Poor
	Weighted Group Score				4	9	0	8	0	0	0	6	3	1	0		
BW16TR-013	9/27/2016	3	675	15	0	0	0	0	0	0	0	0	0	0	0	0.0	Poor
	Weighted Group Score				0	0	0	0	0	0	0	0	0	0	0		
BW16TR-016	9/27/2016	3	675	15	0	0	0	0	2	0	0	0	2	0	6	1.0	Poor
	Weighted Group Score				0	0	0	0	2	0	0	0	2	0	6		
BW16TR-017	9/27/2016	3	675	15	0	0	0	0	0	0	0	0	0	0	0	0.0	Poor
	Weighted Group Score				0	0	0	0	0	0	0	0	0	0	0		
BW16TR-018	9/27/2016	3	675	15	0	0	0	0	0	0	0	0	0	0	0	0.0	Poor
	Weighted Group Score				0	0	0	0	0	0	0	0	0	0	0		
Boulder Lake Reservoir (Reference Sample)																	
BW16BLR-001	9/20/2016	3	675	15	0	0	0	0	0	0	0	0	0	0	0	0.0	Poor
	Weighted Group Score				0	0	0	0	0	0	0	0	0	0	0		

¹Each grab = 15.2 cm x 15.2 cm (225 cm²)

²Biotic Index Score Calculation: <http://watermonitoring.uwex.edu/pdf/level1/datasheets/data-Biotic2014.pdf>

³Biotic Health Score: Good 2.6-3.5
 Fair 2.1-2.5
 Poor 1.0-2.0

Table 8 - Metals Results
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Chemical	Sample Name				BW16TR-001-0.0-0.15		BW16TR-001-0.15-0.35		BW16TR-002-0.0-0.15		BW16TR-002-0.30-0.55		BW16TR-003-0.0-0.15		BW16TR-003-0.27-0.52		BW16TR-004-0.0-0.15		BW16TR-004-0.21-0.46		BW16TR-005-0.0-0.15		BW16TR-005-0.23-0.48		BW16TR-006-0.0-0.15	
	Sample Interval (meters)				0.0-0.15		0.15-0.50		0.0-0.15		0.15-0.50		0.0-0.15		0.15-0.50		0.0-0.15		0.15-0.50		0.0-0.15		0.15-0.50		0.0-0.15	
	SQT Level 1	SQT Midpoint	SQT Level 2	Result unit	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Mercury	0.18	0.64	1.1	mg/kg	0.13		0.65	J	0.096		1.1	J	0.072		0.13		0.054		0.50		0.13		0.10		0.098	

Notes:
 Q - Qualifiers
 J - estimated value
 NE - not established
 SQT - Sediment Quality Target
 U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I
 Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II
 Values highlighted in red indicate concentration exceeding SQT Level II

For Metals PEC-Q calculation, half the laboratory reporting limit was used for results flagged with U
 Mercury was analyzed by EPA Method SW7471B

Table 8 - Metals Results
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Chemical	Sample Name				BW16TR-006-0.15-0.28	BW16TR-007-0.0-0.15	BW16TR-007-0.26-0.51	BW16TR-008-0.0-0.15	BW16TR-009-0.0-0.15	BW16TR-010-0.0-0.15	BW16TR-010-0.15-0.38	BW16TR-011-0.0-0.15	BW16TR-011-0.60-0.85	BW16TR-012-0.0-0.15	BW16TR-013-0.0-0.15											
	Sample Interval (meters)				0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.0-0.15	0.0-0.15	0.15-0.50	0.0-0.15	0.5-1.0	0.0-0.15	0.0-0.15											
	SQT Level 1	SQT Midpoint	SQT Level 2	Result unit	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q										
Mercury	0.18	0.64	1.1	mg/kg	0.39		0.050		0.38		0.050		0.055		0.068		0.075		0.12		2.2		0.56		0.10	

Notes:

- Q - Qualifiers
- J - estimated value
- NE - not established
- SQT - Sediment Quality Target
- U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II

Values highlighted in red indicate concentration exceeding SQT Level II

For Metals PEC-Q calculation, half the laboratory reporting limit was used for results flagged with U
 Mercury was analyzed by EPA Method SW7471B

Table 8 - Metals Results
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Chemical	Sample Name				BW16TR-014-0.0-0.15	BW16TR-014-0.15-0.38	BW16TR-015-0.0-0.15	BW16TR-015-0.15-0.36	BW16TR-017-0.0-0.15	BW16TR-018-0.0-0.15	BW16TR-101-0.15-0.35	BW16TR-105-0.23-0.48	BW16TR-107-0.26-0.51									
	Sample Interval (meters)				0.0-0.15	0.5-0.15	0.0-0.15	0.15-0.50	0.0-0.15	0.0-0.15	0.15-0.50	0.15-0.50	0.15-0.50									
	SQT Level 1	SQT Midpoint	SQT Level 2	Result unit	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q								
Mercury	0.18	0.64	1.1	mg/kg	0.077		0.087		0.088		0.15		0.13		0.12		1.3	J	0.074		0.53	

Notes:

Q - Qualifiers

J - estimated value

NE - not established

SQT - Sediment Quality Target

U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II

Values highlighted in red indicate concentration exceeding SQT Level II

For Metals PEC-Q calculation, half the laboratory reporting limit was used for results flagged with U
 Mercury was analyzed by EPA Method SW7471B

Table 9 - Dioxin Results (Sediment)

Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Chemical	Sample Name				BW16TR-001-0.0-0.15	BW16TR-001-0.15-0.35	BW16TR-002-0.0-0.15	BW16TR-002-0.30-0.55	BW16TR-003-0.0-0.15	BW16TR-003-0.27-0.52	BW16TR-004-0.0-0.15	BW16TR-004-0.21-0.46	BW16TR-005-0.0-0.15	BW16TR-005-0.23-0.48										
	Sample Interval (meters)				0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50										
	SQT Level I	SQT Midpoint	SQT Level II	Result unit	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q		
1,2,3,4,6,7,8-HpCDD	NE	NE	NE	ng/Kg	320		1300	J	81		3900	J	170		90		38		370		150		110	
1,2,3,4,6,7,8-HpCDF	NE	NE	NE	ng/Kg	530		850	J	110		28000	J	240		280		100		110		470		180	
1,2,3,4,7,8,9-HpCDF	NE	NE	NE	ng/Kg	5.4	J	17		1.6	J	200		2.4	J	2.4	J	0.85	J	3.9	J	3.6	J	2.1	J
1,2,3,4,7,8-HxCDD	NE	NE	NE	ng/Kg	2	J	5.3	J	0.55	J	40		0.79	J	0.78	J	0.42	J	1	J	0.87	J	0.63	J
1,2,3,4,7,8-HxCDF	NE	NE	NE	ng/Kg	6.9	J	12		2	J	310		3.6	J	5	J	1.4	J	2.6	J	5	J	2.9	J
1,2,3,6,7,8-HxCDD	NE	NE	NE	ng/Kg	17		58		4.5	J	330		7.6		9.6		2.1	J	13		9.1		6.9	
1,2,3,6,7,8-HxCDF	NE	NE	NE	ng/Kg	16		23	J	3.6	J	1100	J	8.7		8.8		3	J	3.2	J	11		5.7	J
1,2,3,7,8,9-HxCDD	NE	NE	NE	ng/Kg	8		19		1.5	J	170	J	3.2	J	3.9	J	0.9	J	3.3	J	3.7	J	3.2	J
1,2,3,7,8,9-HxCDF	NE	NE	NE	ng/Kg	2	J	3.7	J	0.59	J	96		1.2	J	0.98	J	0.4	J	0.74	J	1.5	J	0.85	J
1,2,3,7,8-PeCDD	NE	NE	NE	ng/Kg	1.8	J	3.1	J	0.52	J	71		0.92	J	1.2	J	0.26	J	0.62	J	0.9	J	0.77	J
1,2,3,7,8-PeCDF	NE	NE	NE	ng/Kg	1.3	J	2.5	J	0.46	J	84		0.74	J	0.81	J	0.26	J	0.54	J	0.86	J	0.67	J
2,3,4,6,7,8-HxCDF	NE	NE	NE	ng/Kg	5.2	J	10		1.2	J	200		2.2	J	2.6	J	0.96	J	1.7	J	2.9	J	1.9	J
2,3,4,7,8-PeCDF	NE	NE	NE	ng/Kg	2.3	J	4.9	J	0.66	J	47		1.1	J	1.4	J	0.54	J	0.85	J	1.6	J	0.95	J
2,3,7,8-TCDD	NE	NE	NE	ng/Kg	1.1	J	6.7	J	0.42	J	19	J	0.47	J	0.68	J	0.19		1.2	J	0.56	J	0.52	J
2,3,7,8-TCDF	NE	NE	NE	ng/Kg	4.2		22	J	1.8		40	J	1.7		2		0.61	J	5.6		2.1		1.8	J
OCDD	NE	NE	NE	ng/Kg	3700		22000	J	1100		47000	J	1300		1300		450		4400		1600		1100	J
OCDF	NE	NE	NE	ng/Kg	300		1200	J	91		15000	J	110		130		39		200		170		76	J
Total HpCDD	NE	NE	NE	ng/Kg	690		2900		180		9000		370		210		82		740		310		230	J
Total HpCDF	NE	NE	NE	ng/Kg	1000		870	J	240		55000	J	480		550		190		350		890		360	J
Total HxCDD	NE	NE	NE	ng/Kg	140		410		34		2600		61		75		21		88		79		62	J
Total HxCDF	NE	NE	NE	ng/Kg	320		240	J	81		14000		170		200		67		96		270		130	
Total PeCDD	NE	NE	NE	ng/Kg	24		53		10		490		14		14		5.9		12		16		15	
Total PeCDF	NE	NE	NE	ng/Kg	38		84		10		880		15		19		6.6		11		22		16	
Total TCDD	NE	NE	NE	ng/Kg	12		31		5.5		160		7.5		9.9		2		7.9		8.4		8.3	
Total TCDF	NE	NE	NE	ng/Kg	17		51		5.4		86		4.6		6		1.6		18		9.8		9.2	J
TEQ KM Fish	0.85	11.2	21.5	ng TEQ/Kg	17.599		40.768		4.2386	J	671.1	J	8.0509	J	9.5693	J	2.7601	J	11.4242		12.3498		6.7474	J

Notes:

- Q - Qualifier
- J - estimated value
- NE - not established
- NA - Not Established
- ng TEQ/kg - nanograms of dioxin toxicity equivalency per kilogram
- ng/kg - nanograms per kilogram
- SQT - Sediment Quality Target
- TEQ - dioxin toxicity equivalency
- U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II

Values highlighted in red indicate concentration exceeding SQT Level II

TEQ values calculated using the US EPA Advanced Kaplan Meier TEQ Calculator
Dioxins analyzed by EPA Method SW8290

Table 9 - Dioxin Results (Sediment)

Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Chemical	Sample Name				BW16TR-006-0.0-0.15	BW16TR-006-0.15-0.28	BW16TR-007-0.0-0.15	BW16TR-007-0.26-0.51	BW16TR-008-0.0-0.15	BW16TR-009-0.0-0.15	BW16TR-010-0.0-0.15	BW16TR-010-0.15-0.38	BW16TR-011-0.0-0.15	BW16TR-011-0.60-0.85	BW16TR-012-0.0-0.15											
	Sample Interval (meters)				0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.0-0.15	0.0-0.15	0.15-0.50	0.0-0.15	0.5-1.0	0.0-0.15											
	SQT Level I	SQT Midpoint	SQT Level II	Result unit	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q										
1,2,3,4,6,7,8-HpCDD	NE	NE	NE	ng/Kg	130		470		62		130		91		11		71		57		54		2100		1200	
1,2,3,4,6,7,8-HpCDF	NE	NE	NE	ng/Kg	130	J	340		190		210	J	260		8.4		170		120		160		4400		4500	J
1,2,3,4,7,8,9-HpCDF	NE	NE	NE	ng/Kg	2.3	J	6.2	J	1.4	J	2.7	J	2	J	0.19		1.6	J	1.3	J	1.3	J	59		38	
1,2,3,4,7,8-HxCDD	NE	NE	NE	ng/Kg	0.72	J	2.1	J	0.46	J	1.1	J	0.5		0.12		0.37	J	0.36	J	0.56	J	9.6		8.3	
1,2,3,4,7,8-HxCDF	NE	NE	NE	ng/Kg	1.9	J	5.5	J	2.2	J	2.8	J	3.3	J	0.17	J	2.2	J	1.8	J	1.5	J	75		96	
1,2,3,6,7,8-HxCDD	NE	NE	NE	ng/Kg	6.3		23		3.4	J	9.7		75		0.5	J	4.1	J	4.3	J	3.6	J	100		68	
1,2,3,6,7,8-HxCDF	NE	NE	NE	ng/Kg	3.8	J	12		3.1	J	6.3	J	3.3	J	0.24	J	5.7	J	2.8	J	2.9	J	220		200	
1,2,3,7,8,9-HxCDD	NE	NE	NE	ng/Kg	2.7	J	9.1		1.3	J	4.4	J	26		0.2	J	1.8	J	2	J	1.8	J	39		33	
1,2,3,7,8,9-HxCDF	NE	NE	NE	ng/Kg	0.53	J	1.8	J	0.95	J	0.96	J	0.82	J	0.11		0.73	J	0.46	J	0.49	J	17		14	
1,2,3,7,8-PeCDD	NE	NE	NE	ng/Kg	0.55		2.1	J	0.41	J	1.2	J	0.35	J	0.058		0.53	J	0.54	J	0.42	J	15		10	
1,2,3,7,8-PeCDF	NE	NE	NE	ng/Kg	0.44	J	1.4	J	0.36	J	0.69	J	0.44		0.061		0.43	J	0.38	J	0.35	J	20		14	
2,3,4,6,7,8-HxCDF	NE	NE	NE	ng/Kg	1.4	J	4.5	J	1.4	J	2.1	J	2.2	J	0.099		1.6	J	1.2	J	1	J	57		52	
2,3,4,7,8-PeCDF	NE	NE	NE	ng/Kg	0.77	J	2.1	J	0.64	J	0.94	J	0.97	J	0.052	J	0.74	J	0.62	J	0.7	J	19		22	
2,3,7,8-TCDD	NE	NE	NE	ng/Kg	0.47	J	2.2		0.26	J	0.71	J	0.54		0.087	J	0.34	J	0.32	J	0.32	J	8.6		9	
2,3,7,8-TCDF	NE	NE	NE	ng/Kg	2.1		11		0.99	J	2.6		0.74	J	0.37	J	1.2	J	1.1		1.4	J	36		30	
OCDD	NE	NE	NE	ng/Kg	1400	J	5700		610		1500	J	320		170		890		550		610		32000	J	18000	J
OCDF	NE	NE	NE	ng/Kg	100		250		73		110	J	87		8	J	57		49		69		2500		2100	
Total HpCDD	NE	NE	NE	ng/Kg	260		980		130		290		190		30		160		120		120		5300		3000	
Total HpCDF	NE	NE	NE	ng/Kg	280		810		360		410		470		20		330		230		280		9500	J	8700	J
Total HxCDD	NE	NE	NE	ng/Kg	55		200		33		78		520		4.6		46		37		32		1000		700	
Total HxCDF	NE	NE	NE	ng/Kg	87		270		110		140		150		5.5		130		72		73		3200		2600	
Total PeCDD	NE	NE	NE	ng/Kg	8		31		9.6		17		26		0.058		12		11		7.5		130		110	
Total PeCDF	NE	NE	NE	ng/Kg	12		34		9		14		9.4		0.43	J	12		8.8		8.5		270		280	
Total TCDD	NE	NE	NE	ng/Kg	6.5		20		6.4		6		2.2		0.19	J	6.8		6		5.3		54		42	
Total TCDF	NE	NE	NE	ng/Kg	6		34		4.5	J	9.7		2.5		0.79	J	6.9		5.2		7		99		130	
TEQ KM Fish	0.85	11.2	21.5	ng TEQ/Kg	5.3182	J	17.678		4.5554	J	8.4865	J	18.5059		0.407	J	5.1709	J	4.2465	J	4.443	J	143.536		134.253	

Notes:

- Q - Qualifier
- J - estimated value
- NE - not established
- NA - Not Established
- ng TEQ/kg - nanograms of dioxin toxicity equivalency per kilogram
- ng/kg - nanograms per kilogram
- SQT - Sediment Quality Target
- TEQ - dioxin toxicity equivalency
- U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I
 Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II
 Values highlighted in red indicate concentration exceeding SQT Level II

TEQ values calculated using the US EPA Advanced Kaplan Meier TEQ Calculator
 Dioxins analyzed by EPA Method SW8290

Table 9 - Dioxin Results (Sediment)

Thomson Reservoir
St. Louis River Area of Concern
Carlton, Minnesota

Chemical	Sample Name				BW16TR-013-0.0-0.15	BW16TR-014-0.0-0.15	BW16TR-014-0.15-0.38	BW16TR-015-0.0-0.15	BW16TR-015-0.15-0.36	BW16TR-017-0.0-0.15	BW16TR-018-0.0-0.15							
	Sample Interval (meters)				0.0-0.15	0.0-0.15	0.15-0.50	0.0-0.15	0.15-0.50	0.0-0.15	0.0-0.15							
	SQT Level I	SQT Midpoint	SQT Level II	Result unit	Result	Q	Result	Q	Result	Q	Result	Q						
1,2,3,4,6,7,8-HpCDD	NE	NE	NE	ng/Kg	85		40		79		56		610		95		74	
1,2,3,4,6,7,8-HpCDF	NE	NE	NE	ng/Kg	320		97	J	400		130		170		140		230	
1,2,3,4,7,8,9-HpCDF	NE	NE	NE	ng/Kg	2.3	J	1.1	J	3.6	J	1.3	J	6.6		1.8	J	1.6	J
1,2,3,4,7,8-HxCDD	NE	NE	NE	ng/Kg	0.73	J	0.54	J	0.66	J	0.74	J	2.2	J	0.67	J	0.53	J
1,2,3,4,7,8-HxCDF	NE	NE	NE	ng/Kg	4	J	1.4	J	4.3	J	2.1	J	4	J	2.8	J	2.6	J
1,2,3,6,7,8-HxCDD	NE	NE	NE	ng/Kg	6.1		2.8	J	4.3	J	3.8	J	19		5.2	J	5.3	J
1,2,3,6,7,8-HxCDF	NE	NE	NE	ng/Kg	8.9		2.2	J	7.2		3.6	J	6		4.4	J	5.6	
1,2,3,7,8,9-HxCDD	NE	NE	NE	ng/Kg	2.3	J	1.5	J	2	J	1.9	J	4.4	J	2.3	J	2.2	J
1,2,3,7,8,9-HxCDF	NE	NE	NE	ng/Kg	0.86	J	0.46	J	0.95	J	0.81	J	1.4	J	0.88	J	0.62	J
1,2,3,7,8-PeCDD	NE	NE	NE	ng/Kg	0.8	J	0.31	J	0.73	J	0.56	J	2	J	0.65	J	0.62	J
1,2,3,7,8-PeCDF	NE	NE	NE	ng/Kg	0.78	J	0.27	J	0.56	J	0.5	J	1.2	J	0.57	J	0.49	J
2,3,4,6,7,8-HxCDF	NE	NE	NE	ng/Kg	2.8	J	0.85	J	2	J	1.3	J	3.3	J	1.8	J	1.7	J
2,3,4,7,8-PeCDF	NE	NE	NE	ng/Kg	1.2	J	0.55	J	1	J	0.74	J	1.8	J	0.84	J	0.91	J
2,3,7,8-TCDD	NE	NE	NE	ng/Kg	0.31		0.26		0.35	J	0.29		2.4		0.35	J	0.3	J
2,3,7,8-TCDF	NE	NE	NE	ng/Kg	1.4		0.67	J	1.2		0.89	J	13		2.1		1.2	
OCDD	NE	NE	NE	ng/Kg	1100		430	J	900		660		7400	J	1300		910	
OCDF	NE	NE	NE	ng/Kg	160		51	J	160		69		320		100		130	
Total HpCDD	NE	NE	NE	ng/Kg	190		89		180		140		1300		220		160	
Total HpCDF	NE	NE	NE	ng/Kg	600		190		770		250		180		280		440	
Total HxCDD	NE	NE	NE	ng/Kg	55		27		48		40		170		47		44	
Total HxCDF	NE	NE	NE	ng/Kg	190		50		180		75		140		90		140	
Total PeCDD	NE	NE	NE	ng/Kg	9.7		8.4		16		16		23		12		8.7	
Total PeCDF	NE	NE	NE	ng/Kg	16		6.8		13		8.7		20		14		12	
Total TCDD	NE	NE	NE	ng/Kg	6.4		6.1		9.8		8.1		14		5.1		5.6	
Total TCDF	NE	NE	NE	ng/Kg	5.6		4.2		6.8		6		41		9.7		5	
TEQ KM Fish	0.85	11.2	21.5	ng TEQ/Kg	7.895		3.0314	J	8.3836		4.2794	J	13.04	J	5.4032	J	6.1638	

Notes:

Q - Qualifier

J - estimated value

NE - not established

NA - Not Established

ng TEQ/kg - nanograms of dioxin toxicity equivalency per kilogram

ng/kg - nanograms per kilogram

SQT - Sediment Quality Target

TEQ - dioxin toxicity equivalency

U - concentration did not exceed laboratory reporting limit

Values highlighted in yellow indicate concentration exceeding SQT Level I

Values highlighted in orange indicate concentration exceeding the midpoint between SQT Level I and SQT Level II

Values highlighted in red indicate concentration exceeding SQT Level II

TEQ values calculated using the US EPA Advanced Kaplan Meier TEQ Calculator

Dioxins analyzed by EPA Method SW8290

Table 10 - Benthic Macroinvertebrate Tissue Summary - Macrobenthos
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Sample Information				Analytical Results					
Reservoir	Sample ID	Benthic Macroinvertebrate	Weight (g)	Total Mercury (mg/kg)	Results Qualifier	Methyl Mercury (µg/kg)	% Lipids (%)	TEQ Fish	
Thomson	EPA16TR-HD-001-MRCS	Macroinvertebrate mixutre*	5.8	0.036	U	2.7	NA	NA	
Thomson	EPA16TR-HD-001-C	Crawfish	10.2	0.036	J	34	NA	NA	
Boulder Lake Reservoir (Reference Sample)									
Boulder	EPA16BR-HD-001-MRCS	Macrobenthos	23.7	0.032	U	4.3	0.72	0.11	J

Notes:

*combine EPA and BW samples into one sample

U - Not Detected

g - gram

mg/kg - milligram per kilogram

ug/kg - microgram per kilogram

ng TEQ/kg - nanogram per kilogram

NA- Not Applicable

Table 11 - Benthic Macroinvertebrate Tissue Summary - Lumbriculus
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Sample Information				Analytical Results					
Reservoir	Sample ID	Benthic Macroinvertebrate	Duration of Test (Days)	Total Mercury (mg/kg)	Results Qualifier	Methyl Mercury (µg/kg)	% Lipids (%)	TEQ Fish ¹	
Thomson	BW16TR-008	Lumbriculus	28	0.038	U	0.19	0.74	0.16	J
Thomson	BW16TR-013	Lumbriculus	28	0.038	U	0.22	0.68	0.24	J
Thomson	BW16TR-017	Lumbriculus	28	0.033	U	0.23	0.61	0.26	J
Thomson	BW16TR-018	Lumbriculus	28	0.030	U	0.25	0.62	0.22	J
Boulder Lake Reservoir (Reference Sample)									
Boulder	BW16BLR-001 ¹²	Lumbriculus	28	0.038	U	0.15	0.63	0.09	J
Background Sample									
Background	Background Day 0	Lumbriculus	0	0.038	U	0.088	1.2	0.06	J

Notes:

*combine EPA and BW samples into one sample

U - Not Detected

g - gram

mg/kg - miligram per kilogram

ug/kg - microgram per kilogram

ng TEQ/kg - nanogram per kilogram

NA- Not Applicable

¹ For TEQ Fish calculations, the TEQ values with non-detect values were set half the detection limit value.

² For TEQ HH calculations, the TEQ values with non-detect values were set to half the detection limit value.

Table 12 - Fish Tissue Summary
 Thomson Reservoir
 St. Louis River Area of Concern
 Carlton, Minnesota

Sample Information												Analytical Results							
Reservoir	Sample ID	Fish	Fish Trophic Level*	Date Collected	Time Collected	No of Fish	Total Weight (g)		Date Received by GLEC	Sex	Otolith	Total Mercury	Results Qualifier	Methyl Mercury	% Lipids	TEQ Fish ¹	Results Qualifier	TEQ HH ²	Results Qualifier
Thomson	MN16+TR-WS-B	White Sucker	2.8	10/11/2016	1225	3	2708		10/27/2016	Yes	Yes	0.086	J	94	2.7	0.30	J	0.35	J
Thomson	MN16+TR-WS-C	White Sucker	2.8	10/11/2016	1245	3	2321		10/27/2016	Yes	Yes	0.1	J	110	2.2	0.70	J	0.70	J
Thomson	MN16+TR-WS-A	White Sucker	2.8	10/11/2016	1225	3	3412		10/27/2016	Yes	Yes	0.12	J	110	3.1	0.84	J	1.06	J
Thomson	MN16+TR-WAL-A	Walleye	4.5	10/11/2016	1500	3	932	MS/MSD	10/27/2016	Yes	Yes	0.17	B	200	0.6	0.29	J	0.32	J
Thomson	MN16+TR-RB-A	Rock Bass	3.4	10/11/2016	1530	3	250		10/27/2016	Yes	Yes	0.11	J	92	0.48	0.27	J	0.28	J
Thomson	MN16+TR-RB-B	Rock Bass	3.4	10/11/2016	1530	8	150		10/27/2016	No	No	0.049	JB	83	0.96	0.08	J	0.09	J
Thomson	MN16+TR-SMB-A	Smallmouth Bass	3.6	10/11/2016	1305	10	394		10/27/2016	No	No	0.078	J	70	0.73	0.19	J	0.19	J
Thomson	MN16+TR-SMB-B	Smallmouth Bass	3.6	10/11/2016	NL	3	1945		10/27/2016	Yes	Yes	0.17		140	1.3	0.53	J	0.50	J
Thomson	MN16+TR-SMB-C	Smallmouth Bass	3.6	10/11/2016	NL	3	3038		10/27/2016	Yes	Yes	0.22		220	1.1	0.73	J	0.66	J
Thomson	MN16+TR-SMB-D ¹	Smallmouth Bass	3.6	10/11/2016	NL	9	358		10/27/2016	No	No	0.1	JB	99	1.3	0.13	J	0.11	J
Thomson	MN16+TR-NP-A	Northern Pike	4.1	10/11/2016	NL	3	539		10/27/2016	Yes	Yes	0.066	J	78	0.071	0.25	J	0.27	J
Thomson	MN16+TR+YP-A	Yellow Perch	3.7	10/11/2016	1300	3	859		10/27/2016	Yes	Yes	0.085	J	74	1.8	0.43	J	0.46	J
Thomson	MN16+TR+YP-B	Yellow Perch	3.7	10/11/2016	1515	4	781		10/27/2016	Yes	Yes	0.053	J	49	1.1	0.72	J	0.77	J
Boulder Lake Reservoir (Reference Sample)																			
Boulder	MN16+BR+RB-A ¹²	Rock Bass	3.4	10/6/2016	1445	9	208		10/27/2016	No	No	0.077	JB	76	1.2	0.06		0.06	
Boulder	MN16+BR+BLC-A ¹²	Black Clappie	3.8	10/6/2016	1450	6	116		10/27/2016	No	No	0.068	JB	53	1	0.05		0.05	
Boulder	MN16+BR+YP-A	Yellow Perch	3.7	10/6/2016	1230	13	378		10/27/2016	No	No	0.073	JB	56	0.52	0.05	J	0.07	J
Boulder	MN16+BR+YP-B ¹²	Yellow Perch	3.7	10/6/2016	1245	13	311		10/27/2016	No	No	0.068	JB	54	0.27	0.07		0.06	
Boulder	MN16+BR+YP-C ¹²	Yellow Perch	3.7	10/6/2016	1500	NL	152		10/27/2016	No	No	0.077	JB	65	1.8	0.05		0.04	
Boulder	MN16+BR+GSH-A ¹²	Shiner Mix	2.1	10/6/2016	1505	NL	152		10/27/2016	No	No	0.064	JB	62	1.8	0.06		0.05	
Boulder	MN16+BR+GSH-B	Shiner Mix	2.1	10/6/2016	1510	NL	163		10/27/2016	No	No	0.071	JB	65	0.52	0.49	J	0.50	J
Boulder	MN16+BR+GSH-C	Shiner Mix	2.1	10/6/2016	1430	12	294		10/27/2016	No	No	0.068	JB	62	2	0.04		0.04	
Boulder	MN16+BR+WAL-A	Walleye	4.5	10/6/2016	1100	5	NL		10/27/2016	Yes	Yes	0.13	JB	140	2	0.16	J	0.18	J
Boulder	MN16+BR+WAL-B ¹²	Walleye	4.5	10/6/2016	1410	3	424		10/27/2016	Yes	Yes	0.098	JB	120	0.28	0.06		0.05	
Boulder	MN16+BR+WAL-C ¹²	Walleye	4.5	10/6/2016	1415	5	420		10/27/2016	Yes	Yes	0.11	JB	130	0.27	0.05		0.05	
Boulder	MN16+BR+WS-B	White Sucker	2.8	10/6/2016	1335	3	3052		10/27/2016	Yes	Yes	0.071	JB	81	2.5	0.11	J	0.11	J
Boulder	MN16+BR+WS-C	White Sucker	2.8	10/6/2016	1345	3	4390		10/27/2016	Yes	Yes	0.051	JB	110	3.5	0.06	J	0.06	J

Notes:

NR-Not Reported

J- The reported result is an estimation

B - The analyte is present in the associated method blank at a detectable level

MS/MSD - Matrix spike/Matrix spike duplicate

g - gram

mg/kg - milligram per kilogram

ug/kg - microgram per kilogram

ng TEQ/kg - nanogram per kilogram

¹ For TEQ Fish calculations, the TEQ values with non-detect values were set half the detection limit value.

² For TEQ HH calculations, the TEQ values with non-detect values were set to half the detection limit value.

*<http://fishbase.org/search.php>


Figures




Figure 1

Site Location Map

Scanlon Reservoir
SLR Sediment AOCs
Thomson, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: National Geographic Society, i-cubed



Thomson Reservoir Site Location



Figure 2


Site Map

Thomson Reservoir SLR Sediment AOCs

Duluth, MN





Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- Low Water Line (1059ft)
- Bathymetry Contour Line (2ft Intervals)
- Thomson Reservoir Site Boundary and High Water Line (1069ft)
- Historical Stream Area (Carlton County Map, 1948)

Water Depth



Y:\Clients\MP\CA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\J160749 FIG 3 Thomson Reservoir Sample Locations.mxd






Figure 3

Sample Locations

**Thomson Reservoir
SLR Sediment AOCs
Thomson, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



- 2016 Sediment Sample Locations
- 2016 Toxicity/Bioaccumulation Testing and Community Assessment Locations
- ⎓ Thomson Reservoir Site Boundary



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\J160749 FIG 4 Thomson Reservoir Poling Locations and Sediment Thicknesses.mxd






Figure 4

Poling Locations and Sediment Thicknesses

Thomson Reservoir
SLR Sediment AOCs
Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)




- Poling/Sample Location
- ⬡ Thomson Reservoir Site Boundary
- (0.66) Sediment Thickness in Feet



Figure 5

Mercury SQT Results

Thomson Reservoir
SLR Sediment AOCs
Thomson, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



Thomson Reservoir Site Boundary

Sample Type

- △ 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- □ 0-0.15 m
- □ 0.15-0.50 m
- □ 0.50-1.0 m
- □ >1.0 m

Mercury SQT Comparison

- Does not exceed Level 1 SQT (0.18 mg/kg)
- Exceeds Level 1 SQT (0.18 mg/kg)
- Exceeds Midpoint SQT (0.64 mg/kg)
- Exceeds Level 2 SQT (1.1 mg/kg)



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\J160749 FIG 5 Thomson Reservoir Mercury SQT Results.mxd







Figure 6

TEQ KM Fish SQT Results

Thomson Reservoir
SLR Sediment AOCs
Duluth, MN



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



Thomson Reservoir Site Boundary

Sample Type

- △ 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval



- □ 0-0.15 m
- □ 0.15-0.50 m
- □ 0.50-1.0 m
- □ >1.0 m

TEQ KM Fish SQT Comparison


- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir\MapDocs\J160749\J160749 FIG 6 Thomson Reservoir TEQ KM Fish SQT Results.mxd



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\J160749 FIG 7 Thomson Reservoir Mercury and Methylmercury Bioaccumulation Results.mxd



Boulder Lake Reference	
HD-001-MRCS	
Mercury Bioaccumulation (mg/kg)	0.032 U
Methyl Mercury Bioaccumulation (mg/kg)	4.3

BW16BLR-001 (Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.032 U
Methyl Mercury Bioaccumulation (mg/kg)	0.038

Background Sample	
Background-O (Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.038 U
Methyl Mercury Bioaccumulation (mg/kg)	0.088

- 1) U - Not detected
- 2) J - Estimated value
- 3) mg/kg - milligram/kilogram

BW16TR-013(Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.038 U
Methyl Mercury Bioaccumulation (mg/kg)	0.22

EPA16TR-HD-001-MRCS (Macro)	
Mercury Bioaccumulation (mg/kg)	0.036 U
Methyl Mercury Bioaccumulation (mg/kg)	2.7

EPA16TR-HD-001-MRCS (Crawfish)	
Mercury Bioaccumulation (mg/kg)	0.036 J
Methyl Mercury Bioaccumulation (mg/kg)	34


BW16TR-008 (Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.038 U
Methyl Mercury Bioaccumulation (mg/kg)	0.19

BW16TR-018 (Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.030 U
Methyl Mercury Bioaccumulation (mg/kg)	0.25

BW16TR-017 (Lumbricolus)	
Mercury Bioaccumulation (mg/kg)	0.033 U
Methyl Mercury Bioaccumulation (mg/kg)	0.23

Figure 7
Mercury and Methyl Mercury
In Situ and Ex Situ
Bioaccumulation Results

Thomson Reservoir
SLR Sediment AOCs
Thomson, MN



Map Projection: NAD 1983 UTM Zone 15 N
 Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



Thomson Reservoir Site Boundary

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

Mercury SQT Comparison

- Does not exceed Level 1 SQT (0.18 mg/kg)
- Exceeds Level 1 SQT (0.18 mg/kg)
- Exceeds Midpoint SQT (0.64 mg/kg)
- Exceeds Level 2 SQT (1.1 mg/kg)



Y:\Clients\MPCA\SLR_Sediment_AOCs\Thomson_Reservoir_MapDocs\J160749\J160749 FIG 8 Thomson Reservoir TEQ KM Fish Bioaccumulation Results.mxd





Figure 8

TEQ KM Fish In Situ and Ex Situ Bioaccumulation Results

**Thomson Reservoir
SLR Sediment AOCs
Duluth, MN**



Map Projection: NAD 1983 UTM Zone 15 N
Basemap: Bing Aerial Imagery WMS (July-Sept 2011)



Thomson Reservoir Site Boundary

Sample Type

- 2016 Sediment Sample, Including Tox/Bio Testing
- 2016 Sediment Sample
- Historical Sediment Sample

Sample Interval

- 0-0.15 m
- 0.15-0.50 m
- 0.50-1.0 m
- >1.0 m

TEQ KM Fish SQT Comparison

- Does not exceed Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Level 1 SQT (0.85 ng TEQ/kg)
- Exceeds Midpoint SQT (11.2 ng TEQ/kg)
- Exceeds Level 2 SQT (21.5 ng TEQ/kg)



Appendix A
Field Notes, Core Logs, and Photos

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="254"/>	<input type="text" value="289"/>	<input type="text" value="315"/>	<input type="text" value="61"/>	<input type="text" value="Woody Debris"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="-"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16BLR-001



Layer 1:

Start Depth (m): 0.0

End Depth (m): 0.15

Primary Color: Very Dark Brown (10YR 2/2)

Secondary Color: Dark Brown (10YR 3/3)

USCS: PT

USDA: Peat

Grains: Rounded

Organics: Woody

Organics: %: 75 - 100

Odor: No Odor

Rocks: None

Rocks: %: N/A

Moisture: Saturated

Petrochemical: None

Cohesiveness: Loose

Description/Notes: Very woody, 90%, some silt, <5%.

Layer 2:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Organics: %: —

Odor: —

Rocks: —

Rocks: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/Notes:

Layer 3:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Organics: %: —

Odor: —

Rocks: —

Rocks: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/Notes:

Benthic Macroinvertebrate Worksheet

Project/Site Information

Project Name: SLR Project #: J160139 Client: MPCA Contractor: Bay West

Site Name: Boulder Lake Reservoir Sample/Location Name: BW16BLR-001

Processors: ACB JMB Date: September 20, 2016 Time: 10:49 AM

Weather: Temperature (deg F): 70 Skies: Partly Cloudy Wind Speed (mph) & Direction: 5-10

Sample Collection Information

Method: Ponar

Number of Grabs: 3 Approximate Collection Area (cm2): 675

Notes: Each grab = 15.2 cm x 15.2 cm (225 cm2)

Multiple grabs

Habitat Information

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: PT USDA: Peat Grains: Well Rounded

Organics: Woody %: 75 - 100 Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/Notes: Natural sheen, woody, 90%, some silt (<5%)

Notes:

Very woody organics, 90%, with some silt.

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)	
<input type="checkbox"/>	Alderfly	<input type="checkbox"/>	Caddisfly	<input type="checkbox"/>	Black Fly	<input type="checkbox"/>	Bloodworm Midge
<input type="checkbox"/>	Dobsonfly	<input type="checkbox"/>	Crane Fly	<input type="checkbox"/>	Non-Red Midge	<input type="checkbox"/>	Isopod/Sowbug
<input type="checkbox"/>	Stonefly	<input type="checkbox"/>	Crawfish	<input type="checkbox"/>	Scud	<input type="checkbox"/>	Leech
<input type="checkbox"/>	Water Snipe Fly	<input type="checkbox"/>	Damselfly	<input type="checkbox"/>	Snails	<input type="checkbox"/>	Tubifex Worm
		<input type="checkbox"/>	Dragonfly				
		<input type="checkbox"/>	Fingernail Clam				
		<input type="checkbox"/>	Mayfly				
		<input type="checkbox"/>	Riffle Beetle				
		<input type="checkbox"/>	Water Penny				
Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>	
Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>	
Miscellaneous Benthic Macroinvertebrates				<input type="text"/>	Other	<input type="text"/>	Total # of Organisms: <input type="text" value="0"/>
(Not included in lists above.)							
<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Taxa: <input type="text"/>

Notes:

TOTAL # of TAXA:

15 minute assessment performed no macroinvertebrates found.

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location:

BW16BLR-001

Target Macroinvertebrate Organism:

Other (See notes)

Date: September 20, 2016

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (>= 20 mm)			0
Medium (10-19 mm)			0
Small (< 9 mm)			0
	Total	Total	Average
	0	0	0

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time:

End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID:

Sample Date/Time:

Laboratory:

PAHs 17
 VOCs
 Dioxins
 PCBs
 pH
 Moisture
 TOC
 Grain Size

Select Metals
 Ar
 Cd
 Cr
 Cu
 Hg
 Ni
 Pb

MS/MSD

Other Compound:

Duplicate

Sample ID:

Dup Time:

Notes:

Photographic Log

Project Name: SLR

Project Number: J160139

Photographs taken on: September 20, 2016

Sample Location: BW16BLR-001



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL-01"/>	<input type="text" value="432"/>	<input type="text" value="549"/>	<input type="text" value="605"/>	<input type="text" value="173"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID:

BW16BLR-002



Layer 1:

Start Depth (m): 0.0

End Depth (m): 0.15

Primary Color: Very Dark Brown (10YR 2/2)

Secondary Color: Black (10YR 2/1)

USCS: ML

USDA: Silt Loam

Grains: Rounded

Organics: Woody

Grains: %: 0 - 5

Odor: No Odor

Rocks: None

Moisture: %: N/A

Moisture: Saturated

Petrochemical: None

Cohesiveness: Loose

Description/Notes: Soft clayey silt, loose.

Layer 2:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Grains: %: —

Odor: —

Rocks: —

Moisture: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/Notes:

Layer 3:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Grains: %: —

Odor: —

Rocks: —

Moisture: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 20, 2016

Location ID:

BW16BLR-002



Photo 1:



Photo 2:



Photo 3:



Photo 4:

Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="239"/>	<input type="text" value="249"/>	<input type="text" value="272"/>	<input type="text" value="33"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID:

BW16BLR-003



Layer 1: Start Depth (m): End Depth (m):

Primary Color: Secondary Color:

USCS: USDA: Grains:

Organics: %: Odor:

Rocks: %: Moisture:

Petrochemical: Cohesiveness:

Description/ Notes:

Layer 2: Start Depth (m): End Depth (m):

Primary Color: Secondary Color:

USCS: USDA: Grains:

Organics: %: Odor:

Rocks: %: Moisture:

Petrochemical: Cohesiveness:

Description/ Notes:

Layer 3: Start Depth (m): End Depth (m):

Primary Color: Secondary Color:

USCS: USDA: Grains:

Organics: %: Odor:

Rocks: %: Moisture:

Petrochemical: Cohesiveness:

Description/ Notes:



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 21, 2016

Location ID:

BW16BLR-003




Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:



Photo 6:

Benthic Macroinvertebrate Worksheet

Project/Site Information

Project Name:	SLR	Project #:	J160139	Client:	MPCA	Contractor:	Bay West
Site Name:	Thomson Reservoir		Sample/Location Name:	BW16TR-008			
Processors:	ACB	ACB	CJM	Date:	September 27, 2016	Time:	11:09 AM
Weather:	Temperature (deg F):	62	Skies:	Cloudy	Wind Speed (mph) & Direction:	15-20	

Sample Collection Information

Method:	Ponar		
Number of Grabs:	3	Approximate Collection Area (cm2):	675

Notes: Each grab = 15.2 cm x 15.2 cm (225 cm2)

Habitat Information

Primary Color:	Dark Brown (10YR 3/3)	Secondary Color:	Brown (10YR 5/3)		
USCS:	ML	USDA:	Silt Loam	Grains:	Well Rounded
Organics:	Woody	%:	25 - 50	Odor:	No Odor
Rocks:	None	%:	N/A	Moisture:	Saturated
Petrochemical:	None	Cohesiveness:	Loose		

Description/Notes:	Very woody lots of fibrous plant material.
--------------------	--

Notes:

BW16TR-008-0.0-0.15 @1140
TOC, Dioxin, Grain size, Mercury, moisture
5 jars

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)		
<input type="text" value="1"/>	Alderfly	<input type="text"/>	Caddisfly	<input type="text"/>	Black Fly	<input type="text" value="3"/>	Bloodworm Midge	
<input type="text"/>	Dobsonfly	<input type="text"/>	Crane Fly	<input type="text" value="4"/>	Non-Red Midge	<input type="text"/>	Isopod/Sowbug	
<input type="text"/>	Stonefly	<input type="text"/>	Crawfish	<input type="text"/>	Scud	<input type="text"/>	Leech	
<input type="text"/>	Water Snipe Fly	<input type="text"/>	Damselfly	<input type="text" value="6"/>	Snails	<input type="text" value="1"/>	Tubifex Worm	
		<input type="text"/>	Dragonfly					
		<input type="text"/>	Fingernail Clam					
		<input type="text" value="3"/>	Mayfly					
		<input type="text"/>	Riffle Beetle					
		<input type="text"/>	Water Penny					
Total # of Organisms:		<input type="text" value="1"/>	Total # of Organisms:	<input type="text" value="3"/>	Total # of Organisms:	<input type="text" value="10"/>	Total # of Organisms:	<input type="text" value="4"/>
Total # of Taxa:		<input type="text" value="1"/>	Total # of Taxa:	<input type="text" value="1"/>	Total # of Taxa:	<input type="text" value="2"/>	Total # of Taxa:	<input type="text" value="2"/>

Miscellaneous Benthic Macroinvertebrates

(Not included in lists above.)

<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Organisms:	<input type="text" value="0"/>
<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Taxa:	<input type="text"/>

Notes:

TOTAL # of TAXA:

15 minute assessment

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location: Target Macroinvertebrate Organism:

Date:

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (>= 20 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Medium (10-19 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Small (< 9 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
	Total	Total	Average
	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time: End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID: Sample Date/Time: Laboratory:

- PAHs 17 VOCs Dioxins PCBs pH Moisture TOC Grain Size
- Select Metals Ar Cd Cr Cu Hg Ni Pb

MS/MSD Other Compound:

Duplicate Sample ID: Dup Time:

Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 27, 2016

Sample Location:

BW16TR-008



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:



Photo 6:

Benthic Macroinvertebrate Worksheet

Project/Site Information

Project Name:	SLR	Project #:	J160139	Client:	MPCA	Contractor:	Bay West
Site Name:	Thomson Reservoir	Sample/Location Name:	BW16TR-013				
Processors:	ACB	JMB	CJM	Date:	September 27, 2016	Time:	10:44 AM
Weather:	Temperature (deg F):	59	Skies:	Rainy	Wind Speed (mph) & Direction:	15-20	

Sample Collection Information

Method:	Ponar		
Number of Grabs:	3	Approximate Collection Area (cm2):	675

Notes: Each grab = 15.2 cm x 15.2 cm (225 cm2)

Habitat Information

Primary Color:	Dark Brown (10YR 3/3)	Secondary Color:	Very Dark Brown (10YR 2/2)		
USCS:	ML	USDA:	Silt Loam	Grains:	Well Rounded
Organics:	Fibrous	%:	0 - 5	Odor:	No Odor
Rocks:	None	%:	N/A	Moisture:	Saturated
Petrochemical:	None	Cohesiveness:	Loose		

Description/Notes:	Silty loam with very fine sand, very few fibrous woody debris <5%
--------------------	---

Notes:

BW16TR-013-0.0-0.15 @1150
TOC, Dioxin, Grain size, Mercury, moisture
5 jars

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)	
<input type="checkbox"/>	Alderfly	<input type="checkbox"/>	Caddisfly	<input type="checkbox"/>	Black Fly	<input type="checkbox"/>	Bloodworm Midge
<input type="checkbox"/>	Dobsonfly	<input type="checkbox"/>	Crane Fly	<input type="checkbox"/>	Non-Red Midge	<input type="checkbox"/>	Isopod/Sowbug
<input type="checkbox"/>	Stonefly	<input type="checkbox"/>	Crawfish	<input type="checkbox"/>	Scud	<input type="checkbox"/>	Leech
<input type="checkbox"/>	Water Snipe Fly	<input type="checkbox"/>	Damselfly	<input type="checkbox"/>	Snails	<input type="checkbox"/>	Tubifex Worm
		<input type="checkbox"/>	Dragonfly				
		<input type="checkbox"/>	Fingernail Clam				
		<input type="checkbox"/>	Mayfly				
		<input type="checkbox"/>	Riffle Beetle				
		<input type="checkbox"/>	Water Penny				
Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>	
Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>	

Miscellaneous Benthic Macroinvertebrates				<input type="text"/>	Other	<input type="text"/>	Total # of Organisms: <input type="text" value="0"/>
(Not included in lists above.)							
<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Taxa: <input type="text"/>

Notes:

TOTAL # of TAXA:

15 minute assessment no macroinvertebrates found.

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location: Target Macroinvertebrate Organism:

Date:

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (>= 20 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Medium (10-19 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Small (< 9 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
	Total	Total	Average
	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time: End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID: Sample Date/Time: Laboratory:

- PAHs 17
 VOCs
 Dioxins
 PCBs
 pH
 Moisture
 TOC
 Grain Size
 Select Metals
 Ar
 Cd
 Cr
 Cu
 Hg
 Ni
 Pb

MS/MSD
 Other Compound:
 Duplicate
 Sample ID:
 Dup Time:

Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 30, 2016

Sample Location:

BW16TR-013



Photo 1:



Photo 2:

Photo 3:

Photo 4:

Photo 5:

Photo 6:

Benthic Macroinvertebrate Worksheet

Project/Site Information

Project Name: SLR Project #: J160139 Client: MPCA Contractor: Bay West

Site Name: Thomson Reservoir Sample/Location Name: BW16TR-016

Processors: ACB JMB CJM Date: September 27, 2016 Time: 10:26 AM

Weather: Temperature (deg F): 63 Skies: Rainy Wind Speed (mph) & Direction: 15-20

Sample Collection Information

Method: Ponar

Number of Grabs: 3 Approximate Collection Area (cm²): 675

Notes: Each grab = 15.2 cm x 15.2 cm (225 cm²)

Habitat Information

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Light Brown (10YR 6/3)

USCS: CL-ML USDA: Silty Clay Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/Notes: Silty clay no plant material,

Notes:

BW16TR-016-0.0-0.15 @1200
TOC, Dioxin, Grain size, Mercury, moisture
5 jars

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)	
<input type="text"/>	Alderfly	<input type="text"/>	Caddisfly	<input type="text"/>	Black Fly	<input type="text" value="2"/>	Bloodworm Midge
<input type="text"/>	Dobsonfly	<input type="text"/>	Crane Fly	<input type="text"/>	Non-Red Midge	<input type="text"/>	Isopod/Sowbug
<input type="text"/>	Stonefly	<input type="text"/>	Crawfish	<input type="text"/>	Scud	<input type="text"/>	Leech
<input type="text"/>	Water Snipe Fly	<input type="text"/>	Damselfly	<input type="text"/>	Snails	<input type="text"/>	Tubifex Worm
		<input type="text"/>	Dragonfly				
		<input type="text"/>	Fingernail Clam				
		<input type="text"/>	Mayfly				
		<input type="text"/>	Riffle Beetle				
		<input type="text"/>	Water Penny				
Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="2"/>	
Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>	

Miscellaneous Benthic Macroinvertebrates

(Not included in lists above.)

<input type="text" value="6"/>	Other	<input type="text" value="Needle worm"/>	Total # of Organisms: <input type="text" value="8"/>
<input type="text" value="2"/>	Other	<input type="text" value="Horse tail"/>	Total # of Taxa: <input type="text"/>

Notes:

15 minute assessment

TOTAL # of TAXA:

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location: Target Macroinvertebrate Organism:

Date:

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (>= 20 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Medium (10-19 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
Small (< 9 mm)	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>
	Total	Total	Average
	<input type="text" value="0"/>	<input type="text" value="0"/>	<input type="text" value="0"/>

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time: End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID: Sample Date/Time: Laboratory:

PAHs 17 VOCs Dioxins PCBs pH Moisture TOC Grain Size

Select Metals Ar Cd Cr Cu Hg Ni Pb

MS/MSD Other Compound:

Duplicate Sample ID: Dup Time:

Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 27, 2016

Sample Location:

BW16TR-016



Photo 1:



Photo 2:



Photo 3:




Photo 4:



Photo 5:



Photo 6:

Benthic Macroinvertebrate Worksheet



Project/Site Information

Project Name: SLR Project #: J160139 Client: MPCA Contractor: Bay West

Site Name: Thomson Reservoir Sample/Location Name: BW16TR-017

Processors: ACB JMB CJM Date: September 27, 2016 Time:

Weather: Temperature (deg F): 59 Skies: Rainy Wind Speed (mph) & Direction: 15-20

Sample Collection Information

Method: Ponar

Number of Grabs: 3 Approximate Collection Area (cm2): 675

Notes: Each grab = 15.2 cm x 15.2 cm (225 cm2)

Habitat Information

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Very Dark Brown (10YR 2/2)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Fibrous %: 0 - 5 Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/Notes: Silty loam with very fine sand, very few fibrous woody debris <5%

Notes:

BW16TR-017-0.0-0.15 @1210
TOC, Dioxin, Grain size, Mercury, moisture
5 jars

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)	
<input type="checkbox"/>	Alderfly	<input type="checkbox"/>	Caddisfly	<input type="checkbox"/>	Black Fly	<input type="checkbox"/>	Bloodworm Midge
<input type="checkbox"/>	Dobsonfly	<input type="checkbox"/>	Crane Fly	<input type="checkbox"/>	Non-Red Midge	<input type="checkbox"/>	Isopod/Sowbug
<input type="checkbox"/>	Stonefly	<input type="checkbox"/>	Crawfish	<input type="checkbox"/>	Scud	<input type="checkbox"/>	Leech
<input type="checkbox"/>	Water Snipe Fly	<input type="checkbox"/>	Damselfly	<input type="checkbox"/>	Snails	<input type="checkbox"/>	Tubifex Worm
		<input type="checkbox"/>	Dragonfly				
		<input type="checkbox"/>	Fingernail Clam				
		<input type="checkbox"/>	Mayfly				
		<input type="checkbox"/>	Riffle Beetle				
		<input type="checkbox"/>	Water Penny				
Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>	
Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>	
Miscellaneous Benthic Macroinvertebrates				<input type="text"/>	Other	<input type="text"/>	Total # of Organisms: <input type="text" value="0"/>
(Not included in lists above.)							
<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Taxa: <input type="text"/>

Notes:

TOTAL # of TAXA:

15 minute assessment, no macroinvertebrates found.

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location:

BW16TR-017

Target Macroinvertebrate Organism:

Other (See notes)

Date: September 27, 2016

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (>= 20 mm)			0
Medium (10-19 mm)			0
Small (< 9 mm)			0
	Total	Total	Average
	0	0	0

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time:

End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID:

Sample Date/Time:

Laboratory:

PAHs 17
 VOCs
 Dioxins
 PCBs
 pH
 Moisture
 TOC
 Grain Size

Select Metals
 Ar
 Cd
 Cr
 Cu
 Hg
 Ni
 Pb

MS/MSD

Other Compound:

Duplicate

Sample ID:

Dup Time:

Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 30, 2016

Sample Location:

BW16TR-017



Photo 1:



Photo 2:

Photo 3:

Photo 4:

Photo 5:

Photo 6:

Benthic Macroinvertebrate Worksheet

Project/Site Information

Project Name:	SLR	Project #:	J160139	Client:	MPCA	Contractor:	Bay West
Site Name:	Thomson Reservoir	Sample/Location Name:	BW16TR-018				
Processors:	ACB	JMB	CJM	Date:	September 27, 2016	Time:	12:11 PM
Weather:	Temperature (deg F):	59	Skies:	Rainy	Wind Speed (mph) & Direction:	15-20	

Sample Collection Information

Method:	Ponar		
Number of Grabs:	3	Approximate Collection Area (cm2):	675
Notes:	Each grab = 15.2 cm x 15.2 cm (225 cm2)		

Habitat Information

Primary Color:	Dark Brown (10YR 3/3)	Secondary Color:	Very Dark Brown (10YR 2/2)		
USCS:	ML	USDA:	Silt Loam	Grains:	Well Rounded
Organics:	Fibrous	%:	5 - 10	Odor:	No Odor
Rocks:	None	%:	N/A	Moisture:	Saturated
Petrochemical:	None	Cohesiveness:	Loose		
Description/Notes:	Silty loam with very fine sand, very few fibrous woody debris <5%				

Notes:

BW16TR-018-0.0-0.15 @1215
TOC, Dioxin, Grain size, Mercury, moisture
5 jars

Benthic Macroinvertebrate Community Assessment



Each grab = 15.2 cm x 15.2 cm (225 cm²)

Group 1 (Sensitive)		Group 2 (Semi-Sensitive)		Group 3 (Semi-Tolerant)		Group 4 (Tolerant)	
<input type="checkbox"/>	Alderfly	<input type="checkbox"/>	Caddisfly	<input type="checkbox"/>	Black Fly	<input type="checkbox"/>	Bloodworm Midge
<input type="checkbox"/>	Dobsonfly	<input type="checkbox"/>	Crane Fly	<input type="checkbox"/>	Non-Red Midge	<input type="checkbox"/>	Isopod/Sowbug
<input type="checkbox"/>	Stonefly	<input type="checkbox"/>	Crawfish	<input type="checkbox"/>	Scud	<input type="checkbox"/>	Leech
<input type="checkbox"/>	Water Snipe Fly	<input type="checkbox"/>	Damselfly	<input type="checkbox"/>	Snails	<input type="checkbox"/>	Tubifex Worm
		<input type="checkbox"/>	Dragonfly				
		<input type="checkbox"/>	Fingernail Clam				
		<input type="checkbox"/>	Mayfly				
		<input type="checkbox"/>	Riffle Beetle				
		<input type="checkbox"/>	Water Penny				
Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>		Total # of Organisms: <input type="text" value="0"/>	
Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>		Total # of Taxa: <input type="text"/>	
Miscellaneous Benthic Macroinvertebrates				<input type="text"/>	Other	<input type="text"/>	Total # of Organisms: <input type="text" value="0"/>
(Not included in lists above.)							
<input type="text"/>	Other	<input type="text"/>	<input type="text"/>	<input type="text"/>	Other	<input type="text"/>	Total # of Taxa: <input type="text"/>

Notes:

TOTAL # of TAXA:

15 minute assessment, no macroinvertebrates found.

TOTAL # of ORGANISMS:

Benthic Macroinvertebrate Sample Collection



Sample Location:

BW16TR-018

Target Macroinvertebrate Organism:

Other (See notes)

Date: September 27, 2016

Organism Size	Quantity	Wet Weight (g)	Individual Wet Weight (g)
Large (≥ 20 mm)			0
Medium (10-19 mm)			0
Small (< 9 mm)			0
	Total	Total	Average
	0	0	0

Notes:

No macroinvertebrates were submitted for analysis.

Sample Processing - Depuration

Start Date/Time:

End Date/Time:

Duration (hours):

Laboratory Sample Analysis

Sample ID:

Sample Date/Time:

Laboratory:

PAHs 17
 VOCs
 Dioxins
 PCBs
 pH
 Moisture
 TOC
 Grain Size

Select Metals
 Ar
 Cd
 Cr
 Cu
 Hg
 Ni
 Pb

MS/MSD

Other Compound:

Duplicate

Sample ID:

Dup Time:

Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

September 30, 2016

Sample Location:

BW16TR-018



Photo 1:




Photo 2:

Photo 3:

Photo 4:

Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Date Collected: Time Collected: Above/Below LWD (ft):

Sample Collectors:

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL-01"/>	<input type="text" value="182"/>	<input type="text" value="277"/>	<input type="text" value="277"/>	<input type="text" value="95"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="2"/>	<input type="text" value="1.25"/>	<input type="text" value="62.5"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-001



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.05

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Silty loam, loose

Layer 2: Start Depth (m): 0.05 End Depth (m): 0.10

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: PT USDA: Peat Grains: Well Rounded

Organics: Woody %: 75 - 100 Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Woody layer

Layer 3: Start Depth (m): 0.10 End Depth (m): 0.35

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: CL-ML USDA: Clay Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Silty clay, semi-firm
Very thin fine woody material @ 0.33m



Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Date Collected: Time Collected: Above/Below LWD (ft):

Sample Collectors:

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL-01"/>	<input type="text" value="311"/>	<input type="text" value="429"/>	<input type="text" value="457"/>	<input type="text" value="146"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="3"/>	<input type="text" value="1.9"/>	<input type="text" value="63.33"/>	<input type="text" value="No"/>
<input type="text" value="2"/>	<input type="text" value="2.5"/>	<input type="text" value="1.9"/>	<input type="text" value="76"/>	<input type="text" value="Yes"/>
<input type="text" value="2"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-002



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.13

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Silt loam
Thin woody layers @ 0.05 m and 0.01m <1cm thick



Layer 2: Start Depth (m): 0.13 End Depth (m): 0.25

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: CL-ML USDA: Silty Clay Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Silty clay



Layer 3: Start Depth (m): 0.25 End Depth (m): 0.28

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)


USCS: SM USDA: Sandy Loam Grains: Well Rounded

Organics: Woody %: 50 - 75 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Medium grained Sandy loam with Woody layer medium to small pieces



Sediment Characterization Log

Location ID: BW16TR-002



Layer 4:

Start Depth (m): 0.28

End Depth (m): 0.55

Primary Color: Dark Brown (10YR 3/3)

Secondary Color: Brown (10YR 5/3)

USCS: CL-ML

USDA: Silty Clay

Grains: Well Rounded

Organics: Fibrous

Organics: %: 0 - 5

Odor: No Odor

Rocks: None

Rocks: %: N/A

Moisture: Moist

Petrochemical: None

Cohesiveness: Stiff

Description/ Notes: fine sand layer <1cm thick @0.31m, <5% fibrous material

Layer 5:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Organics: %: —

Odor: —

Rocks: —

Rocks: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/ Notes:

Layer 6:

Start Depth (m):

End Depth (m):

Primary Color: —

Secondary Color: —

USCS: —

USDA: —

Grains: —

Organics: —

Organics: %: —

Odor: —

Rocks: —

Rocks: %: —

Moisture: —

Petrochemical: —

Cohesiveness: —

Description/ Notes:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Date Collected: Time Collected: Above/Below LWD (ft):

Sample Collectors:

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL"/>	<input type="text" value="216"/>	<input type="text" value="442"/>	<input type="text" value="442"/>	<input type="text" value="226"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="4"/>	<input type="text" value="1.9"/>	<input type="text" value="47.5"/>	<input type="text" value="Yes"/>
<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="1.4"/>	<input type="text" value="46.67"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-003



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.23

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Woody %: 25 - 50 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Silty loam with 30% fibrous material Woody layer (2cm thick) @ 0.15m



Layer 2: Start Depth (m): 0.23 End Depth (m): 0.33

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: SM USDA: Sandy Loam Grains: Angular

Organics: Woody %: 25 - 50 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Medium grained sandy loam with woody layer (2 cm thick) @ 0.25m



Layer 3: Start Depth (m): 0.33 End Depth (m): 0.52

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)



USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Fibrous %: 0 - 5 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Silty loam with <5% fibrous material, <5% very fine sand



Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
1	3	1.7	56.67	<input type="text" value="—"/>
2	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
—	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
—	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
—	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-004



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.03

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: SM USDA: Sandy Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Fine sandy loam

Layer 2: Start Depth (m): 0.03 End Depth (m): 0.46

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Fibrous %: 0 - 5 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Silt loam with Fine woody layers @0.15cm, 0.33cm, and 0.39cm (<1cm thick)

Layer 3: Start Depth (m): End Depth (m):

Primary Color: Secondary Color:

USCS: USDA: Grains:

Organics: %: Odor:

Rocks: %: Moisture:

Petrochemical: Cohesiveness:

Description/ Notes:



Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL-01"/>	<input type="text" value="247"/>	<input type="text" value="419"/>	<input type="text" value="419"/>	<input type="text" value="172"/>	<input type="text" value="Sediment"/>	<input type="text" value="Gravel"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="3"/>	<input type="text" value="1.7"/>	<input type="text" value="56.67"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-005



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.06

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Silt loam with clay



Layer 2: Start Depth (m): 0.06 End Depth (m): 0.11

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: OH USDA: Other (see Notes) Grains: Well Rounded

Organics: Woody %: 75 - 100 Odor: No Odor

Rocks: None %: — Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Woody layer, 4 cm thick



Layer 3: Start Depth (m): 0.11 End Depth (m): 0.48

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: SAA
Silt loam with clay with thin fine woody layer @ 0.23cm (<1 cm thick)



Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Sample Collectors:

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="128"/>	<input type="text" value="182"/>	<input type="text" value="182"/>	<input type="text" value="54"/>	<input type="text" value="Sediment"/>	<input type="text" value="Gravel"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="1.2"/>	<input type="text" value="1.0"/>	<input type="text" value="83.33"/>	<input type="text" value="Yes"/>
<input type="text" value="2"/>	<input type="text" value="1.2"/>	<input type="text" value="0.9"/>	<input type="text" value="75"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-006



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.13

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes:

Layer 2: Start Depth (m): 0.13 End Depth (m): 0.15

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: SM USDA: Sandy Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Fine grained sand

Layer 3: Start Depth (m): 0.15 End Depth (m): 0.28

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)


USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: SAA
Fine woody layer @ 0.24 cm (<1 cm thick)



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-006



Photo 1:



Photo 2:



Photo 3:



Photo 4:

Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="155"/>	<input type="text" value="198"/>	<input type="text" value="251"/>	<input type="text" value="96"/>	<input type="text" value="Sediment"/>	<input type="text" value="Gravel"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="3"/>	<input type="text" value="1.8"/>	<input type="text" value="60"/>	<input type="text" value="Yes"/>
<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="text" value="1.7"/>	<input type="text" value="56.67"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-007



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.08

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Silty loam



Layer 2: Start Depth (m): 0.08 End Depth (m): 0.51

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)


USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Other (see Notes) %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Clayey silt loam with fine-medium sand sub layers @ 0.235-0.25cm, 0.3-0.31cm, 0.37-0.40cm. A fine woody lay is present @ 0.35-0.36cm.



Layer 3: Start Depth (m): End Depth (m):

Primary Color: Secondary Color:


USCS: USDA: Grains:

Organics: %: Odor:

Rocks: %: Moisture:

Petrochemical: Cohesiveness:

Description/ Notes:



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-007



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:



Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="81.28"/>	<input type="text" value="172.72"/>	<input type="text" value="172.72"/>	<input type="text" value="91.44"/>	<input type="text" value="Sediment"/>	<input type="text" value="Coarse Sand"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="text" value="0.65"/>	<input type="text" value="65"/>	<input type="text" value="Yes"/>
<input type="text" value="2"/>	<input type="text" value="1"/>	<input type="text" value="0.8"/>	<input type="text" value="80"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-009



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.19

Primary Color: Brown (10YR 5/3) Secondary Color: Brown (10YR 5/3)

USCS: SM USDA: Sandy Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: Fine Gravel %: 25 - 50 Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Lost 0.4ft of coarse sand on bottom of core during collection
Medium to coarse grained sand



Layer 2: Start Depth (m): End Depth (m):

Primary Color: Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:



Layer 3: Start Depth (m): End Depth (m):

Primary Color: Secondary Color: —


USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-009



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Date Collected: Time Collected: Above/Below LWD (ft):

Sample Collectors:

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
PL-01	74	90	101	27	Sediment	Silty Clay
<input type="text" value="PL-01"/>	<input type="text" value="24"/>	<input type="text" value="46"/>	<input type="text" value="106.68"/>	<input type="text" value="82.68"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
1	1.3	1.3	100	Yes
—	<input type="text"/>	<input type="text"/>	0	—
—	<input type="text"/>	<input type="text"/>	0	—
—	<input type="text"/>	<input type="text"/>	0	—
—	<input type="text"/>	<input type="text"/>	0	—

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-010



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.05

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: SM USDA: Sandy Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Fine grained sand

Layer 2: Start Depth (m): 0.0 End Depth (m): 0.11

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: OH USDA: Other (see Notes) Grains: Well Rounded

Organics: Woody %: 75 - 100 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Woody debris with some fine grained sand

Layer 3: Start Depth (m): 0.11 End Depth (m): 0.48

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Woody %: 25 - 50 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Woody layer @ 0.21 cm and 0.27 cm (1 cm thick)



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-010



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:



Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="152"/>	<input type="text" value="243"/>	<input type="text" value="259"/>	<input type="text" value="107"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="2.5"/>	<input type="text" value="1.6"/>	<input type="text" value="64"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-011



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.46

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: Woody %: 0 - 5 Odor: No Odor

Rocks: None %: N/A Moisture: —

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Clayey silt loam

Layer 2: Start Depth (m): 0.44 End Depth (m): 0.46

Primary Color: Reddish Brown Secondary Color: Brown (10YR 5/3)

USCS: CL-ML USDA: Silty Clay Grains: Well Rounded

Organics: Woody %: 0 - 5 Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Stiff

Description/ Notes: Very thin fine woody layer @ 0.45cm (<1mm thick)

Layer 3: Start Depth (m): End Depth (m):

Primary Color: — Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:



Sediment Characterization Log

Location ID: BW16TR-011



Layer 4: Start Depth (m): 0.35 End Depth (m): 0.85

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Clayey silt loam
Sampled at 0.6-0.85m

Layer 5: Start Depth (m): End Depth (m):

Primary Color: Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:

Layer 6: Start Depth (m): End Depth (m):

Primary Color: Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:

Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-011



Photo 1:



Photo 2:



Photo 3:



Photo 4:



Photo 5:




Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	<i>74</i>	<i>90</i>	<i>101</i>	<i>27</i>	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-012



Layer 1:

Start Depth (m): 0.0 End Depth (m): 0.15

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: Other (see Notes) %: 5 - 10 Moisture: Saturated

Petrochemical: None Cohesiveness: —

Description/ Notes: Ponar grab
Silt with some fine grained sand, light brown clay is present.

Layer 2:

Start Depth (m): End Depth (m):

Primary Color: — Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:

Layer 3:

Start Depth (m): End Depth (m):

Primary Color: — Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:

Photographic Log

Project Name:

Project Number:

Photographs taken on:

Location ID:



Photo 1:



Photo 2:



Photo 3:



Photo 4:

Photo 5:

Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="137"/>	<input type="text" value="180"/>	<input type="text" value="287"/>	<input type="text" value="150"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="1.3"/>	<input type="text" value="1.3"/>	<input type="text" value="100"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-014



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.08

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Black (10YR 2/1)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Saturated

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Silt with some clay



Layer 2: Start Depth (m): 0.08 End Depth (m): 0.38

Primary Color: Very Dark Brown (10YR 2/2) Secondary Color: Dark Brown (10YR 3/3)

USCS: CL-ML USDA: Silty Clay Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes: Silty clay



Layer 3: Start Depth (m): End Depth (m):

Primary Color: — Secondary Color: —


USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-014



Photo 1:



Photo 2:



Photo 3:




Photo 4:




Photo 5:




Photo 6:

Sediment Collection & Characterization Core Log



Project/Site Information

Project Name: Client: Contractor:

Project #: Site Location: Location ID:

Core & Polling Collection Information

Sample Collectors:

Date Collected: Time Collected: Above/Below LWD (ft):

Water Elevation (ft): Water Depth (ft): Sediment Elevation (ft):

Poling Collection Information

Equipment:

Location ID	Depth of Water (cm)	Depth to Resistance (cm)	Depth to Refusal (cm)	"Soft" Sediment Thickness (cm)	Refusal Type	Sediment Type Approaching Refusal
<i>PL-01</i>	74	90	101	27	<i>Sediment</i>	<i>Silty Clay</i>
<input type="text" value="PL-01"/>	<input type="text" value="71"/>	<input type="text" value="132"/>	<input type="text" value="142"/>	<input type="text" value="71"/>	<input type="text" value="Sediment"/>	<input type="text" value="Silt Loam"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>	<input type="text" value="—"/>

Core Collection Information

Collection Method:

Push Attempts	Push Depth (ft)	Push Recovery (ft)	% Recovery	Retained?
<input type="text" value="1"/>	<input type="text" value="1.4"/>	<input type="text" value="1.2"/>	<input type="text" value="85.71"/>	<input type="text" value="Yes"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>
<input type="text" value="—"/>	<input type="text"/>	<input type="text"/>	<input type="text" value="0"/>	<input type="text" value="—"/>

Core Processing Information

Sample Processors:

Length of Core (m): Date Processed: Time Processed:

Sediment Characterization Log

Location ID: BW16TR-015



Layer 1: Start Depth (m): 0.0 End Depth (m): 0.10

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: ML USDA: Silt Loam Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Loose

Description/ Notes: Clayey silt



Layer 2: Start Depth (m): 0.10 End Depth (m): 0.36

Primary Color: Dark Brown (10YR 3/3) Secondary Color: Brown (10YR 5/3)

USCS: CL-ML USDA: Silty Clay Grains: Well Rounded

Organics: None %: N/A Odor: No Odor

Rocks: None %: N/A Moisture: Moist

Petrochemical: None Cohesiveness: Medium Density

Description/ Notes:



Layer 3: Start Depth (m): End Depth (m):

Primary Color: — Secondary Color: —

USCS: — USDA: — Grains: —

Organics: — %: — Odor: —

Rocks: — %: — Moisture: —

Petrochemical: — Cohesiveness: —

Description/ Notes:



Photographic Log

Project Name:

SLR

Project Number:

J160139

Photographs taken on:

October 6, 2016

Location ID:

BW16TR-015



Photo 1:



Photo 2:




Photo 3:



Photo 4:



Photo 5:

Photo 6:

Appendix B
**2016 Tissue Analysis Project Plan for
Duluth Reservoirs Draft Report**

**2016 Tissue Analysis Project Plan for Duluth Reservoirs
Draft Report**

Contract No. W911XK-16-D-0014-0005

Prepared for:

U.S. Army Corps of Engineers
Detroit District
477 Michigan Avenue
Detroit, Michigan 48226

Attn: Pam Horner

Prepared by:

Advanced Environmental Management Group
44339 Plymouth Oaks Blvd.
Plymouth, Michigan, 48170-2585
March 10, 2017
F16705

Table of Contents

1.0	Introduction	1
2.0	Scope of Work.....	2
3.0	Sample Collection	3
3.1	Fish Sampling.....	3
3.1.1	Scanlon Reservoir.....	3
3.1.2	Thomson Reservoir	3
3.1.3	Boulder Lake Reservoir.....	4
3.2	Fish Handling and Homogenization.....	4
3.3	Macroinvertebrates Sample Collection	4
3.4	Macroinvertebrates Handling and Homogenization.....	5
3.5	<i>Lumbriculus variegatus</i> Handling and Homogenization.....	5
4.0	Tissue Sample Analysis	7
4.1	Fish Samples.....	7
4.1.1	Scanlon Reservoir.....	7
4.1.2	Thomson Reservoir	7
4.1.3	Boulder Lake Reservoir.....	7
4.1.4	Test America Laboratory Reports	7
4.2	Macroinvertebrate Samples	8
4.3	<i>Lumbriculus variegatus</i> Samples	8
4.4	GLEC QA/QC Samples.....	8

Appendices

Appendix A – Scanlon Reservoir Whole Fish COCs and Fish Sampling Field Logs

Appendix B – Thomson Reservoir Whole Fish COCs and Fish Sampling Field Logs

Appendix C – Boulder Lake Reservoir Whole Fish COCs and Fish Sampling Field Logs

Appendix D – GLEC Fish and Macroinvertebrate Tissue Processing Report

Appendix E – GLEC Fish Information Summary Tables

Appendix F – EPA and MCPA Macroinvertebrate COCs and Instructions

Appendix G – Scanlon Reservoir Fish Samples Analytical Results Summary Table

Appendix H – Thomson Reservoir Fish Samples Analytical Results Summary Table

Appendix I – Boulder Lake Reservoir Fish Samples Analytical Results Summary Table

Appendix J – TA Report – J180-60593

Appendix K – TA Report – J180-60837

Appendix L – TA Report – J180-60852

Appendix M – Macroinvertebrate Analytical Results Summary Table

Appendix N – TA Report – J180-61461

Appendix O – Lumbriculus Variegatus Analytical Results Summary Table

Appendix P – TA Report – J180-62135

Appendix Q – TA Report – J180-60590

Appendix R – TA Report – J180-60831

Appendix S – TA Report – J180-61437

Abbreviations

AEM Group	Advanced Environmental Management Group, LLC
COC	Chain of Custody
EPA	Environmental Protection Agency
GLEC	Great Lakes Environmental Center, Inc.
MPCA	Minnesota Pollution Control Agency
MS	Matrix Spike
MSD	Matrix Spike Duplicate
QA	quality assurance
QAPP	quality assurance project plan
QC	quality control
RFP	request for proposal
SOW	scope of work
USACE	U.S. Army Corps of Engineers

1.0 Introduction

The U.S. Army Corps of Engineers, Detroit District (USACE) contracted Advanced Environmental Management Group, LLC (AEM Group) to perform tissue analysis of organic samples collected from three reservoirs near Cloquet, Minnesota, in accordance with the USACE request for proposal (RFP) and statement of work (SOW) dated September, 2016.

The purpose of this project is part of an ongoing assessment to characterize the physical and chemical characteristics of fish and macro-organisms located in the Boulder Lake, Scanlon and Thomson Reservoirs for the purpose of evaluating human and wildlife exposure due to the current conditions of the reservoirs. The samples were provided by the Minnesota Pollution Control Agency (MPCA) and the Environmental Protection Agency (EPA).

For the purposes of aging the larger fish, the otoliths and fins were extracted from the fish prior to homogenization.

The SOW included the analysis of the selected fish and macro-organisms tissue provided by the MPCA and the EPA.

Laboratories subcontracted for analysis included:

- Test America (TA) for chemical and physical analyses, and
- Great Lakes Environmental Center, Inc. (GLEC) for biological handling and analyses.

This report provides documentation of the activities performed by GLEC and the laboratory results from Test America.

2.0 Scope of Work

The USACE SOW stated that MPCA and the EPA were to collect fish, mayflies and benthic organisms from three reservoirs near Cloquet, Minnesota for laboratory analysis.

The SOW estimated that MPCA and EPA would collect five fish species from each reservoir and three samples for each fish species collected. The fish samples were to consist of a total of: 5 fish species x 3 samples per reservoir x 3 reservoirs = 45 samples. Each fish sample would consist of a minimum of a 100 grams for analytical purposes.

The SOW estimated that MPCA and EPA would collect mayfly and other benthic organisms. The mayfly and benthic organism samples were to consist of a total of five samples per reservoir: 5 samples per reservoir x 3 reservoirs = 15 samples provided by MPCA and 15 additional samples provided by EPA.

The SOW estimated a total of 75 tissue samples be collected for chemical analysis. The samples were to be shipped under chain-of-custody (COC) with field logs to GLEC. GLEC would confirm the sample information collected in the field and perform the required homogenization. Each sample would be homogenized individually, including all fish in the same package. GLEC would send the samples to Test America, for analysis of dioxin, total mercury, methyl mercury, and % lipids.

For the fish samples, the EPA required otolith extraction from the larger fish species prior to homogenization. MPCA selected which fish would have the otolith extraction and included this information on the chain of custody form and field logs provided to GLEC. The SOW estimated that 100 fish would require otolith extraction. The extracted otoliths and a representative homogenated tissue samples of each fish sample would be preserved/frozen and sent to the EPA.

The samples being provided for chemical analysis for each reservoir are as follows:

- 5 Mayfly samples
- 5 Benthos samples
- 5 fish species samples will be selected from the following species:
 - Minnow or Shiner
 - Yellow Perch
 - Young of Year Bluegill
 - Smallmouth Bass
 - Walleye
 - Northern Pike

The actual number of samples processed and analyzed would be dependent on the number of fish and macro-organisms collected and the total weight of the fish and macro-organisms.

3.0 Sample Collection

3.1 Fish Sampling

Fish samples were collected by MPCA. No report has been provided to AEM Group documenting how the fish were collected, handled, measured, selected, processed, frozen, or shipped. All information provided in this section is based upon the field logs and whole fish chain-of-custody (COC) provided to GLEC with the fish samples. MPCA developed a standardized fish naming convention for the samples collected. The field logs record included:

- Sample ID including reservoir and fish species,
- Sample date and time,
- Fish species,
- Number of fish,
- Fish length in millimeters (mm),
- Fish weight in grams (g).

3.1.1 Scanlon Reservoir

Twelve fish samples were collected from the Scanlon Reservoir on October 6, 2016. The samples were sent to GLEC on October 26, 2016. Fish collected included:

- Northern Pike, 1 sample – 2 fish
- Shiner Mix, 1 sample – number of individual fish not recorded, just total weight
- Smallmouth Bass, 3 samples – 3 fish, 3 fish, 3 fish
- Walleye, 1 sample – 3 fish
- White Sucker, 3 samples - 3 fish, 3 fish, 3 fish
- Yellow Perch, 3 samples – 4 fish, 3 fish, 19 fish

Appendix A includes copies of the Fish Sampling Field Log Sheets and the chain-of-custodies sent to GLEC for Scanlon Reservoir.

3.1.2 Thomson Reservoir

Thirteen fish samples were collected from the Thomson Reservoir on October 11, 2016. The samples were sent to GLEC on October 26, 2016. Fish collected included:

- Northern Pike, 1 sample – 3 fish
- Rock Bass, 2 sample – 3 fish, 8 fish
- Smallmouth Bass, 4 samples – 10 fish, 3 fish, 3 fish, 10 fish
- Walleye, 1 sample – 3 fish
- White Sucker, 3 samples - 3 fish, 3 fish, 3 fish
- Yellow Perch, 2 samples – 3 fish, 4 fish

Appendix B includes copies of the Fish Sampling Field Log Sheets and the chain-of-custodies sent to GLEC for Thomson Reservoir.

3.1.3 Boulder Lake Reservoir

Fourteen fish samples were collected from Boulder Lake Reservoir, the background samples, on October 6, 2016. The fish samples were sent to GLEC on October 26, 2016. Fish collected included:

- Black Crappie (species not confirmed), 1 sample – 6 fish
- Rock Bass, 1 sample - 9 fish
- Shiner Mix, 3 samples – number of individual fish not recorded, just total weight
- Walleye, 3 samples – 3 fish, 5 fish, 3 fish
- White Sucker, 3 samples – 3 fish, 3 fish, 3 fish
- Yellow Perch, 3 samples – 13 fish, 13 fish, 12 fish

Appendix C includes copies of the Fish Sampling Field Log Sheets and the chain-of-custodies sent to GLEC for Boulder Lake Reservoir.

3.2 Fish Handling and Homogenization

GLEC received a total of 39 fish samples out of the estimated 45 samples listed in the USACE SOW. GLEC logged the fish samples into their tracking system and issued the samples a GLEC sample ID number. MPCA also identified the samples to be used for Test America Quality Assurance/Quality Control (QA/QC) matrix spike/matrix spike duplicate (MS/MSD) samples and those samples to be duplicated by GLEC for QA/QC duplicate analysis.

GLEC prepared the fish samples based on the instructions on the COCs using the procedures outlined by EPA in EPA-841-R-14-007: National Coastal Condition Assessment, 2015 Field Operations Manual and EPA 841-R-14-008, National Coastal Condition Assessment, 2015 Laboratory Operations Manual. A copy of the GLEC report is included in Appendix D.

The information on the fish length, weight, and species were confirmed by GLEC in the laboratory, once the fish were partially thawed. This information is included in Appendix D, Tables 1 and 2. These tables are also included in Appendix E.

Once the fish samples were measured and weighed, the selected fish had the otolith bones and fins removed and sent to the EPA for fish aging. Fish that could have the sex determined were investigated to determine if the fish was male or female. The fish samples were then homogenized; samples were placed into three jars and sent to Test America Laboratories in Canton, Ohio; Pittsburg, Pennsylvania; and Knoxville, Tennessee for chemical and physical analysis. Samples were analyzed for methyl mercury, total mercury, % lipids, and dioxins/furans.

3.3 Macroinvertebrates Sample Collection

Macroinvertebrates samples were collected by MPCA and by the EPA. No report has been provided to AEM Group documenting how the macroinvertebrates samples were collected, handled, selected, processed, frozen, or shipped.

Copies of the COCs for the macroinvertebrates samples are included in Appendix F. Limited instructions on the homogenization of samples and the chemical and physical analysis of the

samples were included on the COCs. Additional instructions were provided by the EPA on how to composite and homogenize the EPA collected samples. These instructions are included in Appendix F.

3.4 Macroinvertebrates Handling and Homogenization

GLEC received seven samples from MPCA. Based on the sample ID, all seven samples were collected from the Scanlon Reservoir from September 19, 2017 to October 6, 2017. The samples included:

- 3 mayfly samples
- 3 dragonfly samples
- 1 crawfish sample

The third mayfly sample was run as a QA/QC duplicate for total mercury and methyl mercury. The first dragonfly sample was run as a QA/QC duplicate for % lipids and dioxins/furans. Not all samples were analyzed for all compounds based on the total weight of macroinvertebrates. The priority selected was dioxin and % lipids, then methyl mercury and total mercury.

GLEC received 19 samples from the USEPA for compositing and homogenization. The 19 samples were composited into 4 samples for analysis. The four samples were:

- EPA16-SR-HD-001-MCRS – Scanlon Reservoir composite sample
- EPA16-TR-HD-001-MCRS – Thomson Reservoir composite sample
- EPA16-BR-HD-001-MCRS – Boulder Reservoir composite sample
- EPA16-TR-HD-001-C - Thomson Reservoir composite sample for crawfish

No field identifications of the macroinvertebrates in the EPA samples were provided to AEM Group for inclusion in this report.

Only the Boulder Lake sample had enough material to be analyzed for dioxin, % lipids, methyl mercury, and total mercury. The Scanlon and Thomson samples were analyzed for methyl mercury, and total mercury

Copies of the COC and compositing instructions to GLEC are included in Appendix F.

Based on the amount of sample available, the samples were placed into one jar and shipped to Test America in Pittsburg, Pennsylvania for analysis based on the amount of material available.

3.5 *Lumbriculus variegatus* Handling and Homogenization

As part of this contract, it was decided since limited mass of macroinvertebrates were collected in September and October of 2016, that sediment from the reservoirs would be collected and used to test for biological toxicity in *Lumbriculus variegatus* grown and harvested in the lab.

Sediment was sent to GLEC under a separate contract for this purpose. The analysis of the *Lumbriculus variegatus* was performed under this contract. A copy of this report was not provided to AEM Group for this report.

According to the information that was provided, GLEC was sent seven sediment samples:

- Boulder Lake Reservoir – 1 sample
- Scanlon Reservoir – 2 samples
- Thomson Reservoir – 4 samples

GLEC following standard procedures for the growth of *Lumbriculus variegatus*, divided the sediment samples into five replicates to produce enough *Lumbriculus variegatus* for laboratory analysis and statistical analysis of the laboratory results. However, based on the amount of *Lumbriculus variegatus* tissue, it was decided to homogenize the five replicates into one sample for laboratory analysis by Test America. No sample was divided for QA/QC analysis.

According to the COC, the *Lumbriculus variegatus* samples were homogenized on December 22, 2016 and shipped to Test America on December 26, 2016.

The *Lumbriculus variegatus* tissue samples were placed into three jars and sent to Test America Laboratories in Canton, Ohio; Pittsburg, Pennsylvania; and Knoxville, Tennessee for chemical and physical analysis. Samples were analyzed for methyl mercury, total mercury, % lipids, and dioxins/furans.

4.0 Tissue Sample Analysis

The tissue samples were delivered under chain-of-custody to Test America Laboratories in Canton, Ohio; Pittsburg, Pennsylvania; and Knoxville, Tennessee for chemical and physical analysis. Samples were analyzed for methyl mercury, total mercury, % lipids, and dioxins/furans.

- Canton, Ohio – methyl mercury
- Pittsburg, Pennsylvania – total mercury and % lipids
- Knoxville, Tennessee – dioxins/furans

All coordination between the three labs was managed out of the Pittsburg laboratory.

4.1 Fish Samples

4.1.1 Scanlon Reservoir

Thirteen fish samples were sent from GLEC to Test America and were analyzed in two laboratory batches.

- 180-60837 – 9 samples (includes 1 QA/QC duplicate sample)
- 180-60852 – 4 samples

A summary table of the results is included in Appendix G.

4.1.2 Thomson Reservoir

Fifteen fish samples were sent from GLEC to Test America and were analyzed in two laboratory batches.

- 180-60593 – 3 samples
- 180-60837 – 12 samples (includes 2 QA/QC duplicate sample)

A summary table of the results is included in Appendix H.

4.1.3 Boulder Lake Reservoir

Fifteen fish samples were sent from GLEC to Test America and were analyzed in one laboratory batch.

- 180-60593 – 15 samples (includes 1 QA/QC duplicate sample)

A summary table of the results is included in Appendix I.

4.1.4 Test America Laboratory Reports

Copies of the Test America Laboratory Reports are included in Appendices J, K, and L.

- Appendix J – J180-60593 – 1 report

- Appendix K – J180-60837 – 2 reports
- Appendix L – J180-60852 – 2 reports

The number of reports was based on the amount of time required to perform the dioxin/furan analyses and get the information into the Test America reporting database. The dioxin/furan reports were originally run using the World Health Organization (WHO) 2005 Toxic Equivalency Factors (TEF) for human health risks to calculate the Toxic Equivalence (TEQ) for the total dioxin/furans identified in the laboratory reports. These values were calculated using zero (0) as the concentration in the equation for all samples that had no detection levels for the analyte.

Upon review, the client requested the TEQs be recalculated using the WHO 1998 TEF for fish. These values were calculated using the equipment detection limit (EDL) as the concentration in the equation for all samples that had no detection levels for the analyte.

4.2 Macroinvertebrate Samples

Thirteen macroinvertebrate samples were sent from GLEC to Test America and were analyzed in one laboratory batch.

- 180-61461 – 13 samples (includes 2 QA/QC duplicate samples)

A summary table of the results is included in Appendix M.

Copies of the Test America Laboratory Reports are included in Appendix N. Two reports were issued for these samples, one for dioxin/furans, and one for % lipids, methyl mercury, and total mercury. The dioxin/furan report was reissued using the WHO 1998 TEF for fish and the EDL for non-detects.

4.3 *Lumbriculus variegatus* Samples

Eight *Lumbriculus variegatus* samples were sent from GLEC to Test America and were analyzed in one laboratory batch.

- 180-62135 – 8 samples (includes no QA/QC duplicate samples)

A summary table of the results is included in Appendix O.

Copies of the Test America Laboratory Reports are included in Appendix P. Two reports were issued for these samples, one for dioxin/furans, and one for % lipids, methyl mercury, and total mercury. The dioxin/furan report was reissued using the WHO 1998 TEF for fish and the EDL for non-detects.

4.4 GLEC QA/QC Samples

As part of the homogenization process, GLEC sent equipment rinsate blanks to Test America for analysis to document the cleaning decontamination process that occurred between the fish homogenization activities.

The activities are described in Appendix D on page 2, and the page below.

Table 1: GLEC Rinsate Blanks

Date	Tissue Type	GLEC Sample Number	Project Sample Designation
11-2-16	Fish	H2O Rinsate collected for MeHG following GLEC 5041	MN16 BR WAL-A
11-2-16	Fish	H2O Rinsate collected for total Hg following GLEC 5031	MN16 BR YP-A
11-3-16	Fish	Hexane Rinse collected for dioxin following GLEC 5045	MN16 BR GS-C
11-8-16	Fish	H2O Rinsate collected for MeHG following GLEC 5036	MN16 TR SMB-B
11-8-16	Fish	Hexane Rinse collected for dioxin following GLEC 5004	MN16 TR SMB-C
11-9-16	Fish	H2O Rinsate collected for total Hg following GLEC 5015	MN16 TR WS-B
11-10-16	Fish	Hexane Rinse collected for dioxin following GLEC 5016	MN16 SR WS-C
11-11-16	Fish	H2O Rinsate collected for total Hg following GLEC 5022	MN16 SR WS-A
11-14-16	Fish	H2O Rinsate collected for MeHG following GLEC 5020	MN16 SR YP-B
11-29-16	Macroinvertebrates	H2O Rinsate collected for total Hg following EPA-HD-TR-001-C	EPA HD TR 001-C
11-30-16	Macroinvertebrates	H2O Rinsate collected for MeHG following BW16 SR 003 D	BW16 SR 003 D

Copies of these reports are located in Appendices Q, R, and S.

- Appendix Q - 180-60590
- Appendix R - 180-60831
- Appendix S - 180-61437

APPENDIX A

Scanlon Reservoir Whole Fish COCs and Fish Sampling Field Logs

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler) Field Log Scanlon Reservoir

Codes # 1
Appendix A

Sender: Mark Elliott / MPCA Date Sent: 10 / 26 / 16
 Email Address: mark.elliott@state.mn.us Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-WS-C</u> (Label # <u>5016</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
✓ .01	<u>White Sucker</u>	<u>452</u>	<u>X</u>	
.02		<u>410</u>	<u>X</u>	
.03		<u>425</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-NP-A</u> (Label # <u>5019</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
✓ .01	<u>Northern Pike</u>	<u>340</u>	<u>X</u>	<u>Duplicate</u>
.02		<u>487</u>	<u>X</u>	
.03			<u>o</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-GSH-A</u>				
	Common Name	Total Length (mm)	Frozen	Comments
✓ .01	<u>Golden Shiner - mixed shiner</u>		<u>X</u>	<u>bulk sample</u> <u>61 grams</u>
.02			<u>o</u>	
.03	<u>5024</u>		<u>o</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-WAL-A</u>				
	Common Name	Total Length (mm)	Frozen	Comments
✓ .01	<u>Walleye</u>	<u>305</u>	<u>X</u>	
.02		<u>290</u>	<u>X</u>	
.03	<u>5023</u>	<u>279</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen: <u>U</u>	
Print Name & Organization: <u>Mark Elliott / MPCA</u>	Time: <u>16:20</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>10:19</u>		
Signature: <u>[Signature]</u>	Date: <u>10-25-16</u>	Signature: <u>[Signature]</u>	Date: <u>10/27/16</u>		
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC Attn: John Bachman 739 Hastings Street Traverse City, MI 49686	 GLEC Great Lakes Environmental Center	Questions regarding sampling, packing, and shipping: Call Jim Stricko (GLEC) 231-499-5947
---	---	--

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 15:43 **Recorded by:** CSM
Scanlon Reservoir

Weather: Sunny, 55°C **Comments:** _____
dusk

Fish Species: WAL **Composite Sample Group ID:** A **Group Sample ID#:** ~~5023~~
walleye MN16-SR-WAL-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	305	237	WAL	Y	Y	5023.1
A2	290	215	WAL	Y	Y	5023.2
A3	279	168	WA	Y	Y	5023.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 14:43 **Recorded by:** CSM
Scanlon Reservoir

Weather: Sunny, 55°F **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** C **Group Sample ID#:** MN16-SR-WS-C

White Sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
C1	452	791	WS	Y	Y	5016.1
C2	410	781	WS	Y	Y	5016.2
C3	425	817	WS	Y	Y	5016.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR Scanlon **Sample Date:** 10/6/16 **Time:** 17:43 **Recorded by:** CSM

Weather: sunny, 55°C **Comments:** _____

Fish Species: NP Northern Pike **Composite Sample Group ID:** ^A8 **Group Sample ID#:** 5019
MN16-SR-NP-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	417	340	NP	Y	Y	5019.1
A2	462	487	NP	Y	Y	5019.2

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 17:41 **Recorded by:** CSM
Scanlon Reservoir

Weather: clear, sunny, 55°C **Comments:** many individuals n=17

Fish Species: GSH **Composite Sample Group ID:** A **Group Sample ID#:** 5024
Golden Shiner - Shiner Mix MN16-SR-GSH-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
17 NA	NA	61g	shiner			5024.1 - many individuals

Notes:

Sender: Mark Elliott / MREA
 Email Address: mark.elliott@state.mn.us

Date Sent: 10 / 26 / 16
 Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-SMB-A (Label # 5001)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>547 344</u>	<u>X</u>	
.02		<u>627 341</u>	<u>X</u>	
.03		<u>340</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-SMB-B (Label # 5002)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>326</u>	<u>X</u>	<u>Duplicate</u>
.02		<u>345</u>	<u>X</u>	
.03		<u>272</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-SMB-C (Label # 5001)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>251</u>	<u>X</u>	
.02		<u>295</u>	<u>X</u>	
.03		<u>265</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-SR-WS-A (Label # 5002)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>439</u>	<u>X</u>	
.02		<u>399</u>	<u>X</u>	
.03		<u>399</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen: <input checked="" type="checkbox"/>	
Print Name & Organization: <u>Mark Elliott / MREA</u>	Time: <u>10:00</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>11:00</u>		
Signature: <u>Mark Elliott</u>	Date: <u>10-25-16</u>	Signature: <u>John Bachman</u>	Date: <u>10/27/16</u>		
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 14:57 **Recorded by:** CSM
Scanlon Res.

Weather: Sunny, 55°C **Comments:** _____

Fish Species: SMB **Composite Sample Group ID:** A **Group Sample ID#:** ~~5001~~
Smallmouth Bass MN16-SR-SMB-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	344	547	SMB	Y	Y	5001.1
A2	341	627	SMB	Y	Y	5001.2
A3	340	547	SMB	Y	Y	5001.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 15:10 **Recorded by:** CSM

Scanlon Reservoir

Weather: Sunny, 55°C **Comments:** _____

Fish Species: SMB **Composite Sample Group ID:** B **Group Sample ID#:** ~~5002~~
MN16-SR-SMB-B

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
B1	326	473	SMB	Y	Y	5002.1
B2	345	587	SMB	Y	Y	5002.2
B3	272	278	SMB	Y	Y	50002 . 5002.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR Sample Date: 10/6/16 Time: 11:26 Recorded by: CSM

Scanlon Reservoir

Weather: SUNNY, 55°C Comments: _____

Fish Species: SMB Composite Sample Group ID: C Group Sample ID#: ~~5021~~

Smallmouth Bass

MN16-SR-SMB-C

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
C1	251	213	SMB	Y	Y	5021.1
C2	295	371	SMB	Y	Y	5021.2
C3	265	274	SMB	Y	Y	5021.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 14:11 **Recorded by:** CSM
Scanlon Reservoir

Weather: Sunny 55°F **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** A **Group Sample ID#:** MN16-SR-WS-A
white sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	439	1015	WS	Y	Y	5022.1
A2	399	736	WS	Y	Y	5022.2
A3	399	792	WS	Y	Y	5022.3

Notes:

WHOLE FISH CHAIN OF CUSTODY Scanlon Cooler # 3
 (Complete for the samples to be included in our cooler) Appendix A
 Field Logs Scanlon Reservoir

Sender: Mark Elliott/MPCA Date Sent: 10/26/16
 Email Address: mark.elliott@state.mi.us Phone Number: 219-302-6649

Note: Record information for minnows on back

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10/6/16</u>		
SAMPLE ID: <u>MN16+SR+WS-B</u>		(Label # <u>5017</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>421</u>	<input checked="" type="checkbox"/>	
.02		<u>452</u>	<input checked="" type="checkbox"/>	
.03		<u>304</u>	<input checked="" type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10/6/16</u>		
SAMPLE ID: <u>MN16+SR+YP-A</u>		(Label # <u>5025</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch A</u>	<u>239</u>	<input checked="" type="checkbox"/>	
.02		<u>226</u>	<input checked="" type="checkbox"/>	<u>MS/MSID</u>
.03		<u>217</u>	<input checked="" type="checkbox"/>	
.04		<u>185</u>	<input checked="" type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10/6/16</u>		
SAMPLE ID: <u>MN16+SR+YP-B</u>		(Label # <u>5020</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>	<u>202</u>	<input checked="" type="checkbox"/>	
.02		<u>169</u>	<input checked="" type="checkbox"/>	
.03		<u>223</u>	<input checked="" type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Scanlon Reservoir</u>		Date Collected: <u>10/6/16</u>		
SAMPLE ID: <u>MN16+SR+YP-C</u>		(Label # <u>5018</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>	<u>432</u>	<input type="checkbox"/>	<u>Length not recorded</u>
.02		<u>Not recorded</u>	<input type="checkbox"/>	
.03			<input type="checkbox"/>	<u>Weight = 432 grams</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Released By / Organization		Received By / Organization		Received Frozen: <input checked="" type="checkbox"/>	
Print Name & Organization: <u>Mark Elliott/MPCA</u>	Time: <u>16:00</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>10:30a</u>		
Signature: <u>Mark Elliott</u>	Date: <u>10/25/16</u>	Signature: <u>John Bachman</u>	Date: <u>10/27/16</u>		
Print Name & Organization: <u>Greg Peterson</u>	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 14:32 **Recorded by:** CSM
Scanlon Reservoir

Weather: sunny, 55° F **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** B **Group Sample ID#:** MN16-SR-WS-B
white sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
B1	421	844	WS	Y	Y	5017.1
B2	452	952	WS	Y	Y	5017.2
B3	304	324	WS	Y	Y	5017.3

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 13:17 **Recorded by:** CSM
Scanlon Res.

Weather: clear, sunny, 55°F **Comments:** _____

Fish Species: YP **Composite Sample Group ID:** A **Group Sample ID#:** MN16-SR-YP-A
Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	239	166	YP	Y	Y	5025.1
A2	226	136	YP	Y	Y	5025.2
A3	217	124	YP	Y	Y	5025.3
A4	185	74	YP	Y	Y	5025.4

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 13:33 **Recorded by:** CSM

Scanlon Res

Weather: clear, sunny, 55°F **Comments:** _____

Fish Species: YP **Composite Sample Group ID:** B **Group Sample ID#:** MN16-SR-YP-B

Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
B1	202	98	YP	Y	Y	5020.1
B2	189	76	YP	Y	Y	5020.2 (no 5020.3)
B3	223	141	YP	Y	Y	5020.4

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: SR **Sample Date:** 10/6/16 **Time:** 14:26 **Recorded by:** CSM
Scanlon Res.

Weather: not sunny, 55°F **Comments:** did not individually measure fish
19 individuals / 432g

Fish Species: YP **Composite Sample Group ID:** C **Group Sample ID#:** ~~5018~~ MN16-SR-YP C

Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
C		432	YP	Y	Y	5018 .1

Notes:

APPENDIX B

Thomson Reservoir Whole Fish COCs and Fish Sampling Field Logs

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler)

Thomson - Cooler # 1
 Appendix B
 Field Logs Thomson Reservoir

Sender: Mark Elliott
 Email Address: mark.elliott@state.mn.us

Date Sent: 10 / 26 / 16
 Phone Number: 218-322-6649

Note: Record information for minnows on back

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR-WS-B (label # 5015)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>425</u>	<u>X</u>	
.02		<u>420</u>	<u>X</u>	
.03		<u>448</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16+TR-WS-C (label # 5014)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>435</u>	<u>X</u>	
.02		<u>405</u>	<u>X</u>	
.03		<u>392</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16+TR-WAL-A (label # 5007)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Walleye</u>	<u>219</u>	<u>X</u>	
.02		<u>346</u>	<u>X</u>	<u>MS(MSD)</u>
.03		<u>334</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR-RB-A (label # 5009)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Rock Bass</u>	<u>135</u>	<u>X</u>	
.02		<u>145</u>	<u>X</u>	
.03		<u>190</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen: <u>10</u>	
Print Name & Organization: <u>Mark Elliott / MNR</u>	Time: <u>10:00</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>10:45</u>		
Signature: <u>[Signature]</u>	Date: <u>10-25-16</u>	Signature: <u>[Signature]</u>	Date: <u>10/27/16</u>		
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler)

Sender: Mark Elliott
 Email Address: _____

Date Sent: 10 / 26 / 16
 Phone Number: _____

Note: Record information for minnows on back

Site ID: <u>Thompson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN 14 TR RB-B</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Rock Bass</u> <u>5010</u> <u>sample not on coc, entered info on receipt - JB</u>		<input type="radio"/>	<u>8 individuals</u> <u>total = 150g</u>
.02			<input type="radio"/>	
.03			<input type="radio"/>	
.04			<input type="radio"/>	
.05			<input type="radio"/>	


Site ID: _____		Date Collected: <u>10/27/16</u>		
SAMPLE ID: _____				
	Common Name	Total Length (mm)	Frozen	Comments
.01			<input type="radio"/>	
.02			<input type="radio"/>	
.03			<input type="radio"/>	
.04			<input type="radio"/>	
.05			<input type="radio"/>	

Site ID: _____		Date Collected: <u>1 / 1</u>		
SAMPLE ID: _____				
	Common Name	Total Length (mm)	Frozen	Comments
.01			<input type="radio"/>	
.02			<input type="radio"/>	
.03			<input type="radio"/>	
.04			<input type="radio"/>	
.05			<input type="radio"/>	

Site ID: _____		Date Collected: <u>1 / 1</u>		
SAMPLE ID: _____				
	Common Name	Total Length (mm)	Frozen	Comments
.01			<input type="radio"/>	
.02			<input type="radio"/>	
.03			<input type="radio"/>	
.04			<input type="radio"/>	
.05			<input type="radio"/>	

Released By / Organization		Received By / Organization		Received Frozen: <input checked="" type="checkbox"/>
Print Name & Organization	Date	Print Name & Organization	Signature	Time
Signature	Date	Signature	<u>John Bachman</u>	<u>11:30</u>
Print Name & Organization	Date	Print Name & Organization	Signature	Time
Signature	Date	Signature	<u>John Bachman</u>	<u>10/27/16</u>

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling, packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** 12:35 **Recorded by:** HB

Thomson Res

Weather: Cloudy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** B **Group Sample ID#:** 5015
MN16-TR-WS-B
White Sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	425	965	WS	Yes	Yes	
2	420	820	↓	Y	Y	
3	448	923	↓	Y	Y	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** 12:45 **Recorded by:** H Bauman

Thomson RES.

Weather: Cloudy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** C **Group Sample ID#:** MN16-TR-WS-C
white sucker

5014

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	435	1070	WS	Yes	Yes	
2	405	618	↓	↓	↓	
3	392	633	↓	↓	↓	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: Thomson Reservoir
TR **Sample Date:** 10/11/16 **Time:** 15:00 **Recorded by:** H. Bauman

Weather: Cloudy **Comments:** _____

Fish Species: WAL **Composite Sample Group ID:** A **Group Sample ID#:** ⁵⁰⁰⁷MN16-TR-WAL-A

Walleye

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	219 219	261	WAL	Yes	Yes	
2	346	360	↓	↓	↓	
3	334	311	↓	↓	↓	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** 15:3 **Recorded by:** H. Bauman
Thomson Res.

Weather: Cloudy **Comments:** Small 1-3 yr Rock Bass
Individual fish

Fish Species: Rock Bass **Composite Sample Group ID:** A **Group Sample ID#:** 5009 MN16-TR-RB-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	135	50	RB	Y	Y	
2	145	58	RB	Y	Y	
3	190	142	RB	Y	Y	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/1/16 **Time:** 15:30 **Recorded by:** H. Bauman

Thomson Reservoir

Weather: Cloudy **Comments:** Small 1-2 yr Rock Bass

Fish Species: Rock Bass **Composite Sample Group ID:** B **Group Sample ID#:** MNH0-TR-RB-B

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	90			NU	NO	
2	100			↓	↓	
3	100					
4	100					
5	100					
6	100					
7	105					
8	105					
		150				↓

Notes:

Sender: Mark Elliott / MPCA Date Sent: 10 / 26 / 16
 Email Address: mark.elliott@state.mn.us Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-SMB-A (label # 5003)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>		<input checked="" type="checkbox"/>	<u>bulk sample w/</u>
.02			<input checked="" type="checkbox"/>	<u>10 small juveniles</u>
.03			<input checked="" type="checkbox"/>	<u>5:20 fish</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	<u>130-164 mm</u>

Site ID: <u>Thomson Res</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR-SMB-B (label # 5036)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>364</u>	<input checked="" type="checkbox"/>	
.02		<u>327</u>	<input checked="" type="checkbox"/>	
.03		<u>365</u>	<input checked="" type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Thomson Res</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16+TR-SMB-C (label # 5004)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>389</u>	<input checked="" type="checkbox"/>	
.02		<u>389</u>	<input checked="" type="checkbox"/>	
.03		<u>392</u>	<input checked="" type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Thomson Res.</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR+SMB-D (label # 5038)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Smallmouth Bass</u>	<u>bulk sample</u>	<input checked="" type="checkbox"/>	<u>bulk S-P10</u>
.02		<u>total weigh</u>	<input checked="" type="checkbox"/>	<u>103-170 mm</u>
.03		<u>356 gr</u>	<input checked="" type="checkbox"/>	<u>small juvenile</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Released By / Organization		Received By / Organization		Received Frozen: []	
Print Name & Organization: <u>Mark Elliott / MPCA</u>	Signature: <u>[Signature]</u>	Print Name & Organization: <u>John Bachman</u>	Signature: <u>[Signature]</u>	Time: <u>10:30</u>	Date: <u>10/27/16</u>
Print Name & Organization: <u>Greg Peterson EPA</u>	Signature: <u>[Signature]</u>	Print Name & Organization: <u>John Bachman</u>	Signature: <u>[Signature]</u>	Time: <u>10:00</u>	Date: <u>10-25-16</u>
Print Name & Organization:	Signature:	Print Name & Organization:	Signature:	Time:	Date:

Ship coolers to: GLEC Attn: John Bachman 739 Hastings Street Traverse City, MI 49686	 Grant Lakes Environmental Center	Questions regarding sampling, packing, and shipping: Call Jim Stricko (GLEC) 231-499-5947
---	---	--

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** 13:05 **Recorded by:** H Bauman
Thomson Res.

Weather: cloudy **Comments:** _____

Fish Species: ~~SMB~~ SMB **Composite Sample Group ID:** ~~B~~ A **Group Sample ID#:** 5003 SMB MN16-TR-~~B~~-A

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	143	39	SMB SMB	No	No	
2	139	36		↓	↓	
3	145	41				
4	143	41				
5	153	47				
6	130	30				
7	164	64				
8	142	37				
9	131	30				
10	130	29				

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** _____ **Recorded by:** H Bauman

Thomson Reservoir

Weather: Cloudy **Comments:** _____

Fish Species: SMB **Composite Sample Group ID:** B **Group Sample ID#:** 5036 MNile-TR-SMB-B
Smallmouth Bass

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	364	763	SMB	Yes	Yes	
2	327	468		Y	Y	
3	365	714		Y	Y	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** _____ **Recorded by:** H. Bauman
Thomson Res.

Weather: Cloudy **Comments:** _____

Fish Species: SMB **Composite Sample Group ID:** C **Group Sample ID#:** 5004
10/16-TR-SMB-C

Smallmouth Bass

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	389	1090	SMB	Yes	Yes	
2	389	1012	↓	↓	↓	
3	392	936	↓	↓	↓	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** _____ **Recorded by:** H. Bauman

Thomson Res.

Weather: cloudy **Comments:** _____

Fish Species: SMB **Composite Sample Group ID:** D **Group Sample ID#:** MN16-TR-SMB-D

Smallmouth Bass

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	170			No	No	
2	160			↓	↓	
3	159			↓	↓	
4	155			↓	↓	
5	143			↓	↓	
6	139			↓	↓	
7	127			↓	↓	
8	112			↓	↓	
9	103			↓	↓	
		358		↓	↓	Total wt.

Notes:

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in our ~~water~~ field logs Thomson Reservoir)

Thomson - Center # 3
Appendix B

Sender: Mark Elliott / MPCA Date Sent: / /
 Email Address: mark.elliott@state.mn.us Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Thomson Reservoir</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR-NP-A</u> (Label # <u>5006</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Northern Pike</u>	<u>374</u>	<u>R</u>	
.02		<u>348</u>	<u>R</u>	
.03		<u>342</u>	<u>R</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Res.</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16+TR-YP-A</u> (Label # <u>5005</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>	<u>270</u>	<u>R</u>	
.02		<u>278</u>	<u>R</u>	<u>Duplicate</u>
.03		<u>256</u>	<u>R</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Res.</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16+TR-YP-B</u> (Label # <u>5008</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>	<u>238</u>	<u>X</u>	
.02		<u>239</u>	<u>R</u>	
.03		<u>231</u>	<u>R</u>	
.04		<u>230</u>	<u>R</u>	
.05			<u>o</u>	

Site ID: <u>Thomson Res</u>		Date Collected: <u>10 / 11 / 16</u>		
SAMPLE ID: <u>MN16-TR-WS-A</u> (Label # <u>5011</u>)				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>490</u>	<u>R</u>	
.02		<u>485</u>	<u>R</u>	<u>Duplicate</u>
.03		<u>480</u>	<u>R</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen:	
Print Name & Organization: <u>Mark Elliott / MPCA</u>	Time: <u>1515</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>14:00</u>		
Signature: <u>[Signature]</u>	Date: <u>10/25/16</u>	Signature: <u>[Signature]</u>	Date: <u>10/27/16</u>		
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** _____ **Recorded by:** H. Bauman

Thomson Res

Weather: Cloudy **Comments:** Small 1 yr Pike

Fish Species: NP **Composite Sample Group ID:** A **Group Sample ID#:** 5006
MN16-TR-NP-A
Northan Pike

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	374	275	NP	Yes	Yes	
2	348	178	↓	↓	↓	
3	342	186	↓	↓	↓	

539g

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR Sample Date: 10/11/16 Time: 13:00 Recorded by: H Bauman

Thomson Reservoir

Weather: Cloudy **Comments:**

Fish Species: YP **Composite Sample Group ID:** A **Group Sample ID#:** ⁵⁰⁰⁵ MN16-TR-YP-A

Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	270	268	YP	Yes	Yes	
2	278	352	↓	↓	↓	
3	256	239	↓	↓	↓	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/10/16 **Time:** 15:15 **Recorded by:** H. Bauman
Thomson Res.

Weather: Cloudy **Comments:** _____

Fish Species: YP **Composite Sample Group ID:** B **Group Sample ID#:** MNA6-TR-YP-B
5008
Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	238	210	YP	YES	YES	
2	239	211	YP	↓	↓	
3	231	188	YP	↓	↓	
4	230	172	YP	↓	↓	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: TR **Sample Date:** 10/11/16 **Time:** 12:25 **Recorded by:** H. Berman
Thomson Res.

Weather: Cloudy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** A **Group Sample ID#:** MN16-TR-WS-A
White Sucker 5011

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	490	1204	WS	Yes	Yes	
2	485	1184		Y	Y	
3	480	1064		Y	Y	

Notes:

APPENDIX C

Boulder Lake Reservoir Whole Fish COCs and Fish Sampling Field Logs

WHOLE FISH CHAIN OF CUSTODY
(Complete for the samples to be included in the cooler)

Page 1 of 2
Appendix 2

Sender: Mark Elliott/MCA
Email Address: mark.elliott@state.nm.us

Date Sent: 10 / 26 / 16
Phone Number: 719-302-6649

Note: Record information for minnows on back

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16+BR-RR-A (Label # 5035)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Rock Bass</u>		<input checked="" type="checkbox"/>	<u>9 individual fish</u>
.02			<input checked="" type="checkbox"/>	<u>see attached log</u>
.03			<input checked="" type="checkbox"/>	<u>YOY or small juvenile</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR+BLC-A (Label # 5044)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Black Capping</u>	<u>107</u>	<input checked="" type="checkbox"/>	<u>Small juvenile</u>
.02		<u>88</u>	<input checked="" type="checkbox"/>	<u>or YOY</u>
.03		<u>102</u>	<input checked="" type="checkbox"/>	<u>individual</u>
.04		<u>109</u>	<input checked="" type="checkbox"/>	
.05		<u>99, 99</u>	<input checked="" type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR+YP-A (Label # 5031)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>		<input type="checkbox"/>	<u>13 individuals - see</u>
.02			<input type="checkbox"/>	<u>log sheet (112-190 mm)</u>
.03			<input type="checkbox"/>	<u>juvenile</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR+YP-B (Label # 5030)</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>		<input type="checkbox"/>	<u>13 individual fish</u>
.02			<input type="checkbox"/>	<u>see log sheet (110-155 mm)</u>
.03			<input type="checkbox"/>	<u>juvenile perch</u>
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Released By / Organization		Received By / Organization		Received Frozen: <input checked="" type="checkbox"/>
Print Name & Organization: <u>Mark Elliott/MCA</u>	EPA Time: <u>16:00</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>11:00am</u>	
Signature: <u>[Signature]</u>	Date: <u>10-25-16</u>	Signature: <u>[Signature]</u>	Date: <u>10/27/16</u>	
Print Name & Organization:	Time:	Print Name & Organization:	Time:	
Signature:	Date:	Signature:	Date:	

Ship coolers to: GLEC
Attn: John Bachman
739 Hastings Street
Traverse City, MI 49686



Questions regarding sampling,
packing, and shipping:
Call Jim Stricko (GLEC)
231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 14:45 **Recorded by:** H Bauman
Boulder Reservoir

Weather: P Cloudy **Comments:** _____

Fish Species: RB **Composite Sample Group ID:** A **Group Sample ID#:** MN16-BR-RB-A
Rock Bass 5035

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	102	22	RB	No	No	
2	114	27		↓	↓	
3	101	18				
4	105	22				
5	98	17				
6	101	19				
7	102	21				
8	121	35				
9	110	27				
10						
4						

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 14:50 **Recorded by:** H Bauman

Boulder Reservoir

Weather: P Cloudy **Comments:** BLC - Black Crappie ? check

Fish Species: BLC **Composite Sample Group ID:** A **Group Sample ID#:** 5044 MN16-BR-BLC-A
Black Crappie ?

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	107	23	BLC	No	No	
2	88	13				
3	102	20				
4	109	25				
5	99	17				
6	99	18				

Notes: Check species
Black Crappie
or Rock Bass

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/16/16 **Time:** 12:30 **Recorded by:** H. Bauman

Boulder Reservoir

Weather: Sun, breezy **Comments:** Bulk

Fish Species: YPP **Composite Sample Group ID:** A **Group Sample ID#:** 5031.1 MN/16-BR-YP-A
Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1 1	112	15	YP	No	No	
2	190	77	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	
3	180	63				
4	160	49				
5	124	15				
6	115	14				
7	115	15				
8	115	13				
9	120	16				
10	114	14				
11	173	64				
12	112	12				

13 115 11

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 12:45 **Recorded by:** H. Bauman
Boulder Reservoir

Weather: P. Cloudy **Comments:** Bulk

Fish Species: YP **Composite Sample Group ID:** B **Group Sample ID#:** ~~50315~~ 5030.1
Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	160	46	YP	No	No	
2	110	12	↓	↓	↓	
3	150	36				
4	115	11				
5	154	41				
6	105	11				
7	113	14				
8	121	18				
9	185	68				
10	111	13				
11	106	12				
12	119	17				

13 106 12

Notes:

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler)

Page 2 of 2
 Appendix C
 Chain of Custody and Field Logs Boulder Reservoir

Sender: Munk Elliott / MPCA
 Email Address: _____

Date Sent: 10 / 1 / 16
 Phone Number: 268-302-6649

Note: Record information for minnows on back

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN 16-BR-YP-C</u>		(Label # <u>5034</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Yellow Perch</u>		<input checked="" type="checkbox"/>	<u>12 individual fish see attached log</u>
.02			<input type="checkbox"/>	
.03			<input type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN 16-BR-LGH-A</u>		(Label # <u>5033</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Golden Shiner / Shiner Mix</u>		<input checked="" type="checkbox"/>	<u>Bulk Sample 152 gr of minnows - 3 Golden Shiner mixed w/ spot-tail + common shiner see log sheet attached</u>
.02			<input type="checkbox"/>	
.03			<input type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN 16-BR-GSH-B</u>		(Label # <u>5032</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Golden Shiner / Shiner Mix</u>		<input type="checkbox"/>	<u>Bulk Sample (152 grams) mix of Golden Shiner + spot-tail + common shiner see log sheet</u>
.02			<input type="checkbox"/>	
.03			<input type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN 16-BR-GSH-C</u>				
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Golden Shiner / Shiner Mix</u> <u>5045</u>		<input type="checkbox"/>	<u>Bulk Sample (163 grams) mix of Golden + spot-tail shiner see log sheet</u>
.02			<input type="checkbox"/>	
.03			<input type="checkbox"/>	
.04			<input type="checkbox"/>	
.05			<input type="checkbox"/>	

Released By / Organization		Received By / Organization		Received Frozen: []	
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	<u>John Bachman</u>	<u>10:45</u>		
Print Name & Organization:	Time:	Signature:	Date:		
Signature:	Date:	<u>John Bachman</u>	<u>10/27/16</u>		
Print Name & Organization:	Time:	Print Name & Organization:	Time:		
Signature:	Date:	Signature:	Date:		

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Strieko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 15:00 **Recorded by:** H Bauman
Boulder Reservoir

Weather: P Cloudy **Comments:** Bulk S-PLO

Fish Species: GSH **Composite Sample Group ID:** A **Group Sample ID#:** 5033 MN16-BR-GSH-A
Golden Shiner (Mixed Shiner)

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
		152	GSH	No	No	

Notes: 10% spot tail shiners by weight

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 15:05 **Recorded by:** H Bauman

Boulder Reservoir

Weather: P Cloudy **Comments:** Bulk S/plo

Fish Species: GSH **Composite Sample Group ID:** B **Group Sample ID#:** 6032
MN16-BR-GSH-B
Golden Shiner (Shiner mix)

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
		152	GSH	No	No	

Notes: 10% spot tail shiner by weight

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 15:10 **Recorded by:** H Bauman

Boulder reservoir

Weather: P Cloudy **Comments:** Bulk Sample

Fish Species: GSH **Composite Sample Group ID:** C **Group Sample ID#:** ⁵⁰⁴⁵ MN16-BR-GSH-C
Golden Shiner / Shiner mix

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
		163	GSH	No	No	

Notes: 100% spot tail shiner by weight

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/16/16 **Time:** 14:30 **Recorded by:** H Bauman
Boulder Reservoir

Weather: P Cloudy **Comments:** Bulk S-PLD

Fish Species: YP **Composite Sample Group ID:** C **Group Sample ID#:** 5034 MN16-BR-YP-C
Yellow Perch

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
1	173	58	YP	No	No	
2	172	58	↓	↓	↓	
3	157	45				
4	166	47				
5	103	10				
6	107	12				
7	106	12				
8	110	13				
9	105	12				
10	110	14				
11	103	11				
12	109	12				

Notes:

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler)

Appendix C

Chain-of-Custody and Field Logs Boulder Reservoir

Sender: Mark Elliott / MPCA
 Email Address: mark.elliott@state.mn.us

Date Sent: 10 / 26 / 16
 Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16+BR+WAL-A</u>		(Lab # <u>5041</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Walleye</u>	<u>420</u>	<u>X</u>	<u>Duplicate</u>
.02		<u>396</u>	<u>X</u>	
.03		<u>396</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16+BR+WAL-C</u>		(Lab # <u>5043</u>)		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Walleye</u>	<u>206</u>	<u>X</u>	
.02		<u>214</u>	<u>X</u>	
.03		<u>222</u>	<u>X</u>	
.04		<u>203</u>	<u>X</u>	
.05		<u>211</u>	<u>X</u>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR-WS-B</u>		<u>5029</u>		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>370</u>	<u>X</u>	
.02		<u>466</u>	<u>X</u>	
.03		<u>456</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID:		Date Collected: <u> / /</u>		
SAMPLE ID:				
	Common Name	Total Length (mm)	Frozen	Comments
.01			<u>o</u>	
.02			<u>o</u>	
.03			<u>o</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen: <u>N</u>
Print Name & Organization: <u>Mark Elliott / MPCA</u>	Signature: <u>[Signature]</u>	Print Name & Organization: <u>John Bachman</u>	Signature: <u>[Signature]</u>	Time: <u>11:00 am</u>
Print Name & Organization: <u>Greg Petersen</u>	Signature: <u>[Signature]</u>	Print Name & Organization: <u>John Bachman</u>	Signature: <u>[Signature]</u>	Date: <u>10/27/16</u>
Print Name & Organization:	Signature:	Print Name & Organization:	Signature:	Date:
Time: <u>16:00</u>	Date: <u>10/25/16</u>	Time:	Date:	

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 11:00 **Recorded by:** H. Bauman
Boulder Res.

Weather: Sun + Breeze **Comments:** _____

Fish Species: WAL **Composite Sample Group ID:** A **Group Sample ID#:** 5041
5041
mn16-BR-WAL-A
walleye

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	420	664	WAL	Yes	Yes	
A2	396	578	WAL	Yes	Yes	
A3	396	577	WAL	Yes	Yes	
A4			WAL	Yes	Yes	?
A5			WAL	Yes	Yes	?

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 14:15 **Recorded by:** H Bauman
Boulder Res.

Weather: Cloudy **Comments:** _____

Fish Species: WAL **Composite Sample Group ID:** C **Group Sample ID#:** 5043 MN16-BR-WAL-C
Walleye

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
C1	206	58	WAL	Yes	Yes	
C2	214	84	WAL	Yes	Yes	
C3	222	83	WAL	Yes	Yes	
C4	203	72	WAL	Yes	Yes	
C5	211	73	WAL	Yes	Yes	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR Boulder Res. **Sample Date:** 10/16/16 **Time:** 13:35 **Recorded by:** H. Bauman

Weather: PCloudy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** B **Group Sample ID#:** 5029 MN16-BR-WS-B
white sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
B1	370	622	WS	Yes	Yes	
B2	466	1230	WS	Yes	Yes	
B3	456	1150	WS	Yes	Yes	

Notes:

WHOLE FISH CHAIN OF CUSTODY
 (Complete for the samples to be included in one cooler)

Boulder
 Coaster
 Appendix C
 and Field Logs Boulder Reservoir

Sender: Mark Elliott / MFC A Date Sent: 10 / 6 / 16
 Email Address: mark.elliott@state.mn.us Phone Number: 218-302-6649

Note: Record information for minnows on back

Site ID: <u>Boulder Lake Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR-WS-A</u>		<u>Lab # 5027</u>		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>279</u>	<u>X</u>	<u>MS/MSI</u>
.02		<u>438</u>	<u>X</u>	
.03		<u>365</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Boulder Lake Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR-WS-C</u>		<u>Lab # 5028</u>		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>White Sucker</u>	<u>528</u>	<u>X</u>	
.02		<u>470</u>	<u>X</u>	
.03		<u>482</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID: <u>Boulder Reservoir</u>		Date Collected: <u>10 / 6 / 16</u>		
SAMPLE ID: <u>MN16-BR-LWAL-B</u>		<u>Lab # 5042</u>		
	Common Name	Total Length (mm)	Frozen	Comments
.01	<u>Walleye</u>	<u>250</u>	<u>X</u>	
.02		<u>295</u>	<u>X</u>	
.03		<u>225</u>	<u>X</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Site ID:		Date Collected:		
SAMPLE ID:				
	Common Name	Total Length (mm)	Frozen	Comments
.01			<u>o</u>	
.02			<u>o</u>	
.03			<u>o</u>	
.04			<u>o</u>	
.05			<u>o</u>	

Released By / Organization		Received By / Organization		Received Frozen: <input checked="" type="checkbox"/>
Print Name & Organization: <u>Mark Elliott / MFC A</u>	EPA Time: <u>16:00</u>	Print Name & Organization: <u>John Bachman</u>	Time: <u>10:30</u>	
Signature: <u>Mark Elliott</u>	Date: <u>10/24/16</u>	Signature: <u>John Bachman</u>	Date: <u>10/27/16</u>	
Print Name & Organization:	Time:	Print Name & Organization:	Time:	
Signature:	Date:	Signature:	Date:	

Ship coolers to: GLEC
 Attn: John Bachman
 739 Hastings Street
 Traverse City, MI 49686



Questions regarding sampling,
 packing, and shipping:
 Call Jim Stricko (GLEC)
 231-499-5947

Fish Sampling Field Log Sheet

Project: SLRADC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/16/16 **Time:** 11:00 **Recorded by:** H. Bauman
Boulder Res

Weather: Sun Breezy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** A **Group Sample ID#:** MN16-BR-WS-A
white sucker 5027.1

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
A1	279	221	WS	Yes	Yes	
A2	438	1007	WS	Yes	Yes	
A3	365	619	WS	Yes	Yes	
		1847				

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR Boulder Res **Sample Date:** 10/6/16 **Time:** 1345 **Recorded by:** H. Bauman

Weather: PCloudy **Comments:** _____

Fish Species: WS **Composite Sample Group ID:** C **Group Sample ID#:** 5028 MN16-BR-WS-C

White Sucker

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
C1	528	1779	WS	Yes	Yes	
C2	470	1285	WS	Yes	Yes	
C3	482	1326	WS	Yes	Yes	

Notes:

Fish Sampling Field Log Sheet

Project: SLRAOC Reservoir whole fish sampling conducted by MPCA, October 2016

Location: BR **Sample Date:** 10/6/16 **Time:** 14:10 **Recorded by:** H Bauman
Boulder Res.

Weather: P Cloudy **Comments:** _____

Fish Species: WAL **Composite Sample Group ID:** B **Group Sample ID#:** 5042 MN16-BR-WAL-B
Walleye

Individual Fish #	Wet Field Length (mm)	Wet Field Weight (grams)	Species	Sex ID	Perform Otolith Extraction	Comments
B1	250	131	WAL	Yes	Yes	
B2	295	212	WAL	Yes	Yes	
B3	225	81	WAL	Yes	Yes	
		424				

Notes:

APPENDIX D

GLEC Fish and Macroinvertebrate Tissue Processing Report



Southeast Michigan Office
31700 West Thirteen Mile Road, Suite 215
Farmington Hills, Michigan 48334
Phone: 248.538.0900
Fax: 248.538.0906

January 19, 2017

Mariah Hope
Advanced Environmental Management Group
44339 Plymouth Oaks Boulevard
Plymouth, Michigan 48170-2585
Phone: 734-354-9070

**SUBJECT: Fish and Macroinvertebrate Tissue Processing
Scanlon, Thomson, and Boulder Reservoirs
Cloquet, Minnesota
USACE AEM Group Contract W911XK-16-D-0014
GLEC Project Number: 5148**

Dear Ms. Hope:

Great Lakes Environmental Center, Inc. (GLEC) provided fish and macroinvertebrate tissue processing and fish otolith extraction services to Advance Environmental Management Group (AEM Group) and the U.S. Army Corps of Engineers in conjunction with the 2016 Tissue Analysis of Scanlon, Thomson, and Boulder Reservoirs located near Cloquet, Minnesota.

The purpose of this project is to characterize the tissue samples provided by the Minnesota Pollution Control Agency (MPCA) from three reservoirs located near Cloquet, Minnesota (Boulder Lake, Scanlon and Thomson Reservoirs). The tissue samples were used to evaluate human and wildlife exposure due to dioxin, total and methyl mercury within these three reservoirs.

Tissue Processing Procedures

GLEC prepared the 39 fish and 11 macroinvertebrate tissue samples using the procedures outlined by EPA in EPA-841-R-14-007: National Coastal Condition Assessment, 2015 Field Operations Manual and EPA 841-R-14-008, National Coastal Condition Assessment, 2015 Laboratory

Operations Manual. The whole body fish tissue procedure is described in the 2015 National Coastal Condition Assessment Laboratory Operations Manual (Appendix A); this document references the fish tissue preparation procedures that are located in the Quality Assurance Project Plan for Sample Preparation for the 2013-2014 National Rivers and Streams Assessment Fish Fillet Indicator (Appendix B).

In accordance with the 2015 National Coastal Condition Assessment Laboratory Operations Manual USEPA Laboratory, the following rinsate blanks were collected.

Date	Tissue Type	GLEC Sample Number	Project Sample Designation
11-2-16	Fish	H2O Rinsate collected for MeHG following GLEC 5041	MN16 BR WAL-A
11-2-16	Fish	H2O Rinsate collected for total Hg following GLEC 5031	MN16 BR YP-A
11-3-16	Fish	Hexane Rinse collected for dioxin following GLEC 5045	MN16 BR GS-C
11-8-16	Fish	H2O Rinsate collected for MeHG following GLEC 5036	MN16 TR SMB-B
11-8-16	Fish	Hexane Rinse collected for dioxin following GLEC 5004	MN16 TR SMB-C
11-9-16	Fish	H2O Rinsate collected for total Hg following GLEC 5015	MN16 TR WS-B
11-10-16	Fish	Hexane Rinse collected for dioxin following GLEC 5016	MN16 SR WS-C
11-11-16	Fish	H2O Rinsate collected for total Hg following GLEC 5022	MN16 SR WS-A
11-14-16	Fish	H2O Rinsate collected for MeHG following GLEC 5020	MN16 SR YP-B
11-29-16	Macroinvertebrates	H2O Rinsate collected for total Hg following EPA-HD-TR-001-C	EPA HD TR 001-C
11-30-16	Macroinvertebrates	H2O Rinsate collected for MeHG following BW16 SR 003 D	BW16 SR 003 D

In conjunction with the USEPA Operations Manuals, triplicate percent lipid testing was conducted on three of the 39 fish tissue samples to evaluate homogenization of the tissue, the percent lipids test results follow:

Mariah Hope, AEM Group
2016 Tissue Analysis, Scanlon, Thomson, and Boulder Reservoirs

January 19, 2017

GLEC Sample Number	Reservoir	Description	# of Individuals	Field Weight 1 (g)	Field Weight 2 (g)	Field Weight 3 (g)	Tissue Mass (g)	% Lipid	Standard Deviation	Sample Mean	Relative Standard Deviation (%)
5007-1	Thomson	Walleye A	3	261	360	311	10.00	0.75	0.12	0.85	15
5007-2							10.21	0.85			
5007-3							11.93	0.98			
5021-1	Scanlon	SMB C	3	213	371	274	11.21	0.85	0.09	0.95	9.1
5021-2							8.90	0.99			
5021-3							11.49	1.00			
5028-1	Boulder	White Sucker C	3	1775	1285	1326	12.38	2.78	0.43	2.31	18
5028-2							10.86	1.96			
5028-3							11.54	2.17			

Review of the percent lipids data for each of the three tissue samples reveals that the relative standard deviation was less than 20 percent and meets the homogenization requirements of the USEPA Laboratory Operation Manual. Note that there was insufficient tissue mass to complete percent lipids testing on the macroinvertebrate samples.

Let us know if you have other questions or require additional information.

Sincerely,
 GREAT LAKES ENVIRONMENTAL CENTER, INC.



John Bachman
 Principal Research Scientist



John H. Barkach, CPG, CHMM
 Senior Program Manager



Table 1. Fish Tissue Processing Field Data
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	QC	Reservoir	Description	# of Individuals	Field Weight 1	Field Weight 2	Field Weight 3	Field Weight 4	Field Weight 5	Total Mass (mg)	Perform Sex ID?	Perform Otolith?	SexID 1	SexID 2	SexID 3	SexID 4	SexID 5	Processed Tissue Shipped to Lab
5035		Boulder	Rock Bass A	9						368	No	No						11/7/2016
5044		Boulder	Black Crappie A	6						116	No	No						11/7/2016
5031		Boulder	Yellow Perch A	13						378	No	No						11/7/2016
5030		Boulder	Yellow Perch B	13						311	No	No						11/7/2016
5034		Boulder	Yellow Perch C	12						304	No	No						11/7/2016
5033		Boulder	Shiners A	Many						152	No	No						11/7/2016
5032		Boulder	Shiners B	Many						152	No	No						11/7/2016
5045		Boulder	Shiners C	Many						163	No	No						11/7/2016
5041	Dupe	Boulder	Walleye A	3	664	578	577			1819	1,2,3	1,2,3	M	M	M			11/7/2016
5043		Boulder	Walleye C	5	58	84	83	72	73	370	1,2,3,4,5	1,2,3,4,5	IND	IND	IND	IND	IND	11/7/2016
5029		Boulder	White Sucker B	3	622	1230	1150			3002	1,2,3	1,2,3	M	M	M			11/7/2016
5027	MSD	Boulder	White Sucker A	3	221	1007	619			1847	1,2,3	1,2,3	IND	M	M			11/7/2016
5028		Boulder	White Sucker C	3	1779	1285	1326			4390	1,2,3	1,2,3	F	F	F			11/7/2016
5042		Boulder	Walleye B	3	131	212	81			424	1,2,3	1,2,3	M	M	M			11/7/2016
5015		Thomson	White Sucker B	3	965	820	923			2708	1,2,3	1,2,3	F	F	F			11/14/2016
5014		Thomson	White Sucker C	3	1070	618	633			2321	1,2,3	1,2,3	F	F	F			11/14/2016
5007	MSD	Thomson	Walleye A	3	261	360	311			932	1,2,3	1,2,3	M	M	M			11/7/2016
5009		Thomson	Rock Bass A	3	50	58	142			250	1,2,3	1,2,3	M	F	M			11/14/2016
5010		Thomson	Rock Bass B	8						150	No	No						11/7/2016
5003		Thomson	Small Mouth Bass A	10						394	No	No						11/14/2016
5036		Thomson	Small Mouth Bass B	3	763	768	714			2245	1,2,3	1,2,3	F	M	F			11/14/2016
5004		Thomson	Small Mouth Bass C	3	1090	1012	936			3038	1,2,3	1,2,3	F	M	M			11/14/2016
5038		Thomson	Small Mouth Bass D	9						358	No	No						11/7/2016
5006		Thomson	North Pike A	3	275	178	186			639	1,2,3	1,2,3	F	F	F			11/14/2016
5005	Dupe	Thomson	Yellow Perch A	3	268	352	239			859	1,2,3	1,2,3	F	F	F			11/14/2016
5008		Thomson	Yellow Perch B	4	210	211	188	172		781	1,2,3,4	1,2,3,4	F	M	M	F		11/14/2016
5011	Dupe	Thomson	White Sucker A	3	1204	1144	1064			3412	1,2,3	1,2,3	F	F	F			11/14/2016
5016		Scanlon	White Sucker C	3	791	781	817			2389	1,2,3	1,2,3	F	F	F			11/14/2016
5019	Dupe	Scanlon	Northern Pike A	2	340	487				827	1,2	1,2	F	F				11/14/2016
5024		Scanlon	Shiners A	Many						61	No	No						11/15/2016
5023		Scanlon	Walleye A	3	237	215	168			620	1,2,3	1,2,3	M	M	M			11/14/2016
5001		Scanlon	SMB A	3	547	627	547			1721	1,2,3	1,2,3	M	F	M			11/14/2016
5002	Dupe	Scanlon	SMB B	3	473	587	278			1338	1,2,3	1,2,3	F	M	F			11/15/2016
5021		Scanlon	SMB C	3	213	371	274			858	1,2,3	1,2,3	F	F	M			11/14/2016
5022		Scanlon	White Sucker A	3	1015	736	792			2543	1,2,3	1,2,3	F	F	F			11/14/2016
5017		Scanlon	White Sucker B	3	844	952	324			2120	1,2,3	1,2,3	F	F	M			11/14/2016
5025	MSD	Scanlon	Yellow Perch A	4	166	136	124	74		500	1,2,3,4	1,2,3,4	F	F	F	M		11/15/2016
5020		Scanlon	Yellow Perch B	3	98	76	141			315	1,2,3	1,2,3	M	M	F			11/15/2016
5018		Scanlon	Yellow Perch C	19						432	No	No						11/14/2016

**Table 2. Fish Tissue Processing Laboratory Data
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

GLEC ID	QC	Reservoir	Description	# of Individuals	Metric	1	2	3	4	5	SexID 1	SexID 2	SexID 3	SexID 4	SexID 5											
5027	MSD	Boulder	White Sucker A	3	Length (mm)	272	399	347			IND	M	M													
5027	MSD	Boulder	White Sucker A	3	Mass (g)	221	1013	615			IND	M	M													
5028		Boulder	White Sucker C	3	Length (mm)	502	468	457			F	F	F													
5028		Boulder	White Sucker C	3	Mass (g)	1884	1368	1326			F	F	F													
5029		Boulder	White Sucker B	3	Length (mm)	351	464	455			M	M	M													
5029		Boulder	White Sucker B	3	Mass (g)	616	1232	1147			M	M	M													
5030		Boulder	Yellow Perch B	13	For greyed-out samples, see small species spreadsheet tab for individual mass and length																					
5031		Boulder	Yellow Perch A	13																						
5032		Boulder	Shiners B	Many																						
5033		Boulder	Shiners A	Many																						
5034		Boulder	Yellow Perch C	12																						
5035		Boulder	Rock Bass A	9																						
5041	Dupe	Boulder	Walleye A	3												Length (mm)	418	394	393			M	M	M		
5041	Dupe	Boulder	Walleye A	3												Mass (g)	671	599	591			M	M	M		
5042		Boulder	Walleye B	3												Length (mm)	248	288	219			M	M	M		
5042		Boulder	Walleye B	3												Mass (g)	127	213	79			M	M	M		
5043		Boulder	Walleye C	5	Length (mm)	204	213	220	200	211	IND	IND	IND	IND	IND											
5043		Boulder	Walleye C	5	Mass (g)	56	83	82	72	73	IND	IND	IND	IND	IND											
5044		Boulder	Black Crappie A	6																						
5045		Boulder	Shiners C	Many																						
5001		Scanlon	SMB A	3	Length (mm)	343	338	341			M	F	M													
5001		Scanlon	SMB A	3	Mass (g)	552	631	555			M	F	M													
5002	Dupe	Scanlon	SMB B	3	Length (mm)	321	345	272			F	M	F													
5002	Dupe	Scanlon	SMB B	3	Mass (g)	481	594	282			F	M	F													
5016		Scanlon	White Sucker C	3	Length (mm)	415	410	414			F	F	F													
5016		Scanlon	White Sucker C	3	Mass (g)	785	743	799			F	F	F													
5017		Scanlon	White Sucker B	3	Length (mm)	420	432	306			F	F	M													
5017		Scanlon	White Sucker B	3	Mass (g)	826	939	320			F	F	M													
5018		Scanlon	Yellow Perch C	19																						
5019	Dupe	Scanlon	Northern Pike A	2												Length (mm)	415	459				F	F			
5019	Dupe	Scanlon	Northern Pike A	2	Mass (g)	343	481				F	F														
5020		Scanlon	Yellow Perch B	3	Length (mm)	201	186	219			M	M	F													
5020		Scanlon	Yellow Perch B	3	Mass (g)	100	87	142			M	M	F													
5021		Scanlon	SMB C	3	Length (mm)	250	289	265			F	F	M													
5021		Scanlon	SMB C	3	Mass (g)	218	379	279			F	F	M													
5022		Scanlon	White Sucker A	3	Length (mm)	436	389	395			F	F	F													
5022		Scanlon	White Sucker A	3	Mass (g)	1016	736	796			F	F	F													
5023		Scanlon	Walleye A	3	Length (mm)	307	290	276			M	M	M													

Table 2. Fish Tissue Processing Laboratory Data (continued)
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Reservoir	Species	Individual	Mass (g)	Length (mm)
5030	13	Boulder	Yellow Perch B	1	12	102
				2	46	162
				3	12	107
				4	35	143
				5	18	110
				6	11	96
				7	12	104
				8	11	100
				9	17	109
				10	12	99
				11	14	104
				12	41	147
				13	67	176
5031	13	Boulder	Yellow Perch A	1	77	181
				2	64	172
				3	48	156
				4	65	169
				5	16	109
				6	14	107
				7	15	111
				8	14	108
				9	15	106
				10	17	116
				11	15	111
				12	10	97
				13	12	103
5032	many	Boulder	Shiners B	Min	<1	39
				Max	12	110
5033	many	Boulder	Shiners A	Min	<1	18
				Max	24	125
5034	12	Boulder	Yellow Perch C	1	11	99
				2	12	103
				3	12	104
				4	13	105

Table 2. Fish Tissue Processing Laboratory Data (continued)
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Reservoir	Species	Individual	Mass (g)	Length (mm)
				5	14	108
				6	11	99
				7	13	103
				8	12	103
				9	45	154
				10	59	168
				11	47	146
				12	59	171
5035	9	Boulder	Rock Bass A	1	29	108
				2	36	117
				3	23	102
				4	20	96
				5	22	101
				6	28	110
				7	24	103
				8	18	94
				9	19	100
5044	6	Boulder	Black Crappie A	1	18	95
				2	14	86
				3	18	94
				4	21	99
				5	26	103
				6	25	104
5045	many	Boulder	Shiners C	Min	<1	9
				Max	32	101
5018	19	Scanlon	Yellow Perch C	1	132	216
				2	82	178
				3	43	153
				4	25	132
				5	20	118
				6	16	111
				7	15	109
				8	14	109
				9	18	116

Table 2. Fish Tissue Processing Laboratory Data (continued)
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Reservoir	Species	Individual	Mass (g)	Length (mm)
				10	14	103
				11	12	103
				12	12	103
				13	10	97
				14	3	68
				15	2	66
				16	3	65
				17	3	70
				18	3	70
				19	2	59
5024	many	Scanlon	Shiners A	Min	<1	15
				Max	33	120
5003	10	Thomson	Small Mouth Bass A	1	30	132
				2	30	135
				3	29	133
				4	35	142
				5	39	141
				6	41	138
				7	40	139
				8	47	151
				9	38	140
				10	64	161
5010	8	Thomson	Rock Bass B	1	20	97
				2	14	91
				3	19	97
				4	19	101
				5	23	107
				6	22	104
				7	18	95
				8	18	95
5038	9	Thomson	Small Mouth Bass D	1	57	156
				2	55	155
				3	63	169
				4	50	149

Table 2. Fish Tissue Processing Laboratory Data (continued)
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Reservoir	Species	Individual	Mass (g)	Length (mm)
				5	39	141
				6	35	133
				7	28	124
				8	19	110
				9	16	100

**Table 3. Macroinvertebrate Tissue Processing Data
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

Sample Description	Date Processed	Sample ID	Homogenate Mass (g)	Notes
Boulder Reservoir, HD collection, macro invertebrates	11/30/2016	EPA16-HD-BR-001-MCRS	17	
Scanlon Reservoir, field collected crayfish, 005	11/30/2016	BW16-SR-005-C	35	
Scanlon Reservoir, field collected dragon fly nymphs, 002	11/29/2016	BW16-SR-002-D/ BW16-SR-102-D	40/12	Homogenate split into 2 samples (002D = 40g, 102D = 12g)
Scanlon Reservoir, field collected dragon fly nymphs, 003	11/30/2016	BW16-SR-003-D	16	
Scanlon Reservoir, field collected dragon fly nymphs, 005	11/30/2016	BW16-SR-005-D	36	
Scanlon Reservoir, field collected mayfly nymphs, 001	11/29/2016	BW16-SR-001-M	40	
Scanlon Reservoir, field collected mayfly nymphs, 002	11/29/2016	BW16-SR-002-M	52	
Scanlon Reservoir, field collected mayfly nymphs, 003	11/29/2016	BW16-SR-003-M/ BW16-SR-103-M	38/10	Homogenate split into 2 samples (003M = 38g, 103M = 10g)
Scanlon Reservoir, HD collected macro invertebrates	12/1/2016	BW16-HS-SR-001-MCRS	1.5	
Thomson Reservoir, HD collected macro invertebrates	11/29/2016	EPA16-HD-TR-001-MCRS	4	
Thomson Reservoir, HD collected crayfish	11/29/2016	EPA16-HD-TR-001-C	9	

APPENDIX A

2015 National Coastal Condition Assessment Laboratory Operations Manual





United States Environmental Protection Agency
Office of Water
Washington, DC
EPA 841-R-14-008

National Coastal Condition Assessment 2015 Laboratory Operations Manual

Version 2.1 May 2016



NOTICE

The goal of the National Coastal Condition Assessment (NCCA) is to provide a comprehensive assessment of the Nation's freshwater, marine shoreline and estuarine waters. The complete documentation of overall project management, design, methods, and standards is contained in four companion documents, including:

National Coastal Condition Assessment: Quality Assurance Project Plan EPA 841-R-14-005

National Coastal Condition Assessment: Site Evaluation Guidelines EPA 841-R-14-006

National Coastal Condition Assessment: Field Operations Manual EPA 841-R-14-007

National Coastal Condition Assessment: Laboratory Methods Manual EPA 841-R-14-008

This document (*Laboratory Operations Manual*) contains information on laboratory methods for analyses of the samples collected during the National Coastal Condition Assessment (NCCA). It also provides quality assurance objectives, sample handling procedures, and data reporting requirements. Methods described in this document are to be used specifically in work relating to the NCCA 2015. All NCCA Cooperator laboratories must follow the guidelines presented in the document.

With the exception of the requirements in Chapter 4 for evaluating algal toxics, mention of trade names or commercial products in this document does not constitute endorsement or recommendation for use. Chapter 4 requires use of a specific kit and supplemental materials manufactured by a single firm.

More details on specific methods for site evaluation, sampling, and sample processing can be found in the appropriate companion document.

The suggested citation for this document is:

USEPA. National Coastal Condition Assessment 2015: Laboratory Operations Manual. EPA-841-R-14-008. U.S. Environmental Protection Agency, Office of Water, Washington, DC. 2016.

Contents

NOTICE	II
1.0 INTRODUCTION	9
2.0 GENERAL LABORATORY GUIDELINES	11
2.1 RESPONSIBILITY AND PERSONNEL QUALIFICATIONS	11
2.2 ROLES AND CONTACT INFORMATION.....	11
2.3 SAMPLE TRACKING	12
2.4 REPORTING	12
3.0 ALGAL TOXIN (MICROCYSTIN) IMMUNOASSAY PROCEDURE	14
3.1 SUMMARY OF THE PROCEDURE.....	14
3.2 HEALTH AND SAFETY WARNINGS.....	15
3.3 DEFINITIONS AND REQUIRED RESOURCES (PERSONNEL, LABORATORIES, AND EQUIPMENT).....	15
3.3.1 <i>Definitions</i>	15
3.3.2 <i>General Requirements for Laboratories</i>	17
3.3.3 <i>Personnel</i>	17
3.3.4 <i>Equipment/Materials</i>	18
3.4 SAMPLE RECEIPT	19
3.5 PROCEDURE	20
3.5.1 <i>Sample Preparation: Freeze-Thaw Steps</i>	20
3.5.2 <i>Additional Sample Preparation for Samples with Salinity > 3.5 parts per thousand</i>	21
3.5.3 <i>Kit Preparation</i>	22
3.5.4 <i>Insertion of Contents into Wells</i>	23
3.5.5 <i>Dilutions (if needed)</i>	29
3.6 QUALITY MEASURES	29
3.6.1 <i>Assistance Visits</i>	29
3.6.2 <i>QC Samples</i>	29
3.6.3 <i>Summary of QA/QC Requirements</i>	30
3.7 SAMPLE AND RECORD RETENTION.....	32
3.8 REFERENCES	32
4.0 BENTHIC MACROINVERTEBRATES	33
4.1 SUMMARY OF METHOD.....	33
4.2 HEALTH AND SAFETY WARNINGS.....	33
4.3 DEFINITIONS AND REQUIRED RESOURCES (LABORATORY, PERSONNEL, AND EQUIPMENT)	34
4.3.1 <i>Definitions</i>	34
4.3.2 <i>Laboratory</i>	37
4.3.3 <i>Personnel</i>	37
4.3.4 <i>Equipment/Materials</i>	38
4.4 SAMPLE RECEIPT	39
4.5 SAMPLE PREPARATION AND PICKING ORGANISMS.....	40
4.6 TAXONOMIC IDENTIFICATION	42
4.7 DATA ENTRY	48
4.8 SAMPLE AND RECORD RETENTION.....	48
4.9 EXTERNAL TAXONOMIC QUALITY CONTROL.....	48
4.10 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC).....	53
4.11 REFERENCES	54
5.0 WHOLE BODY FISH PROCESSING AND CONTAMINANT ANALYSIS	57
5.1 SUMMARY OF THE PROCEDURE.....	57
5.2 HEALTH AND SAFETY WARNINGS.....	57
5.3 DEFINITIONS AND REQUIRED RESOURCES (PERSONNEL, LABORATORIES, AND EQUIPMENT).....	58
5.3.1 <i>Definitions</i>	58
5.3.2 <i>General Requirements for Laboratories</i>	59
5.3.3 <i>Personnel</i>	60
5.3.4 <i>Equipment/Materials</i>	60

5.4	SAMPLE RECEIPT	61
5.5	WHOLE FISH PREPARATION AND HOMOGENIZATION PROCEDURES	62
5.5.1	<i>Sample Classification: Routine or Non-Routine</i>	62
5.5.2	<i>Fish Examination and Preparation</i>	63
5.5.3	<i>Equipment Cleaning and Rinse Collection</i>	65
5.5.4	<i>Compositing and Homogenization Procedure</i>	66
5.6	CONTAMINANT ANALYSIS: REQUIREMENTS	68
5.7	DATA ENTRY	72
5.8	QUALITY MEASURES	73
5.8.1	<i>Assistance Visits</i>	74
5.8.2	<i>QC Samples</i>	74
5.8.3	<i>Summary of QA/QC Requirements</i>	74
5.9	SAMPLE AND RECORD RETENTION	78
5.10	REFERENCES	78
6.0	SEDIMENT CONTAMINANT, GRAIN SIZE, AND TOC ANALYSES	80
6.1	SUMMARY OF THE PROCEDURE	80
6.2	HEALTH AND SAFETY WARNINGS	80
6.3	DEFINITIONS AND REQUIRED RESOURCES (PERSONNEL, LABORATORIES, AND EQUIPMENT)	80
6.3.1	<i>Definitions</i>	81
6.3.2	<i>General Requirements for Laboratories</i>	82
6.3.3	<i>Personnel</i>	82
6.3.4	<i>Equipment/Materials</i>	83
6.4	SAMPLE RECEIPT	83
6.5	LABORATORY ANALYSIS: REQUIREMENTS	84
6.6	DATA ENTRY	87
6.7	QUALITY MEASURES	89
6.7.1	<i>Assistance Visits</i>	89
6.7.2	<i>QC Samples</i>	89
6.7.3	<i>Summary of QA/QC Requirements</i>	89
6.8	SAMPLE AND RECORD RETENTION	93
6.9	REFERENCES	93
7.0	WATER CHEMISTRY AND CHLOROPHYLL A	95
7.1	SUMMARY OF THE PROCEDURE	95
7.2	HEALTH AND SAFETY WARNINGS	95
7.3	DEFINITIONS AND REQUIRED RESOURCES (PERSONNEL, LABORATORIES, AND EQUIPMENT)	96
7.3.1	<i>Definitions</i>	96
7.3.2	<i>General Requirements for Laboratories</i>	97
7.3.3	<i>Personnel</i>	98
7.3.4	<i>Equipment/Materials</i>	98
7.4	SAMPLE RECEIPT	98
7.5	PREPARATION OF WATER CHEMISTRY ALIQUOTS	99
7.6	WATER CHEMISTRY AND CHLOROPHYLL A ANALYSIS: REQUIREMENTS	101
7.7	DATA ENTRY	105
7.8	QUALITY MEASURES	106
7.9	SAMPLE AND RECORD RETENTION	111
7.10	REFERENCES	112
8.0	SEDIMENT TOXICITY TESTING	113
8.1	SUMMARY OF THE PROCEDURE	113
8.2	HEALTH AND SAFETY WARNINGS	113
8.3	DEFINITIONS AND REQUIRED RESOURCES (PERSONNEL, LABORATORIES, AND EQUIPMENT)	113
8.3.1	<i>Definitions</i>	114
8.3.2	<i>General Requirements for Laboratories</i>	114
8.3.3	<i>Personnel</i>	115
8.3.4	<i>Equipment/Materials</i>	116

8.4	SAMPLE RECEIPT	116
8.5	TOXICITY TESTING: REQUIREMENTS.....	117
8.6	DATA ENTRY	119
8.7	QUALITY MEASURES	121
8.7.1	Assistance Visits.....	121
8.7.2	QC Samples	121
8.7.3	Summary of QA/QC Requirements	121
8.8	SAMPLE AND RECORD RETENTION.....	123
8.9	REFERENCES	123
9.0	FISH TISSUE FILLET (GREAT LAKES).....	125
10.0	MERCURY IN FISH TISSUE PLUGS	126
10.1	SUMMARY OF THE PROCEDURE.....	126
10.2	GENERAL REQUIREMENTS FOR LABORATORIES	126
10.2.1	Personnel.....	126
10.2.2	Equipment/Materials	126
10.3	SAMPLE RECEIPT	127
10.4	QUALITY MEASURES	128
10.4.1	Assistance Visits	128
10.4.2	QC Samples	128
11.0	FECAL INDICATOR: ENTEROCOCCI.....	131
12.0	ALGAL TOXINS, RESEARCH INDICATOR	132
APPENDIX A: LABORATORY REMOTE EVALUATION FORMS		133
APPENDIX B: TARGET FISH SPECIES FOR WHOLE FISH ANALYSES.....		140
APPENDIX C: ALGAL TOXINS RESEARCH INDICATOR STANDARD OPERATING PROCEDURES		144
APPENDIX D: EXAMPLE SOPS FOR MERCURY IN FISH TISSUE PLUG ANALYSES.....		174

LIST OF ACRONYMS

ADT	analysis decision tree
AFDM	ash-free dry mass
ANC	acid neutralizing capacity
ANS	Academy of Natural Sciences
AQM	absolute quantitation method
ASTM	American Society for Testing and Materials
Avg	Average
BHI	brain heart infusion
BV	biovolume
Ca	Calcium
CAS	Chemical Abstracts Service assigns unique identifiers to chemicals
CCE	calibrator cell equivalents
CEQ	cell equivalent
Chl- <i>a</i>	chlorophyll- <i>a</i>
Cl	Chloride
CO ₂	carbon dioxide
Ct	threshold cycle
CPR	cardiopulmonary resuscitation
cv	curriculum vitae
DCF	dilution/concentration factor
DDT	dichloro-diphenyl-trichloroethane
DI	de-ionized
DIC	differential interference contrast
DL	detection limit
DNA	Deoxyribo-nucleic Acid
DO	dissolved oxygen
DOC	dissolved organic carbon
DTH	depositional targeted habitat
DW	distilled water
ELISA	enzyme-linked Immunosorbent assay
EMAP	Environmental Monitoring and Assessment Program
ENT	enterococci
EPA	Environmental Protection Agency
ETOH	ethyl alcohol
FOM	Field Operations Manual
g	grams
GEQ	genomic equivalent
GIS	geographic information system
GPS	global positioning device
HCl	hydrogen chloride
HDPE	high density polyethylene
HNO ₃	nitric acid
HRP	antibody-Horseradish Peroxidase
H ₂ S	hydrogen sulfide
H ₂ SO ₄	sulphuric acid
IBD	ionic balance difference

ID	Identification
IM	information management
IPC	internal positive control
ISBN	International Standard Book Number
ISO	International Organization for Standardization
IT IS	Integrated Taxonomic Information System (IT IS)
K	potassium
kg	kilograms
L	Liters
LCR	Labeled Compound Recovery
LCS	Laboratory Control Sample
LFB	Laboratory Fortified Blanks
LFM	Laboratory Fortified Matrices
LIMS	Laboratory Information Management System
LOM	Laboratory Operations Manual
LRL	Laboratory Reporting Limit
mg	milligrams
mg/kg	milligrams per kilogram
Mg	magnesium
mL	milliliters
MDL	method detection limit
Mn	manganese
MPCA	Minnesota Pollution Control Agency
MSDS	Materials Safety Data Sheet
N	nitrogen
Na	sodium
NABS	North American Benthological Society
NALMS	North American Lakes Management Society
NARS	National Aquatic Resource Surveys
NAWQA	National Water Quality Assessment Program
ND	non-detect
NELAC	National Environmental Laboratory Accreditation Conference
NELAP	National Environmental Laboratory Accreditation Program
ng	nanograms
NH ₄	ammonium
NIST	National Institute of Standards
NO ₂	nitrite
NO ₃	nitrate
NRSA	National Rivers and Streams Assessment
NTL	no template control
NTU	Nephelometric Turbidity Units
OD	optical density
ORD	EPA's Office of Research and Development
OSHA	Occupational Safety and Health Administration
OW	EPA's Office of Water
PAH	Polycyclic Aromatic hydrocarbons
PAR	Photosynthetically Active Radiation

PBS	phosphate buffered saline
PCB	polychlorinated biphenyl
PctDIFF	percent difference
PDE	percent disagreement in enumeration
PCR	polymerase chain reaction
PE	performance evaluation
PES	performance evaluation samples
PHab	physical habitat
P-M	Palmer-Maloney (P-M) count
PDE	percent difference in enumeration
ppb	parts per billion
ppm	parts per million
ppt	parts per trillion
PSE	percent sorting efficiency
PT	performance testing
PTD	percent taxonomic disagreement
QA	quality assurance
QAPP	Quality Assurance Project Plan
QA/QC	quality assurance/quality control
QC	quality control
QCCS	Quality Control Check Sample
QMP	Quality Management Plan
qPCR	quantitative polymerase chain reaction
QRG	Quick Reference Guide
RL	reporting limit
RMSE	root mean square error
RO	reverse-osmosis
RPD	Relative Percent Difference
RQM	relative quantitation method
RSD	Relative Standard Deviation
RTH	richest targeted habitat
Sb	antimony
SEG	Site Evaluation Guidelines
SFS	Society of Freshwater Science
SiO ₂	silica
SO ₄	sulphate
SOPs	Standard Operating Procedures
SPC	sample processing control
S-R	Sedgewick-Rafter count
SRM	standard reference material
SS	salmon sperm
TMB	tetramethylbenzidine
TN	total nitrogen
TOC	total organic carbon
TP	total phosphorus
TRANS	transect

TSN	taxonomic serial number
TSS	total suspended solids
TVS	total volatile solids
µg	micrograms
µg/g	micrograms per gram
µg/L	micrograms per liter
UNK	unknown
USGS	United States Geological Survey
WSA	Wadeable Streams Assessment
WQX	Water Quality Exchange

1.0 INTRODUCTION

This manual describes methods for laboratory analyses of the samples to be collected during the National Coastal Condition Assessment (NCCA). The manual includes quality assurance objectives, sample handling specifications, and data reporting requirements.

The NCCA is one of a series of water assessments conducted by States, Tribes, the U.S. Environmental Protection Agency (EPA), and other partners. In addition to coastal waters, the National Aquatic Resource Surveys (NARS) also focuses on rivers and streams, lakes, and wetlands in a revolving sequence. The purpose of these assessments is to generate statistically-valid reports on the condition of our Nation's water resources and identify key stressors to these systems.

The goal of NCCA is to address two key questions about the quality of the Nation's coastal waters:

- What percent of the Nation's coastal waters are in good, fair, and poor condition for key indicators of water quality, ecological health, and recreation?
- What is the relative importance of key stressors such as nutrients and contaminated sediments?

The NCCA is a probability-based survey of our Nation's coastal and estuarine waters, and designed to:

- Assess the condition of the Nation's coastal and estuarine waters at national and regional scales, including the Great Lakes;
- Identify the relative importance of selected stressors to coastal and estuarine water quality;
- Evaluate changes in condition from previous National Coastal Assessments (NCA) starting in 2000; and
- Help build State and Tribal capacity for monitoring and assessment and promote collaboration across jurisdictional boundaries.

EPA selected the sampling locations using a probability based survey design. Sample surveys have been used in a variety of fields (e.g., monthly labor estimates, forest inventory analysis) to determine the status of populations or resources of interest using a representative sample of a relatively few members or sites. Using this survey design allows data from the subset of sampled sites to be applied to the larger target population, and assessments with known confidence bounds to be made.

The NCCA field sampling season will be during the index period of June through the end of September. Field crews will collect a variety of measurements and samples from the statistically selected sampling locations identified by geographical coordinates. The samples are shipped to laboratories to evaluate the indicators identified in Table 1.1. The indicators are similar to those evaluated in previous NCA.

Table 1.1 NCCA: Indicators

Measure/Indicator		Assessment outcome
Water Quality	Dissolved oxygen	Hypoxia/anoxia
	pH Temperature Depth Conductivity (freshwater) Salinity (marine)	Water column characterization
	Secchi/light measurements PAR	Societal value and ecosystem production
	Nutrients: <ul style="list-style-type: none"> • Dissolved inorganic NO₂ , NO₃ NH₄ ,PO₄; • Total N and P 	Nutrient enrichment
	Chlorophyll <i>a</i>	
Sediment Quality	Grain size (Silt/Clay content)	Influencing factor for extent and severity for contamination
	Total Organic Carbon (TOC)	Influencing factor for extent and severity for contamination
	Sediment chemistry <ul style="list-style-type: none"> • 15 metals • 25 PAHs • 20 PCBs • 14 pesticides • 6 DDT metabolites 	Risk of biological response to sediment contamination
	Sediment toxicity (10-day static bioassay with <i>Leptocheirus</i> or <i>Hyalella</i>)	Biological response to sediment exposure
Biological Quality	Whole body fish contaminants <ul style="list-style-type: none"> • 13 metals (no Sb or Mn) • 20 PCBs • 14 pesticides • 6 DDT metabolites • Optional: PAHs (national lab only) 	Environmentally available contaminant exposure
	Benthic community structure	Biological response to site conditions

2.0 GENERAL LABORATORY GUIDELINES

This chapter describes the general laboratory guidelines with an overview to the quality assurance / quality control (QA/QC) requirements. Each of the following chapters describes a different procedure and the relevant QA/QC requirements for that particular procedure. In addition, the Quality Assurance Project Plan (QAPP) provides a comprehensive consolidation of the QA/QC requirements for NCCA 2015.

2.1 Responsibility and Personnel Qualifications

Each laboratory shall train its laboratory personnel in advance in the use of equipment and procedures used for the standard operating procedure (SOP) in which they are responsible. All personnel are responsible for complying with all of the QA/QC requirements that pertain to the samples to be analyzed. Each laboratory follows its institutional or organizational requirements for instrument maintenance. Appendix A identifies the specific documentation that each laboratory must submit to demonstrate its qualifications for performing the analyses.

2.2 Roles and Contact Information

The **EPA Headquarters Project Management Team** consists of the Project Leader, Alternate Project Leaders, Project QA Lead, and Laboratory Review Coordinator. The Team is responsible for overseeing all aspects of the project and ensuring that the laboratories properly adhere to the technical and quality assurance requirements. The Team is the final authority on all decisions regarding laboratory analysis.

The **NARS Information Management (IM) Coordinator** tracks the location of each NCCA sample that involves post-processing. The coordinator will be the labs main point of contact in regards to sample tracking and data submission.

Table 2.1 NCCA: Contact Information

Title*	Name	Contact Information
EPA HQ NCCA Project Lead, Acting	Hugh Sullivan, OW	sullivan.hugh@epa.gov 202-564-1763
EPA HQ NCCA Project QA Coordinator	Sarah Lehmann, OW	lehmann.sarah@epa.gov 202-566-1379
EPA HQ NCCA Laboratory Review Coordinator	Kendra Forde, OW	forde.kendra@epa.gov 202-564-0417
EPA HQ NARS Team Leader	Sarah Lehmann, OW	lehmann.sarah@epa.gov 202-566-1379
Information Management Center Coordinator	Marlys Cappaert, SRA International Inc.	cappaert.marlys@epa.gov 541-754-4467 541-754-4799 (fax)

*For any technical direction, laboratories under contract to EPA must contact the Task Order's Contracting Officer's Representative (TOCOR) instead of the contacts provided in this table. For any technical information or sample tracking, the laboratories are permitted to contact these persons.

2.3 Sample Tracking

Samples are collected by a large number of different field crews during the index period (May through September). The actual number of sites sampled on a given day will vary widely during this time. Field crews will submit electronic forms when they have shipped samples and the NARS IM Center will input each sample into the NARS IM database. Laboratories can track sample shipment from field crews by accessing the NARS IM database. Participating laboratories will be given access to the NARS IM system, where they can acquire tracking numbers and information on samples that have been shipped to them by field crews (either by overnight shipment for perishable samples or batch shipments for preserved samples). Upon sample receipt, the laboratory must immediately log in to the database and confirm that samples have arrived. Each laboratory will make arrangements with the NARS IM Coordinator, listed above, to ensure access is granted.

When the samples arrive from the field crews, the shipments will include tracking forms (refer to the NCCA FOM). These forms will list the samples included in the shipment. Laboratory personnel must cross check the forms with the samples received to verify that there are not any inconsistencies. If any sample is missing or damaged, contact the NARS IM Coordinator immediately.

2.4 Reporting

All labs must provide data analysis information to the HQ Project Management Team and the NARS IM Center by **March 30, 2016** or as stipulated in contractual agreements. These reports must include the data elements specified for each analytical method in this manual. The submitted filename must use the following naming convention:

- Indicator name (ex: microcystins)
- Date of files submission to NARS IM Center by year, month, and day (ex: 2015_11_01)
- Laboratory name (ex: MyLab)

Combined, the file name would look as follows: Microcystins_2015_11_01_MyLab.xlsx

Before the laboratory submits the batch data to EPA, the analyst who generated the data and an experienced data reviewer independently check and review the data, as follows:

The analyst shall review the data to ensure that:

- Sample preparation information is correct and complete;
- Analysis information is correct and complete;
- The appropriate method and standard operating procedures were followed;
- Analytical results are correct and complete;
- Quality control samples were within established control limits;
- Blanks (where appropriate) were within the appropriate QC limits; and
- Documentation is complete.

The data reviewer shall review the data package to verify that:

- Calibration data (where appropriate) are scientifically sound and appropriate;
- QC samples were within established control limits;
- Qualitative and quantitative results are correct; and
- Documentation is complete.

Accompanying its data submission for each batch, the laboratory shall provide a short narrative that includes the following information:

- Project summary referencing the batch QC identification number, total number of samples in the batch and their sample numbers, and the analytical methodology used for analysis;
- Discussion of any protocol deviations that may have occurred during sample testing;
- Discussion of QC questions or issues that were encountered and the corrective measures taken;
- Definitions of any laboratory QC codes used in the data;
- Summary and discussion of samples that are diluted by the presence of an interference, non-target analyte, or target analyte; and
- QC samples exceeding established control limits or parameters required by laboratory internal analytical SOPs and an explanation of why, if known.

As specified in the QAPP, remaining sample material and specimens must be maintained by the EPA's designated laboratory or facilities as directed by the NCCA 2015 Project Lead. Unless otherwise authorized by the Project Lead, the laboratory shall retain:

- The sample materials, including vials, for a minimum of three (3) years from the date the EPA publishes the 2015 NCCA report. During this time, the laboratory shall maintain the materials at the temperature specified in its laboratory method. The laboratory shall periodically check the sample materials for degradation. Unless the Project Lead arranges for transfer of sample materials to EPA, at the end of the retention period, the laboratory shall follow its internal protocols for disposal.
- Original records, including laboratory notebooks and raw data files (including logbooks, bench sheets, and instrument tracings), for a minimum of ten (10) years from the date that EPA publishes the final report.

The Project Lead is responsible for maintaining the following:

- Deliverables from contractors and cooperators, including raw data, which are permanent as per EPA Record Schedule 258.
- EPA's project records which under Schedule 501 are permanent.

3.0 ALGAL TOXIN (MICROCYSTIN) IMMUNOASSAY PROCEDURE

This chapter describes an immunoassay procedure that measures concentrations of total microcystins in water samples. In applying the procedure, the laboratory uses Abraxis' Microcystins-ADDA Test Kits (Figure 3.1; "kits"). Each kit is an enzyme-linked immunosorbent assay (ELISA) for the determination of microcystins and nodularins in water samples. Microcystins refers to the entire group of toxins, all of the different congeners, rather than just one congener. Algae can produce one or many different congeners at any one time, including Microcystin-LR (used in the kit's calibration standards), Microcystin-LA, and Microcystin-RR. The different letters on the end signify the chemical structure (each one is slightly different), which makes each congener different.



Figure 3.1 Microcystins: Abraxis Test Kit
(Converted from color to grayscale from James, page 3, 2010)

3.1 Summary of the Procedure

The procedure is an adaptation of the instructions provided by Abraxis for determining total microcystins concentrations using its ELISA-ADDA kits.¹ For samples with salinity < 3.5 parts per thousand (ppt), the procedure's reporting range is 0.15 µg/L to 5.0 µg/L, although, theoretically, the procedure can detect, not quantify, microcystins concentrations as

¹ Abraxis, "Microcystins-ADDA ELISA (Microtiter Plate): User's Guide R021412." Retrieved on January 14, 2014 from http://www.abraxiskits.com/uploads/products/docfiles/278_Microcystin%20PL%20ADDA%20users%20R120214.pdf.

low as 0.10 µg/L. For samples with higher concentrations of microcystins, the procedure includes the necessary dilution steps. The procedure also provides additional sample preparation steps for samples with salinities ≥ 3.5 ppt. The results then are adjusted by a factor of 1.75 for a reporting range of 0.263 µg/L to 8.75 µg/L.

3.2 Health and Safety Warnings

The laboratory must require its staff to abide by appropriate health and safety precautions, because the kit substrate solution contains tetramethylbenzidine (TMB) and the stop solution contains diluted sulfuric acid. In addition to the laboratory's usual requirements such as a Chemical Hygiene Plan, the laboratory must adhere to the following health and safety procedures:

1. Laboratory facilities must properly store and dispose of solutions of weak acid.
2. Laboratory personnel must wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear, gloves).
3. When working with potential hazardous chemicals (e.g., weak acid), laboratory personnel must avoid inhalation, skin contact, eye contact, or ingestion. Laboratory personnel must avoid contacting skin and mucous membranes with the TMB and stopping solution. If skin contact occurs, remove clothing immediately. Wash and rinse the affected skin areas thoroughly with large amounts of water.

3.3 Definitions and Required Resources (Personnel, Laboratories, and Equipment)

This section provides definitions and required resources for using the procedure.

3.3.1 Definitions

The procedure uses the following terms:

Absorbance (A) is a measure of the amount of light absorbed by a sample at a specific wavelength. A standard statistical curve is used to convert the absorbance value to the concentration value of microcystins.

Brackish and Seawater Samples, for the purposes of the ABRAXIS microcystins test procedure, are samples with salinity greater than or equal to 3.5 parts per thousand (ppt). (EPA is using different definitions for the water chemistry samples.) EPA recognizes that brackish water is usually defined as 0.5 ppt, and seawater as 35 ppt, but for this immunoassay procedure, it is important to use additional steps described in Section 3.5.2 for any sample with salinity greater than or equal to 3.5 ppt. The sample labels provide the salinity levels.

Calibration Range is the assay range for which analysis results can be reported with confidence. For example, assays of undiluted samples with salinities < 3.5 ppt range from the reporting limit of 0.15 µg/L to a maximum value of 5.0 µg/L.

Coefficient of Variation (CV): The precision for a sample is reported in terms of the percent CV of its absorbance values. To calculate the %CV, first calculate the standard deviation, S , as follows:

$$S = \left[\frac{1}{n-1} \sum_{i=1}^n (A_i - \bar{A})^2 \right]^{1/2}$$

where n is the number of replicate samples, A_i is the absorbance measured for the i^{th} replicate. Per Section 3.5.4, samples are evaluated in duplicate ($i=1$ or 2); controls are either evaluated in duplicate or triplicate ($i=1, 2, 3$). \bar{A} is the average absorbance of the replicates. Then, calculate %CV as:

$$\%CV = \left| \frac{S}{\bar{A}} \right| \times 100$$

Dark or Dimly Lit: Away from sunlight, but under incandescent lighting is acceptable.

Detection Limit is the minimum concentration at which the analyte can be *detected* with confidence. In other words, the outcome can be reported with confidence that it is greater than zero (i.e., present in the sample). The detection limit is less than the reporting limit at which the *measured* value of the analyte can be reported with confidence. Also see “Sample-Specific Detection Limit.”

Duplicates are defined as two aliquots of the same sample which are analyzed separately using identical procedures. The results are used to evaluate the precision of the laboratory analyses. Per Section 3.5.4, controls are evaluated in duplicate or triplicate (i.e., three aliquots).

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management System (NARS IM): The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. Freshwater and coastal samples will be collected during the field stage of NCCA.

Relative Standard Deviation (RSD) is the same as the coefficient of variation (%CV). Because many of the plate reader software programs provides the CV in their outputs, the procedure presents the quality control requirement in terms of %CV instead of RSD.

Reporting Limit: A reporting limit is the point at which the measured value of the analyte can be reported with confidence.

Sample-Specific Detection Limit: Most samples will have a sample-specific detection equal to the method's detection limit. For diluted samples, the sample-specific detection limit will be the product of the method's detection limit and the dilution factor. Typical values for the dilution factor will be 10 or 100.

Seawater Sample: See definition for brackish and seawater samples.

3.3.2 General Requirements for Laboratories

Expertise. To demonstrate its expertise, the laboratory shall provide EPA with one or more of the following:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
- Documentation detailing the expertise of the organization, including professional certifications for water-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.

Quality assurance and quality control requirements.

To demonstrate its expertise in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

3.3.3 Personnel

The procedure refers to the following personnel:

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual (which differs from the Abraxis instructions). The laboratory technician also must be familiar with the use of a multichannel pipette and plate readers.

External QC Coordinator is an EPA staff person who is responsible for selecting and managing the “**QC contractor.**” To eliminate the appearance of any inherent bias, the QC contractor must be dedicated to QA/QC functions, and thus, must not be a primary laboratory or a field sampling contractor for NCCA. The QC contractor is responsible for complying with instructions from the External QC Coordinator; coordinating and paying for shipments of the performance samples to participating laboratories; comparing immunoassay results from the laboratories; and preparing brief summary reports.

3.3.4 Equipment/Materials

The procedures require the following equipment and information:

- Abraxis ADDA Test Kit, Product #520011 (see items in Section 3.5.2)
- Adhesive Sealing Film (Parafilm) for Micro Plates (such as Rainin, non-sterile, Cat. No. 96-SP-100): Used to cover plates during incubation.
- Data Template – See Figure 3.2
- Distilled or Deionized Water: For diluting samples when necessary.
- ELISA evaluation software
- Glass scintillation, LC, vials (two vials of 20 mL each)
- Glass vials with Teflon-lined caps of size:
 - 20 mL
 - 4 mL (for dilutions)
- Multichannel Pipette & Plastic Tips: A single-channel and an 8-channel pipette are used for this method.
- Norm-ject syringes (or equivalent)
- Paper Towels: For blotting the microtiter plates dry after washing.
- Permanent Marker (Sharpie Fine Point): For labeling samples, bottles, plates and covers.
- Plate Reader (e.g., Metertech Model M965 AccuReader; ChroMate®; or equivalent readers with software to read the microtiter plates and measure absorbances).
- Reagent Reservoirs (e.g., Costar Cat Number 4870): Plain plastic reservoir for reagents that accommodate the use of a multi-channel pipette.
- Test tubes (glass): For dilutions, if needed.
- Timer: For measuring incubation times.
- Vortex Genie: For mixing dilutions.
- Whatman Glass fiber syringe filter (25mm, GF 0.45 μ m filter)

Analysis of samples with salinity ≥ 3.5 ppt require additional equipment and supplies, as follows:

- Microcystins-ADDA Seawater Sample Clean-Up Kit (Product #529912) which includes the following supplies:
 - Disposable 5 $\frac{3}{4}$ " glass Pasteur pipettes
 - Disposable 9" glass Pasteur pipettes
 - Glass wool
 - Pasteur pipette bulb
 - Microcystins-ADDA Seawater Sample Treatment Solution
 - Microcystins-ADDA Seawater Sample Clean-up Resin
- 12x75 mm test tubes
- Scoopula
- Micropipettes with disposable plastic tips
- Vortex mixer

3.4 Sample Receipt

Field crews hold the microcystins samples on ice while in the field and then pack the samples in ice for delivery to a central facility (“batching laboratory”) or the State’s laboratory. The batching and State laboratories freeze the samples upon receipt. Periodically, the batching laboratory ships samples to the microcystins laboratory. The batching and microcystins laboratory may retain the frozen samples for several months before analysis.

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery.

1. Report receipt of samples in the NARS IM sample tracking system (within 24 clock hours). Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Inspect each sample **THE SAME DAY THEY ARE RECEIVED**:
 - a. Verify that the sample IDs in the shipment match those recorded on the:
 - i. Chain of custody forms when the batching laboratory sends the samples to the microcystins laboratory; or
 - ii. Sample tracking form if the field crew sends the shipment directly to the State laboratory.
 - b. Record the information in Table 3.1 into NARS IM, including the Condition Code for each sample:
 - i. *OK*: Sample is in good condition
 - ii. *C*: Sample container was cracked
 - iii. *L*: Sample container is leaking
 - iv. *ML*: Sample label is missing
 - v. *W*: Sample is warm (>8°), record the temperature in the comment field, and perform the assay
 - c. If any sample is damaged or missing, contact the EPA HQ Laboratory Review Coordinator to discuss whether the sample can be analyzed. (See contact information in Chapter 2 of the Manual).
3. Store samples in the freezer until sample preparation begins.
4. Maintain the chain of custody or sample tracking forms with the samples.

Table 3.1 Microcystins Login: Required Data Elements

FIELD	FORMAT	DESCRIPTION
LAB ID	text	Name or abbreviation for QC laboratory
DATE RECEIVED	MMDDYY	Date sample was received by lab
SITE ID	text	NCCA site id as used on sample label
VISIT NUMBER	numeric	Sequential visits to site (1 or 2)

FIELD	FORMAT	DESCRIPTION	
SAMPLE ID	numeric	Sample id as used on field sheet (on sample label)	
DATE COLLECTED	MMDDYY	Date sample was collected	
CONDITION CODE	text	Condition codes describing the condition of the sample upon arrival at the laboratory.	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		W	Sample is warm (>8°)
CONDITION COMMENT	text	Other quality concerns, not identified above	
		Comments about the condition of the sample. If the condition code='W' then provide the temperature	

3.5 Procedure

The following sections describe the sample and kit preparation and analysis.

3.5.1 Sample Preparation: Freeze-Thaw Steps

For each frozen sample (500 mL per sample), the laboratory technician runs it through a freeze-thaw cycle three times to lyse the cells as follows:

1. All cycles: Keep the samples in dark or dimly lit areas (i.e., away from sunlight, but under incandescent lighting is acceptable).
2. First freeze-thaw cycle:
 - a. Start with a frozen 500 ml sample.
 - b. Thaw the sample to room temperature (approximately 25° C). Swirl the sample to check for ice crystals. At this temperature, no ice crystals should be present in the sample.
 - c. Shake well to homogenize the sample, then transfer 10 mL to an appropriately labeled clean 20 mL glass vial.
3. Second freeze-thaw cycle:
 - a. Freeze the vial.
 - b. Keep the large sample bottle (from the 500 mL initial sample) frozen for future use.
 - c. Thaw the sample vial contents to room temperature.
4. Third freeze-thaw cycle:
 - a. Freeze the vial.
 - b. Thaw the vial contents to room temperature.
 - c. Filter the vial contents through a new, syringe filter (0.45 µm) into a new, labeled 20 mL glass scintillation vial. Norm-ject syringes and Whatman Glass fiber

syringe filters (25mm, GF 0.45 μm filter) or other similar alternative are acceptable. Use one new syringe and filter per sample.

3.5.2 Additional Sample Preparation for Samples with Salinity > 3.5 parts per thousand

For any sample with salinity of 3.5 parts per thousand (ppt) or greater (the salinity will be marked on sample vials), the laboratory technician needs to perform the following additional steps provided by Abraxis.² For all other samples (i.e. with salinity less than 3.5 ppt), the technician skips this section (i.e., Section 3.5.2) and goes directly to kit preparation as described in Section 3.5.3. For samples with salinity 3.5 ppt the technician:

1. Prepares the column as follows:
 - a. Place a small amount of glass wool into the top of a 5 $\frac{3}{4}$ " glass Pasteur pipette. Using a 9" glass Pasteur pipette, push the glass wool into to the bottom of the 5 $\frac{3}{4}$ " pipette to form the base of the column. The depth of the glass wool should be approximately 5 mm. Place the column into a 12x75 mm test tube.
 - b. Each column will require approximately 1.5 g of Seawater Sample Clean-Up Resin. Calculate and add the appropriate amount of Microcystins-ADDA Seawater Sample Clean-Up Resin to a 20 mL glass vial.
 - c. Add distilled or deionized water at an approximately 2:1 ratio to the Microcystins-ADDA Seawater Sample Clean-Up Resin (for example, 10 mL of deionized or distilled water per 5 g of Resin). Shake or vortex.
 - d. Pipette the Resin in water solution into the column using the 9" Pasteur pipette. Avoid the formation of air bubbles in the column bed by keeping the tip of the pipette at the surface of the bed being created. Fill the column to the indentation approximately 2 cm from the top of the pipette. This will create an approximately 8 cm column.
 - e. Allow the deionized or distilled water to drain from the column.³ Lift the tip of the column at least 1 cm above the surface of the water in the tube. Place the pipette bulb against the top of the column (do not attach the bulb to the column) and push the remaining water out of the column. Avoid allowing the tip of the column to come into contact with the water in the tube to prevent aspiration of water back into the column.
 - f. Place the column into an appropriately labeled 4 mL glass vial.
2. Cleans up the sample as follows:
 - a. Add 1 mL of the sample to a clean, appropriately labeled 4 mL glass vial. Add 50 μL of Microcystins-ADDA Seawater Sample Treatment Solution. Vortex.

² Reformatted from Abraxis, "Microcystins in Brackish Water or Seawater Sample Preparation" Retrieved on January 14, 2014 from http://abraxiskits.com/uploads/products/docfiles/385_MCT-ADDA%20in%20Seawater%20Sample%20Prep%20%20Bulletin%20R041112.pdf. Reproduced with permission. Except for Abraxis' solutions labeled as seawater, EPA has removed references to "brackish" and "seawater" which typically are defined as having different cutpoints than 3.5 ppt for salinity.

³ Additional correspondence between EPA and Abraxis notes that this step leaves the resin in the column.

- b. Add 375 μL of the treated sample to the top of the column. Allow the sample to drain through the column and collect in the vial.
- c. Add a second 375 μL aliquot of the treated sample to the column. Allow to drain through the column.
- d. Lift the tip of the column at least 1 cm above the surface of the sample in the vial. Place the pipette bulb against the top of the column (do not attach the bulb to the column) and push the remaining sample out of the column. Avoid allowing the tip of the column to come into contact with the sample in the vial to prevent aspiration of the sample back into the column.
- e. Lower the column back into the vial. Add 500 μL of distilled or deionized water to the top of the column. Allow the rinse to drain through the column and collect with the sample.
- f. Lift the tip of the column at least 1 cm above the surface of the sample/rinse in the vial. Place the pipette bulb against the top of the column (do not attach the bulb to the column) and push the remaining rinse out of the column. Avoid allowing the tip of the column to come into contact with the sample in the vial to prevent aspiration of the sample back into the column.
- g. Remove the column and discard (columns are single use only). Cap vial and vortex. The sample can then be analyzed using the Abraxis Microcystins-ADDA ELISA Kit beginning with the next section (3.5.3).

3.5.3 Kit Preparation

The technician prepares the kits using the following instructions:

1. Check the expiration date on the kit box and verify that it has not expired. If the kit has expired, discard and select a kit that is still within its marked shelf life. (Instead of discarding the kit, consider clearly labelling it as expired and keeping it for training activities.)
2. Verify that each kit contains all of the required contents:
 - Microtiter plate
 - Standards (6) referenced in this procedure as follows with the associated concentration:
 - S0: 0 $\mu\text{g/L}$
 - S1: 0.15 $\mu\text{g/L}$
 - S2: 0.40 $\mu\text{g/L}$,
 - S3: 1.0 $\mu\text{g/L}$
 - S4: 2.0 $\mu\text{g/L}$
 - S5: 5.0 $\mu\text{g/L}$
 - Kit Control (KC): 0.75 $\mu\text{g/L}$
 - Antibody solution
 - Anti-Sheep-HRP Conjugate
 - Wash Solution 5X Concentrate
 - Color Solution
 - Stop Solution
 - Diluent
 - Foil bag with 12 microtiter plate strips

3. If any bottles are missing or damaged, discard the kit. This step is important because Abraxis has calibrated the standards and reagents separately for each kit.
4. Adjust the microtiter plate, samples, standards, and the reagents to room temperature.
5. Remove 12 microtiter plate strips (each for 8 wells) from the foil bag for each kit. The plates contain 12 strips of 8 wells. If running less than a whole plate, remove unneeded strips from the strip holder and place in the foil bag, ziplocked closed, and store in the refrigerator (4-8° C).
6. Prepare a negative control (NC) using distilled water.
7. The standards, controls, antibody solution, enzyme conjugate, color solution, and stop solutions are ready to use and do not require any further dilutions.
8. Dilute the wash solution with deionized water. (The wash solution is a 5X concentrated solution.) In a 1L container, dilute the 5X solution 1:5 (i.e., 100 mL of the 5X wash solution plus 400 mL of deionized water). Mix thoroughly. Set aside the diluted solution to wash the microtiter wells later.
9. Handle the stop solution containing diluted H₂SO₄ with care.

3.5.4 Insertion of Contents into Wells

This section describes the steps for placing the different solutions into the 96 wells. Because of the potential for cross contamination using a shaker table, the following steps specify manual shaking of the kits instead mechanized shaking.

1. While preparing the samples and kit, turn the plate reader on so it can warm up. The plate reader needs a minimum of 30 minutes to warm up.
2. Turn on the computer so that it can control and access the plate reader.
3. Print the template (Figure 3.2) to use as reference when loading the standards, controls, and samples as described in the next step. Templates contain rows, labeled with a marking pen, of strips of 8 wells that snap into the blank frame. (If the laboratory wishes to use a different template, provide a copy to the EPA HQ Laboratory Review Coordinator for approval prior to first use. (See Chapter 2 of the manual for contact information.)
4. Using the 100- μ L pipette, add 50 μ L, each, of the standards, controls, and samples to the appropriate wells in the plate. Place all six standards (0.00, 0.15, 0.40, 1.00, 2.0 and 5.0 μ g/L), the kit control (0.75 μ L), and negative control, in pairs, starting in the well in the upper left-hand corner of the kit as shown in Figure 3.2. Verify that the software displays the same template or make any necessary corrections.

	1	2	3	4	5	6	7	8	9	10	11	12
A	S0	S4	NC	U4	U8	U12	U16	U20	U24	U28	U32	U36
B	S0	S4	NC	U4	U8	U12	U16	U20	U24	U28	U32	U36
C	S1	S5	U1	U5	U9	U13	U17	U21	U25	U29	U33	U37
D	S1	S5	U1	U5	U9	U13	U17	U21	U25	U29	U33	U37
E	S2	KC	U2	U6	U10	U14	U18	U22	U26	U30	U34	U38
F	S2	KC	U2	U6	U10	U14	U18	U22	U26	U30	U34	U38
G	S3	KC	U3	U7	U11	U15	U19	U23	U27	U31	U35	U39
H	S3	NC	U3	U7	U11	U15	U19	U23	U27	U31	U35	U39

Key:
S0-S5 = Standards;
KC = Control supplied with Kit (i.e., Kit Control);
NC = Negative Control;
U = Unknown (sample collected by the field crew);

Figure 3.2 Microcystins: Template for samples

5. Add 50 µL of the pink antibody solution to each well using the multi-channel pipettor and a reagent reservoir. Use dedicated reagent reservoirs for each reagent to avoid contamination from one reagent to another.
6. Place the sealing Parafilm over the wells.
7. Manually mix the contents by moving the strip holder in a rapid circular motion on the benchtop for 30 seconds. Be careful not to spill the contents.
8. Place the plate in a dimly lit area (as defined in Section 3.3.1) for 90 minutes.
9. After 90 minutes, carefully remove the Parafilm.
10. Empty the contents of the plate into the sink, pat inverted plate dry on a stack of paper towels, and then wash the wells of the plate three times with 250 µL of washing solution using the multi-channel pipette. After adding the washing solution each time, empty the solution into the sink and use the paper towels as before.
11. Add 100 µL of enzyme conjugate solution to all wells using the multi-channel pipettor.
12. Cover the wells with Parafilm.

13. Manually mix the contents by moving the strip holder in a rapid circular motion on the benchtop for 30 seconds. Be careful not to spill the contents.
14. Place the strip holder in a dimly lit area for 30 minutes.
15. After 30 minutes, remove the Parafilm, decant, and rinse the wells three times again with 250 μL of washing solution as described in step 10.
16. Add 100 μL of color solution to the wells using the multi-channel pipette and reagent reservoir. This color solution will make the contents have a blue hue.
17. Cover the wells with Parafilm.
18. Manually mix the contents by moving the strip holder in a rapid circular motion on the benchtop for 30 seconds. Be careful not to spill the contents.
19. Place the plate in a dimly lit area for 20 minutes.
20. After 20 minutes, remove the Parafilm and add 50 μL of stopping solution to the wells in the same sequence as for the color solution. This will turn the contents a bright yellow color. After adding the stopping solution, read the plate within 15 minutes.
21. Within 15 minutes of adding the stopping solution, use the microplate ELISA photometer (plate reader) to determine the absorbance at 450 nm. The software (i.e., commercial ELISA evaluation program) calculates the absorbance and concentration values of the samples from the calibration curve and the average values for each pair. Use a 4-parameter standard curve fit to determine the concentrations.
22. Dispose of solution in plates in a lab sink. Rinse plates and sink with water to dilute the weak acid present.
23. Perform QC evaluations of the data as follows:
 - a. If the following **failures** occur, then the laboratory must reanalyze all samples in the analytical run:
 - i. Standard curve with a correlation coefficient, R , of less than 0.99
 - ii. Standards S0-S5 must have decreasing absorbance values. First, calculate the average values for each standard. That is, if \bar{A}_i is the absorbance average for S_i , then the absorbance averages must be:
$$\bar{A}_0 > \bar{A}_1 > \bar{A}_2 > \bar{A}_3 > \bar{A}_4 > \bar{A}_5$$
 - iii. The average absorbance of the standard S0 less than 0.8 (i.e., $\bar{A}_0 < 0.8$).
 - iv. Two or more negative control sample results report detectable concentrations of microcystins (i.e., values $\geq 0.1 \mu\text{g/L}$). If this occurs, then evaluate possible causes (e.g., cross-contamination between samples), and if appropriate, modify laboratory processes before the next analytical run.
 - v. Results for control samples of outside the acceptable range of 0.75 +/- 0.185 $\mu\text{g/L}$. That is, results must be between 0.565 $\mu\text{g/L}$ and 0.935 $\mu\text{g/L}$.

- b. If either, or both, of the following situations occur, then the sample must be reanalyzed (maximum of two analyses,⁴ consisting of the original analysis and, if necessary, one reanalysis):
 - i. The concentration value registers as HIGH (exceeds the calibration range).⁵ Dilute the sample for the reanalysis per Section 3.5.5.
 - ii. The %CV > 15% between the duplicate absorbance values for a sample.
24. If the sample has a salinity of 3.5 ppt or greater, then convert the results by multiplying by 1.75. If the assay was non-detected, then the detection limit is 0.175 µg/L. The reporting limit is 0.263 µg/L. The calibration range is 0.263 µg/L to 8.75 µg/L.
25. Record the results, even if the data failed the quality control requirements in #23b, for each well in EPA's data template (see Table 3.2 for required elements). The required entries are for the following columns:
- a. **TYPE** indicates the sample type using one of the following codes: S0-S5 for standards; KC or NC for controls; and U for unknown sample.
 - b. **CONC** contains the numeric concentration value. Two special cases:
 - i. Non-detected concentrations: If the sample is non-detected, then provide the sample-specific detection limit which is 0.1 µg/L if the sample is undiluted with a salinity < 3.5 ppt in the sample. See step 24 for reporting values for samples with salinity ≥ 3.5 ppt. See Section 3.5.5 for calculating the sample-specific detection limit for a diluted sample.
 - ii. If the result shows that it is "HI," this indicates that the sample value is outside of the calibration range and must be diluted and re-run using another analytical run. Leave the CONC column blank and record 'HI' in the DATA FLAG column.
 - c. **DATA FLAGS** have codes for the following special cases:
 - i. **ND** if the sample was non-detected;
 - ii. **J** if the value is detected but at a level below the reporting limit of 0.15 µg/L (for undiluted samples with salinity < 3.5 ppt; see step 24 for samples with salinity ≥ 3.5 ppt);
 - iii. **HI** if the concentration value registers as HIGH (exceeds the calibration range).
 - d. **QUALITY FLAGS** have codes for the following special cases:
 - i. **QCF** if there is a QC failure per step 23 above. The QCF code must be used for all failures to facilitate data analysis.
 - ii. **Q** for any other quality issue (describe in **COMMENTS**)
 - e. **DILUTION FACTOR** is only required if the sample was diluted.

⁴ In its data analyses, EPA compares the microcystins data values to 10 µg/L, which is the World Health Organization threshold for moderate risk. If a sample is diluted once following the procedures in Section 3.5.5 and the concentration still registers as HIGH, the concentration is recorded as >50 µg/L which is greater than the WHO threshold. EPA does not require additional dilution to obtain a more precise value, but a laboratory may choose to increase the dilution of the sample and report the associated concentration value.

⁵ A value of HIGH is not a QA/QC failure, but rather indicates a necessity to find the correct dilution to get it within calibration.

- f. **DUP AVG** and **DUP CV** are required for duplicate samples and control samples (use all three values if the controls are used in triplicate).

Table 3.2 Microcystins: Required Data Elements

STAGE	FIELD	FORMAT	DESCRIPTION	
LOGIN	LAB ID	Character	Name or abbreviation for QC laboratory	
	DATE RECEIVED	MMDDYY	Date sample was received by lab	
	SITE ID	Character	NCCA site ID code as recorded on sample label or tracking form (blank if standard or control)	
	VISIT NUMBER	Numeric	sequential visits to site (1 or 2) (blank if standard or control)	
	SAMPLE ID	Numeric	6-digit Sample ID number as recorded on sample jar or tracking form (blank if standard or control)	
	DATE COLLECTED	MMDDYY	Date sample was collected (blank if standard or control)	
	CONDITION CODE	Character	Sample condition upon arrival at the laboratory (blank if standard or control)	
			Flag	Definition
			Blank or N	Not a sample (blank, standard, or control)
			OK	Sample is in good condition
			C	Sample container is cracked
L			Sample or container is leaking	
ML W			Sample label is missing Sample is warm (>8°)	
CONDITION COMMENT	Character	Comments about the condition of the sample. If the condition code='W' then provide the temperature		
ANALYSIS	TECHNICIAN	Character	Name or initials of technician performing the procedure	
	ANALYSIS DATE	MMDDYY	Date when samples are inserted into the wells per Section 3.5.4	
	ANALYSIS TIME	24-hour time	Time when 1 st sample is inserted into the wells per Section 3.5.4	
	KIT EXPIRE DATE	MMDDYY	Expiration date on kit box	
	KIT ID	Character	Kit identification code. If one does not exist, assign a unique code to each kit.	
	R2	Numeric	R ² from curve fit to the average absorbance values for the standards. Value is between 0 and 1.	
	TYPE	Character	Type of solution being tested in the well	
			Code	Definition
KC			Kit Control	
NC			Negative Control	
		S0,S1, S2,S3, S4, S5	Standard	

STAGE	FIELD	FORMAT	DESCRIPTION	
			U	Sample of unknown concentration
	LOCATION	Character	Location of well in the kit (e.g., B5 would be the fifth well from the left in the second row B)	
	SALINITY	Numeric	If the sample vial has the salinity marked on the vial, record the value in units of parts per thousand. Otherwise, leave blank.	
	CONC	Numeric	Concentration or sample-specific detection limit of contents of well in µg/L. Sample-specific detection limit should be 0.1 µg/L for a sample with salinity <3.5 ppt which hasn't been diluted. (Detection limit is 0.175 µg/L for samples with salinity ≥3.5 ppt)	
	ABSORBANCE	Numeric	Absorbance value	
	DILUTION FACTOR	Numeric	10, 100, etc for number of times the sample was diluted. If not diluted, leave blank or record 1	
	CV_ABSORB	Numeric	Calculated %CV of duplicate values of absorbance for a sample. Only calculated for TYPE=U, KC, or NC. Enter %CV. Value is between 0 and 100%.	
	AVG_ABSORB	Numeric	Calculated average of absorbance values for a sample. Only provided for TYPE=U, KC, NC, or SC. Average value of the original sample and its duplicate (or replicates for KC and NC).	
	AVG_CONC	Numeric	Calculated average of concentration values for a sample. Substitute for any value below the reporting limit.	
	DATA FLAG (if appropriate)	Character	Data qualifier codes associated with specific identifications of voucher samples. These codes provide more information than those used when reporting receipt of samples. A technician may use alternative or additional qualifiers if definitions are provided as part of the submitted data package (e.g., as a separate worksheet page of the data submission file).	
			Flag	Definition
			ND	Concentration below detection.
			HI	Result indicated a high concentration (i.e., outside calibration range)
			J	Concentration above detection but below reporting limit.
	QUAL_FLAG	QCF/Q	QCF	QC failure
			Q	Other quality concerns, not identified above
	COMMENTS	Character	Explanation for data flag(s) (if needed) or other comments.	

3.5.5 Dilutions (if needed)

Dilutions if needed are prepared as follows (using clean glass tubes):

1. 1:10 dilution
 - a. Add 900 μL of distilled water to a clean vial. (Note: Dilutions may also be made using the kit's diluent rather than distilled water.)
 - b. Pipette 100 μL from the sample into the vial. (To provide more accurate dilutions and less chance of contaminating the diluent, add the diluent to the vial before the sample.)
 - c. Mix by vortexing.
 - d. Multiply final concentration and Abraxis' detection limit by 10 to obtain the sample-specific detection limit.. For example, for a sample with salinity < 3.5 ppt, Abraxis' detection limit is 0.1 $\mu\text{g/L}$ and the sample-specific detection would be 1.0 $\mu\text{g/L}$ for a 1:10 dilution.

2. 1:100 dilution
 - a. Add 3.96 mL of distilled water to a clean, appropriately labeled glass vial. (Note: Dilutions may also be made using the kit's diluent rather than distilled water.)
 - b. Vortex the sample to mix thoroughly, then pipette 40 μL from the sample and add to the water (or diluent) in the appropriate labeled vial. Vortex.
 - c. Multiply the final concentration and Abraxis' detection limit by 100 to obtain the sample-specific detection limit. For example, for a sample with salinity < 3.5 ppt, Abraxis' detection limit is 0.1 $\mu\text{g/L}$ and the sample-specific detection would be 10 $\mu\text{g/L}$ for a 1:100 dilution.

3. Other dilutions can be calculated in the same manner as #1 and #2 if needed.

3.6 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA's requirements.

3.6.1 Assistance Visits

Assistance visits are intended to familiarize EPA with actual procedures being implemented by different laboratories; and to ensure a clear and consistent understanding of procedures and activities by both EPA and the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter. EPA will develop, review and approve the checklist prior to conducting an assistance visit.

3.6.2 QC Samples

The External QC Coordinator will instruct the QC contractor to provide one or two identical sets of freshwater and/or seawater performance test samples to all participating laboratories. If the laboratory will assay both freshwater and seawater samples, then it will receive both sets (i.e.,

freshwater and seawater). Each set will contain five samples to test the expected range of concentrations in the NCCA samples.

For the contract laboratory, the QC contractor will provide the first set to be run with the first set of samples and a second set to be run at the midpoint of the assigned samples. If available, a third set will be run with the final batch of samples. Because most state laboratories will have relatively few samples that can be analyzed using a single kit, the QC contractor will send only one set to each state laboratory.

Each laboratory will run the QC samples following the same procedures used for the other samples. The External QC Coordinator will compare the results and assess patterns in the data (e.g., one laboratory being consistently higher or lower than all others). Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any deviations from the Method or unique laboratory practices that might account for differences between the laboratory and others. With this additional information, the External QC Coordinator will determine an appropriate course of action, including no action, flagging the data, or excluding some or all of the laboratory's data.

3.6.3 Summary of QA/QC Requirements

Table 3.3 provides a summary of the quality control requirements described in Sections 3.5 and 3.6.

Table 3.3 Microcystins: Sample analysis quality control activities and objectives

Quality Control Activity	Description and Requirements	Corrective Action
Kit – Shelf Life	Is within its expiration date listed on kit box.	If kit has expired, then discard or clearly label as expired and set aside for training activities.
Kit - Contents	All required contents must be present and in acceptable condition. This is important because Abraxis has calibrated the standards and reagents separately for each kit.	If any bottles are missing or damaged, discard the kit.
Calibration	All of the following must be met: Standard curve must have a correlation coefficient of ≥ 0.99 ; Average absorbance value, \bar{A}_0 , for S0 must be ≥ 0.80 ; and Standards S0-S5 must have decreasing average absorbance values. That is, if \bar{A}_i is the average of the absorbance values for S_i , then the absorbance average values must be: $\bar{A}_0 > \bar{A}_1 > \bar{A}_2 > \bar{A}_3 > \bar{A}_4 > \bar{A}_5$	If any requirement fails: Results from the analytical run are not reported. All samples in the analytical run are reanalyzed until calibration provides acceptable results. At its discretion, the lab may consult with EPA for guidance on persistent difficulties with calibration.
Kit Control	The average concentration value of the duplicates (or triplicate) must be within the range of 0.75 +/- 0.185 $\mu\text{g/L}$. That is, the	If either requirement fails: Results from the analytical run are not reported

Quality Control Activity	Description and Requirements	Corrective Action
Negative Control	<p>average must be between 0.565 µg/L and 0.935 µg/L.</p> <p>The values for the negative control replicates must meet the following requirements: All concentration values must be < 0.15 µg/L (i.e., the reporting limit; and one or more concentration results must be nondetectable (i.e., <0.10 µg/L)</p>	<p>The lab evaluates its processes, and if appropriate, modifies its processes to correct possible contamination or other problems. The lab reanalyzes all samples in the analytical run until the controls meet the requirements.</p>
Sample Evaluations	<p>All samples are run in duplicate. Each duplicate pair must have %CV ≤ 15% between its absorbance values.</p>	<p>If %CV of the absorbances for the sample > 15%, then: Record the results for both duplicates using different start dates and/or start times to distinguish between the runs.. Report the data for both duplicate results using Quality Control Failure flag “QCF”; and re-analyze the sample in a new analytical run. No samples are to be run more than twice. If the second run passes, then the data analyst will exclude the data from the first run (which will have been flagged with “QCF”). If both runs fail, the data analyst will determine if either value should be used in the analysis (e.g., it might be acceptable to use data if the CV is just slightly over 15%).</p>
Results Within Calibration Range	<p>All samples are run in duplicate. If both of the values are less than the upper calibration range (i.e., ≤ 5.0 µg/L for undiluted samples with salinity < 3.5 ppt; ≤ 8.75 µg/L for undiluted samples with salinity ≥ 3.5 ppt), then the requirement is met.</p>	<p>If a result registers as “HIGH”, then record the result with a data flag of “HI.” If one or both duplicates register as ‘HIGH,’ then the sample must be diluted and re-run. No samples are to be run more than twice. The lab reports both the original and diluted sample results.</p>
External Quality Control Sample	<p>External QC Coordinator, supported by QC contractor, provides 1-2 sets of identical samples to all laboratories and compares results.</p>	<p>Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any deviations from the Method or unique laboratory practices that might account for differences between the laboratory and others. With this additional information, the External QC</p>

Quality Control Activity	Description and Requirements	Corrective Action
		Coordinator will determine an appropriate course of action, including no action, flagging the data, or excluding some or all of the laboratory's data.

3.7 Sample and Record Retention

The laboratory shall retain:

1. The sample materials, including vials, for a minimum of 3 years from the date the EPA publishes the final report. During this time, the laboratory shall freeze the materials. The laboratory shall periodically check the sample materials for degradation.
2. Original records, including laboratory notebooks and the reference library, for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

3.8 References

Abraxis, "Microcystins-ADDA ELISA (Microtiter Plate)," Product 520011, R021412, Undated. Retrieved January 2014 from http://www.abraxiskits.com/uploads/products/docfiles/278_Microcystin%20PL%20ADDA%20users%20R120214.pdf.

Abraxis, "Microcystin-ADDA ELISA Kit, Detailed Procedure," Undated. Retrieved January 2014 from http://www.abraxiskits.com/uploads/products/docfiles/253_PN520011FLOW.pdf.

Abraxis, "Microcystins in Brackish Water or Seawater Sample Preparation" Undated. Retrieved on January 2014 from http://abraxiskits.com/uploads/products/docfiles/385_MCT-ADDA%20in%20Seawater%20Sample%20Prep%20%20Bulletin%20R041112.pdf.

Loftin, K.A., et al., "Comparison of Two Cell Lysis Procedures for Recovery of Microcystins in Water Samples from Silver Lake in Dover, Delaware, with Microcystin Producing Cyanobacterial Accumulations," in USGS Open-File Report 2008 -1341. 2008. Retrieved April 2013 from http://pubs.usgs.gov/of/2008/1341/pdf/of2008_1341.pdf.

James, R., et al., "Environmental Technology Verification Report: Abraxis Microcystin Test Kits: ADDA ELISA Test Kit; DM ELISA Test Kit; Strip Test Kit," in Environmental Technology Verification System Center 2010. Retrieved March 2013 from <http://nepis.epa.gov/Adobe/PDF/P100EL6B.pdf>

Kamp, L. (Abraxis) "Re: question about instructions for brackish water or seawater"; Email to M. Smith (EPA). June 23, 2015.

4.0 BENTHIC MACROINVERTEBRATES

This chapter describes the steps for identifying benthic macroinvertebrate organisms in samples collected in coastal waters and the Great Lakes during the 2015 National Coastal Condition Assessment (NCCA). Field crews preserve samples in the field with formalin and ship them to a central holding facility or directly to the laboratory. Because NCCA samples generally have fewer than 400 organisms, this procedure requires the laboratory to fully sort and identify all organisms in the sample. If, upon initial inspection, a sample appears likely to have more than 400 organisms, contact the EPA HQ Laboratory Review Coordinator (see contact information in Chapter 2) for processing instructions. (EPA may require use of the subsampling procedures such as those described in the Laboratory Operations Manual for the 2013-2014 National Rivers and Streams Assessment (NRSA)).⁶

In the following discussion, Sections 4.1, 4.2, and 4.3 summarize the procedure; health and safety concerns; and definitions and required resources. Section 4.4 provides the steps for acknowledging sample receipt. Section 4.5 provides the steps for preparing and picking organisms from the sample. Sections 4.6 – 4.8 provide the steps for the taxonomy identification; data entry; and sample and record retention. Sections 4.9 and 4.10 describe EPA's external review of laboratory operations and quality measures. Section 4.11 identifies references used in developing the procedure. Attachment 4.1 provides an example of a taxonomic bench sheet.

4.1 Summary of Method

The procedure describes the steps for picking and identifying organisms from sediment samples. This section provides a summary of the procedure and quality control measures.

The sorter evenly distributes each sample across a tray(s) and then picks all organisms from the sample. During the identification step, a taxonomist identifies all organisms to the target taxonomic levels for the survey and discards materials that do not meet the identification criteria. For each species or lowest identifiable taxonomic level, the taxonomist includes at least one representative organism in the laboratory's reference collection for NCCA 2015.

As part of the quality control measures, a second taxonomist will re-identify a subset (usually 10%) of the samples to quantify enumeration and taxonomic precision, or consistency, as percent difference in enumeration (PDE) and percent taxonomic disagreement (PTD), to help target corrective actions, and ultimately to help minimize problems during data analysis.

4.2 Health and Safety Warnings

In addition to the laboratory's requirements, persons using this procedure must abide by the following health and safety procedures:

⁶ USEPA, 2013, National Rivers and Streams Assessment 2013-14: Laboratory Operations Manual EPA 841-B-12-010.

1. Wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear / goggles).
2. When working with potential hazardous chemicals (e.g. Rose Bengal) or biological agents (benthic organisms and sediments), avoid inhalation, skin contact, eye contact, or ingestion. If skin contact occurs, remove clothing immediately and wash / rinse thoroughly. Wash the affected skin areas thoroughly with large amounts of soap and water.

4.3 Definitions and Required Resources (Laboratory, Personnel, and Equipment)

This section provides definitions and required resources for using this procedure. Section 4.3.1 defines the terms used throughout the procedure. Section 4.3.2 describes the expertise required for each laboratory using the procedure. Section 4.3.3 describes the roles and responsibilities of the personnel involved in the procedure. Section 4.3.4 identifies the equipment necessary to apply the procedure in preparing, sorting, and identifying benthic macroinvertebrate organisms in samples.

4.3.1 Definitions

The procedure uses the following throughout the document:

Dissecting microscope: Microscope configured to allow low magnification of three-dimensional objects that are larger or thicker than the compound microscope can accommodate.

Distinct taxa: Data analysts use the number of distinct (i.e., unique) taxa within a given sample to evaluate the richness associated with the sample location. The distinctness attribute is assessed sample by sample, and not across all samples. To facilitate the data analyses, the database includes an additional variable (“flag”) that is used for the first identification of a particular taxon in a sample. Section 4.6 provides the steps used to identify which taxa are flagged.

Good quality digital photograph: Good quality means that other taxonomists can readily identify the taxon from one or multiple photographs and the library can readily locate the photographs. To ensure that the photographs meet these objectives, the image must be:

- Taken through the microscope at a high enough resolution so that the key diagnostic features are distinguishable and clear. Include all features that would be necessary for an experienced taxonomist to identify the specimen, this may require multiple photographs and at different magnifications.
- Positioned so that it includes:

- Only one taxon in the photo. If necessary, the laboratory may edit (e.g., crop) the digital photograph and save the file with a new filename as specified below. Both the original and edited files must be included in the digital library.
 - A scale bar or measurements in an appropriate location to indicate the size of the specimen.
 - One specimen that lies flat on the surface instead of tilted (to the extent practicable).
- Saved using a format that preserves the image in the highest resolution possible.
 - Saved with a filename that is consistent within the digital library and shall include the following elements in the order listed below:
 - NCCA2015
 - Laboratory name (or abbreviation)
 - Sample number
 - Taxa name
 - Magnification (if applicable, otherwise indicate no magnification as “1x”)
 - Date (format YYYYMMDD) that the photograph was taken.
 - Appendage of “e” if the photograph was edited (e.g., cropped).

For example, on September 8, 2015, laboratory ABC identified the specimen in sample 1234 to be a *Capitella capitata* and took a digital photograph at a resolution of 40x and then cropped the photograph to eliminate extraneous material. The filenames of the original and edited photographs would be: NCCA2_ABC_1234_capitella capitata_40x_20150908.gif and NCCA2_ABC_1234_capitella capitata_40x_20150908e.gif.

Elutriate: Circulate water over the sample in order to wash away the lighter or finer particles of the detritus.

Inorganic material: Material that is not capable of further decay (e.g., gravel, sand, silt)

Integrated Taxonomic Information System (ITIS): Database with standardized, reliable information on species nomenclature and their hierarchical taxonomic classification.

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management (IM) System: The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. The samples are collected during the field stage of NCCA.

Organic material: Material derived from living organisms that is capable of further decay (e.g., leaves, sticks, algae).

Percent sorting efficiency (PSE): Number of organisms recovered by sorter (A) compared to the combined (total) number of recoveries by the sorter (A) and independent sorter (B) for a sample (sorter B sorts through pickate and counts only organisms missed by Sorter A).

$$PSE = \frac{A}{A + B} \times 100 \quad (1)$$

Percent disagreement in enumeration (PDE): measure of taxonomic precision comparing the number of organisms, n_1 , counted in a sample by the primary taxonomist with the number of organisms, n_2 , counted by the internal or external QC taxonomist.

$$PDE = \frac{|n_1 - n_2|}{n_1 + n_2} \times 100 \quad (2)$$

Percent taxonomic disagreement (PTD): measure of taxonomic precision comparing the number of agreements (positive comparisons, $comp_{pos}$) of the primary taxonomist and internal or external QC taxonomists. In the following equation, N is the total number of organisms in the larger of the two counts.

$$PTD = \left[1 - \frac{comp_{pos}}{N} \right] \times 100 \quad (3)$$

Pickate: This is the remaining material left from the tray after the sorter has removed all benthic macroinvertebrates. This could include small stones, sticks or leaves, etc.

Primary laboratory: The laboratory that 1) sorts the sample; and 2) provides the first identification of benthic macroinvertebrates in the sample.

Secondary laboratory: The laboratory selected by the External QC Coordinator. It provides an independent identification of the benthic macroinvertebrates in the sample. The secondary laboratory must provide QC taxonomists who did not participate in the original identifications for the sample.

Target taxonomic levels: Target taxonomic levels for the NCCA is typically species (lowest practical level). NCCA excludes meiofauna (due to being smaller than 0.5 mm) from identifications. Additional exceptions include Oligochaeta (Class) and Chironomidae (Family) in samples from marine, polyhaline and mesohaline regions **ONLY**.

Taxonomic Bench Sheet: Form used by the laboratory to record information about the sample during the identification procedure.

Taxonomic Serial Number (TSN): stable and unique identifier that the Integrated Taxonomic Information System (ITIS), Encyclopedia of Life, and/or Catalogue of Life

couples with each scientific name to serve as the "common denominator" for accessing information. ITIS numbers are preferred, but when they are not available, secondary sources are acceptable.

a)

4.3.2 Laboratory

The procedure may be used by any laboratory that demonstrates competency in analytical work and quality procedures as documented by any one or more of the following::

1. Analytical work: To demonstrate its expertise, the laboratory shall provide EPA with one or more of the following:
 - a. Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
 - b. Memorandum describing experience with analyses that are the same or similar to the requirements of this method.
 - c. Dated copy of relevant Accreditation or Certification (NELAC, ISO, state, etc.) for the laboratory and/or its experts who will perform and/or oversee the analyses. The accreditation must be for the entirety of analysis that the laboratory will be performing.
 - d. Memorandum that describes the laboratory's participation in round robin studies and/or performance studies.
 - e. Report of findings from an on-site technical assessment or audit.
2. Quality procedures.
 - a. To demonstrate its expertise in quality assurance and quality control procedures, the laboratory shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).
 - b. To demonstrate its ongoing commitment, the person in charge of quality issues for the laboratory shall sign the NCCA 2015 QAPP Certification Page.
3. Reporting standardized data. To demonstrate its expertise, the laboratory shall provide EPA with a memorandum that confirms that the laboratory has a computerized Laboratory Information Management System (LIMS) routinely used to track samples and record laboratory results. The memorandum also shall confirm that the laboratory will use LIMS to record and report results from the procedure.

4.3.3 Personnel

The procedure may be used by any person who has received training in processing and identification of benthic macroinvertebrates. For purposes of this procedure, EPA assumes that the following personnel are responsible for performing specific duties:

Internal Taxonomy QC Officer provides oversight of daily operations, sample processing, monitors QC activities at the laboratory to determine conformance, and conducts performance and systems audits of the procedures. The laboratory must retain documentation for the qualifications for the Internal Taxonomy QC Officer meeting the following requirements. The laboratory must provide, or otherwise make available, this documentation to EPA upon request. The Internal Taxonomy QC Officer is an experienced taxonomist who:

1. Demonstrated an initial enumeration and identification proficiency (as measured by $PDE \leq 5\%$ and $PTD \leq 15\%$).
2. Maintains enumeration and identification proficiency in periodic QC checks (i.e., 1 in 10 samples with a minimum of one sample checked).

External QC Coordinator is an EPA staff person. Because the assigned duties are primarily administrative in nature, the External QC Coordinator is not required to have laboratory experience, although such experience would be preferable.

External QC Taxonomists, are selected by the External QC Coordinator (after consultation with EPA experts), and have demonstrated expertise and experience to be used as a quasi “gold standard” for taxonomic evaluations.

Taxonomists are trained, and have considerable experience, in identifying benthic macroinvertebrates, i.e., taxonomy. It is also important that the taxonomist maintains contact with other taxonomists through professional societies and other interactions, and keeps up with the pertinent literature, since systematics and species identifications change over time. EPA prefers, but does not require, that the freshwater taxonomists are certified by the Society of Freshwater Science (SFS). Each laboratory must submit the resume or *curriculum vitae* for the taxonomists who identify benthic macroinvertebrates for the NCCA samples to the EPA Project QC Officer.

Sorters are laboratory technicians who have basic training in laboratory procedures. An “experienced” sorter is one that has achieved $\geq 90\%$ sorting efficiency in 5 consecutive samples.

4.3.4 Equipment/Materials

The procedure requires the following equipment and materials for sample preparation (subsampling), sorting, and taxonomic identifications.

4.3.4.1 *Sample Preparation (Subsampling) and Sorting Equipment/Materials*

- U.S. 35 sieve (500 μm)
- Round buckets
- Standardized, possibly, gridded screen (40 Mesh (380- μm openings, T304 stainless steel wire, 34GA (0.010”))
- 6-cm scoop
- White plastic or enamel pan (6" x 9") for sorting
- Teaspoon

- Permanent ink pen (e.g Pigma Micron® pen)
- Dropper
- Fine-tipped forceps (watchmaker type, straight and curved)
- Vials with caps or stoppers
- Sample labels for vials
- 70-80% ethanol
- Stereo zoom microscope (6-10X magnification)

4.3.4.2 Taxonomy Identification Equipment/Materials

- Stereo dissecting microscope with fiber optics light source (50-60X magnification)
- Compound microscope (10, 40, and 100X objectives, with phase-contrast capability)
- Digital camera with high resolution capability mounted on a microscope
- Petri dishes
- Microscope slides (1" x 3" flat, precleaned)
- Cover slips (appropriately sized)
- CMCP-10 (or other appropriate mounting medium)
- Permanent ink pen (e.g Pigma Micron® pen)
- Dropper
- Fine-tipped forceps (watchmaker type, straight and curved)
- Vials with caps or stoppers
- Sample labels for vials
- 70 - 80% non-denatured ethanol in plastic wash bottle
- Taxonomic Bench Sheet (Attachment 4.1 provides an example)
- Hand tally counter

4.4 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel should start the following login steps within 24 clock hours of receiving a delivery.

1. Record receipt of samples in the NARS IM system (within 24 clock hours) and the laboratory's Information Management System (LIMS). Assign the appropriate chronological bench number to each sample. Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Inspect each jar **THE SAME DAY THEY ARE RECEIVED**:
 - a. Add 70-80% formalin to the jar, if necessary (i.e., to cover the contents completely).
 - b. Verify that the site identification and sample number on the label also appear on the chain of custody form in the shipment.
 - c. Notify the EPA HQ Laboratory Review Coordinator (see contact information in Chapter 2) if any jars were broken and/or there are discrepancies between the custody form and jars.

3. Store the sample containers at room temperature until sorting begins. If the sample will be stored for a long time before sorting, replace the formalin with ethanol for better preservation of the organisms.
4. Maintain the chain-of-custody form with the samples; it will be needed if the samples are transported to any other location (e.g., for taxonomic identification, external QC evaluation).
5. Verify that the login information includes the required data elements in Table 4.1. After completing all required elements, provide the information to the data entry personnel.

Table 4.4.1 Benthics Macroinvertebrates Login: Required Data Elements

FIELD	FORMAT	DESCRIPTION	
LAB NAME	Character	Name of lab	
LAB ID (optional)	Character	Lab sample id	
DATE RECEIVED	MMDDYY	Date sample was received by lab	
SITE ID	Character	NCCA site identification code as used on sample label	
VISIT NUMBER	Numeric	Sequential visits to site (1 or 2, if specified on label)	
SAMPLE ID	Numeric	Sample number as used on field sheet (on sample label)	
DATE COLLECTED	Date	Date sample was taken	
SALINITY	Numeric	Salinity: Value is provided on the sample label	
CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory.	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		NP	Not enough preservative used
Q	Other quality concerns, not identified above (explain in COND_COMMENTS)		
COND_COMMENTS	Character	Explanation for Q FLAG (if needed)	

4.5 Sample Preparation and Picking Organisms

This section describes the steps for the sorter in preparing the sample and picking organisms.

1. Remove the lid from the sample container and remove the internal sample label.
2. Carefully decant the formalin from the sample container by pouring the fluid through a sieve (U.S. 35) into a separate container. Inspect the mesh of the sieve for any organisms and return any organisms found to the sample container so they can be included in the sample sort process.
3. Remove sieved organisms from the sample container and place into a sorting tray.

4. Sort all samples under a minimum of 6x (maximum of 10x) dissecting microscope. Remove the macroinvertebrates from the detritus with forceps. In general, do not remove:

- Empty snail or bivalve shells
- Organisms of water surface-dwelling or strict water column² arthropod taxa, and meiofauna.
- Incidentally-collected terrestrial taxa.
- Fragments such as legs, antennae, gills, wings, or tails.

For Oligochaeta, attempt to remove only whole organisms or fragments that include the head.

In other words, do not remove fragments without the head.

- In case of uncertainties, place the organism in the sort vial for the taxonomist to make the final determination.

5. Place picked organisms of the same type into a single set of jars and vials containing 70-80% ethanol.

6. This QC step is performed if: 1) the sorter (sorter A) has not reached 90% proficiency in 5 consecutive samples (referred to as the “proficiency QC check” below); or 2) this sample is the 1 in 10 sample QC check for experienced sorters (referred to as the “periodic QC check” below). For this step, a second sorter (sorter B):

- Performs QC checks using the same power microscope as the sorter;
- Extracts any missed organisms found in the pickate from Sorter A and places them into the sample vial, or other suitable sample vial;
- Notes the number of organisms missed; and
- Adds that number to the final count of the sample.
- Calculates the PSE for the sample (see Section 4.3.1 for definition; equation 1). If the PSE is:
 - <90% and the sample is the:
 - Proficiency QC check, a second sorter must check the next 5 samples until the original sorter has $PSE \geq 90\%$ for 5 consecutive samples.
 - Periodic QC check, then a second sorter examines the original sorter’s samples since the last QC check for missed organisms. The original sorter must again demonstrate proficiency by achieving a $PSE \geq 90\%$ in 5 consecutive samples.
 - $\geq 90\%$ and the sample is the:
 - Proficiency QC check, the sample counts towards the 1 in 5 consecutive samples used to establish proficiency.
 - Periodic QC check, no corrective action is required.
- Records the results from the QC step. The laboratory must record the results from all QC steps, even if they exceed the frequency required by this step. The laboratory must provide the sorter QC results to EPA upon request.

²Strict water column taxa are those that do not have at least one life stage that is benthic (i.e., bottom-dwelling).

7. Remove the remaining material left on the sorting pan (i.e. material such as sticks, organic debris) and place it in a separate container with preservative (70-80% ethanol). Label the container "Pickate," on both internal and external labels.
8. Label the vials and jars of sorted organisms and material using permanent ink (e.g., using a Pigma Micron® pen). Internal sample labels should be made of cotton rag paper or an acceptable substitute.
9. Retain the vials and materials for the time period specified in Section 4.8.
10. Thoroughly clean all sample preparation and sorting equipment and make sure all equipment is free of organisms prior to sorting the next sample.

4.6 Taxonomic Identification

The taxonomist performs the following steps in identifying the benthic macroinvertebrate organisms:

1. Upon receipt of a set of sample vials from the sorter:
 - a. Compare all site identification codes and sample numbers on the form with those entered on the labels of samples, and resolve any discrepancies with the sorter.
 - b. Determine if any vials are broken. For any broken vial, attempt to recover as much of the sample as possible. Describe the damage in the LAB_COMMENTS field in the database.
 - c. Maintain the chain-of-custody form with the sample vials; it will be needed to return/store them.
2. Empty one sample vial at a time into a small Petri dish. Add 70-80% ethanol to keep the organisms covered. Remove the internal sample label and complete the top portion of a Taxonomic Bench Sheet (for an example, see Attachment 4.1), using the information from the label. Depending on the type of organisms, select the appropriate step:
 - a. For all *Chironomidae* organisms, extract the organisms from the Petri dish.
 - i. Prepare slide mounts using CMCP-10 (or CMC-9, CMC-10, or other media) and applying a coverslip. All organisms must be visible, which generally means a maximum of 10-20 organisms per slide. Label the slides with the same sample identification code or log-in number as the ethanol organisms.
 - ii. If the laboratory prefers to use another method than slide mounting, the EPA External QC Coordinator will grant a waiver if the following applies:
 - 1) The request is for a laboratory located at a single location. For example, EPA would *not* consider the combined qualifications of a prime contract laboratory and its subcontract laboratories. Instead, for whichever laboratories met the requirements, EPA would evaluate and grant (or deny) a waiver for the prime contract laboratory separate from each of its subcontractor laboratories.

- 2) The request for a waiver must identify and describe a minimum of three studies. For each study, the external QC evaluation must demonstrate that the laboratory met or exceeded the NCCA QC requirements (i.e., $PDE \leq 5\%$ and $PTD \leq 15\%$) for its *Chironomidae* organisms.
- 3) The laboratory agrees to mount the organisms on slides if it fails one of the periodic (NCCA) external QC evaluations, as follows:
 - a. It must mount all *Chironomidae* organisms in samples processed since the previous external QC evaluation (i.e., for which it met the PDE and PTD requirements).
 - b. It must continue to mount all *Chironomidae* organisms for the unprocessed samples.
- b. For all other organisms, remove similar organisms to other dishes (keep these covered with 70-80% ethanol).
3. View the sample to ensure that all necessary diagnostic characters have been observed, according to the taxonomic key or other literature using:
 - a. A stereo dissecting microscope for organisms in dishes.
 - b. A compound microscope for slides of *Chironomidae* and *Oligochaeta* organisms
4. Identify organisms to the lowest practical taxonomic level (species is the target for all organisms with the exception of meiofauna, (due to being smaller than 0.5 mm). Additional exceptions include Oligochaeta (Class) and Chironomidae (Family) in samples from marine, polyhaline and mesohaline regions **ONLY**. If a laboratory or individual taxonomist is having trouble reaching species for a taxonomic group (not for an individual organism which might be damaged or otherwise difficult to identify), the lab must contact the NCCA project lead for guidance. Add any necessary data qualifiers (see list provided with Required Data Elements in Table 4.2).
 - a. Enter the Taxonomic Serial Number (TSN) as it appears in the column “Unique Identifier” of the taxa list provided by EPA.
 - b. Note whether the identification of a group of organisms is distinct (Distinct=Y/N) from other organisms in the same sample as follows:
 - i. If the organisms can be identified to the target level, then Distinct=“Y.”
 - ii. If an organism cannot be identified to the target level then assign values as follows:
 - 1) If at least some of the organisms in the sample can be identified to the target level, then:
 - a. Distinct=“Y” for organisms identified at the target level; and
 - b. Distinct=“N” for organisms that were identified at a higher taxonomic level (e.g., family) that may contain a target level taxa already identified in a given sample (e.g., genus).
 - c. An example would be, if some organisms from a sample are identified to *Macoma*, but other organisms in the sample could only be identified to *Tellinidae* and/or

Veneroida, then *Macoma* would be distinct, but *Tellinidae* and/or *Veneroida* would not be Distinct.

- 2) If none of the organisms in the sample could be identified at the target level, then:
 - a. Distinct="Y" for organisms identified at the lowest taxonomic level (e.g., family); and
 - b. Distinct="N" for organisms identified at a higher level (e.g., order).
 - c. For example, if a taxonomist can identify a number of *Veneroida* (Order) families, but a number of the organisms could not be taken past *Veneroida*, then the individual families would be distinct, but the order would not be distinct.

Record the identifications. For example, using the taxonomic bench sheet in Attachment 4.1, record the identification in the Column labeled “taxon.” Enter the number of larvae, pupae, and adults, or total count (e.g. mollusks), if appropriate life history column does not apply, of each taxon under the appropriate columns.

- iii. If the target taxonomic level cannot be achieved due to immature or damaged organisms this should be noted in the data file in the QA_FLAG field (e.g., QA_FLAG=IM). Table 4.2 provides other codes for the QA_FLAG field.
 - iv. If damaged organisms can be identified, they are counted ONLY if the:
 - 1) Fragment includes the head, and, in the case of arthropods, the thorax;
 - 2) Oligochaetes have a sufficient number of segments in the head;
 - 3) Mollusk shell (bivalve or gastropod) is occupied by an organism;
 - 4) Organism is the sole representative of a taxon in the sample.
 - v. If a unique taxon is determined for which the appropriate taxonomic level is not available in the literature and there are other taxa in that taxonomic level:
 - 1) Provide good quality digital photographs of the organism to outside experts for identification; and
 - 2) Include the tentative identification in the database with a data qualifier code of QA_FLAG='UN' so that these organisms can be distinguished from other organisms in the data analysis.
 - 3) When the outside expert identifies the organism, update the database with the correct identification.
5. Compare taxa names from the taxa list provided by EPA to the names used for the identifications. Check the non-matches for the following common problems and correct them.
- a. Abbreviations
 - b. Extra information identifiers (e.g., sp., spp., , nr., cf., genus 1, w/ hair chaetae)
 - c. Extra character (e.g., “?”, “Acentrella ?turbida”, blank space)
 - d. The word “probably” or “prob” (e.g., “Microcylloepus prob. similis”)
 - e. Double names (e.g., Callibaetis callibaetis)
 - f. Common misspellings
 - g. Tribes/subfamilies/subgenus sometimes may not appear
 - h. Species with incorrect genus (Hydatopsyche betteni)
 - i. Split level taxonomy (e.g., Cricotopus/Orthocladus)
Invalid name (e.g., taxonomic change, synonym; Sphaeriidae vs. Pisiidae)
6. Complete the identification by entering the totals for each developmental stage and the total number of each taxon in the cells at the bottom of the sheet. Cross-check to be sure the totals were summed correctly.
7. Provide the data to the Internal Taxonomic Officer for another review to confirm that the identifications use the same nomenclature as the taxa list provided by EPA and the laboratory’s reference collection.

8. Make two copies of the bench sheet or computer file used to record the identifications. They are distributed as follows: 1) the project file; and 2) EPA's External QC Coordinator.
9. Prepare a list of primary and secondary technical literature used in completing the identifications. Provide complete citations in bibliographic format, including authors' names, date of publication, title of document, name of journal or publisher, volume and page numbers, or ISBN number, as appropriate. These citations will be kept on file with the Internal Taxonomic QC Officer, who will periodically review the reference collection to ensure that it is complete.
10. Verify that the reference collection contains at least one organism that represents each genus (or lowest taxonomic level) identified from all sample. For any missing references, choose an appropriate organism(s) from the sample to represent a taxon name in the master taxa list:
 - a. Place the physical specimen in the reference library.
 - b. Place two labels in the sample container to identify: organisms placed in the reference collection, and those in the non-reference organisms.
 - c. Obtain a good quality representative digital photographs of the specimen (see instructions in Section 4.3.1).
11. If the Internal Taxonomy QC Officer selects the sample for a QC check, the Internal Taxonomy QC Officer re-counts and re-identifies the organisms in the sample following the same steps above for the original taxonomist. One in 10 of the taxonomist's samples must be checked. The Internal Taxonomy QC Officer records the independent verifications on a bench sheet or computer file. The Internal Taxonomy QC Officer will also supply a list of taxa that were found to be problematic during their QC sorting check, which can be submitted in an Excel or Word document format. (If the Internal Taxonomy QC Officer performs the QC check more frequently, then all QC data must be submitted.)
12. Carefully return the rest of the organisms to the original sample vial, fill with 70-80% ethanol, and cap tightly.
13. Re-package the samples and slide-mounted organisms carefully, and sign and date the chain-of-custody form. Return or store the samples according to laboratory protocols and requirements in Section 4.8.
14. Verify that all required data elements in Table 4.2 have been recorded by the taxonomist and Internal Taxonomy QC Officer. If the results were recorded on paper, provide the Taxonomic Bench Sheet to the data entry personnel.

Table 4.2 Benthic Macroinvertebrates Taxonomic Identification: Required Data Elements

FIELD	FORMAT	DESCRIPTION
LAB NAME	Character	Name of lab

FIELD	FORMAT	DESCRIPTION	
LAB ID (optional)	Character	Lab sample id	
DATE RECEIVED	Date	Date sample was received by lab	
SITE ID	Character	NCCA site identification code as used on sample label	
VISIT NUMBER	Numeric	Sequential visits to site (1 or 2, if specified on label)	
SAMPLE ID	Numeric	Sample number as used on field sheet (on sample label)	
DATE COLLECTED	Date	Date sample was taken	
DATE TAXON	Date	Date that the taxonomist started identifying organisms in the sample	
ANALYST NAME	Character	Name of taxonomist or Internal Taxonomy QC Officer (if record provides results of QC check)	
QC VERIFICATION	Character	Y if the record provides the results from the QC check	
FAMILY	Character	Taxonomic family	
SUBFAMILY	Character	Taxonomic subfamily	
TRIBE	Character	Taxonomic tribe	
GENUS GROUP	Character	Taxonomic genus group (e.g., <i>thienemannimyia</i>)	
GENUS	Character	Taxonomic genus	
SPECIES	Character	Taxonomic species	
TSN	Numeric	Taxonomic Serial Number as defined by "UniqueIdentifier" in taxa list provided by EPA. If taxon is not in this list, provide citation for reference used to identify organism in CITATION field	
LAB TIN (OPTIONAL)	Character	Lab taxa ID number	
TAXANAME	Character	Unique taxon name in the taxa list provided by EPA	
ABUNDANCE LARVAE	Numeric	Number of individual larvae or immature bugs	
ABUNDANCE PUPAE	Numeric	Number of individual pupae	
ABUNDANCE ADULT	Numeric	Number of individual adults	
ABUNDANCE TOTAL	Numeric	Total number of individuals	
DISTINCT	Character	Distinct taxa in sample (y/n) (See description in Section 4.6)	
CITATION	Character	Citation for reference used to identify organism, if taxon not present in taxa list provided by EPA database	
QA FLAG (if appropriate)	Character	QA/QC flag (lab may use its own flags, if defined in QA_COMMENTS field or provided to NARS IM team)	
		Flag	Definition
		DD	Damaged Organism, poor condition or fragments
		IM	Immature
		IN	Indeterminate (explain in QA_COMMENTS field)
		NP	Not enough preservative used
		NT	Not able to meet target level for identification (may be used with other codes, or explain in QA_COMMENTS field)
S	Sample shipping problem (explain in QA_COMMENTS field)		

FIELD	FORMAT	DESCRIPTION	
		UN	Unknown. Identification is tentative. Organism has been sent to expert taxonomist for definitive identification.
		Q	Other quality concerns, not identified above
QA_COMMENTS	Character	Explanation for QA FLAG (if needed)	
LAB COMMENTS	Character	General laboratory analysis comments	

4.7 Data Entry

Tables 4.1 and 4.2 identify the required data elements that the sorting and taxonomic laboratories must provide to EPA, preferably in EPA’s data template, available separately from EPA. In addition, the laboratory must provide the resume or *curriculum vitae* for each taxonomist who identifies benthic macroinvertebrates for the NCCA samples. The resume or *cv* for each taxonomist is submitted once to EPA’s External QC Coordinator.

4.8 Sample and Record Retention

The laboratory shall retain:

1. The sample materials, including vials, slides, and sorting residuals, for a minimum of 3 years from the date the EPA publishes the final report. During this time, the laboratory shall store the materials in a cool location away from sunlight. The laboratory shall periodically check the sample materials for degradation and refill jars and vials with 70-80% ethanol if necessary.
2. Original records, including laboratory notebooks and the reference library, for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

4.9 External Taxonomic Quality Control

EPA requires that all NCCA laboratories (“primary laboratories”) participate in the External Taxonomic Quality Control Evaluation. Each taxonomist must participate in the QC evaluation, even if the taxonomist is under subcontract with, or consulting for, another firm.

In contrast to the internal QC evaluation in Section 4.6 that verify adherence to the procedures and ensures in-laboratory consistency between taxonomists, the purpose of the external QC evaluation is to ensure consistency between laboratories and taxonomists. To achieve this objective, EPA compares the primary laboratory results to those from a second laboratory, considered a quasi “gold standard” for taxonomic evaluations.

The External QC Coordinator, who is an EPA staff member, is responsible for selecting and managing the “QC contractor.” To eliminate the appearance of any inherent bias, the QC contractor must be dedicated to QA/QC functions, and thus, must not be a primary laboratory or a field sampling contractor for NCCA. The QC contractor is responsible for complying with instructions from the External QC Coordinator; obtaining and managing the secondary laboratory; coordinating and paying for shipments of the QC samples between locations; comparing sample identifications by different laboratories; facilitating reconciliation teleconferences; and preparing brief summary reports.

The External QC Coordinator will arrange for the QC contractor to conduct a minimum of two QC evaluations. To the extent practicable, the External QC Coordinator and QC contractor will schedule batch evaluations evenly throughout the project period.

Each QC evaluation consists of the following steps:

1. In consultation with the QC contractor, the External QC Coordinator determines an appropriate time to conduct the evaluation based upon the total number of samples assigned to the laboratory, the delivery schedule, processing schedule, and the following constraints:
 - a. Availability of samples from other laboratories. For example, if three state laboratories are each processing less than 30 samples, the External QC Coordinator might combine their samples into one batch for the QC evaluation.
 - b. If a primary laboratory is responsible for processing 100 samples or more for the NCCA, the External QC Coordinator will split their samples into several batches (e.g., each 50 to 100 samples) so that EPA can evaluate and correct performance on an ongoing basis.
2. The External QC Coordinator provides the QC contractor with a list of laboratories and processed samples. Sample identification includes the site identification code, sample number, and taxonomist who performed the identifications.
3. The QC contractor randomly selects 10% of the samples from each NCCA laboratory, subject to the following constraints:
 - a. If the primary laboratory received fewer than 30 samples, then the QC contractor randomly selects three samples for the evaluation.
 - b. For each taxonomist identified on the list, the QC contractor ensures that the selection includes one or more of his/her samples.
 - c. The External QC Coordinator may elect to provide an initial evaluation of the national laboratory by selecting a small batch from the samples that the laboratory completed in the first 2-3 months.
4. The QC contractor provides a list of the QC samples, and instructions, to the External QC Coordinator and each primary laboratory participating in the evaluation. Although the External QC Coordinator and QC contractor may tailor the instructions for the participating taxonomists’ preferences, the instructions are likely to specify the following:

- a. Pack and ship the QC samples to the central holding facility designated by the QC contractor. Instructions are likely to require that the:
 - i. Shipments contain chain-of-custody documentation for all slides and containers.
 - ii. Containers (e.g., slides, vials) include the site identification code and sample number.
 - iii. Containers cannot be marked in any way that might identify the taxonomic classification for any organism.
 - iv. The number of taxa in a vial or container should be based on practical considerations (e.g., size of animals and amount of ethanol needed for preservation, amount of ethanol allowed in a single shipment to meet DOT shipping requirements).
 - b. Track the QC samples using forms provided by the QC contractor.
 - c. Email a spreadsheet with the data for the QC samples to the External QC Coordinator. (EPA requires that all labs use its spreadsheet template for recording the taxonomic data.)
5. The QC contractor reviews the condition of the QC samples (e.g., verifies that the containers do not identify taxon for any organism) and ships the samples to the secondary laboratory along with instructions and the EPA template for reporting data.
6. Within 24 hours of receipt, the secondary laboratory:
- a. Notifies the QC contractor that it has received the samples;
 - b. Faxes or emails any additional receipt records, including discrepancies, within 24 hours; and
 - c. Completes any other instructions from the QC contractor.
7. The secondary laboratory:
- a. Re-identifies and re-counts following the procedures in the Method, except does not:
 - i. Develop a reference library.
 - ii. Photograph organisms unless the taxa are identified for reconciliation discussion.
 - iii. Perform any internal QC checks.
 - b. Records the required data elements in Section 4.7.
 - c. Enters the data using EPA's spreadsheet template for the taxonomic data.
 - d. Emails the completed spreadsheet to the QC contractor.
8. The QC contractor compares the original taxonomic results (i.e., data) generated by the primary laboratory to the taxonomic results generated by the secondary laboratory for each sample. As part of this evaluation, the QC contractor calculates PDE and PTD using the equations in Section 4.3.1 and compares their values to the QC requirements in the Section 4.10.
9. If any samples exceed the PDE or PTD limits in Section 4.10, the QC contractor consults with the External QC Coordinator to determine if reconciliation calls are necessary to

resolve differences. The External QC Coordinator may decide that a reconciliation call is unnecessary if there appears to be an obvious explanation for differences, few samples are affected, or other reasons.

10. The QC contractor schedules and facilitates reconciliation teleconferences with EPA and the laboratories.
 - a. In preparation for the teleconferences:
 - i. The QC contractor instructs the secondary laboratory to photograph representative specimens for each taxon identified for discussion.
 - ii. The QC contractor provides the participants with a spreadsheet that includes:
 1. List of samples and taxon identifications for discussion;
 2. Relevant data from the primary and secondary laboratories; and
 3. PDE and PTD values.
 - iii. The primary and secondary laboratories provide participants with the relevant reference (or citation) and photograph for each taxonomic identification for the discussion.
 - iv. The QC contractor emails a meeting announcement for a convenient time for all participants. The email identifies instructions for accessing the External QC Coordinator's toll-free teleconference line.
 - b. Within a week after the teleconference, the QC contractor sends an email to the External QC Coordinator and other teleconference participants that summarizes:
 - i. Agreements to use common nomenclature for discrepancies;
 - ii. Commitments to reevaluate identifications by reexamining samples;
 - iii. Application of changes that are appropriate for all samples, not just the QC samples (e.g., common nomenclature)
 - iv. Items that will not be resolved for some reason (e.g., sample degraded during shipment).
11. After completing the reconciliation calls, the participants complete the following steps:
 - a. Secondary laboratory:
 - i. Reexamines samples as deemed necessary during the reconciliation call
 - ii. Updates its database with changes to:
 1. QC samples per reexamination and other items in the QC contractor email; and
 2. Non-QC samples as appropriate (e.g., nomenclature changes apply to all samples, not just QC samples).
 - iii. Provides database to QC contractor.
 - b. QC contractor confirms that the secondary laboratory (i.e., its subcontractor) completed its assignments before allowing the secondary laboratory to move to the next step.
 - c. Secondary laboratory stores its original records, including laboratory notebooks and the reference library, for a minimum of 10 years from the date that EPA publishes the final report.
 - d. Secondary laboratory and QC contractor follow steps 4 and 5 above to return the samples to the primary laboratory.

- e. After receiving the samples (and tracking per step 4), the primary laboratory:
 - i. Reexamines samples as deemed necessary during the reconciliation call;
 - ii. Updates its database with changes to:
 1. QC samples per reexamination and other items in the QC contractor email; and
 2. Non-QC samples as appropriate (e.g., nomenclature changes apply to all samples, not just QC samples)
 - iii. Provides the revised database to the External QC Coordinator (not the QC contractor). It also confirms that it has completed all relevant items identified in the QC contractor's email summary of the teleconferences (from Step 10.b).
 - f. QC contractor provides EPA with a report or memorandum that:
 - i. Identifies the participating laboratories, with the following information about each laboratory:
 1. Laboratory name
 2. Address
 3. Contact person (name, telephone, and email)
 - ii. Quantifies the taxonomic precision (PDE and PTD) as they were prior to the reconciliation call;
 - iii. Assesses data acceptability;
 - iv. Highlights taxonomic problem areas;
 - v. Identifies any discrepancies for which the External QC Coordinator determined that a reconciliation teleconference was not necessary;
 - vi. Identifies primary and secondary laboratory commitments to change its identifications or provide additional review of any organisms; and
 - vii. Provides recommendations for improving precision for other samples not included in the QC evaluation.
12. After review, the External QC Coordinator:
- a. Submits the report, and draft technical direction with next steps for the laboratory, to the EPA staff managing or coordinating with the primary laboratory.
 - b. Determines if significant differences within the batch of QC samples warrant re-identification of samples by the primary laboratory and a second QC evaluation by the secondary laboratory. If deemed necessary, EPA will instruct the primary laboratory to include the samples for review with the next batch of QC samples.

As an additional verification on the generation of the data, EPA may conduct assistance visits at the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter. The objective of the visit would be to:

- Confirm the laboratory is properly implementing the steps in the method.
- Assist with questions from laboratory personnel.
- Suggest corrections if any errors are made.

4.10 Quality Assurance/Quality Control (QA/QC)

Equation 4.1 Percent sorting efficiency (PSE)

Number of organisms found by the sorter (A) compared to the combined (total) number of found by the sorter (A) and the number recovered by the QC Officer (B) from Sorter A's pickate for a sample. PSE should be $\geq 90\%$.

$$PSE = \frac{A}{A + B} \times 100$$

Equation 4.2 Percent disagreement in enumeration (PDE)

Measure of taxonomic precision comparing the number of organisms, n_1 , counted in a sample by the primary taxonomist with the number of organisms, n_2 , counted by the internal or external QC taxonomist. PDE should be $\leq 5\%$.

$$PDE = \frac{|n_1 - n_2|}{n_1 + n_2} \times 100$$

Equation 4.3 Percent taxonomic disagreement (PTD)

Measure of taxonomic precision comparing the number of agreements (positive comparisons, $comp_{pos}$) of the primary taxonomist and internal or external QC taxonomists. In the following equation, N is the total number of organisms in the larger of the two counts. PTD should be $\leq 15\%$.

$$PTD = \left[1 - \left(\frac{comp_{pos}}{N} \right) \right] \times 100$$

Table 4.3 Benthic Macroinvertebrates: Measurement Data Quality Objectives

Variable or Measurement	Precision	Accuracy
Sort and Pick	90% ^a	90% ^a
Identification	85% ^b	95% ^c

NA = not applicable; ^a As measured by PSE; ^b As measured by (100%-PTD); ^c As measured by (100%-PDE)

Table 4.4 Benthic Macroinvertebrates: Laboratory quality control

Check or Sample Description	Frequency	Acceptance Criteria	Corrective Action
SAMPLE PROCESSING AND SORTING			
Sample pickate examined by another sorter	10% of all samples (minimum of 1)	PSE $\geq 90\%$	If $< 90\%$, examine all residuals of samples by that sorter and retrain sorter

Check or Sample Description	Frequency	Acceptance Criteria	Corrective Action
	completed per sorter		
IDENTIFICATION			
Duplicate identification by Internal Taxonomy QC Officer	1 in 10 samples per taxonomist,	PTD \leq 15%	If PTD > 15%, reidentify all samples completed by that taxonomist since last meeting the acceptance criteria, focusing on taxa of concern
Independent identification by outside, expert, taxonomist	All uncertain taxa	Uncertain identifications to be confirmed by expert in particular taxa	Record both tentative and independent IDs
External QC	10% of all samples completed per laboratory	PDE \leq 5% PTD \leq 15%	If PDE > 5%, implement recommended corrective actions. If PTD > 15%, implement recommended corrective actions.
Use of widely/commonly accepted taxonomic references by all NCCA labs	For all identifications	All keys and references used by each lab must be on bibliography prepared by one or more additional NCCA labs or in The taxa list provided by EPA. This requirement demonstrates the general acceptance of the references by the scientific community.	If a lab proposes to use other references, the lab must obtain prior permission from External QC Officer before submitting the data with the identifications based upon the references.
Prepare reference collection	Each new taxon per laboratory	Complete reference collection to be maintained by each individual laboratory	Internal Taxonomy QC Officer periodically reviews data and reference collection to ensure reference collection is complete and identifications are accurate
DATA VALIDATION			
Taxonomic "reasonableness" checks	All data sheets	Taxa known to occur for coastal waters or Great Lakes.	Second or third identification by expert in that taxon

4.11 References

Epler, J.H. 2001. Identification manual for the larval chironomidae (Diptera) of North and South Carolina. A guide to the taxonomy of the midges of the southeastern United States, including Florida. Special Publication SJ2001-SP13. North Carolina Department of Environment and Natural Resources, Raleigh, NC, and St. Johns River Water Management District, Palatka, FL. 526 pp.

Merritt, R.W., K.W. Cummins, and M.B. Berg (editors). 2008. *An Introduction to the Aquatic Insects of North America*, 4rd edition. Kendall/Hunt Publishing Company, Dubuque, Iowa.

Stribling, J.B., S.R. Moulton, and G.T. Lester. 2003. "Determining the quality of taxonomic data." *Journal of the North American Benthological Society* 22(4):621-631.

USEPA. 2012. *National Rivers and Streams Assessment 2013-2014: Laboratory Operations Manual*. EPA-841-B-12-010. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

Attachment 4.1: Benthic Macroinvertebrates: Taxonomy Bench Sheet (example)

Laboratory Information		Sample Information	
Project ID		Sample ID	
Station Name		Site ID	
Station Location		Date Collected	
Station Number		Field Crew ID	

Taxonomist Name _____

Date 1st Organism Identified in Sample: _____ **QC Check? Y / N**

TSN (Use # in Unique Identifier from taxa list provided by EPA)	Taxon	Distinct (Y/N)	Counts of Organisms in the Taxon:			Cumulative Number of Organisms in Sample	Data Qualifier (Codes in Table 4.2)
			Total (any stage)	Larvae	Pupae		

Comments:

5.0 WHOLE BODY FISH PROCESSING AND CONTAMINANT ANALYSIS

This chapter describes fish processing and analysis requirements for whole body fish samples. The purpose is to determine concentrations of contaminants in fish samples collected in the 2015 NCCA and related studies. The laboratory shall perform analysis to determine the lipid content, concentrations of metals, mercury, pesticides, and PCBs found in fish within coastal waters and Great Lakes. EPA also may require the national contract laboratory to analyze the samples for PAHs; however, EPA will not require the State laboratories to analyze for them.

At each sampling site, the Field Operations Manual (FOM) instructs the crews to collect five fish of the same species (or 10 sea urchins of any species) and similar size for each sample. The crew, or EPA's batch laboratory, then ships the fish specimens on dry ice to the laboratory.

In the following discussion, Sections 5.1, 5.2, and 5.3 summarize the procedure; health and safety concerns; and definitions and required resources. Section 5.4 provides the steps for acknowledging sample receipt. Section 5.5 provides the steps for creating whole fish composites. Sections 5.6 – 5.7 provide the minimum requirements that the laboratory must meet in performing the contaminant analyses and the required data elements. Section 5.8 describes EPA's external review of laboratory operations and other quality measures. Section 5.9 identifies references used in developing the procedure.

5.1 Summary of the Procedure

This chapter describes the fish processing and contaminant determination of whole fish samples collected for EPA's 2015 National Coastal Condition Assessment (NCCA). To ensure consistent and uncontaminated fish preparation activities across all samples, it is important that all NCCA participating laboratories adhere to the fish preparation procedures described in Section 5.5. The procedure is an adaption of instructions developed for fish tissue preparation for the National Rivers and Streams Assessment. As described in Section 5.6 the laboratory may choose to use any method that meets EPA's specifications for contamination measurements unless contractually bound to use specific methods (note, those methods must still meet EPA's specifications for contamination measurements)..

5.2 Health and Safety Warnings

The laboratory must require its staff to abide by appropriate health and safety precautions. In addition to the laboratory's usual requirements such as a Chemical Hygiene Plan, the laboratory must adhere to the following health and safety procedures:

1. Laboratory facilities must properly store and dispose of solutions of weak acid.
2. Laboratory personnel must wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear, gloves).

3. When working with potential hazardous chemicals (e.g., weak acid), laboratory personnel must avoid inhalation, skin contact, eye contact, or ingestion. Laboratory personnel must avoid contacting skin and mucous membranes with acid. If skin contact occurs, remove clothing immediately. Wash and rinse the affected skin areas thoroughly with large amounts of water.
4. When operating grinding equipment, the laboratory personnel must exercise caution.

5.3 Definitions and Required Resources (Personnel, Laboratories, and Equipment)

This section provides definitions and required resources for using the procedure.

5.3.1 Definitions

The procedure uses the following terms:

Detection Limit is the minimum concentration at which the analyte can be *detected* with confidence. In other words, the outcome can be reported with confidence that it is greater than zero (i.e., present in the sample). Also see “Sample-Specific Detection Limit.”

Duplicates are defined as two aliquots of the same sample which are analyzed separately using identical procedures. The results are used to evaluate the precision of the laboratory analyses.

Fish Composite: Each composite consists of all parts of the fish including the head, skin, internal organs, muscle, and bones. For sea urchins, it includes only the gonad tissue because it is essentially the only tissue present. Unless otherwise specified, references to “fish” include “sea urchins.” With the exception of sea urchins, NCCA does not provide support for analyses of any other invertebrates such as crustacean (e.g., lobster, crabs).

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management System (NARS IM): The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. Freshwater and coastal samples will be collected during the field stage of NCCA.

Non-routine sample: A non-routine sample is any sample that does not meet the definition of a routine sample. See Section 5.5.1 for more information.

Percent Recovery: Recovery is measured by comparing the concentrations of a sample split into two parts; and one part is spiked with a known concentration value. C_s is the

concentration measured in the spiked part; C is the concentration measured in the unspiked part; and s is the known concentration amount for the spike. The following equation is used to calculate the percent recovery:

$$\%Rs = \frac{C_s - C}{s} \times 100$$

Relative Standard Deviation (RSD): The precision at each concentration is reported in terms of the RSD. To calculate the RSD, first calculate the standard deviation, S , as follows:

$$S = \left[\frac{1}{n-1} \sum_{k=1}^n (C_s - \bar{C})^2 \right]^{1/2}$$

where n is the number of replicate samples, C , is the concentration measure for the k^{th} sample, and \bar{C} is the average concentration of the replicate samples. Then, RSD is calculated as:

$$RSD = \left| \frac{S}{\bar{C}} \right| \times 100$$

Reporting Limit: A reporting limit is the point at which the measured value of the analyte can be reported with confidence.

Routine sample: A routine composite sample consists of individual adult fish of a single species that meet EPA's length requirement (Length of smallest fish in the composite must be at least 75% of the length of the longest fish), and sufficient number of fish to meet target mass of 300 grams. See Section 5.5.1 for more information.

Sample-Specific Detection Limit: Most samples will have a sample-specific detection equal to the method's detection limit. For diluted samples, the sample-specific detection limit will be the product of the method's detection limit and the dilution factor. Typical values for the dilution factors will be 10 or 100.

Spiked Sample: See Percent Recovery definition for purpose of spiked samples.

TOCOR: Task Order Contracting Officer's Representative is EPA's contact person for laboratories under contract to EPA.

5.3.2 General Requirements for Laboratories

Competency: To demonstrate its competency, the laboratory shall provide analyte and matrix specific information to EPA. EPA will accept one or more of the following as a demonstration of competency:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.

- Documentation detailing the competency of the organization, including professional certifications for fish-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.

Also, the lab must provide a demonstration of competency with fish samples in achieving the method detection limits, accuracy, and precision targets.

Quality assurance and quality control requirements.

To demonstrate its expertise in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

5.3.3 Personnel

The procedure refers to the following personnel:

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual.

External QC Coordinator is an EPA staff person who is responsible for selecting and managing the “**QC contractor**.” To eliminate the appearance of any inherent bias, the QC contractor must be dedicated to QA/QC functions, and thus, must not be a primary laboratory or a field sampling contractor for NCCA. The QC contractor is responsible for complying with instructions from the External QC Coordinator; coordinating and paying for shipments of the performance samples to participating laboratories; comparing immunoassay results from the laboratories; and preparing brief summary reports.

5.3.4 Equipment/Materials

The procedures require the following equipment and information:

- Scale
- Powder-free nitrile gloves
- Tape measure
- 5% nitric acid
- Deionized water (DI water)
- Grinding equipment
- Glass containers
- Jars

5.4 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery. The laboratory must inspect the samples promptly on receipt. As samples arrive, the laboratory must:

1. Log the samples into the National Aquatic Resource Survey Information Management system (NARS-IM) within 24 clock hours. Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Check that each shipping container has arrived undamaged. Check the temperature of one of the samples in the cooler using a thermometer that reads to at least -20 °C (i.e., the expected temperature of frozen samples), or an infra-red (IR) temperature “gun” and record the reading. Record the condition and temperature of the sample in the database using the codes in Table 5.1.
3. Compare the information on the label on each individual fish specimen to the sample tracking form for each composite and verify that each specimen was included in the shipment and is properly wrapped and labeled. The crew labels each fish specimen using the sample identification code and appends a specimen identification code. For example, if the sample number is “NCCA15-1111,” then the crew might label specimen “A” as “NCCA15-1111.A.” Record the number of fish in each sample.
4. Weigh each sample (i.e., all fish specimens collectively), record the weight in the database, and confirm that the sample meets the weight requirements of 140 grams (g) for a routine sample. If the sample weight is less than the required minimum, contact EPA for instructions, which are likely to involve preparing fewer aliquots for possibly fewer types of analyses than originally intended (e.g., perhaps EPA might eliminate the pesticides analysis for the sample).
5. Verify that all required data elements, per Table 5.1, have been recorded. If any elements are missing, then enter them into the database.
6. Transfer the samples to the freezer for long-term storage. Except during processing and analysis stages, the samples must be stored frozen to less than or equal -20 °C.
7. Notify the EPA immediately about any problems involving sample integrity, conformity, or inconsistencies as soon as possible following sample receipt and inspection.

Table 5.1 Whole Body Fish Login: Required Data Elements

Variable	Type	Description
SITE_ID	Character	Site identification code
SAMPLE	Character	Sample number
DATE_COLLECT	Date	Date that the field crew collected the sample

Variable	Type	Description	
ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory (fish should be frozen).	
NUMBER_FISH	Numeric	Number of fish in the sample	
SAMPLE_WT	Numeric	Total weight of sample (all fish)	
CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample wrapping is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		NF	Sample is not at proper temperature
		Q	Other quality concerns, not identified above
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	

5.5 Whole Fish Preparation and Homogenization Procedures

This section describes the whole fish preparation and homogenization procedures. As described in Section 5.5.1, if a laboratory determines that a sample is non-routine, the laboratory contacts the EPA HQ NCCA Laboratory Review Coordinator (Chapter 2 provides contact information) for additional instructions before continuing with the compositing and homogenization procedures in Section 5.5.2. Section 5.5.3 describes rigorous equipment cleaning and rinsate collection steps used before the compositing and homogenization steps in Section 5.5.4.

5.5.1 Sample Classification: Routine or Non-Routine

Each sample is either a “routine” composite sample, or a “non-routine” composite sample, based on the following definitions:

- *Routine sample* – A routine composite sample consists of individual adult fish of a single species that meet EPA’s length and other requirements. For example, the species must be one of the target species identified in Appendix B of this LOM. The laboratory homogenizes the fish to prepare one composite sample.
- *Non-routine sample* – A non-routine sample is any sample that does not meet the definition of a routine sample. When field crews collect non-routine samples, depending on the circumstances, EPA will provide instructions for processing, or possibly destroying, the non-routine samples. These instructions also may include discarding some of the fish in the composite sample based on size before proceeding with homogenizing. For non-routine composites, the laboratory homogenizes only the designated specimens, i.e., those that EPA identifies by specimen number.

Note: Non-routine samples do not include samples from an incorrect sampling location, an unnecessary duplicate sample, or inappropriate fish species. EPA does not plan on using these “invalid” samples, so it is imperative that the sample preparation laboratory not process any sample without specific instructions from EPA. Therefore, laboratories shall retain such samples in frozen storage until EPA determines the appropriate course of action, which may include processing the sample. If the status of any composite sample in the instructions is not clear, the laboratory must contact EPA and wait for clarification.

5.5.2 Fish Examination and Preparation

This section describes the steps for fish examination and preparation.

1. Put on powder-free nitrile gloves (if not already gloved) before unpacking individual fish specimens. For sea urchins, wear thick rubber gloves to provide protection from the urchin spines. As samples are unpacked and unwrapped, inspect each fish carefully for any damage (e.g., tears in the skin or punctures in the gut). Document any damage in comments per Table 5.2.
2. The field crews measured the total length of each fish specimen in the field and recorded those lengths on the sample tracking form. Because of the importance of length measurements, EPA requires laboratories to perform a second series of measurements of the length for each fish. Because it may be difficult to reproduce the field measurements of fish length when the specimens are still partially frozen, begin processing the specimens in the following steps:
 - a. Lay them out in order by specimen number (e.g., the portion of the sample ID after the decimal point)
 - b. Allow them to partially thaw to the point that each specimen can be laid relatively flat.
 - c. Using the length data on the sample tracking form (or the relative length order data in the fish sample processing instructions spreadsheet), confirm that the specimen ID for the longest specimen recorded on the tracking form is the same as the specimen ID on the label of the longest specimen. Repeat this relative length comparison for each of the other specimen IDs to ensure that the length orders based on the recorded lengths in the sample tracking form are consistent with the specimen IDs on the individual fish labels. This check is important for confirming that the field crews attached the correct label to each fish in the composite sample.
 - d. Record the required data elements per Table 5.2 for the length of each species.
8. Weigh each fish to the nearest gram (wet weight) prior to any sample processing. In the database, record the required weight data elements per Table 5.2 for each specimen.
9. Identify and record the species of each fish specimen. Confirm that the species is one of the target species listed in Appendix B of this LOM.
10. Determine if the sample is routine or non-routine (per classification definitions in Section 5.5.1) and record its classification and any applicable fish code from Table 5.3. Return

any non-routine sample to the freezer and contact the EPA HQ NCCA Laboratory Review Coordinator for processing instructions (see Chapter 2 for contact information).

11. Verify that all required data elements, per Tables 5.2 and 5.3, have been recorded. If any elements are missing, then enter them into the database.
12. Rinse each fish with deionized water and remove any adhering slime as a precautionary measure to treat for possible contamination from sample handling in the field. Use HDPE wash bottles for rinsing fish and for cleaning homogenization equipment and utensils. Do **NOT** use Teflon[®] wash bottles for these procedures.
13. Return to freezer for storage until ready to homogenize the sample. If the laboratory intends to proceed directly to homogenization, then allow the sample to partially thaw while cleaning the equipment as described in the next section.

Table 5.2 Whole Body Fish: Data Elements for Each Fish Specimen

Variable	Type	Description
SITE_ID	Character	Site identification code
SAMPLE	Character	Sample number
SPECIMEN_ID	Character	Identification code assigned to a single fish
SPECIES	Character	Species of fish
FISH_WT	Numeric	Weight of fish
WT_UNIT	Character	Units of fish weight (kg, lb)
FISH_LEN	Numeric	Length of fish
LEN_UNIT	Character	Units of fish length (cm, in)
COMMENT	Character	Comment about condition of fish or other observations

Table 5.3 Whole Body Fish: Data Elements from Examination of Each Sample

Variable	Type	Description	
SITE_ID	Character	Site identification code	
SAMPLE	Character	Sample number	
	SAMPLE_CLASS	Character	Sample classification: Routine or Non-routine
	FISH CODE	Character	Codes describing any deviations from the FOM criteria for fish collection for each sample
		Flag	Definition
		SP	Not all specimens are of the same species
		LE	Not all specimens lengths are within 75% of longest fish
		NS	Specimen number is fewer than minimum of 5 or greater than 20 maximum

Variable	Type	Description
		WT Mass does not meet minimum of 140 grams *
		LL Longest fish exceeds 400 mm maximum length
		LS Shortest fish below 100 mm minimum length
		Q Other quality concerns, not identified above

* Field crews are required to collect a minimum of 300 grams, but the minimum required for laboratory analyses is 140 grams.

5.5.3 Equipment Cleaning and Rinsate Collection

This section describes the rigorous cleaning required to protect against cross-contamination of samples. To verify that the cleaning procedures are effective, EPA requires the collection of rinsate samples as described below.

1. Before processing any sample, thoroughly clean all of the homogenization equipment. Disassemble the homogenization equipment (i.e., blender, grinder, or other device) and thoroughly **clean all surfaces and parts** that contact the sample. Similarly, **clean all knives, cutting boards, and other utensils used**. The cleaning steps are as follows:
 - a. Wash with a detergent solution (phosphate- and scent-free) and warm tap water
 - b. Rinse three times with warm tap water
 - c. Rinse three times with deionized (DI) water
 - d. Rinse with acetone
 - e. Rinse three times with DI water
 - f. Rinse with (not soak in) 5% nitric acid
 - g. Rinse three times with DI water
 - h. Allow the components to air dry
 - i. Reassemble the homogenization equipment

2. Once per batch (i.e., once per maximum of 20 samples), collect rinsate samples for use in assessing any equipment contamination. To minimize the number of project samples that might be affected by cross contamination, collect the normal rinsate samples on the first day that samples in a batch of 20 are processed. Ideally (not required), the laboratory will vary the point at which the rinsates are collected on that first day over the course of the project (e.g., between the 1st and 2nd samples for one batch, the 2nd and 3rd samples for another batch, etc.). Prior to reassembling the homogenization equipment, use the following steps to prepare enough rinsate samples for the relevant QA/QC activities:
 - a. Prepare each **hexane rinsate sample** by pouring a 100-mL portion of pesticide-grade hexane over all parts of homogenization equipment, including the cutting boards and knives, and collect it in a clean glass container. Place an additional 100-mL aliquot of clean hexane in a similar glass container for use as a solvent blank. Allow the solvent to evaporate from the equipment. Per QA/QC requirements, the laboratory will analyze the rinsate and solvent blank for the

Polychlorinated biphenyls (PCBs), pesticides, and Polycyclic Aromatic hydrocarbons (PAHs) selected for NCCA analysis.

- b. Once the hexane has evaporated, prepare **each DI water rinsate** using 250 mL of DI water. Collect the DI water rinsate in a clean glass or HDPE container. Place a second aliquot of DI water in a separate similar clean container for use as a blank. Acidify these two samples to pH < 2 with nitric acid. Per QA/QC requirements, the laboratory will analyze the rinsate and blank samples for metals and mercury.
- c. Store the rinsates and blanks at a cold, not freezing, temperature (<6 °C).

5.5.4 Compositing and Homogenization Procedure

This section describes the steps for a “batch” homogenization method that uses the entire homogenized volume of all fish specimens to prepare the composite. In contrast to an “individual” method that would combine equal weights of tissue from each specimen, the batch homogenization method uses the complete specimens regardless of each individual specimen’s proportion to one another. The steps are as follows:

1. Change gloves *between* samples. The technician may use the same gloves in handling all fish *within* a given sample.
2. Partially thaw samples for ease of grinding during homogenization.
3. For sea urchins, prepare the sea urchin for compositing by cracking open the shell of each sea urchin in the sample. From all of the sea urchins in the sample, extract and composite only the gonad tissue. (The gonad tissue is essentially the only tissue present in sea urchins.)
4. Process each sample using a size-appropriate homogenization apparatus (e.g., automatic grinder or high-speed blender). If difficulties arise with the samples sticking to equipment, try the following:
 - a. Chill the grinder briefly with a few small pieces or pellets of dry ice.
 - b. Add pellets of dry ice to the specimens as they enter the grinder.
5. Mix the specimens thoroughly until completely homogenized as evidenced by a final composite sample of soupy composition with uniform color and texture. Visible chunks or pieces of skin, bone, or tissue (e.g., liver tissue has red bits) will hinder extraction and digestion and, therefore, are NOT acceptable.
6. Grind the sample a second time, using the same grinding equipment. It is not necessary to clean the grinding equipment between grinding cycles of the same sample. This second grinding should proceed more quickly. The final sample must have a soupy composition with uniform color and texture. If there are obvious differences in color or texture, grind the entire sample a third time.
7. Prepare the sample aliquots for each type of analysis (e.g., mercury, PCBs) and place any remaining sample materials in a separate jar. Table 5.4 provides target mass weights needed for each type of analysis. When filling jars, leave sufficient space, at least 20%,

at the top of each jar to allow for expansion of the tissue as it freezes. *Jars filled beyond 80% capacity may break when freezing.* Wipe off the outside of the jars to remove any residue or moisture. Label each container and place inside one heavy-weight food-grade self-sealing plastic freezer bag to avoid sample loss due to breakage. Freeze the tissue aliquots at -20 °C, and maintain samples in the freezer until analysis.

8. For one sample in every batch (same batch as specified for the rinsate samples collected in Section 5.5.3), the laboratory conducts triplicate analyses of the lipid content to confirm that the grinding has resulted in an homogeneous sample. As with the collection of rinsate samples, the laboratory performs the homogeneity testing on the first day on which samples in a batch of 20 are processed. However, the sample chosen for homogeneity testing must be one that yields enough tissue mass to support the added mass needed for triplicate lipid aliquots (15 to 30 g).
 - a. The laboratory selects one sample processed on the first day of every batch that will provide well over 140 g of total tissue mass.
 - b. From that sample, place three 5- to 10-g aliquots in clean glass or plastic containers of suitable size and label as appropriate.
 - c. Calculate the mean lipid content (in percent), the standard deviation (SD), and the relative standard deviation (RSD) as follows:

$$\text{mean \% lipids} = \frac{\sum_{i=1}^3 (\% \text{ lipids})_i}{3}$$

$$\text{SD} = \sqrt{\frac{\sum_{i=1}^3 (\% \text{ lipids}_i - \text{mean lipids})^2}{2}}$$

$$\text{RSD} = \frac{\text{SD}}{\text{mean}}$$

- d. If the RSD of the triplicate results is:
 - Less than or equal to the QC criterion, then the homogenization effort is judged to be sufficient for all samples in that QC batch.
 - Otherwise, corrective action consists of regrinding all of the aliquots from each composite sample in the affected batch until meeting the QC criterion. This may entail retrieving all sample aliquots (see Table 5.4) from the freezer, allowing them to partially thaw, homogenizing them again, determining new lipids results, and performing a new homogenization QC determination. New sample containers are required for any rehomogenized samples. Also, follow the steps in Section 5.5.3 for cleaning the equipment between each composite sample in rehomogenizing the samples.

- e. For this sample analyzed in triplicate, record the lipid content measured in the first analysis.
9. Before homogenizing the next sample, clean the **grinding equipment and all other sample preparation equipment** using the procedures described in Section 5.5.3.

Table 5.4. Whole Body Fish: Initial Aliquot Requirements

Analysis	Target Mass	Sample Jar Requirements
Mercury	5 - 10 g	50-mL HDPE straight-sided jar with foil-lined lid , or conical HDPE tube with snap top
Metals other than mercury	5 - 10 g	50-mL HDPE straight-sided jar with foil-lined lid , or conical HDPE tube with snap top
PCBs	30 - 35 g	125-mL straight-sided amber or clear glass jar with PTFE-lined lid
Pesticides	30 - 35 g	125-mL straight-sided amber or clear glass jar with PTFE-lined lid
PAHs (only by EPA request)	30 - 35 g	125-mL straight-sided amber or clear glass jar with PTFE-lined lid
Lipids	10 - 15 g	Laboratory's choice, as this aliquot will be used in-house to determine the lipid content of the sample
Maximum*	140 g	

*In the event that insufficient fish tissue mass exists to prepare the required number of aliquots, contact EPA for instructions.

5.6 Contaminant Analysis: Requirements

The laboratory shall perform analysis of the homogenized composites to determine the lipid content, concentrations of metals, mercury, pesticides, and PCBs. EPA also may require the national contract laboratory to analyze the samples for PAHs; however, EPA will not require the State laboratories to analyze for them. With the exception of sea urchins, NCCA does not provide support for analyses of any other invertebrates such as crustaceans (e.g., lobster, crabs).

After preparing the fish composites as described in Section 5.5, laboratories may choose to use any analysis method, including those in Table 5.5, that measures contaminants to the levels of the method detection limits identified in Table 5.6. In addition, the method must meet the target precision of 30% and the target accuracy as follows:

- Metals: 20%
- Organics (PCBs, pesticides, and PAHs): 35%

The laboratory must store the fish samples frozen at a maximum of -20° C and complete the analyses within one year.⁷

Table 5.5 Whole Body Fish: Analytical Methods

Analysis	Extraction	Methods that Meet the QA/QC Requirements (any method that meets the QA/QC requirements is acceptable)
Metals (except Mercury)	Any method using microwave assisted digestion ⁸	EPA Method 6020A ⁹
Mercury		EPA Method 245 ¹⁰
PCBs, Pesticides, PAHs	EPA Method 3540C ¹¹	EPA Method 8270 ¹²
Percent Lipids	Any method using hexane	EPA Method 9071B ¹³

Table 5.6 Whole Body Fish: Lipids and Required Contaminants

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target
LIPID	% Wet Weight	% LIPID			
METAL	µg/wet g (mg/L)	Aluminum	7429-90-5		10.0
		Arsenic	7440-38-2		2.0
		Cadmium	7440-43-9		0.2
		Chromium	7440-47-3		0.1
		Copper	7440-50-8		5.0
		Iron	7439-89-6		50.0
		Lead	7439-92-1		0.1

⁷ NCCA allows for a 1-year holding time because of the sheer volume of sample collected in a short amount of time. Generally, EPA recommends different holding times, see for example Appendix J “Recommended procedures for preparing whole fish composite homogenate samples” in *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1 (Fish Sampling and Analysis)*, 3rd Edition, 2000. EPA #823-B-00-007. Retrieved from

http://water.epa.gov/scitech/swguidance/fishshellfish/techguidance/risk/upload/2009_04_23_fish_advice_volume1_v1cover.pdf.

⁸ For example, see Method 3150A “Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, and Oils,” retrieved from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3051a.pdf>.

⁹ For example, Method 6020A “Inductively Coupled Plasma-Mass Spectrometry” retrieved from <http://www.epa.gov/epawaste/hazard/testmethods/sw846/pdfs/6020a.pdf>.

¹⁰ For example, Method 245.7 “Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, Revision 2.0” (EPA-821-R-05-001, February 2005), retrieved from http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_245_7.pdf.

¹¹ For example, see Method 3540C “Soxhlet Extraction” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3540c.pdf>.

¹² For example, Method 8270D “Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) retrieved from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/8270d>.

¹³ Method 9171B “n-Hexane Extractable Material (HEM) for Sludge, Sediment, And Solid Samples,” retrieved from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/9071b.pdf>.

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target
		Mercury	7439-97-6		0.01
		Nickel	7440-02-0		0.5
		Selenium	7782-49-2		1.0
		Silver	7440-22-4		0.3
		Tin	7440-31-5		0.05
		Vanadium	7440-62-2		1.0
		Zinc	7440-66-6		50.0
PCB	ng/wet g (µg/L)	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	2051-24-3	209	2.0
		2,4'-Dichlorobiphenyl	34883-43-7	8	2.0
		2,2',3,4',5,5',6-Heptachlorobiphenyl	35065-29-3	180	2.0
		2,2',3,3',4,4',5,6-Octachlorobiphenyl	52663-78-2	195	2.0
		2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0	187	2.0
		2,2',3,3',4,4'-Hexachlorobiphenyl	38380-07-3	128	2.0
		2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6	170	2.0
		2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2	138	2.0
		2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1	153	2.0
		2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9	206	2.0
		2,3,3',4,4'-Pentachlorobiphenyl	32598-14-4	105	2.0
		2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2	101	2.0
		2,3',4,4',5-Pentachlorobiphenyl	31508-00-6	118	2.0
		2,3,3',4,6'-Pentachlorobiphenyl	38380-03-9	110	2.0
		3,3',4,4',5-Pentachlorobiphenyl	57465-28-8	126	2.0
		2,2',3,5'-Tetrachlorobiphenyl	41464-39-5	44	2.0
		3,3',4,4'-Tetrachlorobiphenyl	32598-13-3	77	2.0
		2,2',5,5'-Tetrachlorobiphenyl	35693-99-3	52	2.0
		2,3',4,4'-Tetrachlorobiphenyl	32598-10-0	66	2.0
		2,2',5-Trichlorobiphenyl	37680-65-2	18	2.0
2,4,4'-Trichlorobiphenyl	7012-37-5	28	2.0		
PEST	ng/wet g (µg/L)	2,4'-DDD	53-19-0		2.0
		2,4'-DDE	3424-82-6		2.0
		2,4'-DDT	789-02-6		2.0
		4,4'-DDD	72-54-8		2.0
		4,4'-DDE	72-55-9		2.0
		4,4'-DDT	50-29-3		2.0
		Aldrin	309-00-2		2.0
		Alpha-BHC	319-84-6		2.0
		Beta-BHC	319-85-7		2.0
		Delta-BHC	319-86-8		2.0
		Alpha-Chlordane	5103-71-9		2.0
		Gamma-Chlordane	5566-34-7		2.0
		Dieldrin	60-57-1		2.0

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target
		Endosulfan I	959-98-8		2.0
		Endosulfan II	33213-65-9		2.0
		Endosulfan Sulfate	1031-07-8		2.0
		Endrin	72-20-8		2.0
		Endrin Aldehyde	7421-93-4		2.0
		Endrin Ketone	53494-70-5		2.0
		Heptachlor	76-44-8		2.0
		Heptachlor Epoxide	1024-57-3		2.0
		Hexachlorobenzene	118-74-1		2.0
		Lindane	58-89-9		2.0
		Mirex	2385-85-5		2.0
		Cis-Nonachlor	5103-73-1		2.0
		Oxychlorane	26880-48-8		2.0
		Trans-Nonachlor	39765-80-5		2.0
PAHs*		Acenaphthene	83-32-9		2.0
		Acenaphthylene	208-96-8		2.0
		Anthracene	120-12-7		2.0
		Benz(a)anthracene	200-280-6		2.0
		Benzo(b)fluoranthene	205-99-2		2.0
		Benzo(k)fluoranthene	207-08-9		2.0
		Benzo(g,h,i)perylene	191-24-27-2		2.0
		Benzo(a)pyrene	50-32-8		2.0
		Benzo(e)pyrene	192-97-2		2.0
		Biphenyl	92-54-4		2.0
		Chrysene	218-01-9		2.0
		Dibenz(a,h)anthracene	53-70-3		2.0
		Dibenzothiophene	132-65-0		2.0
		2,6-Dimethylnaphthalene	581-42-0		2.0
		Fluoranthene	205-99-2		2.0
		Fluorene	86-73-7		2.0
		Indeno(1,2,3-c,d)pyrene	193-39-5		2.0
		1-Methylnaphthalene	90-12-0		2.0
		2-Methylnaphthalene	91-57-6		2.0
		1-Methylphenanthrene	832-69-9		2.0
		Naphthalene	91-20-3		2.0
		Perylene	198-55-0		2.0
		Phenanthrene	85-01-8		2.0
Pyrene	129-00-0		2.0		
2,3,5-Trimethylnaphthalene	2245-38-7		2.0		

* EPA also may require the national contract laboratory to analyze the samples for PAHs; however, EPA will not require the State laboratories to analyze for them.

5.7 Data Entry

Tables 5.1 (Section 5.4), 5.2 (Section 5.5), 5.3 (Section 5.5), and 5.7 (below) identify the required data elements that laboratories must provide to EPA, preferably in EPA's data template, available separately from EPA.

Table 5.7 Whole Body Fish: Data Elements for Each Sample

Variable	Type	Description	
SITE_ID	Character	Site identification code or type of QC sample (e.g., LAB BLANK)	
SAMPLE	Character	Sample number, LCS, QCCS, Blank, Matrix Spike, or Rinsate	
REPEAT	Numeric	Duplicate or Triplicate (otherwise blank)	
DATE_COLLECT	Date	Date that the field crew collected the sample	
	ARRIVAL_TEMP	Numeric Temperature of sample upon arrival at the laboratory (fish should be frozen).	
	NUMBER_FISH	Numeric Number of fish in the sample	
	SAMPLE_WT	Numeric Total weight of sample (all fish)	
	SAMPLE_CLASS	Character Sample classification: Routine or Non-routine	
	CONDITION CODE	Character Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample wrapping is cracked
		L	Sample or wrapping is leaking
		ML	Sample label is missing
		NF	Sample is not at proper temperature
	COND_COMMENT	Character Explanation for Q FLAG (if needed)	
	FISH CODE	Character Codes describing any deviations from the criteria for fish collection for each sample	
		Flag	Definition
		SP	Not all specimens are of the same species
		LE	Not all specimens lengths are within 75% of longest fish
		NS	Specimen number is fewer than minimum of 5 or greater than 20 maximum
	WT	Mass does not meet minimum of 500 grams	

Variable	Type	Description
		LL Longest fish exceeds 400 mm maximum length
		LS Shortest fish below 100 mm minimum length
		Q Other quality concerns, not identified above
PARAMETER	Character	Analyte name
CAS_NO	Character	CAS Registry number corresponding to the analyte
LABNAME	Character	Laboratory name (abbreviation)
METHOD	Character	Laboratory method used
ANALYST	Character	Last name or initials of person who performed the analysis
REVIEWER	Character	Last name or initials of the person who provided a separate independent review of the data
INSTRUMENT	Character	Identification of instrument used for the analysis – provide enough information to identify the particular instrument in the laboratory
DATE PREPARED	Date	Date that the sample homogenization started
DATE ANALYSIS	Date	Date that the sample analysis started
QC_BATCH_LOT	Character	Unique laboratory quality control lot numbers assigned to the batch of samples. The lot number must associate each batch of field samples to the appropriate rinsates, laboratory control sample, matrix spike, laboratory duplicate, and method blank samples.
HOLDING TIME	Y/N	Analysis performed within holding time
MATRIX	Character	Fish
MDL	Numeric	Lab method detection limit (based upon lab’s historical data)
LRL	Numeric	Lab reporting limit (based upon lab’s historical data)
DILUTION	Numeric	Dilution of sample (blank or 1 if no dilution)
RECOVERY	Numeric	Only for appropriate QC samples
RESULT	Numeric	Concentration value
REASON	Character	Reason for qualification in RESULT_QUAL (usually blank)
RESULT_QUAL	Character	Data qualifier (usually blank)
UNIT	Character	Unit of measurement for RESULT, MDL, and RL
QC_CODE	Character	Apply laboratory defined QC codes and describe in the comments field. Provide set of laboratory’s code as part of the case narrative
COMMENT	Character	Explain situation that created QC code, or any unusual aspects of the analysis

5.8 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA’s requirements.

5.8.1 Assistance Visits

Assistance visits are intended to familiarize EPA with actual procedures being implemented by different laboratories; and to ensure a clear and consistent understanding of procedures and activities by both EPA and the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter.

5.8.2 QC Samples

Once or twice during the performance period, the External QC Coordinator will provide one or two identical sets of QC samples to all participating laboratories. Each set will contain up to five QC samples. As determined by the External QC Coordinator, the QC samples may be synthetic; aliquots of additional samples collected at NCCA sites; or reference samples obtained from an organization such as the National Institute of Standards. Each laboratory will run the QC samples following the same procedures used for the other samples. The External QC Coordinator will compare the results to the expected value and determine consistency between laboratories (e.g., determine if one laboratory is consistently higher or lower than all others). Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any unique laboratory practices that might account for differences between the laboratory and others. The contractor shall analyze the external QC samples using the same procedures as those for the field samples.

5.8.3 Summary of QA/QC Requirements

QC protocols are an integral part of all analytical procedures to ensure that the results are reliable and the analytical stage of the measurement system is maintained in a state of statistical control. The laboratory must conduct QC analyses for each batch of samples. Each batch shall consist of no more than 20 samples. Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate measures such as laboratory control sample, matrix spike, laboratory duplicate, and method blank samples. Also, each laboratory QC samples (i.e., preparation and instrument blanks, laboratory control sample (LCS), spike/duplicate, etc.) must be give a unique sample identification. Table 5.8 provides a summary of the quality control requirements.

Table 5.8 Whole Body Fish: Quality control activities

Quality Control Activity	Description and Requirements	Corrective Action
Demonstrate competency for analyzing fish samples with the required methods	Demonstration of competency with fish samples in achieving the method detection limits, accuracy, and precision targets	EPA will not approve any laboratory for NCCA sample processing if the laboratory cannot demonstrate competency. In other words, EPA will select another laboratory that can demonstrate competency for its NCCA samples.

Quality Control Activity	Description and Requirements	Corrective Action
Check condition of sample when it arrives.	Sample issues, such as punctures or rips in wrapping; missing label; temperature; adherence to holding time requirements; sufficient volume for test. All samples should arrive at the laboratory in a frozen state.	Assign appropriate condition code identified in Table 5.1.
Store sample appropriately. While stored at the laboratory, the sample must be kept at a maximum temperature of -20° C.	Check the temperature of the freezer per laboratory's standard operating procedures.	Record temperature of sample upon arrival at the laboratory. If at any other time, samples are warmer than required, note temperature and duration in comment field.
Determine if all fish meet the criteria	Evaluate if the sample contains fish of the same species and are similar in size (within 75%), and provides enough material to run the analysis	Contact the EPA HQ NCCA Laboratory Review Coordinator* for a decision on fish selection and/or chemical analysis.
Analyze sample within holding time	The test must be completed within the holding time (i.e., 28 days for mercury; 6 months for other metals; and 1 year for all others). If the original test fails, then the retest also must be conducted within the holding time.	Perform test, but note reason for performing test outside holding time. EPA expects that the laboratory will exercise every effort to perform tests before the holding time expires.
Perform once at the start of each batch to evaluate the labeled compound recovery (LCR) in a Laboratory Control Sample (LCS). This tests the performance of the equipment.	Control limits for recovery cannot exceed 100±20%.	First, prepare and analyze one additional LCS. If the second blank meets the requirement, then no further action is required. If the second LCS fails, then determine and correct the problem before proceeding with any sample analyses.
Perform once at the start of each batch to evaluate the entire extraction and analysis process using a Method Blank	Control limits cannot exceed the laboratory reporting level (LRL).	First, prepare and analyze one additional blank. If the second blank meets the requirement, then no further action is required. If the second blank fails, then determine and correct the problem (e.g., homogenization, reagent contamination, instrument calibration, or contamination introduced during filtration) before proceeding with any sample analyses. Reestablish statistical

Quality Control Activity	Description and Requirements	Corrective Action
		control by analyzing three blank samples. Report values of all blanks analyzed.
Check calibration immediately before and immediately after the sample batch is run (abbreviated as QCCS for quality control check sample)	Results must be $\pm 10\%$ of each other or as specified in method criteria	If calibration fails before analysis, recalibrate and reanalyze QCCS until it passes. If check fails after all samples in the batch have been analyzed, verify the QCCS reading. If the QCCS reading fails a second time, then reanalyze all samples in the batch and report both sets of results. For the first run, include a data qualifier that indicates that the QCCS reading taken immediately following the first run failed. For the second run, include a data qualifier that indicates that it is the second set and whether the QCCS reading immediately following that second run passed. No sample is to be analyzed more than twice.
Evaluate rinsates for first sample in each batch. This evaluation is a surrogate for assessing cross-contamination.	Results must be below the LRL.	If first rinsate is above LRL, analyze rinsate from a second sample. If second rinsate sample also has results above the LRL, then assign a data qualifier to all samples in the batch for the parameters with results above the LRL in the rinsates. Also, improve procedures for cleaning all surfaces, knives, and homogenization equipment between samples.
Compare lipids in triplicate for the first sample in each batch. This evaluation is a surrogate for assessing homogenization.	Substitute the LRL for any value below the LRL before calculating the RSD. If the RSD of the triplicate results is $\leq 20\%$, then the homogenization effort is judged to be sufficient for all samples in the batch.	If the RSD could not be achieved, then regrind all samples in the batch one or more times as described in Section 5.5
Compare results of one laboratory duplicate sample or matrix spike duplicate sample for each batch	Results must be within the target precision goal in Table 5.8.1 (30% for all analytes).	If both results are below LRL, then conclude that the test has passed. Otherwise, prepare and analyze a split from different sample in the batch. If the second result is within the target precision goal (see Table 5.8.1) of the original sample, then

Quality Control Activity	Description and Requirements	Corrective Action
		<p>report the data and findings for both QC samples. However, if the two results differ by more than the target precision goal, review precision of QCCS measurements for batch; check preparation of split sample; etc. and report evaluation and findings in the case narrative. Consult with the EPA HQ NCCA Laboratory Review Coordinator* to determine if reanalysis of the entire batch (at the laboratory's expense) is necessary. If no reanalysis is necessary, report and quantify all samples in batch. If reanalysis is necessary, then report all QC sample and the 2nd analysis of the batch. If the second set also is unacceptable, then assign a data code to each sample in the batch.</p>
<p>Compare results of one matrix spike sample per batch to evaluate performance in matrix</p>	<p>Evaluate performance after the first 3 batches. Ideally, control limits for recovery will not exceed the target accuracy goal (Table 5.8.1), but this may not be realistic for all parameters with this matrix.</p>	<p>If both results are below LRL, then conclude that the test has passed for the batch. Otherwise, if any results are not within the target accuracy goal for the 3 batches, within 2 working days, contact the EPA HQ NCCA Laboratory Review Coordinator* to discuss method performance and potential improvements. Continue to perform the test for every batch. Report the results from the original analysis, the matrix spike, matrix spike duplicate, and %recovery.</p>
<p>Maintain the required MDL identified in the Section 5.6</p>	<p>Evaluate for each sample</p>	<p>If MDL could not be achieved, then provide dilution factor or QC code and explanation in the comment field.</p>
<p>Use consistent units for QC samples and field samples</p>	<p>Verify that all units are provided in wet weight units and consistently within each indicator type as follows: Metals in µg/g or ppm. PCBs, pesticides, and PAHs in ng/g or µg/L.</p>	<p>If dry units are reported for any sample (QC or field), reanalyze the sample and report only the reanalysis results. If it is not possible to provide the results in wet units, then assign a QC code and describe the reason for dry</p>

Quality Control Activity	Description and Requirements	Corrective Action
		units in the comments field of the database.
Maintain completeness	Completeness objective is 95% for all parameters.	Contact EPA HQ NCCA Laboratory Review Coordinator* immediately if issues affect laboratory's ability to meet completeness objective.

*Chapter 2 provides contact information for the EPA HQ NCCA Laboratory Review Coordinator. Laboratories under contract to EPA must contact the Task Order's Contracting Officer's Representative (TOCOR) instead of the Laboratory Review Coordinator.

5.9 Sample and Record Retention

The laboratory shall retain:

1. The sample materials, including vials, for a minimum of 3 years from the date the EPA publishes the final report. During this time, the laboratory shall freeze the materials. The laboratory shall periodically check the sample materials for degradation.
2. Original records, including laboratory notebooks and the reference library, for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

5.10 References

All references are from U.S. Environmental Protection Agency:

Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1 (Fish Sampling and Analysis), 3rd Edition, 2000. Appendix J "Recommended procedures for preparing whole fish composite homogenate samples". EPA #823-B-00-007. Retrieved from http://water.epa.gov/scitech/swguidance/fishshellfish/techguidance/risk/upload/2009_04_23_fish_advice_volume1_v1cover.pdf.

Method 245.7 "Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, Revision 2.0" (EPA-821-R-05-001, February 2005), retrieved from http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_245_7.pdf.

Method 3150A "Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, and Oils," retrieved from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3051a.pdf>.

Method 6020A “Inductively Coupled Plasma-Mass Spectrometry” retrieved from <http://www.epa.gov/epawaste/hazard/testmethods/sw846/pdfs/6020a.pdf>.

Method 8270D “Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) retrieved from Method 8270D “Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry.

Method 9171B “n-Hexane Extractable Material (HEM) for Sludge, Sediment, And Solid Samples,” retrieved from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/9071b.pdf>.

6.0 SEDIMENT CONTAMINANT, GRAIN SIZE, AND TOC ANALYSES

This chapter describes the analysis requirements for sediment samples. The purpose is to determine concentrations of contaminants, grain size, and total organic carbon (TOC) in sediment samples collected in the 2015 NCCA and related studies. The laboratory shall perform analysis to determine the moisture content, concentrations of metals, mercury, pesticides, and PCBs found in sediments in coastal waters and Great Lakes.

At each sampling site, the Field Operations Manual (FOM) instructs the crews to collect sediment samples. The field crew then ships the samples on wet ice to either its own state laboratory or EPA's batching laboratory. Once the samples arrive, the laboratory will freeze the samples for the contaminant analyses and refrigerate the grain size and TOC samples.

In the following discussion, Sections 6.1, 6.2, and 6.3 summarize the procedure; health and safety concerns; and definitions and required resources. Section 6.4 provides the steps for acknowledging sample receipt. Sections 6.5 – 6.6 provide the minimum requirements that the laboratory must meet in performing the contaminant analyses and the required data elements. Section 6.7 describes EPA's external review of laboratory operations and other quality measures. Section 6.8 identifies references used in developing the procedure.

6.1 Summary of the Procedure

This chapter describes the contaminant, grain size, and TOC determination of sediment samples collected for EPA's 2015 National Coastal Condition Assessment (NCCA). As described in Section 6.5, unless otherwise contractually bound by other requirements, the laboratory may choose to use any method that meets EPA's specifications for contamination measurements.

6.2 Health and Safety Warnings

The laboratory must require its staff to abide by appropriate health and safety precautions. In addition to the laboratory's usual requirements such as a Chemical Hygiene Plan, the laboratory must adhere to the following health and safety procedures:

1. Laboratory facilities must properly store and dispose of solutions of weak acid.
2. Laboratory personnel must wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear, gloves).
3. When working with potential hazardous chemicals (e.g., weak acid), laboratory personnel must avoid inhalation, skin contact, eye contact, or ingestion. Laboratory personnel must avoid contacting skin and mucous membranes with acid. If skin contact occurs, remove clothing immediately. Wash and rinse the affected skin areas thoroughly with large amounts of water.

6.3 Definitions and Required Resources (Personnel, Laboratories, and Equipment)

This section provides definitions and required resources for using the procedure.

6.3.1 Definitions

The procedure uses the following terms:

Detection Limit is the minimum concentration at which the analyte can be *detected* with confidence. In other words, the outcome can be reported with confidence that it is greater than zero (i.e., present in the sample). Also see “Sample-Specific Detection Limit.”

Duplicates are defined as two aliquots of the same sample which are analyzed separately using identical procedures. The results are used to evaluate the precision of the laboratory analyses.

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management System (NARS IM): The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. Freshwater and coastal samples will be collected during the field stage of NCCA.

Percent Recovery: Recovery is measured by comparing the concentrations of a sample split into two parts; and one part is spiked with a known concentration value. C_s is the concentration measured in the spiked part; C is the concentration measured in the unspiked part; and s is the known concentration amount for the spike. The following equation is used to calculate the percent recovery:

$$\%Rs = \frac{C_s - C}{s} \times 100$$

Relative Percent Difference (RPD): Relative percent difference compares the matrix spike (S) and the matrix spike duplicate (D) using the following equation:

$$RPD = \frac{|S - D|}{(S + D)/2} \times 100$$

Reporting Limit: A reporting limit is the point at which the measured value of the analyte can be reported with confidence.

Sample-Specific Detection Limit: Most samples will have a sample-specific detection equal to the method’s detection limit. For diluted samples, the sample-specific detection limit will be the product of the method’s detection limit and the dilution factor. Typical values for the dilution factors will be 10 or 100.

Spiked Sample: See Percent Recovery definition for purpose of spiked samples.

TOC: Total Organic Carbon

TOCOR: Task Order Contracting Officer's Representative is EPA's contact person for laboratories under contract to EPA.

6.3.2 General Requirements for Laboratories

Competency. To demonstrate its competency, the laboratory shall provide analyte and matrix specific information to EPA. EPA will accept one or more of the following as a demonstration of competency:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
- Documentation detailing the competency of the organization, including professional certifications for water-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.
- Demonstration of competency with sediment samples in achieving the method detection limits, accuracy, and precision targets.

Quality assurance and quality control requirements.

To demonstrate its competency in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

6.3.3 Personnel

The procedure refers to the following personnel:

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual.

External QC Coordinator is an EPA staff person who is responsible for selecting and managing the "**QC contractor**." To eliminate the appearance of any inherent bias, the QC contractor must be dedicated to QA/QC functions, and thus, must not be a primary laboratory or a field sampling contractor for NCCA. The QC contractor is responsible for complying with instructions from the External QC Coordinator; coordinating and paying for shipments of the performance samples to participating laboratories; comparing immunoassay results from the laboratories; and preparing brief summary reports.

6.3.4 Equipment/Materials

The analytical methods, selected by the laboratory, specify the required equipment.

6.4 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery. The laboratory must inspect the samples promptly on receipt. As samples arrive, the laboratory must:

1. Log the samples into the National Aquatic Resource Survey Information Management system (NARS-IM) within 24 clock hours. Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Check that each shipping container has arrived undamaged. Check the temperature of one of the samples in the cooler using a thermometer that reads from 21 °C (i.e., room temperature) down to -20 °C or lower (i.e., the expected temperature of frozen samples), or an infra-red (IR) temperature “gun” and record the reading. Field crews ship sediment samples on wet ice; the batch laboratory freezes the sample and ships with dry ice. Record the condition and temperature of the sample in the database using the codes in Table 6.1.
3. Verify that all required data elements, per Table 6.1, have been recorded. If any elements are missing, then enter them into the database.
4. Transfer the samples to the freezer for long-term storage. Except during processing and analysis stages, the samples must be stored frozen to less than or equal -20 °C.
5. Notify the EPA immediately about any problems involving sample integrity, conformity, or inconsistencies as soon as possible following sample receipt and inspection.

Table 6.1 Sediment Chemistry, Grain Size, and TOC Login: Required Data Elements

Variable	Type	Description	
SITE_ID	Character	Site identification code	
SAMPLE	Character	Sample number	
DATE_COLLECT	Date	Date that the field crew collected the sample	
	ANALYSIS_TYPE	Character	Contaminant, TOC, or GRAIN SIZE
	ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory
	CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control

Variable	Type	Description	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		Q	Other quality concerns, not identified above
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	

6.5 Laboratory Analysis: Requirements

The laboratory shall perform analysis of the sediment samples to determine the moisture content, grain size, and concentrations of TOC, metals, mercury, pesticides, PAHs, and PCBs.

Table 6.2 identifies the storage requirements. Laboratories may choose to use any analysis method, including those in Table 6.2, which measures the parameters to the levels of the method detection limits identified in Table 6.3. In addition, the contaminant analysis method must meet the precision and accuracy targets of 30% and 20%, respectively. For each batch of contaminant samples, precision is assessed using the relative percent difference (RPD) between the matrix spike (MS) and the matrix spike duplicate (MSD); and accuracy by the average percent recovery (%Rs) between the matrix spike and matrix spike duplicate. Section 6.3.1 provides the equations used to calculate the RPD and %Rs. The precision and accuracy targets for each batch of TOC are both 10% and determined by the RPD of one sample and its duplicate (for precision) and the analysis of Certified Reference Material (CRM; for accuracy). The grain size target precision is 10% as determined using a Laboratory Control Sample (LCS) (accuracy is not applicable).

Table 6.2 Sediment Chemistry, Grain Size, and TOC: Analytical Methods

Storage Requirements	Type	Methods that Meet the QA/QC Requirements (any method that meets the QA/QC requirements is acceptable)
Freeze samples with maximum of -20° C	Metals (except Mercury)	Extraction: EPA Method 3051A Analysis: EPA Method 6020A ¹⁴

¹⁴ For example, see:

- Method 3051A “Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, And Oils” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3051a.pdf>; and
- Method 6020A “Inductively Coupled Plasma-Mass Spectrometry” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/6020a.pdf>.

	Mercury	EPA Method 245.7 ¹⁵
	PCBs, Pesticides, PAHs	Extraction: EPA Method 3540C Analysis: EPA Method 8270D ¹⁶
	TOC	Lloyd Kahn Method ¹⁷
Refrigerate at 4° C (do not freeze)	Grain Size	Any method that reports the determination as %silt and meets QA/QC requirements

Table 6.3 Sediment Chemistry, Grain Size, and TOC: Required Parameters

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target
	% sand and % silt/clay	Grain Size	not applicable		0.05%
	mg/kg	Total Organic Carbon (TOC)	not applicable		0.01%
METAL	dry weight µg/g (ppm)	Aluminum	7429-90-5		1500
		Antimony	7440-36-0		0.2
		Arsenic	7440-38-2		1.5
		Cadmium	7440-43-9		0.05
		Chromium	7440-47-3		5.0
		Copper	7440-50-8		5.0
		Iron	7439-89-6		500
		Lead	7439-92-1		1.0
		Manganese	7439-96-5		1.0
		Mercury	7439-97-6		0.01
		Nickel	7440-02-0		1.0
		Selenium	7782-49-2		0.1
		Silver	7440-22-4		0.3
		Tin	7440-31-5		0.1
Vanadium	7440-62-2		1.0		
Zinc	7440-66-6		2.0		
PCB	dry weight ng/g (ppb)	2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	2051-24-3	209	1.0
		2,4'-Dichlorobiphenyl	34883-43-7	8	1.0
		2,2',3,3',4,4',5-Heptachlorobiphenyl	35065-30-6	170	1.0

15 For example, see Method 245.7 “Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, Revision 2.0” (EPA-821-R-05-001, February 2005), retrieved June 27, 2014 from http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_245_7.pdf.

16 For example, see:

- Method 3540C “Soxhlet Extraction” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3540c.pdf>; and
- Method 8270D “Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/8270d.pdf>.

17 For example, the “Lloyd Kahn Method” developed by Lloyd Kahn at EPA Region II and retrieved from www.nj.gov/dep/srp/guidance/rs/lloydkahn.pdf.

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target		
		2,2',3,4',5,5',6-Heptachlorobiphenyl	52663-68-0	187	1.0		
		2,2',3,4',5,5',6-Heptachlorobiphenyl	35065-29-3	180	1.0		
		2,2',3,3',4,4'-Hexachlorobiphenyl	38380-07-3	128	1.0		
		2,2',3,4,4',5'-Hexachlorobiphenyl	35065-28-2	138	1.0		
		2,2',4,4',5,5'-Hexachlorobiphenyl	35065-27-1	153	1.0		
		2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl	40186-72-9	206	1.0		
		2,2',3,3',4,4',5,6-Octachlorobiphenyl	52663-78-2	195	1.0		
		2,3,3',4,4'-Pentachlorobiphenyl	32598-14-4	105	1.0		
		2,2',4,5,5'-Pentachlorobiphenyl	37680-73-2	101	1.0		
		2,3',4,4',5-Pentachlorobiphenyl	31508-00-6	118	1.0		
		2,3,3',4,6'-Pentachlorobiphenyl	38380-03-9	110	1.0		
		3,3',4,4',5-Pentachlorobiphenyl	57465-28-8	126	1.0		
		2,2',3,5'-Tetrachlorobiphenyl	41464-39-5	44	1.0		
		3,3',4,4'-Tetrachlorobiphenyl	32598-13-3	77	1.0		
		2,2',5,5'-Tetrachlorobiphenyl	35693-99-3	52	1.0		
		2,3',4,4'-Tetrachlorobiphenyl	32598-10-0	66	1.0		
		2,2',5-Trichlorobiphenyl	37680-65-2	18	1.0		
		2,4,4'-Trichlorobiphenyl	7012-37-5	28	1.0		
		PEST	dry weight ng/g (ppb)	2,4'-DDD	53-19-0		1.0
				2,4'-DDE	3424-82-6		1.0
2,4'-DDT	789-02-6				1.0		
4,4'-DDD	72-54-8				1.0		
4,4'-DDE	72-55-9				1.0		
4,4'-DDT	50-29-3				1.0		
Aldrin	309-00-2				1.0		
Alpha-BHC	319-84-6				1.0		
Beta-BHC	319-85-7				1.0		
Delta-BHC	319-86-8				1.0		
Alpha-Chlordane	5103-71-9				1.0		
Gamma-Chlordane	5566-34-7				1.0		
Dieldrin	60-57-1				1.0		
Endosulfan I	959-98-8				1.0		
Endosulfan II	33213-65-9				1.0		
Endosulfan Sulfate	1031-07-8				1.0		
Endrin	72-20-8				1.0		
Endrin Aldehyde	7421-93-4				1.0		
Endrin Ketone	53494-70-5				1.0		
Heptachlor	76-44-8				1.0		
Heptachlor Epoxide	1024-57-3		1.0				
Hexachlorobenzene	118-74-1		1.0				
Lindane	58-89-9		1.0				
Mirex	2385-85-5		1.0				
Cis-Nonachlor	5103-73-1		1.0				

SEDIMENT CONTAMINANT, GRAIN SIZE, AND TOC ANALYSES

Type	UNITS	Parameter	CAS Number	PCB Number (where applicable)	MDL Target
		Oxychlorthane	26880-48-8		1.0
		Trans-Nonachlor	39765-80-5		1.0
PAHs	dry weight ng/g (ppb)	Acenaphthene	83-32-9		10
		Acenaphthylene	208-96-8		10
		Anthracene	120-12-7		10
		Benz(a)anthracene	200-280-6		10
		Benzo(b)fluoranthene	205-99-2		10
		Benzo(k)fluoranthene	207-08-9		10
		Benzo(g,h,i)perylene	191-24-27-2		10
		Benzo(a)pyrene	50-32-8		10
		Benzo(e)pyrene	192-9		10
		Biphenyl	92-54-4		10
		Chrysene	218-01-9		10
		Dibenz(a,h)anthracene	53-70-3		10
		Dibenzothiophene	132-65-0		10
		2,6-Dimethylnaphthalene	581-42-0		10
		Fluoranthene	205-99-2		10
		Fluorene	86-73-7		10
		Indeno(1,2,3-c,d)pyrene	193-39-5		10
		1-Methylnaphthalene	90-12-0		10
		2-Methylnaphthalene	91-57-6		10
		1-Methylphenanthrene	832-69-9		10
Naphthalene	91-20-3		10		
Perylene	198-55-0		10		
Phenanthrene	85-01-8		10		
Pyrene	129-00-0		10		
		2,3,5-Trimethylnaphthalene	2245-38-7		10

6.6 Data Entry

Table 6.4 identifies the required data elements that laboratories must provide to EPA, preferably in EPA’s data template, available separately from EPA. If the laboratory applies its own QC codes, the data transmittal should define the codes.

Table 6.4 Sediment Chemistry, Grain Size, and TOC: Data Elements for Each Sample

Variable	Type	Description
SITE_ID	Character	Site identification code or type of QC sample (e.g., LAB BLANK)
SAMPLE	Character	Sample number, LCS, QCCS, Blank, Matrix Spike, or CRM
ANALYSIS_TYPE	Character	Contaminant, TOC, or GRAIN SIZE
REPEAT	Numeric	Duplicate
DATE_COLLECT	Date	Date that the field crew collected the sample

Variable	Type	Description	
ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory	
CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		VT	Volume not sufficient for testing
		VR	Volume not sufficient for a retest, if required
		Q	Other quality concerns, not identified above
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	
PARAMETER	Character	Analyte name	
CAS_NO	Character	CAS Registry number	
LABNAME	Character	Laboratory name (abbreviation)	
METHOD	Character	Laboratory method used	
ANALYST	Character	Last name or initials of person who performed the analysis	
REVIEWER	Character	Last name or initials of the person who provided a separate independent review of the data	
INSTRUMENT	Character	Identification of instrument used for the analysis – provide enough information to identify the particular instrument in the laboratory	
DATE PROCESSED	Date	Date that the analysis started	
QC_BATCH_LOT	Character	Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate laboratory control sample, matrix spike, laboratory duplicate, method blank, and CRM samples.	
HOLDING TIME	Y/N	Analysis performed within holding time	
MATRIX	Character	Sediment (Water also is a permissible value if the laboratory analyzes a very liquid sediment sample as water)	
MDL	Numeric	Lab method detection limit (based upon lab's historical data)	
LRL	Numeric	Lab reporting limit (based upon lab's historical data)	
MOISTURE	Numeric	Moisture in the sample (value used by lab to convert wet units to dry)	
MOIST_UNIT	Character	Unit used to report moisture (% or mg/kg)	
DILUTION	Numeric	Dilution of sample (blank or 1 if no dilution)	
RECOVERY	Numeric	Only for appropriate QC samples	
RESULT	Numeric	Concentration value	
REASON	Character	Reason for qualification in RESULT_QUAL (usually blank)	
RESULT_QUAL	Character	Data qualifier (usually blank)	
UNIT	Character	Unit of measurement for RESULT, MDL, and RL	
QC_CODE	Character	Apply laboratory defined QC codes and describe in the comments field. Provide set of laboratory's code as part of the case narrative	

Variable	Type	Description
COMMENT	Character	Explain situation that created QC code, or any unusual aspects of the analysis

6.7 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA’s requirements.

6.7.1 Assistance Visits

Assistance visits are intended to familiarize EPA with actual procedures being implemented by different laboratories; and to ensure a clear and consistent understanding of procedures and activities by both EPA and the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter.

6.7.2 QC Samples

Once or twice during the performance period, the External QC Coordinator will provide one or two identical sets of QC samples to all participating laboratories. Each set will contain up to five QC samples. As determined by the External QC Coordinator, the QC samples may be synthetic; aliquots of additional samples collected at NCCA sites; or reference samples obtained from an organization such as the National Institute of Standards. Each laboratory will run the QC samples following the same procedures used for the other samples. The External QC Coordinator will compare the results to the expected value and determine consistency between laboratories (e.g., determine if one laboratory is consistently higher or lower than all others). Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any unique laboratory practices that might account for differences between the laboratory and others. The contractor shall analyze the external QC samples using the same procedures as those for the field samples.

6.7.3 Summary of QA/QC Requirements

QC protocols are an integral part of all analytical procedures to ensure that the results are reliable and the analytical stage of the measurement system is maintained in a state of statistical control. The laboratory must conduct QC analyses for each batch of samples. Each batch shall consist of no more than 20 samples. Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate measures such as laboratory control sample, matrix spike, laboratory duplicate, and method blank samples. Also, each laboratory QC samples (i.e., preparation and instrument blanks, laboratory control sample (LCS), spike/duplicate, etc.) must be given a unique sample identification. Table 6.5 provides a summary of the quality control requirements.

Table 6.5 Sediment Chemistry, Grain Size, and TOC: Quality control activities for samples

Activity	Evaluation	Corrective Action
Demonstrate competency for analyzing sediment samples to meet the performance measures	Demonstration of competency with sediment samples in achieving the method detection limits, accuracy, and precision targets.	EPA will not approve any laboratory for NCCA sample processing if the laboratory cannot demonstrate competency. In other words, EPA will select another laboratory that can demonstrate competency for its NCCA samples.
Check condition of sample when it arrives.	Sample issues such as cracked container; missing label; sufficient volume for test.	Assign appropriate condition code identified in Table 6.4.
Store sample appropriately. While stored at the laboratory, the sample must be kept at a temperature $\leq -20^{\circ}\text{C}$ except jars for grain analyses are refrigerated at 4°C .	Check the temperature of the refrigerator/freezer and refrigerator per laboratory's standard operating procedures.	Record temperature of sample upon arrival at the laboratory. If at any other time, samples are warmer than required, note temperature and duration in comment field. Data analyst will consider temperature deviations in evaluating the data. He/she will flag the deviations and determine whether the data appear to be affected and/or the data should be excluded from the analyses.
Analyze sample within holding time	The test must be completed within the holding time of 1 year. If the original test fails, then the retest also must be conducted within the holding time.	Perform test, but note reason for performing test outside holding time. EPA expects that the laboratory will exercise every effort to perform tests before the holding time expires.
Perform once at the start of each batch to evaluate the labeled compound recovery (LCR) in a Laboratory Control Sample (LCS). This tests the performance of the equipment.	Control limits for recovery cannot exceed $100\pm 20\%$.	First, prepare and analyze one additional LCS. If the second blank meets the requirement, then no further action is required. If the second LCS fails, then determine and correct the problem before proceeding with any sample analyses.
Perform once at the start of each batch to evaluate the entire extraction and analysis process using a Method Blank	Control limits cannot exceed the laboratory reporting level (LRL).	First, prepare and analyze one additional blank. If the second blank meets the requirement, then no further action is required. If the second blank fails, then determine and correct the problem (e.g., contamination, instrument calibration) before proceeding with any sample analyses. Reestablish statistical

Activity	Evaluation	Corrective Action
		control by analyzing three blank samples. Report values of all blanks analyzed.
Check calibration immediately before and immediately after the sample batch (abbreviated as QCCS for quality control check sample)	Results must be $\pm 10\%$ of each other or as specified in method criteria	If calibration fails before analysis, recalibrate and reanalyze QCCS until it passes. If check fails after all samples the batch have been analyzed, verify the QCCS reading. If the QCCS reading fails a second time, then reanalyze all samples in the batch and report only the set of results associated with the acceptable QCCS reading. Also report all QCCS readings for the batch.
Compare results of one laboratory duplicate sample (for TOC) or matrix spike duplicate sample (for contaminants) for each batch (not required for grain size)	Results must be within the target precision goal in Section 6.5.	If both results are below LRL, then conclude that the test has passed. Otherwise, prepare and analyze a split from different sample in the batch. If the second result is within the target precision goal (see Section 6.5) of the original sample, then report the data and findings for both QC samples. However, if the two results differ by more than the target precision goal, review precision of QCCS measurements for batch; check preparation of split sample; etc. and report evaluation and findings in the case narrative. Consult with the EPA HQ NCCA Laboratory Review Coordinator to determine if reanalysis of the entire batch (at the laboratory's expense) is necessary. If no reanalysis is necessary, report and quantify all samples in batch. If reanalysis is necessary, then report all QC sample and the 2 nd analysis of the batch. If the second set also is unacceptable, then assign a data code to each sample in the batch.
Compare results of one matrix spike sample per batch to evaluate performance in matrix	Evaluate performance after the first 3 batches; and then every subsequent batch. Ideally, control limits for recovery will not	If both the original and duplicate results are below LRL, then conclude that the test has passed for the batch. Otherwise, if any

Activity	Evaluation	Corrective Action
(not required for TOC and grain size)	exceed the target accuracy goal, but this may not be realistic for all parameters with this matrix.	results are not within the target accuracy goal for the first 3 batches, within 2 working days, contact the EPA HQ NCCA Laboratory Review Coordinator to discuss method performance and potential improvements. After achieving acceptable results or EPA's permission to continue, perform the test for every subsequent batch. For each batch, report the results from the original analysis and its duplicate and their RPD for TOC; the matrix spike, matrix spike duplicate, RPD and %recovery for contaminants.
Compare results of TOC Certified Reference Material once per each batch	Value must be within 10% of the certified value.	If value is outside the acceptable range, analyze a second CRM. If the second CRM also is measured outside the acceptable range, then determine and correct the problem (e.g., contamination, instrument calibration) before reanalyzing all samples in the batch.
Maintain the required MDL identified in Section 6.5	Evaluate for each sample	If MDL could not be achieved, then provide dilution factor or QC code and explanation in the comment field.
Participate in External Quality Control	Evaluate QC samples provided by the External QC Coordinator	Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any deviations from the Method or unique laboratory practices that might account for differences between the laboratory and others. With this additional information, the External QC Coordinator will determine an appropriate course of action, including no action, flagging the data, or excluding some or all of the laboratory's data.
Maintain completeness	Completeness objective is 95% for all parameters.	Contact EPA HQ NCCA Laboratory Review Coordinator immediately if issues affect

SEDIMENT CONTAMINANT, GRAIN SIZE, AND TOC ANALYSES

Activity	Evaluation	Corrective Action
		laboratory's ability to meet completeness objective.

*Chapter 2 provides contact information for the EPA HQ NCCA Laboratory Review Coordinator. Laboratories under contract to EPA must contact the Task Order's Contracting Officer's Representative (TOCOR) instead of the Laboratory Review Coordinator.

6.8 Sample and Record Retention

The laboratory shall retain:

1. The sample materials, including vials, for a minimum of 3 years from the date the EPA publishes the final report. During this time, the laboratory shall freeze the materials used in the contaminant analyses and refrigerate those used for the grain size and TOC. The laboratory shall periodically check the sample materials for degradation.
2. Original records, including laboratory notebooks and the reference library, for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

6.9 References

All references are from U.S. Environmental Protection Agency:

Method 245.7 "Mercury in Water by Cold Vapor Atomic Fluorescence Spectrometry, Revision 2.0" (EPA-821-R-05-001, February 2005), retrieved June 27, 2014 from http://water.epa.gov/scitech/methods/cwa/bioindicators/upload/2007_07_10_methods_method_245_7.pdf.

Method 3051a "Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, And Oils" retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3051a.pdf>.

Method 3150A "Microwave Assisted Acid Digestion of Sediments, Sludges, Soils, and Oils," retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3051a.pdf>.

Method 3540C Method 3540C "Soxhlet Extraction" retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/3540c.pdf>.

Method 6020A “Inductively Coupled Plasma-Mass Spectrometry” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/6020A.pdf>.

Method 8270D “Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/8270D.pdf>.

Method 9171B “n-Hexane Extractable Material (HEM) for Sludge, Sediment, And Solid Samples,” retrieved June 27, 2014 from <http://www.epa.gov/osw/hazard/testmethods/sw846/pdfs/9071b.pdf>.

7.0 WATER CHEMISTRY AND CHLOROPHYLL *a*

This chapter describes the analysis requirements for water quality samples. The purpose is to determine concentrations of water quality parameters and chlorophyll *a* in water quality samples collected in the 2015 NCCA and related studies. The laboratory shall perform analysis to determine levels of ammonia (NH₃), nitrate (NO₃), nitrate-nitrite (NO₃-NO₂), total nitrogen (TN), total phosphorous (TP) and ortho-phosphate (PO₄) (also called soluble reactive phosphorus (SRP)), pH, conductivity and chlorophyll *a* found in coastal waters and Great Lakes. In addition, the laboratory shall measure chloride (Cl) and sulfate (SO₄) levels in Great Lakes samples.

In the following discussion, Sections 7.1, 7.2, and 7.3 summarize the procedure; health and safety concerns; and definitions and required resources. Section 7.4 provides the steps for acknowledging sample receipt. Sections 7.5 – 7.6 provide the minimum requirements that the laboratory must meet in performing the analyses and the required data elements. Section 7.7 describes EPA's external review of laboratory operations and other quality measures. Section 7.8 identifies references used in developing the procedure.

7.1 Summary of the Procedure

This chapter describes the analysis of ammonia, nitrate-nitrite, total nitrogen, total phosphorous and ortho-phosphate, nitrate, pH, conductivity and chlorophyll *a*, and chloride samples collected for EPA's 2015 National Coastal Condition Assessment (NCCA). As described in Section 7.5, unless otherwise contractually bound by other requirements, the laboratory may choose to use any method that meets EPA's specifications for contamination measurements.

7.2 Health and Safety Warnings

The laboratory must require its staff to abide by appropriate health and safety precautions. In addition to the laboratory's usual requirements such as a Chemical Hygiene Plan, the laboratory must adhere to the following health and safety procedures:

1. Laboratory facilities must properly store and dispose of solutions of weak acid.
2. Laboratory personnel must wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear, gloves).
3. When working with potential hazardous chemicals (e.g., weak acid), laboratory personnel must avoid inhalation, skin contact, eye contact, or ingestion. Laboratory personnel must avoid contacting skin and mucous membranes with acid. If skin contact occurs, remove clothing immediately. Wash and rinse the affected skin areas thoroughly with large amounts of water.

7.3 Definitions and Required Resources (Personnel, Laboratories, and Equipment)

This section provides definitions and required resources for using the procedure.

7.3.1 Definitions

The procedure uses the following terms:

Cl: Chloride

Detection Limit is the minimum concentration at which the analyte can be *detected* with confidence. In other words, the outcome can be reported with confidence that it is greater than zero (i.e., present in the sample) Also see “Sample-Specific Detection Limit.”

Duplicates are defined as two aliquots of the same sample which are analyzed separately using identical procedures. The results are used to evaluate the precision of the laboratory analyses.

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management System (NARS IM): The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. Freshwater and coastal samples will be collected during the field stage of NCCA.

NH₃: Ammonia

NO₃: Nitrate

NO₃-NO₂: Nitrate-nitrite

Percent Recovery: Recovery is measured by comparing the concentrations of a sample split into two parts; and one part is spiked with a known concentration value. C_s is the concentration measured in the spiked part; C is the concentration measured in the unspiked part; and s is the known concentration amount for the spike. The following equation is used to calculate the percent recovery:

$$\%Rs = \frac{C_s - C}{s} \times 100$$

Relative Standard Deviation (RSD): The precision at each concentration is reported in terms of the RSD. To calculate the RSD, first calculate the standard deviation, S , as follows:

$$S = \left[\frac{1}{n-1} \sum_{k=1}^n (C_s - \bar{C})^2 \right]^{1/2}$$

where n is the number of replicate samples, C_s is the concentration measure for the k^{th} sample, and \bar{C} is the average concentration of the replicate samples. Then, RSD is calculated as:

$$RSD = \left| \frac{S}{\bar{C}} \right| \times 100$$

Reporting Limit: A reporting limit is the point at which the measured value of the analyte can be reported with confidence.

Sample-Specific Detection Limit: Most samples will have a sample-specific detection equal to the method's detection limit. For diluted samples, the sample-specific detection limit will be the product of the method's detection limit and the dilution factor. Typical values for the dilution factors will be 10 or 100.

SO₄: Sulfate.

Spiked Sample: See Percent Recovery definition for purpose of spiked samples.

SRP: Soluble Reactive Phosphorus (also called orthophosphate)

TN: Total nitrogen

TP: Total phosphorous

7.3.2 General Requirements for Laboratories

Expertise. To demonstrate its competency/expertise, the laboratory shall provide EPA with performance data demonstrating their proficiencies in analyzing water quality samples. In addition, the laboratory must provide one or more of the following:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
- Documentation detailing the expertise of the organization, including professional certifications for water-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.

Quality assurance and quality control requirements.

To demonstrate its expertise in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), Laboratory Quality Assurance Manuals, QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

7.3.3 Personnel

The procedure refers to the following personnel:

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual.

7.3.4 Equipment/Materials

The analytical method, selected by the laboratory, identifies the necessary equipment.

7.4 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery. For each sampled site, the lab will receive the following samples on wet ice:

- One 250 ml amber bottle labeled 'CHEM' for water chemistry analyses
- A filter in a 50 ml tube for chlorophyll *a* labeled 'CHLA'

Additionally, as a separate batch shipment the lab will receive 250 ml bottles labeled 'NUTS' for dissolved nutrients analyses (either from the crews or from an EPA batching laboratory). Crews and the batch lab will maintain these samples frozen but will ship overnight on wet ice.

The laboratory technician must inspect the samples promptly on receipt and:

1. Log the samples into the National Aquatic Resource Survey Information Management system (NARS-IM) within 24 clock hours. Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Check that each shipping container has arrived undamaged. Check the temperature of one of the samples in the cooler using a thermometer that reads to at least -20 °C (i.e., the expected temperature of frozen samples), or an infra-red (IR) temperature "gun" and record the reading. Temperature of the wet ice shipments should be 4 °C or at less. Record the condition and temperature of the sample in the database using the codes in Table 7.1.
3. Verify that all required data elements, per Table 7.1, have been recorded in the NARS IM database. If any data elements are missing, then enter them into the database.
4. Transfer the samples for storage as follows:

- a. Water chemistry aliquots are prepared following the requirements in Section 7.5 and then are stored in a refrigerator at 4° C.
 - b. Chlorophyll-*a* filters to the freezer for no more than 30 days before analysis. Except during processing and analysis stages, the filter must be stored frozen to less than or equal -20 °C ± 2°.
 - c. Dissolved nutrient samples are prepared following the requirements in Section 7.5 and then are stored in a refrigerator at 4° C.
5. Notify the EPA immediately about any problems involving sample integrity, conformity, or inconsistencies as soon as possible following sample receipt and inspection.

Table 7.1 Water Chemistry Login: Required Data Elements

Variable	Type	Description	
SITE_ID	Character	Site identification code	
SAMPLE	Character	Sample number	
DATE_COLLECT	Date	Date that the field crew collected the sample	
ANALYSIS_TYPE	Character	Water Chemistry or Chlorophyll α or Nutrients	
ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory (CHEM, CHLA and NUTS sample will be on wet ice);	
CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		NF	Sample is not at proper temperature
Q	Other quality concerns, not identified above		
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	

7.5 Preparation of Water Chemistry Aliquots

Figure 7.1 presents the sample preparation processing steps for the water chemistry indicators, including filtering and acidifying.

For the dissolved nutrient (NUTS) sample, the laboratory technician:

1. Thaws the frozen sample.
2. Splits the sample into two aliquots as shown in figure 7.1.
3. Adds ultra-pure acid (H₂SO₄, depending on the analytes, see Table 7.2) to one of the two aliquots. Caps the bottle tightly and inverts the bottle several times to mix.
4. Stores all aliquots in a refrigerator at 4°C.

For the unfiltered, water chemistry (CHEM) sample, the laboratory technician

1. Thaws the frozen sample.
2. Splits the sample into two aliquots as shown in figure 7.1.
3. Adds ultra-pure acid (H_2SO_4) to one aliquot of the unfiltered, CHEM sample. Caps the bottle tightly and inverts the bottle several times to mix.
4. Stores all aliquots in a refrigerator at 4°C.

If the dissolved nutrient sample is compromised in some way, the laboratory technician will filter a new sample from the water chem (CHEM) sample as follows:

1. Uses 0.4µm pore size polycarbonate filters for all filtration.
2. Rinses vacuum filter funnel units thoroughly with reverse-osmosis (RO) or de-ionized (DI) water (ASTM Type II reagent water) five times before each use and in between samples. After placing a filter in the funnel unit, run approximately 100 mL of RO or DI water through the filter, with vacuum pressure, to rinse the filter. Discard the rinse water.
3. Places the appropriate sample bottle under the funnel unit and filter sample directly into the bottle. If a new filter is needed, remove the sample bottle, and rinse the new filter with 100 mL of RO or DI water before continuing.
4. After all filtered and unfiltered aliquots are collected, adds ultra-pure acid (H_2SO_4 , depending on the analyte, see Table 7.2) to the sample in the aliquot container. Cap tightly and invert the bottle several times to mix.
5. Stores all aliquots in a refrigerator at 4°C.




Figure 7.1 Water Chemistry and Dissolved Nutrient Samples: Receipt and Holding Times

Table 7.2 Water chemistry: acid preservatives added for various indicators

	Preservatives
	H ₂ SO ₄ Used for:
Indicators	
	NH ₄
	Total N
	Total P
	NO ₂ -NO ₃

7.6 Water Chemistry and Chlorophyll *a* Analysis: Requirements

The laboratory shall perform analysis of the samples to determine the ammonia (NH₃), chloride and sulfate (Great Lakes only), nitrate-nitrite (NO₃-NO₂), total nitrogen (TN), total phosphorous (TP) and ortho-phosphate, nitrate (NO₃), and chlorophyll *a*. As an alternative to specifying laboratory methods for sample analysis, NCCA uses a performance-based approach that defines a set of laboratory method performance requirements for data quality as shown in Table 7.3. Method performance requirements for this project identify the reporting limit, precision, and accuracy objectives for each parameter. NCCA is designating the reporting limit as the lowest

value that the laboratory needs to quantify (as opposed to just detecting the parameter in the sample), and is the value of the lowest non-zero calibration standard that the laboratory must use. EPA has set the value to double the long-term method detection limit (LT-MDL), following guidance presented in Oblinger, Childress et al. (USGS, 1999)¹⁸.

NCCA expresses precision and accuracy objectives in both absolute and relative terms following Hunt and Wilson (1986). The transition value is the value at which performance objectives for precision and accuracy switch from absolute (\leq transition value) to relative ($>$ transition value). For pH, the objectives are established for samples with lower, midrange and higher pH levels.

For duplicate samples, NCCA estimates the precision as the pooled standard deviation (calculated as the root-mean square) of all samples at the lower concentration range, and as the pooled percent relative standard deviation of all samples at the higher concentration range. For standard samples (of known concentration), precision is estimated as the standard deviation of repeated measurements across batches at the lower concentration range, and as percent relative standard deviation of repeated measurements across batches at the higher concentration range. Accuracy is estimated as the difference between the mean measured value and the target value of a performance evaluation and/or internal reference samples at the lower concentration range measured across sample batches, and as the percent difference at the higher concentration range.

Table 7.4 summarizes the analytical methods used at the NCCA central laboratory (EPA ORD-Corvallis). Other participating laboratories may use alternative analytical methods for each target analyte as long as they can satisfactorily demonstrate the alternative method is able to achieve the performance requirements as listed in Table 7.3. Appendix A identifies the information that the laboratory should provide to the NCCA Laboratory Review Coordinator to use in determining whether the laboratories meet the necessary requirements.

¹⁸ If a laboratory has questions related to meeting the -LT-MDL, they may contact the NCCA Laboratory Review Coordinator to discuss concerns.

Table 7.3 Water Chemistry and Chlorophyll-*a*: Laboratory Method Performance Requirements

Parameter	Units	Potential Range of Samples ¹	Method Detection Limit Objective ²	Transition Value ³	Precision Objective ⁴	Accuracy Objective ⁵
Ammonia (NH ₃)	mg N/L	0 to 17	0.01 marine (0.7 µeq/L) 0.02 freshwater	0.10	± 0.01 or ±10%	± 0.01 or ±10%
Chloride (Cl)	mg Cl/L	0 to 5,000	0.20 (6 µeq/L)	1	± 0.10 or ±10%	± 0.10 or ±10%
Conductivity	µS/cm at 25°C	1-66,000	1.0	20	±2 or ±10%	±2 or ± 5%
Nitrate-Nitrite (NO ₃ -NO ₂)	mg N/L	0 to 360 (as nitrate)	0.01 marine 0.02 freshwater	0.10	± 0.01 or ±10%	± 0.01 or ±10%
pH (Laboratory)	Std Units	3.5-10	N/A	5.75, 8.25	≤5.75 or ≥ 8.25 = ±0.07; 5.75-8.25 = ±0.15	≤5.75 or ≥ 8.25 = ±0.15; 5.75-8.25 = ±0.05
Total Nitrogen (TN)	mg N/L	0.1 to 90	0.01	0.10	± 0.01 or ±10%	± 0.01 or ±10%
Total Phosphorous (TP) and ortho-Phosphate	mg P/L	0 to 22 (as TP)	0.002	0.02	± 0.002 or ±10%	± 0.002 or ±10%
Nitrate (NO ₃)	mg N/L	0. to 360	0.01 marine (10.1 µeq/L) 0.03 freshwater	0.1	± 0.01 or ±5%	± 0.01 or ±5%
Sulfate (SO ₄)	mg/L	0 to 5000	0.5 freshwater (10.4 ueq/L)	2.5	±0.25 or ±10%	±0.25 or ±10%
Chlorophyll- <i>a</i>	µg/L in extract	0.7 to 11,000	1.5	15	± 1.5 or ±10%	± 1.5 or ±10%

¹ Estimated from samples analyzed at the EPA Western Ecological Division-Corvallis laboratory between 1999 and 2005

² The method detection limit is determined as a one-sided 99% confidence interval from repeated measurements of a low-level standard across several calibration curves.

³ Value for which absolute (lower concentrations) vs. relative (higher concentrations) objectives for precision and accuracy are used.

⁴ For duplicate samples, precision is estimated as the pooled standard deviation (calculated as the root-mean square) of all samples at the lower concentration range, and as the pooled percent relative standard deviation of all samples at the higher concentration range. For standard samples, precision is estimated as the standard deviation of repeated measurements across batches at the lower concentration range, and as

percent relative standard deviation of repeated measurements across batches at the higher concentration range.

For pH precision, the looser criteria applies to mid-range samples. For NCCA, that is less of a concern than the ability to measure more acidic or basic samples accurately and precisely.

⁵ Accuracy is estimated as the difference between the measured (across batches) and target values of performance evaluation and/or internal reference samples at the lower concentration range, and as the percent difference at the higher concentration range.

Table 7.4 Water Chemistry and Chlorophyll-*a*: Analytical Methods Used by Central Laboratory, EPA ORD-Corvallis)

Analyte	Summary of Method ¹⁹	References ²⁰	WRS SOP ²¹
Nitrate+Nitrite, as N	Ion Chromatography (freshwater samples) OR FIA automated colorimetric (cadmium reduction for brackish samples)	EPA 300.6; SW-846 9056A; APHA 4110B EPA 353.2 APHA 4500-NO ₃ -N-E Lachat 10-107-04-1-C	WRS 36A.0 (April 2011) WRS 40A.5 (May 2011)
Ammonia, as N	FIA automated colorimetric (salicylate, dichloroisocyanurate)	Lachat 10-107-06-3-D	WRS 30A.4 (April 2011)
Total nitrogen (TN)	Persulfate Digestion; FIA Automated Colorimetric Analysis (Cadmium Reduction, sulfanilamide)	EPA353.2 (modified) APHA 4500-N-C (modified) ASTM WK31786 U.S. EPA (1987) Lachat 10-107-04-1-C (modified)	WRS 34A.5 (April 2011)
Total phosphorus (TP) and ortho-Phosphate	Persulfate Digestion; Automated Colorimetric Analysis (molybdate, ascorbic acid)	APHA 4500-P-E USGS I-4650-03 U.S. EPA (1987) Lachat 115-01-1-B (modified)	WRS 34A.5 (April 2011)
Nitrate, chloride, sulfate	Ion Chromatography (Great Lakes samples only)	EPA 300.6; SW-846 9056A; APHA 4110B	WRS 40A.5 (May 2011)
Chlorophyll-a (Chl-a)	Extraction 90% acetone analysis by fluorometry	EPA 445.0 , EPA 446.0	WRS 71A.3 (April 2011)
pH (lab)	Automated, using ManSci PC-Titrate w/ Titra-Sip autotitrator and Ross combination pH electrode. Initial pH determination for ANC titration	EPA 150.6 (modified)	WRS 16A.0 (April 2011)

¹⁹ FIA=Flow injection analysis. AAS=Atomic Absorption Spectrometry

²⁰ U.S. EPA, 1987. *Handbook of Methods for Acid Deposition Studies: Laboratory Analyses for Surface Water Chemistry*. EPA/600/4-87/026. U.S. Environmental Protection Agency, Office of Research and Development, Washington D.C. APHA= American Public Health Association (*Standard Methods*). ASTM=American Society of Testing and Materials.

²¹ WRS= Willamette Research Station. References are to laboratory SOP being used at central laboratory. Available upon request from the EPA HQ Laboratory Review Coordinator.

Analyte	Summary of Method ¹⁹	References ²⁰	WRS SOP ²¹
Specific conductance @ 25°C	Electrolytic, Man-Tech TitraSip automated analysis OR manual analysis, electrolytic	EPA 120.6	WRS 16A.0 (April 2011) WRS 11A.4 (April 2011)

7.7 Data Entry

Table 7.5 identifies the required data elements that laboratories must provide to EPA, preferably in EPA’s data template, available separately from EPA.

Table 7.5 Water Chemistry and Chlorophyll-*a*: Data Elements for Each Sample

Variable	Type	Description	
SITE_ID	Character	Site identification code or type of QC sample (e.g., LAB BLANK)	
SAMPLE	Character	Sample number, LCS, QCCS, Blank, Matrix Spike, or CRM	
ANALYSIS_TYPE	Character	Contaminant	
REPEAT	Numeric	Duplicate	
DATE_COLLECT	Date	Date that the field crew collected the sample	
ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory	
CONDITION_CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		NF	Sample is not at proper temperature
Q	Other quality concerns, not identified above		
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	
PARAMETER	Character	Analyte name	
CAS_NO	Character	CAS Registry number	
LABNAME	Character	Laboratory name (abbreviation)	
METHOD	Character	Laboratory method used	
ANALYST	Character	Last name or initials of person who performed the analysis	
REVIEWER	Character	Last name or initials of the person who provided a separate independent review of the data	
INSTRUMENT	Character	Identification of instrument used for the analysis – provide enough information to identify the particular instrument in the laboratory	
DATE PROCESSED	Date	Date that the analysis started	
QC_BATCH_LOT	Character	Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate laboratory control sample, matrix spike, laboratory duplicate, method blank, and CRM samples.	
HOLDING TIME	Y/N	Analysis performed within holding time	

Variable	Type	Description
MATRIX	Character	Water
MDL	Numeric	Lab method detection limit (based upon lab's historical data)
LRL	Numeric	Lab reporting limit (based upon lab's historical data)
DILUTION	Numeric	Dilution of sample (blank or 1 if no dilution)
RESULT	Numeric	Concentration value
REASON	Character	Reason for qualification in RESULT_QUAL (usually blank)
RESULT_QUAL	Character	Data qualifier (usually blank)
UNIT	Character	Unit of measurement for RESULT, MDL, and LRL
QC_CODE	Character	Apply laboratory defined QC codes and describe in the comments field. Provide set of laboratory's code as part of the case narrative
COMMENT	Character	Explain situation that created QC code, or any unusual aspects of the analysis

7.8 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA's requirements. QC protocols are an integral part of all analytical procedures to ensure that the results are reliable and the analytical stage of the measurement system is maintained in a state of statistical control. The laboratory must conduct QC analyses for each batch of samples. Each batch shall consist of no more than 20 samples. Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate measures such as laboratory control sample, matrix spike, laboratory duplicate, and method blank samples. Also, each laboratory QC samples (i.e., preparation and instrument blanks, laboratory control sample (LCS), spike/duplicate, etc.) must be give a unique sample identification. Table 7.5 provides a summary of the quality control requirements.

Table 7.5 Water Chemistry and Chlorophyll-*a*: Quality control activities for water quality samples

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
Demonstrate competency for analyzing water samples to meet the performance measures	All	Demonstration of past experience with water samples in achieving the method detection limits	Once	See Appendix A	EPA will not approve any laboratory for NCCA sample processing if the laboratory cannot demonstrate competency. In other words, EPA will select another laboratory that can

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
					demonstrate competency for its NCCA samples.
Check condition of sample when it arrives.	All	Sample issues such as cracked container; missing label; temperature; adherence to holding time requirements; sufficient volume for test.	Once	No sample issues or determination that sample can still be analyzed	Lab determines if the sample can be analyzed or has been too severely compromised (e.g., contamination). Assign appropriate condition code identified in Table 7.1.
Store sample appropriately.	All	Check the temperature of the refrigerator per laboratory's standard operating procedures.	Record temperature of sample upon arrival at the laboratory. Check temperature of the refrigerator/freezer where samples are stored at least daily if using a continuous temperature logger and twice daily (once at beginning of the day and once at the end) not using a continuous logger.	While stored at the laboratory, the sample must be kept at a maximum temperature of 4° C (for aliquots except chlorophyll <i>a</i>) and -20° C for the chlorophyll <i>a</i> sample.	If at any time samples are warmer than required, note temperature and duration (either from the continuous temperature log or from the last manual reading) in comment field. Lab will still perform test. EPA expects that the laboratory will exercise every effort to maintain samples at the correct temperature.

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
Analyze sample within holding time	All			The test must be completed within the holding time specified in the analytical method.	Perform test in all cases, but note reason for performing test outside holding time. EPA expects that the laboratory will exercise every effort to perform tests before the holding time expires.
Analyze Laboratory/ Reagent Blank	All		Once per day prior to sample analysis	Control limits \leq MDL	Prepare and analyze new blank. Determine and correct problem (e.g., reagent contamination, instrument calibration, or contamination introduced during filtration) before proceeding with any sample analyses. Reestablish statistical control by analyzing three blank samples.
Analyze Filtration Blank	All dissolved analytes	ASTM Type II reagent water processed through filtration unit	Prepare once per week and archive. Prepare filter blank for each box of 100 filters, and examine the results before any other filters are used from that box.	Measured concentrations $<$ MDL	Measure archived samples if review of other laboratory blank information suggest source of contamination is sample processing.

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
Determine LT-MDL Limit for Quality Control Check Sample (QCCS)	All	Prepared so concentration is four to six times the LT-MDL objective	Once per day	Target LT-MDL value (which is calculated as a 99% confidence interval)	Confirm achieved LRL by repeated analysis of LT-MDL QCCS. Evaluate affected samples for possible re-analysis.
Analyze Calibration QCCS	All		Before and after sample analyses	±10% or method criteria	Repeat QCCS analysis. Recalibrate and analyze QCCS. Reanalyze all routine samples (including PE and field replicate samples) analyzed since the last acceptable QCCS measurement.
Analyze Laboratory Duplicate Sample	All		One per batch	Control limits < precision objective	If results are below LRL: Prepare and analyze split from different sample (volume permitting). Review precision of QCCS measurements for batch. Check preparation of split sample. Qualify all samples in batch for possible reanalysis.

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
Analyze Standard Reference Material (SRM)	When available for a particular indicator		One analysis in a minimum of five separate batches	Manufacturers certified range	Analyze standard in next batch to confirm suspected inaccuracy. Evaluate calibration and QCCS solutions and standards for contamination and preparation error. Correct before any further analyses of routine samples are conducted. Reestablish control by three successive reference standard measurements that are acceptable. Qualify all sample batches analyzed since the last acceptable reference standard measurement for possible reanalysis.
Analyze Matrix Spike Samples	Only prepared when samples with potential for matrix interferences are encountered		One per batch	Control limits for recovery cannot exceed 100±20%	Select two additional samples and prepare fortified subsamples. Reanalyze all suspected samples in batch by the method of

QC Sample Type and Description	Indicators	Description	Frequency	Acceptance Criteria	Corrective Action
					standard additions. Prepare three subsamples (unfortified, fortified with solution approximately equal to the endogenous concentration, and fortified with solution approximately twice the endogenous concentration).
Use consistent units for QC samples and field samples	All	Verify that all units are provided consistently within each indicator.	Data reporting	For each indicator, all field and QC samples are reported with the same measurement units	If it is not possible to provide the results in consistent units, then assign a QC code and describe the reason for different units in the comments field of the database.
Maintain completeness	All	Determine completeness	Data reporting	Completeness objective is 95% for all indicators (useable with or without flags).	Contact EPA HQ NCCA Laboratory Review Coordinator* immediately if issues affect laboratory's ability to meet completeness objective.

*Chapter 2 provides contact information for the EPA HQ NCCA Laboratory Review Coordinator. Laboratories under contract to EPA must contact the Task Order's Contracting Officer's Representative (TOCOR) instead of the Laboratory Review Coordinator.

7.9 Sample and Record Retention

The laboratory shall retain:

1. The sample materials for a minimum of 1 year after collection. During this time, the laboratory shall store the materials cold (e.g., 4 ° C) and in darkness. The lab shall retain the sample materials from the 1 year point until the EPA publishes the final report at ambient temperatures.
2. Original records, including laboratory notebooks for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

7.10 References

Hunt, D.T.E. and A.L. Wilson. 1986. *The Chemical Analysis of Water: General Principles and Techniques*. 2nd ed. Royal Society of Chemistry, London, England.

USEPA, 1987. *Handbook of Methods for Acid Deposition Studies: Laboratory Analyses for Surface Water Chemistry*. EPA/600/4-87/026. U.S. Environmental Protection Agency, Office of Research and Development, Washington D.C.

USEPA. 1997. *Methods for the Determination of Chemical Substances in Marine and Estuarine Environmental Matrices – 2nd Edition*. EPA No. 600-R-97-072. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC, retrieved June 30, 1997 from <http://www.epa.gov/microbes/documents/marinmet.pdf>.

USEPA. September 1997. Method 353.4 “Determination of Nitrate and Nitrite in Estuarine and Coastal Waters by Gas Segmented Continuous Flow Colorimetric Analysis, Revision 2.0”, retrieved June 30, 2014 from http://www.epa.gov/microbes/documents/m353_4.pdf.

USGS. 1999. “New reporting procedures based on long-term method detection levels and some considerations for interpretations of water-quality data provided by the U.S. Geological Survey National Water Quality Laboratory.” Open-File Report: 99-193 by Childress, Oblinger, *et al.*, retrieved June 30, 2014 from <http://pubs.usgs.gov/of/1999/0193/report.pdf>.

Youden, W.J. 1969. Ranking laboratories by round-robin tests. In *Precision Measurement and Calibration*. H.H. Ku, ed. NBS Special Publication 300, Vol. 1. U.S. GPO Washington, D.C.

8.0 SEDIMENT TOXICITY TESTING

This chapter describes the analysis requirements for sediment toxicity testing. The purpose is to assess the toxicity of sediment samples collected in the 2015 NCCA and related studies.

At each sampling site, the Field Operations Manual (FOM) instructs the crews to collect sediment samples. The field crew then ships the samples on wet ice to the laboratory. If EPA uses a batching laboratory, it will refrigerate the samples, before shipping on wet ice to the analysis laboratory.

In the following discussion, Sections 8.1, 8.2, and 8.3 summarize the procedure; health and safety concerns; and definitions and required resources. Section 8.4 provides the steps for acknowledging sample receipt. Sections 8.5 – 8.6 provide the minimum requirements that the laboratory must meet in performing the analyses and the required data elements. Section 8.7 describes EPA’s external review of laboratory operations and other quality measures. Section 8.8 identifies references used in developing the procedure.

8.1 Summary of the Procedure

This chapter describes toxicity testing of sediment samples collected for EPA’s 2015 National Coastal Condition Assessment (NCCA). As described in Section 8.5, unless otherwise contractually bound by other requirements, the laboratory may choose to use any method that meets EPA’s specifications.

8.2 Health and Safety Warnings

The laboratory must require its staff to abide by appropriate health and safety precautions. In addition to the laboratory’s usual requirements such as a Chemical Hygiene Plan, the laboratory must adhere to the following health and safety procedures:

1. Laboratory facilities must properly store and dispose of solutions of weak acid.
2. Laboratory personnel must wear proper personal protection clothing and equipment (e.g. lab coat, protective eyewear, gloves).
3. When working with potential hazardous chemicals (e.g., weak acid), laboratory personnel must avoid inhalation, skin contact, eye contact, or ingestion. Laboratory personnel must avoid contacting skin and mucous membranes with acid. If skin contact occurs, remove clothing immediately. Wash and rinse the affected skin areas thoroughly with large amounts of water.

8.3 Definitions and Required Resources (Personnel, Laboratories, and Equipment)

This section provides definitions and required resources for using the procedure.

8.3.1 Definitions

The procedure uses the following terms:

Replicates are defined as two or more aliquots of the same sample which are analyzed separately using identical procedures. The results are used to evaluate the precision of the laboratory analyses.

NARS: National Aquatic Resource Surveys. The National Coastal Condition Assessment (NCCA) is part of the NARS program.

NARS Information Management System (NARS IM): The IM system established to support all surveys, including NCCA, in the NARS program. The IM system is used to track the samples from field collection to the laboratory.

NCCA: National Coastal Condition Assessment. Freshwater and coastal samples will be collected during the field stage of NCCA.

%CONT_SURV: Average percentage of organisms that survived in the replicate test chambers over the percent survival in control.

%REP_SURV: Percentage of organisms that survived in the test chamber for each set of replicates.

8.3.2 General Requirements for Laboratories

Expertise. To demonstrate its expertise, the laboratory shall provide EPA with performance data demonstrating their proficiencies in analyzing water quality samples. In addition, the laboratory must provide one or more of the following:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
- Documentation detailing the expertise of the organization, including professional certifications for water-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.

Quality assurance and quality control requirements.

To demonstrate its expertise in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

Preparation for the work

To demonstrate its preparation for the work, the laboratory shall provide documentation that it has complied with the following control analyses prior to the start of any work.

1. The laboratory shall ensure that the water source for the overlying water has been demonstrated to support survival, growth, and reproduction of the test organisms. The laboratory shall provide information on how the laboratory maintains the quality of the water used for the tests.
2. The laboratory shall ensure that the clean sediment is appropriate for the control tests. The laboratory shall provide information about the sediment chemistry analysis and explanation of how the control sediment was selected
3. The laboratory shall ensure that the organisms are healthy for the tests. The laboratory shall provide the source of the organisms; historic information about the culturing; and procedures for evaluating the condition and age of the organism and water quality upon arrival. If the laboratory intends to purchase the organisms (i.e., instead of in-house culturing), identify the commercial source; its shipping arrangements (e.g., test organisms are shipped in well-oxygenated water in insulated containers to maintain temperature during shipment); and evaluation upon arrival at the laboratory (e.g., measuring temperature and dissolved oxygen of the water in the shipping containers to determine if the organisms might have been subjected to low dissolved oxygen or temperature fluctuations).
4. The laboratory shall complete a “non-toxicant” test of each new chamber before using the chamber for NCCA samples. A “new” chamber is one that the laboratory has not previously used for any sediment toxicity testing for any client (e.g., replacement glassware). Ideally, although EPA is not requiring it, the laboratory will test freshwater and marine samples in wholly separate chambers.

Test requirements: The test chambers contain control sediment (sometimes called the negative control) and clean overlying water for the amphipod species to be tested. Survival of the test organisms will demonstrate whether facilities, water, control sediment, and handling techniques are adequate to achieve acceptable species-specific control survival. For the test to be acceptable, survival at 10 days must equal or exceed the survival requirements in QA/QC specifications in Section 8.7.

8.3.3 Personnel

The procedure refers to the following personnel:

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual.

External QC Coordinator is an EPA staff person who is responsible for selecting and managing the “QC contractor.” To eliminate the appearance of any inherent bias, the QC contractor must be dedicated to QA/QC functions, and thus, must not be a primary laboratory or a field sampling contractor for NCCA. The QC contractor is responsible for complying with instructions from the External QC Coordinator; coordinating and paying

for shipments of the performance samples to participating laboratories; comparing results from the laboratories; and preparing brief summary reports.

8.3.4 Equipment/Materials

The analytical method, selected by the laboratory, identifies the necessary equipment.

8.4 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery. The laboratory must inspect the samples promptly on receipt. As samples arrive, the laboratory must:

1. Log the samples into the National Aquatic Resource Survey Information Management system (NARS-IM) within 24 clock hours. Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Check that each shipping container has arrived undamaged. Check the temperature of one of the samples in the cooler using a thermometer that measures temperatures between 0 °C (refrigerated samples are typically 4 °C) and 30 °C (ambient room temperature is typically less than 26 °C), or an infra-red (IR) temperature “gun” and record the reading. Field crews and the batching laboratory will ship sediment samples on wet ice. Record the condition and temperature of the sample in the database using the codes in Table 8.1.
3. Verify that all required data elements, per Table 8.1, have been recorded. If any elements are missing, then enter them into the database.
4. Transfer the samples to the refrigerator until ready for toxicity testing. Except during processing and analysis stages, the samples must be stored at 4°C.
5. Notify the EPA immediately about any problems involving sample integrity, conformity, or inconsistencies as soon as possible following sample receipt and inspection.

Table 8.1 Sediment Toxicity Login: Required Data Elements

FIELD	FORMAT	DESCRIPTION
LAB ID	Character	Name or abbreviation for laboratory
TYPE	Character	Control or NCCA Sample
DATE RECEIVED	MMDDYY	Date sample was received by lab; leave blank for control
SITE ID	Character	NCCA site id as used on sample label; leave blank for control
VISIT NUMBER	Numeric	Sequential visits to site (1 (or blank) or 2); leave blank for control
SAMPLE ID	Numeric	Sample id as used on field sheet (on sample label); leave blank for control
DATE COLLECTED	MMDDYY	Date sample was collected; leave blank for control

FIELD	FORMAT	DESCRIPTION	
ARRIVAL_TEMP	Numeric	Temperature of sample upon arrival at the laboratory (it should arrive on wet ice).	
CONDITION CODE	Character	Condition codes describing the condition of the sample upon arrival at the laboratory; leave blank for control	
		Flag	Definition
		OK	Sample is in good condition
		C	Sample container is cracked
		L	Sample or container is leaking
		ML	Sample label is missing
		NF	Sample is not at proper temperature
		VT	Volume not sufficient for testing (VT)
		VR	Volume not sufficient for a retest, if required
		HT	Received outside holding time
Q	Other quality concerns, not identified above		
COND_COMMENT	Character	Explanation for Q FLAG (if needed)	

8.5 Toxicity Testing: Requirements

The laboratory shall perform toxicity testing of sediment samples. Laboratories may choose to use any analysis method using the required organisms of *Hyaella azteca* (freshwater) or *Leptocheirus plumulosus* (marine). The laboratory’s method must meet the quality requirements in Section 8.7, including mean survival of the control’s treatments must remain greater than or equal to 80% and 90%, respectively. It is essential that the contractor require that all of its laboratory technicians use the same procedures and meet the required quality elements. At a minimum, the laboratory must:

1. Perform the procedures using the 10-day tests. Possible methods include those described in the following documents:
 - a. Marine: Test Method 100.4 in EPA 600/R-94/025²² or ASTM E1367-03²³
 - b. Freshwater: Test Method 100.1 in EPA 600/R-99/064²⁴ or ASTM E1706²⁵
2. Test the following number of replicates for each sample and control:
 - a. Marine: 5 replicates with 20 organisms per replicate
 - b. Freshwater: 4 replicates with 10 organisms per replicate

²² Chapter 11 in *Methods for Assessing the Toxicity of Sediment-associated Contaminants with Estuarine and Marine Amphipods*, June 1994, retrieved from <http://water.epa.gov/polwaste/sediments/cs/upload/marinemethod.pdf>.

²³ American Society for Testing and Materials (ASTM). 2008. E1367-03 “Standard Guide for Conducting 10-Day Static Sediment Toxicity Tests With Marine and Estuarine Amphipods.” *Annual Book of Standards, Water and Environmental Technology*, Vol. 11.05, West Conshohocken, PA.

²⁴ Section 11 in *Methods for Measuring the Toxicity and Bioaccumulation of Sediment-associated Contaminants with Freshwater Invertebrates*, Second Edition, March 2000, retrieved from <http://water.epa.gov/polwaste/sediments/cs/upload/freshmanual.pdf>.

²⁵ ASTM 2009 E1706. “Standard Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates.”

3. Test no more than 10 samples and one control within each batch.
4. Use the following organisms for the tests:
 - a. Marine: *Leptocheirus plumulosus*
 - b. Freshwater: *Hyalella azteca*
5. Select organisms for each batch of tests that are:
 - a. From the same culture;
 - b. Cultured at the same temperature as will be used for the tests;
 - c. (optional) EPA would prefer but does not require that the organisms are cultured in the same water as that used for testing.
6. Use a water source (for the overlying water) demonstrated to support survival, growth, and reproduction of the test organisms.
 - a. For marine sediments, 175 mL of sediment and 800 mL of overlying seawater
 - b. For freshwater sediments, 100mL of sediment and 175mL of overlying freshwater
7. Use clean sediment for control tests.
8. Implement the following for exposure/feeding
 - a. For marine sediments, exposure is static (i.e., water is not renewed), and the animals are not fed over the 10 d exposure period
 - b. For freshwater, exposure is renewed (i.e., 2 volumes a day) and the animals are fed over the 10 day exposure period
9. Follow the following procedure for homogenization/sieving: Water above the sediment is not discarded, but is mixed back into the sediment during homogenization. Sediments should be sieved for marine samples (following the 10 day method) and the sieve size should be noted. For freshwater samples, they should not be sieved to remove indigenous organisms unless there is a good reason to believe indigenous organisms may influence the response of the test organism. For freshwater samples, large indigenous organisms and large debris can be removed using forceps and if sediments must be sieved, the samples should be analyzed before and after sieving (e.g., pore-water metals, DOC, and AVS) to document the influence of sieving on sediment chemistry (note sieve size).

Additional details are provided in the summary tables 8.2 and 8.3.

Table 8.2 Test Conditions for Conducting 10-d Sediment Toxicity Tests for marine sediments

Parameter	Conditions
1. Test type:	Whole sediment toxicity test, static
2. Temperature:	25 °C for <i>L. plumulosus</i>
3. Salinity	20‰
4. Light quality:	Wide-spectrum fluorescent lights
5. Illuminance:	500 – 1000 lux
6. Photoperiod:	24L:0D
7. Test chamber:	1 L glass beaker or jar with ~10 cm I.D.

8. Sediment volume:	175 mL (2 cm)
9. Overlying water volume:	800 mL
10. Renewal of overlying water:	None
11. Size and life stage of amphipods:	<i>L. plumulosus</i> : 2-4 mm (no mature males or females)
12. Number of organisms per chamber:	20 per test chamber
13. Number of replicate chambers/treatment:	5 (required)
14. Feeding:	None
15. Aeration:	Water in each test chamber should be aerated overnight before start of test and throughout the test aeration at rate that maintains $\geq 90\%$ saturation of dissolved oxygen concentration
16. Overlying water:	Clean sea water, natural or reconstituted water
17. Overlying water quality:	Temperature daily; pH, ammonia, salinity, and DO at test start and end.
18. Test duration:	10 d
19. Endpoints:	Survival
20. Test acceptability:	Minimum mean control survival of 90%

Table 8.3 Test Conditions for Conducting 10-d Sediment Toxicity Tests for freshwater sediments

Parameter	Conditions
1. Test type:	Whole-sediment toxicity test with renewal of overlying water
2. Temperature:	23 \pm 1 °C
3. Light quality:	Wide-spectrum fluorescent lights
4. Illuminance:	100 to 1000 lux
5. Photoperiod:	16L:8D
6. Test chamber:	300 mL high-form beaker
7. Sediment volume	100 mL
8. Overlying water volume:	175 mL
9. Renewal of overlying water:	2 volume additions/d; continuous or intermittent (<i>e.g.</i> , 1 volume addition every 12 h)
10. Age of organisms:	7- to 14-d old at the start of the test (1- to 2-d range in age)
11. Number of organisms/ chamber:	10
12. Replicate chambers/treatment:	4 required
13. Feeding:	YCT food, fed 1.0 mL daily (1800 mg/L stock) to each test chamber.
14. Aeration:	None unless DO in overlying water drops below 2.5 mg/L
15. Test duration:	10 d
16. Endpoint:	Survival
17. Test acceptability:	Min. mean control survival of 80%.

8.6 Data Entry

Tables 8.3 and 8.4 identify the required data elements describing the test conditions and outcomes for the replicates and batches. Laboratories must provide the data elements to EPA, preferably in EPA's data template, available separately from EPA.

Table 8.3 Sediment Toxicity Replicates: Laboratory method performance requirements

FIELD	FORMAT	DESCRIPTION
LAB ID	Character	Name or abbreviation for laboratory
TYPE	Character	Control or NCCA Sample
SAMPLE ID	Numeric	Sample id as used on field sheet (on sample label); leave blank for control
RETEST	Y or blank	Y for yes if the sample is being retested; blank if original test or control
CHAMBER ID	Character	Identification code for test chamber
BATCH ID	Character	Identification code for batch
REPLICATE	Numeric	Replicate number: 1-5 for marine; 1-4 for freshwater
TEST TYPE	Character	Marine or Freshwater
ORGANISM	Character	Leptocheirus plumulosus (marine) or Hyalella azteca (freshwater)
NO_SURVIVED	Numeric	Number of organisms that survived out of 20 (marine) and 10 (freshwater)
%REP_SURV	Numeric	Percentage of organisms that survived in the test chamber for the replicate
REP_COMMENT	Character	Any comments about the test procedures or any abnormalities
%CONT_SURV	Numeric	Optional Field: Average percentage of organisms that survived in the replicate test chambers over the percent survival in control.

Table 8.4 Laboratory method performance requirements for sediment toxicity batches

FIELD	FORMAT	DESCRIPTION
BATCH ID	Character	Identification code for batch
BATCH_SAMPLES	Numeric	Number of NCCA samples in the batch (integer≤10) excluding the control
TEST TYPE	Character	Marine or Freshwater
ORGANISM	Character	Leptocheirus plumulosus (marine) or Hyalella azteca (freshwater)
CONTROL	Character	Source of control sediment
START_DATE	MMDDYY	Date that the laboratory starts the test procedure for the batch
END_DATE	MMDDYY	Date that the laboratory ends the test procedure for the batch
%SURV	Numeric	%Survival for the sample (or control) calculated using the %REP_SURV
BATCH_PASS	P/F	Indicate if the batch passed (P) or failed (F) the QA/QC requirements (e.g., control achieved required survival rates)
QC_CODE	Character	Laboratory assigned code for QC issues with the sample
QC_DESCRIPTION	Character	Description of conditions associated with the QC_CODE
SURV_COMMENT	Character	Any comments about the test procedures or any abnormalities

8.7 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA’s requirements.

8.7.1 Assistance Visits

Assistance visits are intended to familiarize EPA with actual procedures being implemented by different laboratories; and to ensure a clear and consistent understanding of procedures and activities by both EPA and the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter.

8.7.2 QC Samples

Once or twice during the performance period, the External QC Coordinator will provide one or two identical sets of QC samples to all participating laboratories. Each set will contain up to five QC samples. As determined by the External QC Coordinator, the QC samples may be synthetic; aliquots of additional samples collected at NCCA sites; or reference samples obtained from an organization such as the National Institute of Standards. Each laboratory will run the QC samples following the same procedures used for the other samples. The External QC Coordinator will compare the results to the expected value and determine consistency between laboratories (e.g., determine if one laboratory is consistently higher or lower than all others). Based upon the evaluation, the External QC Coordinator may request additional information from one or more laboratories about any unique laboratory practices that might account for differences between the laboratory and others. The contractor shall analyze the external QC samples using the same procedures as those for the field samples.

8.7.3 Summary of QA/QC Requirements

QC protocols are an integral part of all analytical procedures to ensure that the results are reliable and the analytical stage of the measurement system is maintained in a state of statistical control. The laboratory must conduct QC analyses for each batch of samples. Each batch shall consist of no more than 10 samples. Unique laboratory quality control lot numbers must be assigned to each batch of samples. The lot number must associate each batch of field samples to the appropriate measures such as laboratory control samples. Table 8.5 provides a summary of the quality control requirements.

Table 8.5 Quality control activities for sediment toxicity samples

Activity	Evaluation	Corrective Action
Laboratory demonstrates competency for conducting sediment toxicity analyses	EPA will review SOPs, lab certifications, past performance results, etc. as part of the lab verification process.	EPA will not approve any laboratory for NCCA sample processing if the laboratory cannot demonstrate competency. In other words, EPA will select another laboratory that can

Activity	Evaluation	Corrective Action
		demonstrate competency for its NCCA samples.
Check condition of sample when it arrives.	Sample issues, such as cracked or leaking container; missing label; temperature; adherence to holding time requirements; insufficient volume for test.	Assign appropriate condition code identified in Table 8.1.
Sample storage	All samples: 4 °C at arrival at the laboratory (temperature recorded at arrival) and while stored at the laboratory.	Record temperature upon arrival at the laboratory. Check temperature of the refrigerator where samples are stored at least daily if using a continuous temperature logger and twice daily (beginning and end of day) if the lab does not have a continuous logger. If refrigerator is warmer than required, note temperature and duration (either from the continuous temperature log or from the last manual reading) in comment field. Lab will still perform test. EPA expects that the laboratory will exercise every effort to maintain samples at the correct temperature.
Holding Time	The test must be completed within 8 weeks after sample collection. If the original test fails, then the retest also must be conducted within the 8 weeks after sample collection.	Perform test, but note reason for performing test outside holding time. EPA expects that the laboratory will exercise every effort to perform tests before the holding time expires.
Check that the organisms are healthy before starting the test	Unhealthy organisms may appear to be discolored, or otherwise stressed (for example, greater than 20 percent mortality for the 48 hours before the start of a test).	Don't start test using unhealthy organisms.
Maintain conditions as required in Section 8.3.	Check conditions (e.g., temperature, DO) each test day. Record conditions in bench sheet or in laboratory database.	Note any deviations in comments field (Table 8.1). In extreme cases, conduct a new toxicity test for all samples

Activity	Evaluation	Corrective Action
		affected by the adverse conditions.
Control survival rates	For a test of a batch of samples to be considered valid, the control's mean survival in <i>Hyalella</i> and <i>Leptocheirus</i> treatments must remain $\geq 80\%$ and $\geq 90\%$, respectively.	Data template includes a field to record if a test passed or failed the control requirements. If a test fails, retest all samples in the batch. Report both the original and retest results. If both tests fail, submit data to EPA for further consideration. Include comments in the data template noting any particular factors that may have caused the test to fail twice.

*Chapter 2 provides contact information for the EPA HQ NCCA Laboratory Review Coordinator. Laboratories under contract to EPA must contact the Task Order's Contracting Officer's Representative (TOCOR) instead of the Laboratory Review Coordinator.

8.8 Sample and Record Retention

The laboratory shall retain:

1. The sample materials, including vials until March 31, 2016 which will allow EPA with time to review the data and contact the laboratory with any questions about the samples. Until this time, the laboratory shall refrigerate the sediment samples. The laboratory shall periodically check the sample materials for degradation.
2. Original records, including laboratory notebooks, for a minimum of 10 years from the date that EPA publishes the final report.

After the stated time periods, the laboratory shall follow its internal protocols for disposal.

8.9 References

American Society for Testing and Materials (ASTM). 2008. E1367-03 "Standard Guide for Conducting 10-Day Static Sediment Toxicity Tests With Marine and Estuarine Amphipods." Annual Book of Standards, Water and Environmental Technology, Vol. 11.05, West Conshohocken, PA.

ASTM. 2009. E1706. "Standard Test Method for Measuring the Toxicity of Sediment-Associated Contaminants with Freshwater Invertebrates.

United States Environmental Protection Agency (USEPA). 1994. Chapter 11 in Methods for Assessing the Toxicity of Sediment-associated Contaminants with Estuarine and Marine Amphipods, retrieved on March 13, 2014 from <http://water.epa.gov/polwaste/sediments/cs/upload/marinemethod.pdf>.

USEPA. 2000. Section 11 in Methods for Measuring the Toxicity and Bioaccumulation of Sediment-associated Contaminants with Freshwater Invertebrates, Second Edition, retrieved on March 13, 2014 from <http://water.epa.gov/polwaste/sediments/cs/upload/freshmanual.pdf>.

9.0 FISH TISSUE FILLET (GREAT LAKES)

Laboratory Methods incorporated in EPA OST Manuals/QAPP.

10.0 MERCURY IN FISH TISSUE PLUGS

10.1 Summary of the Procedure

This procedure is applicable to the analysis of mercury in fish tissue plugs. The method is performance based. Laboratories may use any method that meets the requirements below to analyze the fish tissue samples (for example, EPA Method 1631). Example SOPs are provided in Appendix D of this LOM.

10.2 General Requirements for Laboratories

Competency. To demonstrate its competency, the laboratory shall provide EPA with performance data demonstrating their proficiencies in analyzing water quality samples. In addition, the laboratory must provide one or more of the following:

- Memorandum that identifies the relevant services that the laboratory provided for the National Aquatic Resource Surveys in the past five years.
- Documentation detailing the expertise of the organization, including professional certifications for water-related analyses, membership in professional societies, and experience with analyses that are the same or similar to the requirements of this method.

Also, the lab must provide a demonstration of past experience with fish tissue samples in applying the laboratory SOP in achieving the method detection limit.

Quality assurance and quality control requirements.

To demonstrate its expertise in quality assurance and quality control procedures, the organization shall provide EPA with copies of the quality-related documents relevant to the procedure. Examples include Quality Management Plans (QMP), QAPPs, and applicable Standard Operating Procedures (SOPs).

To demonstrate its ongoing commitment, the person in charge of quality issues for the organization shall sign the NCCA QAPP Certification Page.

10.2.1 Personnel

Laboratory Technician: This procedure may be used by any laboratory technician who is familiar with the NCCA Quality Assurance Project Plan, and this procedure in the NCCA Laboratory Operations Manual.

10.2.2 Equipment/Materials

The analytical method, selected by the laboratory, identifies the necessary equipment.

10.3 Sample Receipt

Because EPA initiates tracking procedures designed to recover any missing shipment, the laboratory personnel responsible for tracking samples must start the following login steps within 24 clock hours of receiving a delivery.

1. Report receipt of samples in the NARS IM sample tracking system (within 24 clock hours). Alternatively, for shipments with a large number of samples, the laboratory may email a spreadsheet with the sample login and sample condition information to NARS-IM (see Chapter 2 for contact information).
2. Inspect each sample **THE SAME DAY THEY ARE RECEIVED**:
 - a. Verify that the sample IDs in the shipment match those recorded on the:
 - i. Chain of custody forms when the batching laboratory sends the samples to the microcystins laboratory; or
 - ii. Sample tracking form if the field crew sends the shipment directly to the State laboratory.
 - b. Record the information in Table 10.1 into NARS IM, including the Condition Code for each sample:
 - i. *OK*: Sample is in good condition
 - ii. *C*: Sample container was cracked
 - iii. *L*: Sample container is leaking
 - iv. *ML*: Sample label is missing
 - v. *VT*: Volume not sufficient for testing
 - vi. *W*: Sample is warm (>8°), record the temperature in the comment field, and perform the assay
 - vii. *Q*: other quality concerns, not identified above.
 - c. If any sample is damaged or missing, contact the EPA HQ Laboratory Review Coordinator to discuss whether the sample can be analyzed. (See contact information in Chapter 2 of the Manual).
3. Store samples in the freezer until sample preparation begins.
4. Maintain the chain of custody or sample tracking forms with the samples.

Table 10.1 Fish Tissue Plugs Login: Required Data Elements

FIELD	FORMAT	DESCRIPTION
LAB ID	text	Name or abbreviation for QC laboratory
DATE RECEIVED	MMDDYY	Date sample was received by lab
SITE ID	text	NCCA site id as used on sample label
VISIT NUMBER	numeric	Sequential visits to site (1 or 2)
SAMPLE ID	numeric	Sample id as used on field sheet (on sample label)
DATE COLLECTED	MMDDYY	Date sample was collected
CONDITION CODE	text	Condition codes describing the condition of the sample upon arrival at the laboratory.

FIELD	FORMAT	DESCRIPTION
		Flag
		Definition
		OK
		Sample is in good condition
		C
		Sample container is cracked
		L
		Sample or container is leaking
		ML
		Sample label is missing
		VT
		Volume or mass not sufficient for testing (VT)
		W
		Sample is warm (>8°)
		Q
		Other quality concerns, not identified above
CONDITION COMMENT	text	Comments about the condition of the sample. If the condition code='W' then provide the temperature

10.4 Quality Measures

This section describes the quality assurance and quality control measures used to ensure that the data will meet NCCA’s requirements. Tables 10.2 and 10.3 provide a summary of the measurement data quality objectives and quality control requirements.

10.4.1 Assistance Visits

Assistance visits are intended to familiarize EPA with actual procedures being implemented by different laboratories; and to ensure a clear and consistent understanding of procedures and activities by both EPA and the laboratories. If EPA decides to conduct an assistance visit, a qualified EPA scientist or contractor will administer a checklist based upon the steps described in this chapter.

10.4.2 QC Samples

Once or twice during the performance period, the External QC Coordinator will provide one or two identical sets of QC samples to all participating laboratories. Each laboratory will run the QC samples following the same procedures used for the other samples. The External QC Coordinator will compare the results to the expected value to determine whether the values are within expected ranges. The contractor shall analyze the external QC samples using the same procedures as those for the field samples.

Table 10.2 Measurement data quality objectives

Variable or Measurement	MDL	Quantitation Limit
Mercury	0.47 ng/g	5.0 ng/g

Table 10.3 Quality Control

Activity	Evaluation/Acceptance Criteria	Corrective Action
Demonstrate competency for analyzing fish samples to meet the performance measures	Demonstration of past experience with fish tissue samples in applying the laboratory SOP in achieving the method detection limit	EPA will not approve any laboratory for NCCA sample processing if the laboratory cannot demonstrate competency. In other words, EPA will select another laboratory that can demonstrate competency for its NCCA samples.
Check condition of sample when it arrives.	Sample issues, such as punctures or rips in wrapping; missing label; temperature; adherence to holding time requirements; sufficient volume for test. All samples should arrive at the laboratory frozen.	Assign an appropriate condition code.
Store sample appropriately. While stored at the laboratory, the sample must be kept at a maximum temperature of -20° C.	Check the temperature of the freezer per laboratory's standard operating procedures.	Record temperature of sample upon arrival at the laboratory. If at any other time, samples are warmer than required, note temperature and duration in comment field.
Analyze sample within holding time	The test must be completed within the holding time (i.e., 1 year). If the original test fails, then the retest also must be conducted within the holding time.	Perform test, but note reason for performing test outside holding time. EPA expects that the laboratory will exercise every effort to perform tests before the holding time expires.
Maintain quality control specifications from selected method/SOP (that meets the measurement data quality objectives)	Data meet all QC specifications in the selected method/SOP.	If data do not meet all QC requirements, rerun sample or qualify data. If the lab believes the data are to be qualified without rerunning sample, the lab must consult with the EPA Survey QA Lead before proceeding.
Maintain the required MDL	Evaluate for each sample	If MDL could not be achieved, then provide dilution factor or QC code and explanation in the comment field.
Use consistent units for QC samples and field samples	Verify that all units are provided in wet weight units and consistently	If it is not possible to provide the results in the same units as most other analyses, then assign a QC code and describe the reason for different units in the comments field of the database.
Maintain completeness	Completeness objective is 95% for all parameters.	Contact the EPA Survey QA Lead immediately if issues affect

Activity	Evaluation/Acceptance Criteria	Corrective Action
		laboratory's ability to meet completeness objective.

11.0 FECAL INDICATOR: ENTEROCOCCI

Laboratory methods incorporated into EPA ORD Manuals/QAPP.

12.0 ALGAL TOXINS, RESEARCH INDICATOR

See Appendix C for USGS Organic Geochemistry Research Laboratory (OGRL) Standard Operating Procedures as modified for use in NCCA 2015 relating to the Algal Toxins Research Indicator.

- **Appendix C.1 OGRL-SOP-5400 (as modified for use in NCCA 2015):** Analysis of Cyanotoxins and Algal Toxins in Fresh and Marine Surface Water, Accumulations, and Blooms (Internal Standard Calibration of Standard Addition) – LCTX
- **Appendix C.2 OGRL-SOP-4520:** Sequential Freeze/Thaw Cell-Lysis Procedure for Total and Dissolved Algal Toxin Analysis of Water Samples
- **Appendix C.3 OGRL-2010:** Data and Information Backup for all OGRL Instruments

APPENDIX A: LABORATORY REMOTE EVALUATION FORMS

*Email the completed and signed forms to Kendra Forde (forde.kendra@epa.gov).
Questions: Contact Kendra Forde at forde.kendra@epa.gov or 202-566-0417.*

NCCA 2015 Document Request Form – Chemistry Laboratories

EPA and its state and tribal partners will conduct the 2015 National Coastal Condition Assessment. NCCA is a survey of the nation's coastal waters and Great Lakes. It is designed to provide statistically valid regional and national estimates of the condition of coastal waters and the Great Lakes. Consistent sampling and analytical procedures ensure that the results can be compared across the country.

As part of the 2015 NCCA, the Quality Assurance Team has been requested to conduct a technical assessment to verify quality control practices in your laboratory and its ability to perform chemistry analyses under this project. Our review will be assessing your laboratory's ability to receive, store, prepare, analyze, and report sample data generated under EPA's 2015 NCCA.

The first step of this assessment process will involve the review of your laboratory's certification and/or documentation. Subsequent actions may include (if needed): reconciliation exercises and/or a site visit. All labs will need to complete the following forms:

All laboratories will be required to complete the following forms and check the specific parameter in which your laboratory will be conducting an analysis for the 2015 NCCA:

- Water Chemistry and chlorophyll *a* (all of the analytes identified in the LOM and QAPP)
- Microcystin
- Mercury in Fish Tissue Plugs
- Sediment Chemistry
- Grain Size
- Total Organic Carbon (TOC)

If your lab has been previously approved within the last 5 years for the water chemistry indicator:

- A *signature* on the attached Laboratory Signature Form indicates that your laboratory will follow the quality assurance protocols required for chemistry labs conducting analyses for the 2015 NCCA.
- A signature on the Quality Assurance Project Plan (QAPP) and the Laboratory Operations Manual (LOM) Signature Form indicates that you will follow both the QAPP and the LOM.

If you have not been approved within the last 5 years through the laboratory verification process for the water chemistry indicator, in order for us to determine your ability to participate as a laboratory in the NCCA, we are requesting that you submit the following documents (if available) for review:

- Documentation of a successful *quality assurance audit* from a prior National Aquatic Resource Survey (NARS) that occurred within the last 5 years.
- Documentation showing participation in a previous NARS for Water Chemistry for the same parameters/methods.

Additionally, we request that all labs provide the following information in support of your capabilities, (these materials are required if neither of the two items above are provided):

- A copy of your laboratory's *accreditations and certifications* if applicable (i.e. NELAC, ISO, state certifications, NABS, etc.).
- An updated copy of your laboratory's *QAPP* and Laboratory Quality Assurance Manuals
- Standard Operating Procedures* (SOPs) for your laboratory for each analysis to be performed (if not covered in 2015 NCCA LOM).
- Documentation attesting to experience running all analytes for the 2015 NCCA, including chlorophyll *a*.

Laboratory Signature Form – Chemistry Laboratories

I _____ certify that the laboratory,
located in _____, will abide by the following
standards in performing the following data analysis and reporting for the 2015
National Coastal Condition Assessment (NCCA).

This applies to the _____ chemistry indicator.

- 1.) Use procedures identified in the 2015 NCCA Laboratory Operations Manual (or equivalent). If using equivalent procedures, please provide the procedures and obtain approval from EPA.
- 2.) Read and abide by the 2015 NCCA Quality Assurance Project Plan (QAPP) and related Standard Operating Procedures (SOPs).
- 3.) Have an organized IT tracking system in place for recording sample tracking and analysis data.
- 4.) Provide Quality Control (QC) data for internal QC check, on a quarterly basis.
- 5.) Provide data using the template provided on the NARS Sharefile.
- 6.) Provide data results in a timely manner. This will vary with the type of analysis and the number of samples to be processed. Sample data must be received no later than May 1, 2016 or as otherwise negotiated with EPA.
- 7.) Participate in a laboratory technical assessment or audit if requested by EPA NCCA staff (this may be a conference call or on-site audit).
- 8.) Agree to analyze for all parameters specified in the LOM for the appropriate indicator(s) identified above, including Chlorophyll-*a*, for water chemistry.

Signature _____ Date _____

NCCA 2015 Document Request Form - Biology Laboratories

EPA and its state and tribal partners will conduct the 2015 National Coastal Condition Assessment. NCCA is a survey of the nation's coastal waters and Great Lakes. It is designed to provide statistically valid regional and national estimates of the condition of coastal waters and the Great Lakes. Consistent sampling and analytical procedures ensure that the results can be compared across the country.

As part of the 2015 NCCA, the Quality Assurance Team has been requested to conduct a technical assessment to verify quality control practices in your laboratory and its ability to perform biology analyses under this project. Our review will be assessing your laboratory's ability to receive, store, prepare, analyze, and report sample data generated under EPA's 2015 NCCA.

The first step of this assessment process will involve the review of your laboratory's certification and/or documentation. Subsequent actions may include (if needed): reconciliation exercises and/or a site visit.

All laboratories will be required to complete the following forms and check the specific parameter in which your laboratory will be conducting an analysis for the 2015 NCCA:

- Mercury in Fish Plugs
- Benthic Macroinvertebrates
- Sediment Toxicity

If your laboratory has been previously approved within the last 5 years for the specific parameters:

- A *signature* on the attached Laboratory Signature Form indicates that your laboratory will follow the quality assurance protocols required for biology laboratories conducting analyses for the 2015 NCCA.
- A signature on the Quality Assurance Project Plan (QAPP) and the Laboratory Operations Manual (LOM) Signature Form indicates you will follow both the QAPP and the LOM.

If you have not been approved within the last 5 years through the laboratory verification process for the specific parameters, in order for us to determine your ability to participate as a lab in the NCCA, we are requesting that you submit the following documents (if available) for review:

- Documentation of a successful *quality assurance audit* from a prior National Aquatic Resource Survey (NARS) that occurred within the last 5 years.
- Documentation showing participation in previous NARS for this particular indicator.

Additionally, we request that all labs provide the following information in support of your capabilities, (these materials are required if neither of the two items above are provided):

- A copy of your laboratory's *accreditations and certifications* if applicable (i.e. NELAC, ISO, state certifications, NABS, etc.).

- Documentation of NABS (or other) *certification* for the *taxonomists* performing analyses (if applicable).
- An updated copy of your Laboratory's *QAPP* and Laboratory Quality Assurance Manuals.
- Standard Operating Procedures* (SOPs) for your lab for each analysis to be performed (if not covered in 2015 NCCA LOM).

Laboratory Signature Form – Biology Laboratories

I _____ certify that the laboratory located in _____, will abide by the following standards in performing biology data analysis and reporting for the 2015 National Coastal Condition Assessment (NCAA).

This applies to the _____ biological indicator.

Use procedures identified in the 2015 NCCA Lab Operations Manual (or equivalent). If using equivalent procedures, please provide the procedures and obtain approval from EPA. Read and abide by the 2015 NCCA Quality Assurance Project Plan (QAPP) and related Standard Operating Procedures (SOPs).

Have an organized IT tracking system in place for recording sample tracking and analysis data.

Use taxonomic standards outlined in the 2015 NCCA Laboratory Operations Manual.

Participate in taxonomic reconciliation exercises during the field and data analysis season, which include conference calls and other laboratory reviews.

Provide Quality Control (QC) data for internal QC checks, including for sorting, on a monthly basis.

Provide data using the template provided on the NARS Sharefile.

Provide data results in a timely manner. This will vary with the type of analysis and the number of samples to be processed. Sample data must be received no later than May 1, 2016 or as otherwise negotiated with EPA. Samples results for independent taxonomic QC described in the LOM and QAPP must be provided to EPA prior to final datasets to allow for reconciliation to take place.

Participate in a Laboratory technical assessment or audit if requested by EPA NCCA staff (this may be a conference call or on-site audit).

Agree to utilize taxonomic nomenclature and hierarchical established for NCCA 2015.

Signature _____ Date _____

APPENDIX B: TARGET FISH SPECIES FOR WHOLE FISH ANALYSES

Table B.1 Northeast region primary and secondary marine target species - whole body fish tissue collection (Ecofish)

NORTHEAST REGION PRIMARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Ictaluridae	<i>Ameiurus catus</i>	White catfish	Primary
	<i>Ictalurus punctatus</i>	Channel catfish	Primary
Moronidae	<i>Morone americana</i>	White perch	Primary
Paralichthyidae	<i>Paralichthys dentatus</i>	Summer flounder	Primary
Pleuronectidae	<i>Pseudopleuronectes americanus</i>	Winter flounder	Primary
Sciaenidae	<i>Cynoscion regalis</i>	Gray weakfish	Primary
	<i>Sciaenops ocellatus</i>	Red drum	Primary
Sparidae	<i>Stenotomus chrysops</i>	Scup	Primary
NORTHEAST REGION SECONDARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Achiridae	<i>Trinectes maculatus</i>	Hogchoaker	
Anguillidae	<i>Anguilla rostrata</i>	American eel	Secondary
Atherinopsidae	<i>Menidia menidia</i>	Atlantic silverside	
Batrachoididae	<i>Opsanus tau</i>	Oyster toadfish	
Ephippidae	<i>Chaetodipterus faber</i>	Atlantic spadefish	
Moronidae	<i>Morone saxatilis</i>	Rock fish	Secondary
Mugilidae	<i>Mugil cephalus</i>	Black mullet	
Pomatomidae	<i>Pomatomus saltatrix</i>	Bluefish	Secondary
Sciaenidae	<i>Bairdiella chrysoura</i>	Silver perch	
	<i>Menticirrhus saxatilis</i>	Northern kingfish	
Serranidae	<i>Centropristis striata</i>	Black sea bass	
Triakidae	<i>Mustelus canis</i>	Smooth dogfish	
Triglidae	<i>Prionotus carolinus</i>	Northern searobin	
	<i>Prionotus evolans</i>	Striped searobin	

* Indicates whether species also occurs in the primary or secondary fish plug list

Table B.2 Southeast region primary and secondary marine target species - whole body fish tissue collection (Ecofish)

SOUTHEAST REGION PRIMARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Ariidae	<i>Ariopsis felis</i>	Hardhead sea catfish	Primary
	<i>Bagre marinus</i>	Gafftopsail sea catfish	Primary
Paralichthyidae	<i>Paralichthys albigutta</i>	Gulf flounder	Primary
	<i>Paralichthys dentatus</i>	Summer flounder	Primary
	<i>Paralichthys lethostigma</i>	Southern flounder	Primary
Sciaenidae	<i>Cynoscion arenarius</i>	Sand weakfish (or seatrout)	Primary
	<i>Cynoscion nebulosus</i>	Speckled trout	Primary
	<i>Cynoscion regalis</i>	Gray weakfish	Primary
	<i>Leiostomus xanthurus</i>	Spot croaker	Primary
Sparidae	<i>Lagodon rhomboides</i>	Pinfish	
SOUTHEAST REGION SECONDARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Cichlidae	<i>Tilapia mariae</i>	Spotted tilapia	
Haemulidae	<i>Haemulon aurolineatum</i>	Tomtate	
Sciaenidae	<i>Bairdiella chrysoura</i>	Silver perch	
	<i>Menticirrhus americanus</i>	Southern kingfish	
Serranidae	<i>Centropristis striata</i>	Black sea bass	

* Indicates whether species also occurs in the primary or secondary fish plug list

Table B.3 Gulf region primary and secondary marine target species - whole body fish tissue collection (Ecofish)

GULF REGION PRIMARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Ariidae	<i>Ariopsis felis</i>	Hardhead sea catfish	Primary
	<i>Bagre marinus</i>	Gafftopsail sea catfish	Primary
Paralichthyidae	<i>Paralichthys albigutta</i>	Gulf flounder	Primary
	<i>Paralichthys dentatus</i>	Summer flounder	Primary
	<i>Paralichthys lethostigma</i>	Southern flounder	Primary
Sciaenidae	<i>Cynoscion arenarius</i>	Sand weakfish (or seatrout)	Primary
	<i>Cynoscion nebulosus</i>	Speckled trout	Primary
	<i>Cynoscion regalis</i>	Gray weakfish	Primary
	<i>Leiostomus xanthurus</i>	Spot croaker	Primary
	<i>Micropogonias undulatus</i>	Atlantic croaker	Primary
	<i>Sciaenops ocellatus</i>	Red drum	Primary
Sparidae	<i>Lagodon rhomboides</i>	Pinfish	
GULF REGION SECONDARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Carangidae	<i>Caranx hippos</i>	Crevalle jack	
	<i>Chloroscombrus chrysurus</i>	Atlantic bumper	
Diodontidae	<i>Chilomycterus schoepfii</i>	Burrfish	
Gerreidae	<i>Eucinostomus gula</i>	Silver jenny	
Haemulidae	<i>Orthopristis chrysoptera</i>	Pigfish	
Ictaluridae	<i>Ictalurus furcatus</i>	Blue catfish	
Lepisosteidae	<i>Lepisosteus oculatus</i>	Spotted gar	
Lutjanidae	<i>Lutjanus griseus</i>	Gray snapper	
Sciaenidae	<i>Pogonias cromis</i>	Black drum	
Serranidae	<i>Diplectrum formosum</i>	Sand perch	
Triglidae	<i>Prionotus scitulus</i>	Leopard searobin	

* Indicates whether species also occurs in the primary or secondary fish plug list

Table B.4 Western region primary and secondary marine target species - whole body fish tissue collection (Ecofish)

WESTERN REGION PRIMARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Atherinopsidae	<i>Atherinops affinis</i>	Topsmelt silverside	
Cottidae	<i>Leptocottus armatus</i>	Pacific staghorn sculpin	Primary
	<i>Oligocottus rimensis</i>	Saddleback sculpin	
Cynoglossidae	<i>Symphurus atricaudus</i>	California tonguefish	
Embiotocidae	<i>Cymatogaster aggregata</i>	Shiner perch	Primary
	<i>Embiotoca lateralis</i>	Striped seaperch	Primary
Gasterosteidae	<i>Gasterosteus aculeatus</i>	Three-spined stickleback	
Paralichthyidae	<i>Paralichthys californicus</i>	California flounder	Primary
	<i>Citharichthys sordidus</i>	Pacific sanddab	Primary
	<i>Citharichthys stigmaeus</i>	Speckled sanddab	
Pleuronectidae	<i>Isopsetta isolepis</i>	Butter sole	
	<i>Parophrys vetulus</i>	English sole	Primary
	<i>Psettichthys melanostictus</i>	Pacific sand sole	
	<i>Platichthys stellatus</i>	Starry flounder	Primary
Sciaenidae	<i>Genyonemus lineatus</i>	White croaker	Primary
Serranidae	<i>Paralabrax nebulifer</i>	Barred sand bass	Primary
	<i>Paralabrax maculatofasciatus</i>	Spotted sand bass	Primary
WESTERN REGION SECONDARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Echinodermata/ Toxopneustidae	<i>Tripneustes gratilla</i> (Hawaii ONLY)	Collector urchin	
Batrachoididae	<i>Porichthys notatus</i>	Plainfin midshipman	
	<i>Porichthys myriaster</i>	Specklefin midshipman	

Chimaeridae	<i>Hydrolagus colliciei</i>	Spotted ratfish	
Embiotocidae	<i>Amphistichus argenteus</i>	Barred surfperch	Secondary
Paralichthyidae	<i>Xystreureys liolepis</i>	Fantail sole	
Pleuronectidae	<i>Pleuronichthys guttulatus</i>	Diamond turbot	Secondary
	<i>Microstomus pacificus</i>	Dover sole	Secondary
	<i>Lepidopsetta bilineata</i>	Rock sole	
	<i>Lyopsetta exilis</i>	Slender sole	
Sciaenidae	<i>Umbrina roncador</i>	Yellowfin croaker	

* Indicates whether species also occurs in the primary or secondary fish plug list.

Table B.5 Great Lakes primary and secondary target species - whole body fish tissue collection (Ecofish)

GREAT LAKES PRIMARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Catostomidae	<i>Moxostoma macrolepidotum</i>	Shorthead redhorse	Primary
Centrarchidae	<i>Ambloplites rupestris</i>	Rock bass	Primary
	<i>Lepomis gibbosus</i>	Pumpkinseed	Primary
	<i>Lepomis macrochirus</i>	Bluegill	Primary
	<i>Micropterus dolomieu</i>	Smallmouth bass	Primary
	<i>Pomoxis annularis</i>	White crappie	
	<i>Pomoxis nigromaculatus</i>	Black crappie	
Cottidae	<i>Cottus bairdii</i>	Mottled sculpin	
	<i>Cottus cognatus</i>	Slimy sculpin	
Cyprinidae	<i>Couesius plumbeus</i>	Lake chub	
	<i>Cyprinus carpio</i>	Common carp	Primary
	<i>Pimephales notatus</i>	Bluntnose minnow	
Esocidae	<i>Esox lucius</i>	Northern pike	Primary
	<i>Esox masquinongy</i>	Muskellunge	Primary
Gasterosteidae	<i>Gasterosteus aculeatus</i>	Three-spined stickleback	
Gobiidae	<i>Neogobius melanostomus</i>	Round goby	
	<i>Proterorhinus marmoratus</i>	Tubenose goby	
Ictaluridae	<i>Ameiurus nebulosus</i>	Brown bullhead	Primary
	<i>Ictalurus punctatus</i>	Channel catfish	Primary
	<i>Noturus flavus</i>	Stonecat	
Gadidae	<i>Lota lota</i>	Burbot	Primary
Moronidae	<i>Morone americana</i>	White perch	Primary
	<i>Morone chrysops</i>	White bass	Primary
Osmeridae	<i>Osmerus mordax</i>	American/ rainbow smelt	
Percidae	<i>Gymnocephalus cernuus</i>	Ruffe	
	<i>Perca flavescens</i>	Yellow perch	Primary
	<i>Percina caprodes</i>	Logperch	
	<i>Sander canadensis</i>	Sauger	
	<i>Sander vitreus</i>	Walleye	Primary
Percopsidae	<i>Percopsis omiscomaycus</i>	Trout-perch	
Salmonidae	<i>Coregonus artedii</i>	Cisco/ lake herring	
	<i>Coregonus clupeaformis</i>	Lake whitefish	Primary
	<i>Oncorhynchus gorbusha</i>	Pink salmon	
	<i>Oncorhynchus kisutch</i>	Coho salmon	Primary
	<i>Oncorhynchus mykiss</i>	Rainbow trout	Primary
	<i>Oncorhynchus tshawytscha</i>	Chinook salmon	Primary
Sciaenidae	<i>Salvelinus namaycush</i>	Lake trout	Primary
	<i>Aplodinotus grunniens</i>	Freshwater drum	Primary
GREAT LAKES SECONDARY ECOFISH TARGET SPECIES			
FAMILY	SCIENTIFIC NAME	COMMON NAME	FISH PLUG LIST*
Catostomidae	<i>Catostomus catostomus</i>	Longnose sucker	
	<i>Catostomus commersonii</i>	White sucker	Secondary
	<i>Moxostoma anisurum</i>	Silver redhorse	
Centrarchidae	<i>Micropterus salmoides</i>	Largemouth bass	
Clupeidae	<i>Alosa pseudoharengus</i>	Alewife	
	<i>Dorosoma cepedianum</i>	American gizzard shad	
Cyprinidae	<i>Cyprinella spiloptera</i>	Spotfin shiner	
	<i>Luxilus cornutus</i>	Common shiner	
	<i>Notropis stramineus</i>	Sand shiner	
Esocidae	<i>Esox niger</i>	Chain pickerel	

Fundulidae	<i>Fundulus diaphanus</i>	Banded killifish	
	<i>Fundulus majalis</i>	Striped killifish	
Ictaluridae	<i>Ameiurus melas</i>	Black bullhead	
Salmonidae	<i>Prosopium cylindraceum</i>	Round whitefish	
	<i>Salmo trutta</i>	Brown trout	Secondary
	<i>Salvelinus fontinalis</i>	Brook trout	
	<i>Salvelinus fontinalis x namaycush</i>	Splake	

* Indicates whether species also occurs in the primary or secondary fish plug list

APPENDIX C: ALGAL TOXINS RESEARCH INDICATOR STANDARD OPERATING PROCEDURES

Appendix C.1


Title : <i>Analysis of Cyanotoxins and Algal Toxins in Fresh and Marine Surface Water, Accumulations, and Blooms (Internal Standard Calibration or Standard Addition) – LCTX (As modified for NCCA 2015)</i>	Identifier: <i>OGRL-SOP-5400</i>	Revision : 2	Effective Date: 8/31/2015
			
APPROVALS FOR USE			
Author's Name (Print): <i>Keith A. Loftin</i>	Author's Signature: 	Date: 8/31/2015	
Project Director's Name (Print) <i>Michael T. Meyer</i>	Project Director's Signature 	Date: 8/31/2015	
Organic Geochemistry Research Laboratory (OGRL)			

Table of Contents

1.0	SCOPE AND APPLICATION	146
2.0	TRAINING	146
3.0	DEFINITIONS	147
4.0	PERSONNEL HEALTH AND SAFETY	148
5.0	APPARATUS AND INSTRUMENTATION	148
6.0	CHEMICALS AND REAGENTS	149
7.0	PROCEDURE	149
8.0	REFERENCES	154
9.0	RECORDS AND ARCHIVAL	155
10.0	QUALITY CONTROL	155
11.0	ATTACHMENTS	155
12.0	REVISIONS TO THIS SOP	155

Analysis of Cyanotoxins and Algal Toxins in Fresh Surface Water, Accumulations, and Blooms (Standard Addition)

NOTE: Laboratory personnel may produce paper copies of this procedure printed from the controlled document file. However, it is their responsibility to ensure that they are trained on and utilizing the current version of this procedure. The procedure author may be contacted if text is unclear.

This is a direct inject analytical method developed for the separation, detection, and quantitation of cyanotoxins and algal toxins in fresh and marine surface water, and cyanobacterial accumulations and blooms by standard addition. Separation and detection of algal toxins is made using multiple reaction monitoring (MRM) mode of a liquid chromatography triple quadrupole mass spectrometer (LC/MS/MS). Quantitation is accomplished by either internal standard calibration curve or single point standard addition described in this SOP at a level equivalent to 1.0 µg/L. Standard addition can be used exclusively or when matrix effects are greater than +/- 20% (28.3% RSD) of spiked concentration. Samples analyzed by this procedure at minimum should be filtered which would be analogous to a dissolved algal toxin concentration or lysed and filtered which would be analogous to a total algal toxin concentration.

1.0 SCOPE AND APPLICATION

1.1 This Standard Operating Procedure (SOP) describes the preparation, separation, detection, and quantitation for 14 cyanotoxins and algal toxins by liquid chromatography tandem mass spectrometry (LC/MS/MS) at the USGS Organic Geochemistry Research Laboratory (OGRL) in Lawrence, KS. The LCTX procedure applies to the following compounds in water:

anatoxin-a (ANAA), cylindrospermopsin (CYLS), domoic acid (DMAC), microcystin-HtYR (MCHtYR), microcystin-LA (MCLA), microcystin-LF (MCLF), microcystin-LR (MCLR), microcystin-LW (MCLW), microcystin-LY (MCLY), microcystin-RR (MCRR), microcystin-WR (MCWR), microcystin-YR, (MCYR), nodularin-R (NODR), and okadaic acid (OKAC). Simetone is used as an internal standard and L-phenylalanine is used to differentiate anatoxin-a from environmental phenylalanine since they have similar MRM transitions (isobaric compounds) and elute near each other chromatographically.

1.3 The minimum reporting limit (MRL) and minimum detection level (MDL) is matrix and compound dependent. However, the MRL to date has ranged from 0.10 µg/L (0.10 ppb) to 0.30 µg/L (0.30 ppb) based on a 100 µL injection depending on toxin.

2.0 TRAINING

The Project Director is responsible for ensuring that all who perform the function(s) described in this SOP for the OGRL are familiar with the objectives of and properly trained in its procedures. In addition, lab technicians using this procedure must document that they have read and understand this procedure in their training folder.

3.0 DEFINITIONS

- 3.1 Liquid Chromatography (LC) — An analytical instrument that relies on the interaction of an analyte with a solid stationary phase contained in a column and a liquid mobile phase as it passes through the analytical column (column) carrying the analyte.
- 3.2 Triple Quadrupole Mass Spectrometer (MS/MS)—An analyte detector that can determine the mass of selected fragments and fragments of fragments. This detector is typically used in conjunction with a chromatographic technique.
- 3.3 LC/MS/MS—A hyphenated technique where a liquid chromatograph is used for analyte separation is connected to a tandem mass spectrometer as the detector.
- 3.4 Chromatogram—The data that is acquired from the LC/MS/MS.
- 3.5 Analyte—The compound of interest.
- 3.6 Internal Standard— A standard (preferably an isotope labeled version of the analyte(s) of interest when possible) that is spiked into all samples, blanks and calibration samples. This compound should not be present in the environment and is used to correct for variation in analytical processes or techniques.
- 3.7 Reagent Water—treated water (18.2 MΩ/cm, < 1 ppb Total Organic Carbon (TOC)) generated by the laboratory system at the OGRL.
- 3.8 Stock Standard—a known concentration of an individual compound dissolved in a known volume of solvent. Target concentration is usually 100 µg/mL but can be greater if sufficient standard is available with adequate solubility.
- 3.9 LCTX Working Standard Mix— a reagent water spiked with a known concentration of all cyanotoxins and algal toxins that are determined by this method. This does not include the internal standard, simetone.
- 3.10 Analytical column--A stainless steel column containing a solid, stationary phase used to aid in separation on the LC.
- 3.11 Mobile phase—The solvent or combination of solvents that carries the analyte through the analytical column that aid in separation on the LC.
- 3.12 CAS#--Reference number assigned by Chemical Abstract Services to a chemical.
- 3.13 SOP—Standard operating procedure.
- 3.14 MeOH—Methanol, LC/MS grade or better.
- 3.15 ACN—Acetonitrile, LC/MS grade or better.
- 3.16 Formic Acid—Concentrated formic acid, usually 90% or greater.
- 3.17 THF-Tetrahydrofuran, analytical grade or better.
- 3.18 LCTX—an acronym for the liquid chromatography/triple quadrupole mass spectrometer method of cyanotoxins and algal toxins.
- 3.19 PPE---Personal Protective Equipment
- 3.20 Electrospray positive mode (ES +) —An ionization mode of positive polarity used by the tandem mass spectrometer to aid in fragmentation of positive ions.

- 3.21 Electrospray negative mode (ES -) —An ionization mode of negative polarity used by the tandem mass spectrometer to aid in fragmentation of negative ions.
- 3.22 Multiple Reaction Monitoring (MRM) — The scan type used for detection and quantitation of a parent and corresponding daughter fragment of an analyte.
- 3.23 Processed Sample—For purposes of this SOP, this term means that a sample has at minimum been filtered (Dissolved Cyanotoxin Analysis) or lysed and filtered (Total Cyanotoxin Analysis).

4.0 PERSONNEL HEALTH AND SAFETY

Note: This SOP is to be used in conjunction with an approved Chemical Hygiene Plan. Also, consult the Chemical Hygiene Plan for information on and use of all PPE including nitrile gloves, safety glasses, and a lab coat should be worn especially when making stock standard solutions.

- 4.1 Acetonitrile, methanol, or tetrahydrofuran should not come in contact with skin or eyes, be inhaled, or be swallowed. Contact lenses should not be worn when working with these chemicals. Should contact occur, immediately wash with water. To prevent inhalation, use a fume hood with a suitable face velocity and cover containers before transporting. If a person breathes large amounts of any of these chemicals, move the exposed person to the fresh air at once. If any of these chemicals has been swallowed, get medical attention immediately by calling 911.
- 4.2 Care should be taken when working with THF, being a cyclic ether, there is concern for peroxide formation. **Do not evaporate THF to dryness!** THF is typically shipped with an inhibitor to prevent peroxide formation. There is no need to remove the inhibitor as part of processes conducted in this SOP. Use as is.
- 4.3 Cyanotoxins and algal toxins, by their very nature, are naturally occurring poisons that must be handled with care. The compounds covered in this SOP have a variety of indications when exposure occurs and relevant concentrations are not well defined for humans. However, in lieu of human acute and chronic toxicity information, mouse bioassays have been used to set suggested exposure thresholds. The World Health Organization has also suggested guidelines for some toxins with respect to drinking water and recreational exposure and US EPA has published health advisory thresholds in finished drinking water for anatoxin-a, cylindrospermopsin, and microcystin-LR.
- 4.4 Leaks may occur in fittings due to the high operating pressure of the LC. Safety goggles should be worn to protect eyes from splash.
- 4.5 The column compartment is hot and precautions should be taken before handling columns or touching the walls of column compartment.
- 4.6 The spray chamber of the MS/MS is very hot, with temperatures in excess of 650°C, and must be allowed to cool before touching.

5.0 APPARATUS AND INSTRUMENTATION

- 5.1 Analytical balance—capable of accurately weighing 0.0500 g ± 0.0001 g.
- 5.2 Top loading balance—capable of accurately weighting 5.0 g ± 0.1 g

- 5.3 Auto pipettes--10-to 10,000- μ L, variable-volume auto pipettes with disposable plastic tips (Rainin, Woburn, MA, or equivalent).
- 5.4 Mechanical vortex mixer.
- 5.5 Data acquisition system—computer and printer compatible with all systems.
- 5.6 Instrument Software – LC/MS/MS software used for acquisition and data reduction supplied by LC/MS/MS manufacturer.

6.0 CHEMICALS AND REAGENTS

- 6.1 Mobile phase A, 0.1 % formic acid in reagent water.
- 6.2 Mobile phase B, 0.1 % formic acid in a mixture of 50/50 (v/v) MeOH to ACN.
- 6.3 Active and passive needle rinse solution for LC—Mobile phase B.
- 6.4 Stock solutions of analytes– See attachment A.
- 6.5 Stock internal standard solution, simetone, as received from Chem Services, inc. dissolved in methanol.
- 6.6 An aqueous 5% tetrasodium ethylene diamine tetraacetic acid (EDTA) solution made in reagent water is added to samples to minimize metal chelation. Volume is dependent on data quality (e.g. higher metals content requires more EDTA).

7.0 PROCEDURE

Note: Deviations from SOPs must be recorded in an appropriate instrument or work log. Include the name of the person recording the deviation, date it occurred and type of deviations, and whether the deviation was corrected (if applicable).

7.1 Preparation of 100 μ g/mL individual stock standard solutions of cyanotoxins and algal toxins.

7.1.1 It is critical that all work with concentrated standards be conducted in a properly functioning fume hood. Remove all other items from hood that are not necessary for the work of making the stock cyanotoxin and algal toxin standards prior to initiation of stock standard preparation. Place a sign on the hood before beginning work with toxins for other personnel to stay out of this hood until the sign is removed. The sign should read “Stay out until further notice! Cyanotoxin work in progress. Contact: “your name”, office number, and phone number with questions. This will be in effect for 24 hours from the conclusion of toxin work with concentrated standards and decontamination of surfaces with 50 % aqueous ethanol solution or 50 % aqueous isopropanol solution. All materials including paper towels, gloves, pipettes, and used pipette tips should be left in the hood for 24 hours also before being bagged, tied off, and disposed in the dumpster. Pipettes can be wiped down with 50 % isopropanol or ethanol solutions.

7.1.2 When working with toxins always wear nitrile gloves, appropriate safety glasses. A lab coat is recommended or wash your hands and arms with soap and water upon conclusion of work or at breaks.

- 7.1.3 The mass of toxin received from the distributor may be difficult to observe in the vial since standards usually only have 25 to 250 µg of material. This typically results in a thin film that is clear to offwhite. All solutions therefore must be initially made in the original vial. Target volume of stock standards is 0.25 to 1.0 mL with the appropriate solvent. See attachment A for individual stock standard concentration and the appropriate solvent or solvent mixture. Final individual stock standard solution storage can be in screw cap vials from supplier. For those standards arriving with crimp caps and septa the individual stock standard solutions will need to be transferred to separate screw cap LC/MS/MS grade vials.
- 7.1.4 Unless a certificate of analysis is available regarding standard purity assume 100 % purity for now. There are few certified reference materials available for these toxins and there is not an independent testing lab to confirm purity separate from the manufacturer. Aliquots of standards will be evaluated for purity and the final concentrations will be corrected at that point. (Usually purity is corrected for when making the standards, but correction is not possible in this case since purity is unknown until measured).
- 7.1.5 Add appropriate volume of diluents as listed in Attachment A for a given mass of toxin and vortex capped vial for a couple of minutes. **Keep standards covered in the dark as much as possible when not working with them!** Allow standards to sit at room temperature in the dark for approximately 5 minutes and re-vortex capped vials for approximately 2 minutes. Keep standards at room temperature for 5 more minutes. Record the stock standard concentration, lot number from the manufacturer, name of the preparer and the date prepared in the working standards notebook.

7.2 Preparation of 100 µg/L LCTX Working Standard Mix.

- 7.2.1 Add 50 µL of each 100 µg/mL toxin standard to a labeled 123 mL amber glass bottle. Weigh in 49.3 g of reagent water to the bottle. Cap and invert bottle. **(Note: Since this is a research method, the number of standards added to the mix may change over time. The mass of reagent water to add will decrease by the same volume as the total volume of toxin solution added.)** Each working standard mix should have a lot number connected to the individual 100 µg/mL individual stock standards. The specific information should be recorded in the working standards notebook (i.e. LCTX-WSM-001).
- 7.2.2 Divide the 100 µg/L LCTX Working Standard Mix into subaliquots by placing 1.5 mL of the 100 µg/L LCTX Working Standard Mix into labeled screw capped LC vials. Make 10 LC vials at a time since they will last for quite a while. Each vial label should be labeled with a lot number that ties it back to the original 100 µg/L LCTX Working Standard Mix (i.e. LCTX-WSM-001a). Keep the remainder of the 100 µg/L LCTX Working Standard Mix in the original bottle (7.2.1) and remove from freezer for use only when the 1.5 mL aliquots have been used up and make 10 more subaliquots. Store all 100 µg/L LCTX Working Standard Mixes in the appropriate standards freezer until use.

7.3 Preparation of the 1.23 mg/mL Stock Internal Standard Solution of Simeitone.

7.3.1 Weigh 123 mg of Simeitone (more if purity is not 100%) into 100mL of MeOH. Mix until simetone completely dissolved. Store in Stock Standards Freezer until needed.

7.4 Preparation of 1.23 mg/L Intermediate Internal Standard of Simeitone.

7.4.1 Dilute 1 mL of 1.23 mg/mL Stock Internal Standard Simeitone Solution with 999 mL of MeOH. Mix and store in the freezer when not in use.

7.5 Preparation of 0.123 mg/L Working Internal Standard of Simeitone.

7.5.1 Dilute 10 mL of the 1.23 mg/L Intermediate Internal Standard of Simeitone with 90 mL of reagent water. Mix and store in the freezer when not in use.

7.6 Preparation of LCTX Internal Standard (LCTX ISTD).

7.6.1 Dilute 2.5 mL of the 0.123 mg/L Working Internal Standard with 2.5 mL of reagent water. Label as LCTX ISTD.

7.7 Preparation of Check Standards, Blanks, and Samples for LCTX Analytical Run.

7.7.1 Obtain current LCTX run sheet from Project Management Office or off the computer in ResLab (OGRL Computer Network). Each analytical run should consist of the following: Check Standards (2)- 1.0 µg/L, Blanks after each Check Standard and every standard addition (SA) sample, and unspiked (A) and spiked samples (SA-Standard Addition), and duplicate unspiked and spiked samples (at least 1 duplicate for every 10 samples). There should be 15 to 25 samples per analytical run. For every sample there will be two vials—one containing sample and LCTX ISTD solution and the other containing sample and LCTX SA solution.

7.7.2 Make labels for all Check Standards, Blanks, and Samples as indicated by the run sheet. Remember to make labels for the standard addition samples. All labels except for the Blanks go on microvials. Only two Blank labels will be needed per analytical run and those labels will be placed on 2 mL screw capped LC vials. Labels should have the sample name, LCTX Run number, date of preparation, and initials of personnel preparing the analytical run. Initials should be cross-walked to full names in log book.

7.7.3 Apply labels to all vials and organize by analytical run.

7.7.4 Preparation of Blanks

7.7.4.1 Place 2 mL of reagent water into a labeled 2 mL screw capped LC vial. There should be a total of two vials with Blank solution per analytical run.

7.7.5 Preparation of Samples

7.7.5.1 Invert all samples 3 times before pipetting.

7.7.5.2 Pipette 1.5 mL of filtered sample into a glass LC/MS/MS vial and cap.

7.8 Make sure the Source of the MS/MS is clean. If source is not cleaned and you are not trained ask your supervisor for training.

7.9 Mobile Phase Preparation for LC

7.9.1 Preparation of Mobile Phase A: 0.1 % Formic acid in reagent water.

- 7.9.1.1 Add 2 mL of concentrated formic acid to 2 L of reagent water. Cap and invert 3 times. pH will be approximately 2.6 to 2.7 typically.
- 7.9.1.2 Place on channel A of the LC.
- 7.9.2 Preparation of Mobile Phase B: 0.1 % Formic acid in 50/50 Methanol/Acetonitrile.
 - 7.9.2.1 Add 2 mL of concentrated formic acid to 1 L of LC/MS/MS grade or better methanol and 1 L of LC/MS/MS grade or better acetonitrile. Cap and invert 3 times.
 - 7.9.2.2 Place on channel B of the LC.
- 7.9.3 Preparation of Mobile Phase C: Reagent Water.
 - 7.9.3.1 Add 2 L of reagent water into a 2 L mobile phase bottle.
 - 7.9.3.2 Place on channel C of the LC.
- 7.9.4 Preparation of Mobile Phase D: 50/50 Methanol/Acetonitrile.
 - 7.9.4.1 Add 1 L of LC/MS/MS grade or better methanol to 1 L of LC/MS/MS grade or better acetonitrile in a 2 L mobile phase bottle.
 - 7.9.4.2 Place on channel D of the LC.
- 7.10 Make sure all frits, guard cartridge, and analytical column are in place for LCTX. Analytical column is a Waters Corp. Atlantis T3 analytical column. A Waters Corp. Atlantis dC18 analytical column can also be substituted resulting in slight changes in analyte retention time. The guard cartridge is a Waters Atlantis dC18 cartridge.
- 7.11 Prime the LC pumps by opening the purge valves, setting flow rate at 2 to 5 mL/min proportion at 25% for each of the 4 mobile phases. Let prime for at least 5 minutes. Change flow to 95% A and 5% B to reflect starting conditions of separation for 5 minutes. When priming is finished, reduce flowrate back to initial flowrate conditions of LCTX method (usually around 0.7 mL/min), and close purge valve LC pump.
- 7.12 This is a performance based method and is suitable for any bioinert LC/MS/MS system as long as quality control criteria are met. SOP is written currently for an Agilent 1260 bioinert LC/6460 triple quadrupole mass spectrometer with a jet stream source attached. Multimode sources are suitable as well when used in electrospray mode only. The LCTX method is adapted from Loftin et al., 2008 and Graham et al., 2010.**
 - 7.12.1 Defragment partitioned hard drive of instrument computer weekly.
 - 7.12.2 Open Agilent MassHunter Acquisition software.
 - 7.12.3 Open the current LCTX Project
 - 7.12.4 Open an old LCTX worklist from a previous run and resave with the current analytical run number and date.
 - 7.12.5 Enter the correct sample names and save the batch (see appendix B for example layout). Check that the correct acquisition method is being used.
 - 7.12.6 Recheck worklist for typographical errors. Resave if any changes.

- 7.12.7 Place vials in appropriate position in autosampler tray (as shown in appendix B unless project scientists requests a change). Blanks go in vial 1 and vial 2 slots, internal standard solution in vial 3, and standard addition solution is 100 µg/L calibration standard. Place QC, calibration standards, and samples in order in well plate trays starting with P1-A1 according to worklist.

7.13 Equilibration of LC/MS/MS

- 7.13.1 Open the LCTX method.
- 7.13.2 Start the worklist in multiple vial mode.
- 7.13.3 Run the first 3 injections of the worklist as 1 µg/L control standards. If using a new column, then may need to run up to 6 injections to equilibrate column.
- 7.13.4 Evaluate retention time stability, peak shape and abundance. Values should be within 60 seconds, consistent peak shape based on historical data, and within 30% of historical abundance, respectively.
- 7.13.5 If data is not consistent, then begin troubleshooting which may include:
- 7.13.5.1 Check that LC backpressure is within typical ranges.
 - 7.13.5.2 Make sure purge valve is closed.
 - 7.13.5.3 Check for leaks.
 - 7.13.5.4 Check that spray from electrospray needle is positioned correctly and has a concentric spray.
 - 7.13.5.5 Infuse a standard in the MS/MS to check MS/MS performance.
 - 7.13.5.6 Notification of supervisor as needed and remedial action to correct instrument performance.

7.14 Submission of Worklist.

- 7.14.1 If control standards data looks comparable between injections, then proceed with worklist. Control standards should be within +/- 20% of expected concentration or abundance.
- 7.14.2 Verify periodically that internal standard, blanks, controls, and standard addition samples look appropriate. Confirm that peak shapes and retention times are consistent compared to historical analysis runs (e.g. retention times within 1 minute of historical value unless method needs to be modified with approval from supervisor. If not, remedy the problem following the troubleshooting steps in Section 7.13.5.

7.15 Post Run Instrument Clean-Up.

- 7.15.1 The last line of the worklist should include a blank injection using the LCTX clean method. This will use mobile phases C and D to clean any residual traces due to sample matrix out of the column under the clean conditions which are at a LC higher temperature. No acid modifier is added to mobile phases C and D for proper column storage.

7.16 Data Reduction with Agilent MassHunter Quantitation software

- 7.16.1 Once data has been acquired, open the Agilent MassHunter Quantitation software.
 - 7.16.2 Create a new Batch and load newly acquired data from worklist into the batch.
 - 7.16.3 Load the appropriate LCTX quant method.
 - 7.16.4 Edit the LCTX quant method to update retention times and MRM ratios as necessary using a mid to upper range calibration standard. Check integration of all compounds.
 - 7.16.5 Save method with batch folder and process calibration data. Use linear or quadratic curve fits. $1/x$ weighting is permissible. R^2 values should be 0.98 or greater. Save when done.
 - 7.16.6 Quantitate all samples
 - 7.16.7 Evaluate calibration data, make sure blanks are blank below the minimum reporting level (MRL) of the method, duplicates and control standards are within +/- 20% (28.3% RSD) of expected concentration or abundance.
 - 7.16.8 For Standard Addition Calculations, use the standard addition LCTX quant method or export the results table into a spreadsheet program such as Microsoft Excel.
 - 7.16.9 When quantitation is complete, have a supervisory chemist provide quality control of the data set as described in Section 10.
 - 7.16.10 Reanalysis of samples is necessary when quality control or instrument performance renders the data outside of acceptable QC metrics as established in Section 10 of the SOP, Table 5.11.1 of the NCCA 2015 QAPP and best professional scientific judgement by a supervisory chemist. When using standard addition for quantitation, check if concentrations prior to correction for dilution are greater than 2.5 $\mu\text{g/L}$. If so, dilute the original sample and reanalyze by standard addition as described in this SOP.
 - 7.16.11 If any samples exhibit data quality issues confer with a supervisory chemist for evaluation of problem.
 - 7.16.12 When data quality is deemed acceptable then store an electronic data analysis report for record keeping.
- 7.17 Refer to the 2010 OGRL SOP on backing up data for data archival.

8.0 REFERENCES

- 8.1 2010 Backing up Data
- 8.2 Toxic Cyanobacteria in Water: A guide to their public health consequences, monitoring and management. Chorus, I.; Bartram, J.; Eds., Spon Press: London, 1999.
- 8.3 Graham, J.L., Loftin, K.L., Meyer, M.T., Ziegler, A.C. 2010. Cyanotoxin mixtures and taste-and-odor compounds in cyanobacterial blooms from the Midwestern United States, *Environ. Sci. Technol.*, 44, 7361-7368.
- 8.4 Loftin, K.A., Meyer, M.T., Rubio, F., Kamp, L., Humphries, E., Whereat, E. 2008. Comparison of two cell lysis procedures for recovery of microcystins in water samples from

Silver Lake in Dover, Delaware, with microcystin producing cyanobacterial accumulations.
USGS OFR 2008-1341, 9 p.

9.0 RECORDS AND ARCHIVAL

The person performing this SOP is responsible for submitting the following records to be archived to the Project Documents Archival manager or stored in the appropriate location in the laboratory (usually next to instrument computer).

- 9.1 Instrument Maintenance Log
- 9.2 Worklist Log
- 9.3 Tune files Log
- 9.4 Computer data files for each sample and control are stored, copied, backed up, and archived according to OGRL-SOP-2010.

10.0 QUALITY CONTROL

- 10.1 Supervisory chemist visually reviews QC data for each run or uses software to identify excursions from permissible results described in Sections 7.16.5 and 7.16.7, and MRLs listed in Table 5.11.1 of the NCCA 2015 QAPP.
 - 10.1.1 Analytical control is maintained by the use of carryover blanks (COB), laboratory duplicates (DUP), and Control Standards (CCV).
 - 10.1.2 Standard addition (spiked sample duplicate) results provide checks for and qualify matrix dependent shifts in retention times and Multiple Reaction Monitoring (MRM) ratios, and provide a basis for sample matrix-corrected results when responses deviate from expected (e.g. +/- 20% or 28.3% RSD).
 - 10.1.3 Target analytes will be quantitated by internal standard curve unless matrix effects are greater than +/- 20%. Larger deviations will trigger reanalysis and quantitation by standard addition.

11.0 ATTACHMENTS

- 11.1 Appendix A: Analyte List
- 11.2 Appendix B: Instrument Worklist Example
- 11.3 Appendix C: LCTX LC/MS/MS method
- 11.4 Appendix D: LCTX Clean LC/MS/MS method

12.0 REVISIONS TO THIS SOP

- Rev. 1 9/29/2008 Initial version
- Rev. 2 8/31/2015
- Appendix A: Analyte List

Toxin	Type	CAS#	Stock Concentration (µg/mL)	Diluent (solvent)
anatoxin-a	Cyanotoxin	64285-06-9	100	Water
cylindrospermopsin	Cyanotoxin	143545-90-8	100	Methanol
domoic Acid	Algal toxin	14277-97-5	100	Methanol
microcystin-HiLR	Cyanotoxin	NA	100	Methanol
microcystin-HtYR	Cyanotoxin	NA	100	Methanol
microcystin-LA	Cyanotoxin	96180-79-9	100	Methanol
microcystin-LF	Cyanotoxin	154037-70-4	100	Methanol
microcystin-LR	Cyanotoxin	101043-37-2	100	Methanol
microcystin-LW	Cyanotoxin	111755-37-4	100	Methanol
microcystin-RR	Cyanotoxin	111755-37-4	100	Methanol
microcystin-WR	Cyanotoxin	NA	100	Methanol
microcystin-YR	Cyanotoxin	101043-37-2	100	Methanol
nodularin-R	Cyanotoxin	118399-22-7	100	Methanol
okadaic acid	Algal toxin	78111-17-8	100	Methanol
L-phenylalanine	Amino acid	63-91-2	100	Water

Appendix B: Example Instrument Run Sheet Layout

Worklist Number	Sample ID	Sample Type	Injection Volume (µL)	Standard
1	1 µg/L LCTX Standard Mix a	Column Equilibration Sample	1	100 µg/L LCTX Standard Mix
2	1 µg/L LCTX Standard Mix b	Column Equilibration Sample	1	100 µg/L LCTX Standard Mix
3	1 µg/L LCTX Standard Mix c	Column Equilibration Sample	1	100 µg/L LCTX Standard Mix
4	Blank 1	Instrument Blank	0	Blank
5	0.001 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	100	0.10 µg/L LCTX Standard Mix
6	0.010 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	1	1 µg/L LCTX Standard Mix
7	0.030 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	3	1 µg/L LCTX Standard Mix
8	0.050 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	5	1 µg/L LCTX Standard Mix
9	0.080 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	8	1 µg/L LCTX Standard Mix
10	0.10 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	10	1 µg/L LCTX Standard Mix
11	0.25 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	25	1 µg/L LCTX Standard Mix
12	0.50 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	50	1 µg/L LCTX Standard Mix
13	0.75 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	75	1 µg/L LCTX Standard Mix
Worklist Number	Sample ID	Sample Type	Injection Volume (µL)	Standard

STANDARD OPERATING PROCEDURE

14	1 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	1	100 µg/L LCTX Standard Mix
15	5 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	5	100 µg/L LCTX Standard Mix
16	8 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	8	100 µg/L LCTX Standard Mix
17	10 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	10	100 µg/L LCTX Standard Mix
18	25 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	25	100 µg/L LCTX Standard Mix
19	50 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	50	100 µg/L LCTX Standard Mix
20	75 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	75	100 µg/L LCTX Standard Mix
21	99 µg/L LCTX Standard Mix	Internal Standard Curve Calibration	99*	100 µg/L LCTX Standard Mix
22	Blank 2	Instrument Blank	0	Blank
23	NCC-439871 A	Sample	99	
24	NCC-439872 A	Sample	99	
25	NCC-439873 A	Sample	99	
26	NCC-439874 A	Sample	99	
27	NCC-439875 A	Sample	99	
28	NCC-439876 A	Sample	99	
29	NCC-439877 A	Sample	99	
30	NCC-439878 A	Sample	99	
Worklist Number	Sample ID	Sample Type	Injection Volume (µL)	Standard
31	NCC-439880 A	Sample	99	
32	NCC-439881 A	Sample	99	


33	NCC-439871 L	Instrument Duplicate	99	
34	NCC-439881 SA	Spiked Sample Duplicate	99 - sample 1 - 100 µg/L LCTX Standard Mix	
35	Blank 3	Instrument Blank	0	Blank
36	1 µg/L LCTX Standard Mix CC1	Calibration Check	1	100 µg/L LCTX Standard Mix
37	Blank 4	Instrument Blank	0	Blank
38	NCC-439882 A	Sample	99	
39	NCC-439883 A	Sample	99	
40	NCC-439884 A	Sample	99	
41	NCC-439885 A	Sample	99	
42	NCC-439886 A	Sample	99	
43	NCC-439887 A	Sample	99	
44	NCC-439888 A	Sample	99	
45	NCC-439889 A	Sample	99	
46	NCC-439890 A	Sample	99	
47	NCC-439891 A	Sample	99	
48	NCC-439882 L	Instrument Duplicate	99	
49	NCC-439891 SA	Spiked Sample Duplicate	99 - sample 1 - 100 µg/L LCTX Standard Mix	
50	Blank 5	Instrument Blank	0	Blank
Worklist Number	Sample ID	Sample Type	Injection Volume (µL)	Standard
51	1 µg/L LCTX Standard Mix CC2	Calibration Check	1	100 µg/L LCTX Standard Mix
52	Blank 6	Instrument Blank	0	Blank

1 Only 99 μL is injected to accommodate a 1 μL stacked injection of internal standard (simeone) for 100 μL injection loops. 100 μL of standard mix can be injected on larger injection loops.

2 L = instrument sample duplicate

3 SA = Spiked Sample Duplicate. Final concentration can be modified by changing the injection volume of the standard spiked. This example shows a 1.0 $\mu\text{g/L}$ equivalent final concentration.

Appendix C.2

<p>Title : <i>Sequential Freeze/Thaw Cell-Lysis Procedure for Total and Dissolved Algal Toxin Analysis of Water Samples</i></p>				<p>Identifier: <i>OGRL-SOP-4520</i></p>	<p>Revision : 2</p>	<p>Effective Date: 1/18/2016</p>
						
<p>APPROVALS FOR USE</p>						
<p>Author's Name (Print): <i>Keith A. Loftin</i></p>		<p>Author's Signature:</p>			<p>Date: <i>01/18/16</i></p>	
<p>Project Director's Name (Print) <i>Mike T. Meyer</i></p>		<p>Project Director's Signature</p>			<p>Date: 01/22/16</p>	
<p>Organic Geochemistry Research Laboratory (OGRL)</p>						

STANDARD OPERATING PROCEDURE

PROCESSING WATER SAMPLES FOR ALGAL TOXIN ANALYSIS

Table of Contents

1.0	SCOPE AND APPLICATION	162
2.0	TRAINING	162
3.0	DEFINITIONS	162
4.0	PERSONNEL HEALTH AND SAFETY	163
5.0	EQUIPMENT AND SUPPLIES	163
6.0	PROCEDURE FOR FREEZE/THAW CYCLING.....	5
7.0	PROCEDURE FOR FILTERING/VIALLING.....	6
8.0	REFERENCES	167
9.0	RECORDS AND ARCHIVAL	167
10.0	QUALITY CONTROL	168
11.0	ATTACHMENTS	169
12.0	REVISIONS TO THIS SOP	169

Processing Water Samples for Microcystin Analysis

NOTE: Laboratory personnel may produce paper copies of this procedure printed from the controlled document file. However, it is their responsibility to ensure that they are trained on and utilizing the current version of this procedure. The procedure author may be contacted if text is unclear.

1.0 SCOPE AND APPLICATION

- 1.1 This Standard Operating Procedure (SOP) describes the sequential freeze/thaw cell-lysis process for preparing water samples for algal toxin analysis at the USGS Organic Geochemistry Research Group (OGRL) Laboratory in Lawrence, KS.
- 1.2 *Algal toxins* are toxins produced and released by phytoplankton. These algal blooms can be extremely toxic to many different species of birds and mammals (including humans).
- 1.3 This Standard Operating Procedure (SOP) describes the cell-lysis process of freezing and thawing water samples as a means to lyse the algal cells and release of algal toxins for analysis.

2.0 TRAINING

The OGRL Director or designee is responsible for ensuring that all who perform the functions described in this SOP for the OGRL are familiar with the objectives of and properly trained in its procedures. In addition, one must document that they have read and understand this procedure in their training folder.

3.0 DEFINITIONS

- 3.1 Total Algal Toxins—For purposes of this SOP, this term refers cell-lysis of all phytoplankton in a given water sample followed by filtration to remove particulates.

Cell-lysis results in intracellular algal toxins transferred to the dissolved phase of the water sample.

- 3.2 Dissolved Algal Toxins—For purposes of this SOP, this term refers to filtration to remove particulates of a given water sample. Given that this sample is filtered in the absence of artificial (laboratory induced) cell-lysis, the algal toxins measured in the water sample do not represent intracellular algal toxins, but dissolved-phase algal toxins from naturally lysed algae.
- 3.3 Frozen Water Sample—A water sample that has been placed overnight in a freezer and is frozen completely through.
- 3.4 Thawing Water Sample—A water sample that has been removed from a freezer to thaw protected from light by aluminum foil.
- 3.5 Thawed Water Sample—A water sample that contains no ice and is composed only of liquid.
- 3.6 Filtering—The process of forcing a sample through a filter to remove particulates.
- 3.7 Sample ID—Each sample in a defined project will have a unique ID that is generally five digits long with a letter.
- 3.8 Project Code—This is the three digit code noted on all sample labels. It is unique and informs the lab employees which project the sample is a part of.
- 3.9 Project Title—This is the title of the project. It will generally include information such as the purpose of the study and who is concerned with the results. An example would be ‘EPA Lake Assessment.’
- 3.10 Reslab—This is the name of the shared network used by all members of the Organic Geochemistry Research Laboratory.

4.0 PERSONNEL HEALTH AND SAFETY

- 4.1 **Note:** This SOP is to be used in conjunction with an approved Chemical Hygiene Plan. Also, consult the Chemical Hygiene Plan for information on and use of all personal protective equipment (PPE).
- 4.2 **Toxins:** The nature of this work can expose an individual to algae and algal toxins if appropriate standard safety protocols are not followed. Notify supervisor when initiating work with environmental samples that may contain toxins and as always report any safety incidences at the earliest opportunity to the laboratory safety officer.
- 4.3 Always wear gloves, at minimum safety glasses, work in the hood when possible and to the extent necessary. Do not ingest, inhale, get in eyes, or contact with skin. If contact with skin made then wash with copious amounts of soap and water. If eye contact made immediately use the eyewash station to rinse eyes then seek medical attention as necessary. For ingestion or inhalation, seek appropriate medical attention. The toxins are not known to be volatile, but can be aerosolized.

5.0 EQUIPMENT AND SUPPLIES

Descriptions of commonly used pieces of equipment, their advantages, and their limitations are listed below.

- 5.1 Nitrile Gloves- Required for handling all environmental samples potentially containing toxins.
- 5.2 Freezer Space- Space should be set aside for the water samples in a freezer with a temperature range less than or equal to -20°C ($\pm 5^{\circ}\text{C}$).
- 5.3 Refrigerator Space- Space should be set aside for the water samples in a refrigerator or the walk-in with a temperature range between 2°C and 10°C .
- 5.4 Aluminum Foil- Foil is used for covering the sinks full of thawing samples. **Algal toxins have been reported as light sensitive, it is necessary to cover all of the samples at all times!**
- 5.5 Vacuum Filtration-The process by which particulates are removed from samples by vacuum.
- 5.6 Syringe Filtration-The process by which particulate are removed from samples by use of syringe and filter.
- 5.7 Clear LC/MS Screw Top Vials- These are 2mL clear glass vials. One vial is needed for each sample. A fine tip permanent marker is used to print pertinent information onto the labeling sticker, which is attached to the vial.
- 5.8 Screw Top Cap- This blue cap is used to seal the clear screw top vial.
- 5.9 1000 mL Beaker- This beaker is used to collect unwanted water sample.
- 5.10 Permanent Marker- Used for labeling the 1000mL dump beaker.
- 5.11 Labeling Tape- Colored tape that is used to label the 1000mL beaker.
- 5.12 Labeling Stickers- Used for labeling the screw top vials during the filtration process.
- 5.13 Fine Tip Permanent Marker- Used for writing on labeling stickers during the filtration process.
- 5.14 10mL pipette and pipette tips- Used for transferring 10mL of the unfiltered sample to the syringe filter.
- 5.15 Empty Chromacol Cardboard Box- This box is used to store the chromacol vials in a freezer after processing is complete. A spreadsheet that includes a list of the vials being stored is placed inside the box. A label is also necessary on the outside of the box.
- 5.16 Empty Vial File or Tray- An item used to store all clear screw top vials belonging to a designated IMN run. It is labeled and stored in a freezer for future analysis and archival/storage.
- 5.17 Clear tape- This is used to affix printed labels to the chromacol vials.
- 5.18 1 oz. amber glass bottle – a sample storage container used for frozen storage/archival of sample filtrate.

6.0 PROCEDURE FOR FREEZE/THAW CYCLING

Note: Deviations from SOPs must be recorded in an appropriate instrument or work log. HDPE or Teflon sample bottles may be used in place of amber glass for selected projects at the initiation of a study. Additionally, different filter procedures may be used prior to the initiation of a study. These deviations from this SOP are not

acceptable after a study is initiated. Deviations to this procedure are subject to approval by the principle investigator.

- 6.1 If sample is to be processed for Dissolved Algal toxin analysis only skip to section 7.0. If sample is to be processed for both Total and Dissolved Algal toxin, then the sample will need to be homogenized by inversion of the sample at least 3 times. Split the homogenized sample in half and label each sample appropriately. Designate 1 bottle as Total and the other Dissolved. Take the sample split for Total Algal toxin analysis through the remaining Freeze/Thaw procedure starting with step 6.2. Skip to Section 7.0 of this SOP to begin processing for Dissolved Algal toxin analysis. Any glass container that will be frozen should be no more than half full of sample.
- 6.2 It is important to have as much communication between all personnel involved in the project as possible.
 - 6.2.1 At the beginning of every shift, read through the “Log Note” left from the students who last worked on the project (see section 10.3.1.3).
 - 6.2.2 Speak with the student login assistant and find out if any new samples have been received for the afternoon.
- 6.3 If there are new samples that have been logged in, ask the login assistant for the physical location of the samples. Also, find out if the samples have undergone the first freeze or freeze/thaw cycle (sometimes samples are stored frozen before shipment to OGRL and may or may not thaw during shipment).
- 6.4 Create a “Processing Spreadsheet” for the new samples (see section 9.1).
- 6.5 Each morning all samples from the freezer and refrigerator are thawed in an empty sink for the day.
 - 6.5.1 Cover all samples with aluminum foil while in sink and do not have samples touching each other to allow air to circulate between the bottles.
- 6.6 Print out the “Sample Checklist” (see section 10.1) and note where all the samples are located in the cycling process.
 - 6.6.1 To make the checklist easy to read, choose a different colored pen/highlighter to mark: the thawing samples, the samples that have been sent to the freezer for the next freeze cycle and the samples ready for filtration.
 - 6.6.1.1 If the sample has just completed its first, then add 1 line by permanent marker to the lid. Repeat with a second line for the completion of the second freeze/thaw cycle, and a third line when the third freeze/thaw cycle is complete. Record dates of each freeze/thaw step in the spreadsheet for each sample.
 - 6.6.1.2 If the sample has just completed its third thaw, it is ready for filtration and then vialing (see section 7.0). These samples will be kept in the refrigerator before filtration begins. If samples will not be filtered within 24 hours then do not do the third thaw until ready for filtration.

- 6.7 Make sure that all samples are accounted for and all spreadsheets are updated on the computer spreadsheet (see section 9.0).
- 6.8 All samples that are still thawing will be kept overnight in a refrigerator (Thawing time is very dependent on sample volume).
- 6.9 Samples that are completely thawed out will follow the sample procedure outlined in sections 6.5.
- 6.10 All spreadsheets must be updated and printed out for storage in the project binder located in the Project Management office (see section 9.0)

7.0 **PROCEDURE FOR FILTERING/VIALING**

- 7.1 One of two filtration techniques (vacuum filtration or syringe filtration) will be used on a set of project samples as indicated by the principle investigator or the project management office. Filter type and mesh size can be modified by the principle investigator to meet project needs, but changes should be recorded in sample spreadsheet.

7.2 **Vacuum filtration**

- 7.2.1 Get a clean 47 mm diameter 100 mL two-piece glass funnel and funnel clamp for each sample.
- 7.2.2 Assemble the filter assembly with a 0.7 micron, 47 mm diameter glass fiber filter in between the two filter pieces and clamp together.
- 7.2.3 Attach filter assembly to a clean 250 to 1000 mL side arm vacuum flask.
- 7.2.4 Connect vacuum flask with vacuum tubing to house vacuum.
- 7.2.5 Invert the capped sample bottle vigorously at least 3 times to homogenize sample.
- 7.2.6 Add approximately 30 mL of sample to funnel and apply vacuum until filter is dry.
- 7.2.7 All filtrate should be stored in clean glass vials for freezing. Glass vials should not be more than half full.
- 7.2.8 Make sure all vials have appropriate identifying information (e.g. sample ID, data, personnel, and "TF" for total and filtered or "DF" for dissolved and filtered).
- 7.2.9 Transfer 1 mL of filtered sample to a labeled 2 mL screw capped vial.
- 7.2.10 Store the remaining filtrate in
- 7.2.11 When finished filtering update all spreadsheets (see section 9.0).

7.3 **Syringe Filtration**

- 7.3.1 Attach an unused 25 mm, 0.7 micron glass fiber membrane syringe filter to an unused 10 mL HDPE syringe with luer lock fitting after removing syringe plunger.
- 7.3.2 Lay syringe plunger on a clean chemwipe.

- 7.3.3 Add 10 mL of sample to syringe barrel with syringe filter in place.
- 7.3.4 Replace removed syringe plunger back into syringe barrel and filter 1 mL of sample directly into labeled, glass 2 mL LC/MS vial. Cap vial.
- 7.3.5 Filter remaining sample, to larger 1 oz. amber glass bottle.

8.0 REFERENCES

- Toxic Cyanobacteria in Water: A guide to their public health consequences, monitoring, and management. Eds. I. Chorus, J. Bartram, Spon Press: London, 1999.
- Graham, J.L., Loftin, K.A., Meyer, M.T., Ziegler, A.C., 2010, Cyanotoxins mixtures and taste-and-odor compounds in cyanobacterial blooms from the midwestern United States, Environmental Science and Technology, 44, 7361-7368.

9.0 RECORDS AND ARCHIVAL

The person performing this SOP is responsible for submitting the following records to be archived to the Project Office Manager.

9.1 PROCESSING SPREADSHEETS (All spreadsheets are maintained in “ResLab” on the network.)

- 9.1.1 The processing sheets are important because they allow OGRL staff to keep track of the freeze/thaw cycling for each sample. They also indicate when each sample was filtered/vialed and the current location.

9.1.2 The template for this spreadsheet should include: the project code, sample ID, date received, number of bottles processed with this sample ID, a section to fill-in the date for each freeze and thaw (repeated three times), date the sample was filtered/vialed, storage location, initials of student and a notes section.

9.2 Liquid Chromatography Tandem Mass Spectrometry and Enzyme-Linked Immunosorbent Assay Run Sheets

9.2.1 The Project Management office and the Principle Investigator should be notified as samples are ready for analyses so run sheets may be populated and samples analyzed as appropriate.

10.0 QUALITY CONTROL

10.1 SAMPLES CHECKLIST

10.1.1 The samples checklist is created in the morning and about an hour before the personnel will leave for the day. After completing the checklist, personnel will update the Processing Spreadsheets with the new information.

10.1.1 To create the checklist, search through each Processing Spreadsheet to find which samples have not yet been filtered/vialed. Copy and paste the entire row of the sample's processing information onto the checklist and keep adding samples.

10.1.2 **Samples not completely thawed.** When a sample is still somewhat or totally frozen, mark the sample ID on the Samples Checklist with a colored highlighting marker. *Place the sample back in the sink to thaw or in the refrigerator for overnight storage as is appropriate.*

10.1.3 **Samples that are thawed and ready to freeze.** When a sample is completely thawed and ready to enter the next freeze cycle, mark the sample ID on the Samples Checklist with a colored highlighting marker (a different color than the marker used in section 8.2.3.3.1.1). *Mark a new line on the top of the sample bottle and place it into the freezer.*

10.1.4 **Samples that are thawed and ready for filtration.** When a sample is completely thawed and ready for filtration and vialling, mark the sample ID on the Samples Checklist with a colored highlighting marker (a different color than the markers used in sections 8.2.3.3.1.1 and 8.2.3.3.2.1). *Set the bottle aside under a cover and filter/vial.*

10.2 CHECKLIST FOR FILTRATION

10.2.1 The Checklist for Filtration helps the personnel accurately complete all filtration steps. While filtering a sample, check off each step in the process.

10.2.2 The checklist should include: the project code, sample ID, each step of filtration/vialing and the initials of the student.

10.3 **NOTES**

10.3.1.1 After cleanup at the end of the work shift it is necessary for personnel to communicate their progress on the project to the Project Management Office and Principle Investigator.

11.0 **ATTACHMENTS**

No attachments

12.0 **REVISIONS TO THIS SOP**

No revisions

1/18/2016 reviewed.

Appendix C.3

Title: <i>Data and Information Backup for all OGRL Instruments</i>	Identifier: <i>OGRL-2010</i>	Revision: 5	Effective Date: 1/12/16
--	--	------------------------------	--



15.1.1.1 APPROVALS FOR USE

Author's Name (Print): <i>Keith A. Loftin</i>	Author's Signature:	Date: <i>1/12/16</i>
Project Director's Name (Print) <i>Michael T. Meyer</i>	Project Director's Signature	Date: 1/12/16

15.1.2 Organic Geochemistry Research Group (OGRG)

DATA AND INFORMATION BACKUP FOR HP GCMS, LCMS, AND HPLC INSTRUMENTS

Table of Contents

1.0	SCOPE AND APPLICATION	172
2.0	TRAINING	172
3.0	DEFINITIONS	172
4.0	PERSONNEL HEALTH AND SAFETY	172
5.0	EQUIPMENT AND SUPPLIES	172
6.0	PROCEDURE	172
7.0	REFERENCES	153
8.0	RECORDS AND ARCHIVAL	155
9.0	QUALITY CONTROL	155
10.0	ATTACHMENTS	155
11.0	REVISIONS TO THIS SOP.....	5

Data and Information Backup for all OGRL instruments

NOTE: Laboratory personnel may produce paper copies of this procedure printed from the controlled document file. However, it is their responsibility to ensure that they are trained on and utilizing the current version of this procedure. The procedure author may be contacted if text is unclear.

1.0 SCOPE AND APPLICATION

- 1.1 This Standard Operating Procedure (SOP) describes the process Data and Information Backup for instruments for the USGS Organic Geochemistry Research Laboratory (OGRL) in Lawrence, KS.

2.0 TRAINING

The Project Director is responsible for ensuring that all who perform the function(s) described in this SOP for the OGRL are familiar with the objectives of and properly trained in its procedures. In addition, one must document that they have read and understand this procedure in their training folder.

3.0 DEFINITIONS

- 3.1 Computer—PC that is used to operate and control OGRL instruments.
- 3.2 External Backup Drive—external data storage drive used for transferring information from instrument computer's hard drive to an external flash drive.

4.0 PERSONNEL HEALTH AND SAFETY

Note: This SOP is to be used in conjunction with an approved Chemical Hygiene Plan. Also, consult the Chemical Hygiene Plan for information on and use of all PPE.

- 4.1 Obey and follow all Safety Regulations when entering the Laboratory.

5.0 EQUIPMENT AND SUPPLIES

Descriptions of commonly used pieces of equipment, their advantages and their limitations are listed below.

- 5.1 External Backup Drive — Each instrument is currently equipped with this device.

6.0 PROCEDURE

Note: Deviations from SOPs must be recorded in an appropriate instrument or work log.

- 6.1 Each instrument is equipped with an external backup drive to archive instrument methods, worklists, and data folders (hereafter referred to as data).
- 6.2 Data is manually archived weekly during scheduled instrument downtime.

- 6.3 Data archive is then backed up onto the USGS KS WSC network drive and also maintained on the external backup drive. The USGS KS WSC network drive has a redundant mirror site in case of network failure.
- 6.4 Over time given the operation of the instruments large quantities of data stored in files on the instrument computer hard drive will have to be permanently removed from the instrument computer (e.g. when 75% of computer's memory is consumed). Each instrument is backed up using the same general procedure. If possible perform backups when the instrument computer is not in operation.
- 6.5 Printed copies of instrument sequences and analytical methods are also maintained at each instrument.

7.0 REFERENCES

No references are cited in this SOP.

8.0 RECORDS AND ARCHIVAL

The person performing this SOP is responsible for submitting the following external drives to be archived to the Project Documents Archival manager.

9.0 QUALITY CONTROL

No quality control measures have been defined for this procedure.

10.0 ATTACHMENTS

There are no attachments to this SOP.

11.0 REVISIONS TO THIS SOP

6/6/00- Initial Version


2/15/02- Revisions 2 , Added Section 11.0

6/4/03-Reviewed, no changes

1/12/04 – Reviewed, no changes

1/12/16 – Reviewed, changed archive procedures from tape drive back up to external flash drive storage.

APPENDIX D: EXAMPLE SOPS FOR MERCURY IN FISH TISSUE PLUG ANALYSES

	Frontier Global Sciences	Document Title: Mercury in Water by Oxidation, Purge & Trap and CV-AFS (EPA Method 1631, Rev E)	Eurofins Document Reference: EFGS-SOP-137-R02
--	--------------------------	--	---

Eurofins Document Reference	EFGS-SOP-137-R02	Revision	2
Effective Date	6/17/2013	Status	Final
Historical/Local Document Number	FGS-SOP-137.02		
Local Document Level	Level 3		
Local Document Type	SOP		
Local Document Category	NA		

Prepared by	Ryan Nelson
Reviewed and Approved by	Dave Wunderlich and Patrick Garcia-Strickland

Table of Contents

1	Revision Log:	4
2	Reference:	4
3	Cross Reference:	5
4	Purpose:	5
5	Scope:	5
6	Basic Principles:	5
7	Reference Modifications:	6
8	Definitions:	6
9	Interferences:	8
10	Safety Precautions, Pollution Prevention and Waste Handling:	9
11	Personnel Training and Qualifications:	10
12	Sample Collection, Preservation, and Handling:	10
13	Apparatus and Equipment:	11
14	Reagents and Standards:	11
15	Calibration:	17
16	Procedure:	18
17	Calculations:	21
18	Statistical Information/Method Performance:	22
19	Quality Assurance/Quality Control:	22
20	Corrective Action	24
21	List of Attachments	25
	Table 1: QC Requirements for Total Mercury	26
	Appendix A: Example - Standard Operating Procedure Training Record	27

Approvals:

Prepared by: *By MA*

Date: 6/17/13

Approved by: *Dana Henderson*

Date: 6/17/2013

Approved by: *PA*

Date: 6/18/13

1 Revision Log:

Revision:	Effective Date: This version	
Section	Justification	Changes
Cover	Required change	Changed company name from Frontier Global Sciences to Eurofins Frontier Global Sciences.
All	Formatting requirement per LOM SOP-LAB-201	Reformatted document to new corporate specifications.
13.1, 13.2	Required	Added hardware and software components
14.8	Required	Updated mercury standard prep
14.9	Required	Updated standard and reagent documentation procedures
15.2 – 15.4	Required	Updated calibration information
16.7	Required	Added instrument maintenance and troubleshooting

2 Reference:

- 2.1 EPA Method 1631, Revision E: Mercury in Water by Oxidation, Purge and Trap, and Cold Vapor Atomic Fluorescence Spectrometry, 2002.
- 2.2 Method 1669, "Method for Sampling Ambient Water for Determination of Metals at EPA Ambient Criteria Levels," U.S. Environmental Protection Agency, Office of Water, Office of Science and Technology, Engineering and Analysis Division (4303), 401 M Street SW, Washington, DC 20460, April 1995 with January 1996 revisions.
- 2.3 Bloom, N.S.; and Tsalkitzis, E. Standard Operating Procedure FGS-012 Determination of Total Mercury in Aqueous Media (Modified EPA Method 1631). Frontier GeoSciences Inc., Quality Assurance Manual 1995.
- 2.4 Bloom, N.S.; Ultra-Clean Sample Handling, Environmental Lab 1995, March/April, 20.
- 2.5 Bloom, N.S.; Horvat M., and Watras C.J. Results of the International Mercury Speciation Intercomparison Exercise. Wat. Air Soil Pollut. 1995, 80, 1257.
- 2.6 Bloom, N.S.; Crecelius, E.A. Determination of Mercury in Seawater at Sub-nanogram per Liter Levels. Mar. Chem. 1983, 14, 49.
- 2.7 Bloom, N.S.; Crecelius, E.A. Distribution of Silver, Lead, Mercury, Copper, and Cadmium in Central Puget Sound Sediments Mar. Chem 1987, 21, 377-390.
- 2.8 Bloom, N.S.; Fitzgerald, W.F. Determination of Volatile Mercury Species at the Picogram Level by Low-Temperature Gas Chromatography with Cold-Vapor Atomic Fluorescence Detection. Anal. Chem. Acta. 1988, 208, 151.
- 2.9 Cossa, D.; Couran, P. An International Intercomparison Exercise for Total Mercury in Seawater. App. Organomet. Chem. 1990, 4, 49.
- 2.10 Fitzgerald, W.F.; Gill, G.A. Sub-Nanogram Determination of Mercury by Two-Stage Gold Amalgamation and Gas Phase Detection Applied to Atmospheric Analysis. Anal. Chem. 1979, 15, 1714.
- 2.11 Gill, G.A.; Fitzgerald, W.F. Mercury Sampling of Open Ocean Waters at the Picogram Level Deep Sea Res. 1985, 32, 287.
- 2.12 EPA Method 30.B, Determination of total vapor phase mercury emissions from coal-fired combustion sources using carbon sorbent traps.

- 2.13 Chemical Hygiene Plan, Eurofins Frontier Global Sciences, current version.
- 2.14 National Environmental Laboratory Accreditation Conference, NELAC Standard September 8, 2009.
- 2.15 Department of Defense Quality Systems Manual for Environmental Laboratories, prepared by DoD Environmental Quality Workgroup, Final Version 4.2, October 2010.

3 Cross Reference:

Document	Document Title
SOP FGS-003	Pipette Verification, Calibration and Maintenance
SOP FGS-007	Cleaning of Sampling Equipment and Bottles
SOP FGS-008	Ultra Clean Aqueous Sample Collection
SOP FGS-012	Oxidation of Aqueous Samples for Total Mercury Analysis
SOP FGS-061	Gold Trap Construction
SOP FGS-094, App F	Standard Operating Procedure Training Record
SOP FGS-099	Waste Disposal Procedure for Client Sample Waste
SOP FGS-121	Determination of Total Mercury by Flow Injection AFS (Mod 1631E)
SOP FGS-155	Calibration of Volumetric Dispensers

4 Purpose:

- 4.1 This SOP is designed to ensure that all reproducible traceable procedures in EPA 1631 are followed in the standardization of the total mercury analyzers and in the analysis of samples for total mercury, as well as to establish the limits wherein data will be considered acceptable.

5 Scope:

- 5.1 This Standard Operating Procedure (SOP) describes a method for the determination of total mercury (Hg) in filtered and unfiltered water by oxidation, purge and trap, desorption, and cold vapor atomic fluorescence spectrometry (CVAFS).
- 5.2 This method is designed for the determination of mercury in the range of 0.5-40 ng/L (ppt). Application may be extended to higher levels by selection of a smaller sample size, as long as the instrument value (intensity) remains within the calibration curve.
- 5.3 The Control Limits are established from EPA 1631E.

6 Basic Principles:

- 6.1 For analysis of aqueous samples, an aliquot of oxidized sample is neutralized with hydroxylamine-hydrochloride (NH₂OH-HCl) to destroy free halogens, and added to a bubbler.
- 6.2 Stannous chloride (SnCl₂) is added to the bubbler to reduce the Hg(II) to volatile Hg(0), and the bubblers are sealed with Keck clips. Blanked gold traps are placed at the end of soda-lime pre-traps. The bubbler is purged with nitrogen (N₂) for 20 minutes. All gas that flows into the bubbler should only leave the system through the soda-lime pre-trap and then the gold trap.
- 6.3 The gaseous mercury amalgamates to the gold traps, which are removed and individually placed in the analytical train. The gold trap is heated, thus releasing the mercury into the argon gas stream flowing into the instrument.

7 Reference Modifications:

7.1 There were no significant modifications to this method.

8 Definitions:

- 8.1 Analytical Duplicate (AD): A representative sample (that yielded a result within the calibration curve) is analyzed a second time during the analytical run. The second analysis should be at the same aliquot as the original.
- 8.2 Analytical Run – The continuous analysis of one or more batches during the same 12 hour-shift. Each analytical day requires a minimum five-point calibration curve, ICV, at least 3 IBLs, and CCV/CCB every ten runs. An analytical day must conclude with a CCV/CCB.
- 8.3 Analytical Spike and Analytical Spike Duplicate (AS/ASD): A representative sample is selected and spiked, with a dilution of the primary source, during the analytical run, at a target concentration of 1-5X the ambient concentration of the sample. These QC samples are used to indicate sample matrix effects on the analyte of interest. Non-detectable samples are spiked at 1 – 5 x of the MRL/PQL.
- 8.4 Batch: 20 client samples or less grouped for preparation. See Quality Assurance Section for batch requirements.
- 8.5 Calibration Standards (CAL) – a series of standards that will be used to calibrate the instrument, made from a primary source stock standard. A calibration blank plus at least five different concentrations are required, beginning with one at PQL concentration.
- 8.6 Certified Reference Material (CRM) – a standard of known composition that is certified by a recognized authority and representing a sample matrix. It is used to verify the accuracy of a method.
- 8.7 Continuing Calibration Blank (CCB): An instrument blank that is used to monitor the ambient blank concentration after the Continuing Calibration Verification (CCV).
- 8.8 Continuing Calibration Verification (CCV): An aliquot of standard from the same source as the calibration standard, at a value of 20ng/L (2.0ng in ~100mL bubbler water). This standard is analyzed after every 10 analytical runs, and determines whether the instrument is maintaining calibration.
- 8.9 Continuing Demonstration of Capability (CDOC)
- 8.10 Control Limit (CL) – the limit of the range of acceptability for the quality control samples
- 8.11 Equipment Blank (EB): Reagent water processed through the sampling devices and placed in a sample container prior to using the equipment to collect samples and used to demonstrate that the sampling equipment is free from contamination.
- 8.12 Field Blanks (FB): A sample of reagent water placed in a sample container in the field and used to demonstrate that samples have not been contaminated by sample collection or transport activities. EPA-1631E recommends the analysis of at least one field blank per 10 samples collected at the same site at the same time. Analyze the blank immediately before analyzing the samples in the batch.

- 8.13 Initial Calibration Verification (ICV): A standard that is prepared from a secondary source stock standard with a value of 15ng/L (1.5ng in ~100mL bubbler). This standard is run immediately following the calibration curve and verifies instrument calibration. It is always followed by the IBLs.
- 8.14 Initial Blank Level (IBL): An instrument blank that is used to demonstrate the ambient blank concentration of the instrument. One per bubbler is needed at the beginning of the analytical run.
- 8.15 Initial Demonstration of Capability (IDOC).
- 8.16 Laboratory Control Sample (LCS and LCSD) or Quality Control Sample (QCS): A sample (and duplicate) containing a known concentration of mercury that is used to monitor complete method performance. The preferred LCS is a matrix matched Certified Reference Material (CRM), but a blank spike meets the requirement also. In LIMS, the LCS is always referred to as a Blank Spike (BS), whether it is matrix matched or not.
- 8.17 Limit of Detection (LOD) – equal to MDL and verified on a quarterly/annual basis, depending on the preparation, by spiking within three times the established LOD and showing a positive result on the instrument.
- 8.18 Limit of Quantitation (LOQ) – equal to PQL and verified on a quarterly/annual basis, depending on the preparation, by spiking within 2 times the LOQ and showing a recovery between 70 – 130%.
- 8.19 LIMS: Laboratory Information Management System. Computer software used for managing samples, standards, and other laboratory functions.
- 8.20 May: This action, activity, or procedural step is optional.
- 8.21 May Not: This action, activity, or procedural step is prohibited .
- 8.22 Matrix Spike (MS) and Matrix Spike Duplicate (MSD): A representative sample is selected and spiked with a dilution of the primary source at a known concentration. The MS and MSD are run through the entire analytical process just as the samples are. These QC samples will indicate sample matrix effects on the analyte of interest.
- 8.23 Method Blank (MBLK) or Preparation Blank (PB): For waters, reagent water that is prepared and analyzed in a manner identical to that of samples. For digested solids, preparations blanks consist of the same reagents used to digest the samples, in the same volume or proportion and are carried through the complete sample preparation and analytical procedure. Boiling chips are used as a blank matrix for solids. Preparation blanks are referred to as BLK in LIMS.
- 8.24 Method Detection Limit (MDL): A limit derived from 40 CFR, Part 136, Appendix B. This method produces a defined value that is the minimum concentration that can be measured and reported with a 99% confidence that the analyte concentration is greater than zero from a given matrix.
- 8.25 Method Duplicates/Method Triplicates (MD/MT): A second or third separate sample dilution, taken from the same source sample, prepared and analyzed in the laboratory separately. An MSD may be used as a duplicate.

- 8.26 Reagent water: 18 M Ω minimum, reagent water starting from a pre-purified (distilled, Reverse Osmosis, etc.) source.
- 8.27 Must: This action, activity, or procedural step is required.
- 8.28 Ongoing Precision and Recovery (OPR): A dilution of a secondary source resulting in an instrumental concentration of 5.0 ng/L mercury.
- 8.29 PM: Project Manager.
- 8.30 Practical Quantitation Limit (PQL), Method Reporting Limit (MRL): The minimum concentration that can be reported quantitatively. The PQL is often described as 1-10 times higher than MDL. Eurofins Frontier defines the PQL as the lowest concentration that can achieve 70-130% recovery for 10 replicate sample preparations. In LIMS, the PQL is referred to as the MRL.
- 8.31 Primary Source: The stock standard used to make the calibration standard. Procedural Method: A method where standards and samples are run through the analytical procedure exactly the same. By NELAC definition, this SOP is a procedural method.
- 8.32 Secondary Source: The stock standard used to make the OPR standard.
- 8.33 Shall: This action, activity, or procedure is required.
- 8.34 Should: This action, activity, or procedure is suggested, but not required.
- 8.35 Stock Standard Solution (SSS) – a standard of analyte that is purchased from a certified source for the preparation of working standards.
- 8.36 Total mercury: As defined by this method, all bromine monochloride-oxidizable mercury forms and species found in aqueous solutions. This includes, but is not limited to, Hg(II), Hg(0), strongly organo-complexed Hg(II) compounds, adsorbed particulate Hg(P), and several tested covalently bound organomercurials (i.e. CH₃HgCl, (CH₃)₂Hg, and C₆H₅HgOOCCH₃). The recovery of mercury bound within microbial cells may require additional preparation steps (i.e. UV oxidation, or oven digestion).
- 8.37 Travel or Trip Blank (TB): A sample of reagent water placed in a sample container in the laboratory and used to demonstrate that samples have not been contaminated by transport activities.

9 Interferences:

- 9.1 Gold and iodide are known interferences. At a mercury concentration of 2.5 ng/L and at increasing iodide concentrations from 30 to 100 mg/L, test data have shown that mercury recovery will be reduced from 100 to 0 percent. At iodide concentrations greater than 3 mg/L, the sample should be pre-reduced with SnCl₂ (to remove brown color immediately prior to analysis) and additional or more concentrated SnCl₂ should be added to the bubbler containing sample. If samples containing iodide concentrations greater than 30 mg/L are analyzed, it may be necessary to clean the analytical system with 4N HCl after the analysis.
- 9.2 Water vapor has the potential to create recovery interferences. To prevent interference from water, ensure that soda-lime pre-traps and gold traps remain dry.

- 9.3 The presence of high concentrations of silver and/or gold can cause SnCl_2 to precipitate out of solution and adhere to the bubbler walls. High concentrations of these metals can sometimes be found in the matrix spike samples from the digestion sets that are shared with the trace metals group. When analyzing digestates where the matrix spike samples have been spiked with silver or gold, the matrix-spiked samples must not be used for mercury analysis. Instead, an alternate matrix spike and matrix spike duplicate (MS/MSD) should be prepared and analyzed. If this is not possible, an Analytical Spike/Analytical Spike Duplicate (AS/ASD) must be analyzed on the ambient sample.

10 Safety Precautions, Pollution Prevention and Waste Handling:

- 10.1 Personnel will don appropriate laboratory attire according to the Chemical Hygiene Plan. This includes, but is not limited to, laboratory coat, safety goggles and nitrile gloves under clean gloves.
- 10.2 The toxicity or carcinogenicity of reagents used in this method has not been fully established. Each chemical should be regarded as a potential health hazard and exposure to these compounds should be as low as reasonably achievable. Chemists should refer to the MSDS (Material Safety Data Sheets) for each chemical they are working with.
- 10.2.1 Note: Use particular caution when preparing and using BrCl , as it releases extremely irritating, corrosive fumes similar in effect to free chlorine. Always handle this reagent in an approved fume hood
- 10.3 All personnel handling environmental samples known to contain or to have been in contact with human waste should be immunized against known disease-causative agents. Eurofins Frontier will reimburse the expense of Hepatitis A and B immunizations for any laboratory staff member who desires this protection.
- 10.4 Hydrochloric acid: Very hazardous in case of skin contact (corrosive, irritant, permeator), of eye contact (irritant, corrosive), of ingestion. Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. For more information see MSDS.
- 10.5 See Eurofins Frontier Global Sciences Chemical Hygiene Plan (CHP) for general information regarding employee safety, waste management, and pollution prevention.
- 10.6 Pollution prevention information can be found in the current Eurofins Frontier Global Sciences Chemical Hygiene Plan (CHP), which details and tracks various waste streams and disposal procedures.
- 10.7 All laboratory waste is accumulated, managed, and disposed of in accordance with all federal, state, and local laws and regulations. Any waste generated by this procedure should be disposed of according to SOP FGS-099 "Waste Disposal Procedure for

Client Sample Waste,” which provides instruction on dealing with laboratory and client waste.

11 Personnel Training and Qualifications:

- 11.1 An analyst must perform an initial demonstration of capability (IDOC) that includes four replicates of a secondary source before being qualified to analyze samples without supervision. Continuing DOC will be maintained and monitored via performance on CRMs and other QC samples, as well as obtaining acceptable results on proficiency testing exercises.
- 11.2 The analyst/laboratory technician must have read this SOP and other relevant SOPs and have the training documented on the applicable form(s). The analysis may be questioned on SOP by supervisor(s) and/or trainers.
- 11.3 Training is documented by the employee and supervisor, and is kept on file in the QA Office. The employee must read, understand, and by signing the training document, agree to perform the procedures as stated in all Standard Operating Procedures (SOPs) related to this method.
- 11.4 Reading of the SOP must be documented on the correct form such as “Standard Operating Procedure Training Record,” Appendix F in FGS-094, the last page of this SOP, Appendix A “Standard Operating Procedure Training Record” or a similar document.”
- 11.5 All employees must also, on a yearly basis, read the Quality Manual (QM), and complete the yearly Ethics training.
- 11.6 All training documents including IDOCs, CDOCs, SOP reading, Initial QA orientation, and Ethics training are stored by the Quality Assurance Manager in the employees training file for ten years after the employee is no longer working for Eurofins Frontier Global Sciences.
- 11.7 Chemical Safety Training, Compressed Gas Training, Chemical Hygiene Plan documentation, and Shipping of Hazardous goods, are stored by the Health and Safety Officer for ten years after the employee is no longer working for Eurofins Frontier Global Sciences.

12 Sample Collection, Preservation, and Handling:

- 12.1 Aqueous samples are collected in rigorously cleaned fluoropolymer (e.g. Teflon) or PETG bottles and caps (as described in FGS-007 “Cleaning of Sampling Equipment and Bottles for Mercury Analysis”). Certified clean glass bottles with fluoropolymer lids may be used if mercury is the only analyte of interest.
 - 12.1.1 Aqueous samples are preserved upon receipt with 0.2N BrCl that has tested low in mercury. Samples are typically preserved to 1% BrCl v/v, but may require further oxidation due to high levels of organic matter or mercury. Refer to FGS-012 “Oxidation of Aqueous Samples for Total Mercury Analysis” for oxidation of aqueous samples. Samples requiring greater than 10% BrCl must have a method blank prepared at the time of preservation. Preservation levels should be limited to 1%, 2%, 3%, 5%, 10%, and 100%.

12.1.2 Preservation levels other than 1% are written on the LIMS label of the sample bottle. Preservation levels are also documented in the LIMS bench sheet by adjusting the initial and final volumes. For example, a sample preserved at 2 % BrCl must say "2" on the LIMS label, and have an initial volume of 100mL and a final volume of 102mL in the bench sheet.

12.2 All samples should be collected utilizing clean techniques, so as not to cross-contaminate samples with mercury. See FGS-008 "Ultra Clean Aqueous Sample Collection" and EPA Method 1669 for aqueous sample techniques.

13 Apparatus and Equipment:

13.1 *LIMS – Element, version 5.85 or higher; Computer – Windows XP, 7 or 8*

13.2 *Tekran 2500 Atomic Fluorescence Spectrophotometer (AFS) or equivalent: A high sensitivity AFS Detector (IDL<1pg) with a required wavelength of 253.7 nm and associated software.*

13.3 Flow meter/needle valve: A unit capable of controlling and measuring gas flow to the cold vapor generator at 200-500 mL/min.

13.4 Teflon Fittings: Connections between components and columns are made using Teflon FEP tubing and Teflon friction fit tubing connectors.

13.5 Soda-Lime pre-trap: A 10cm x 0.9cm diameter Teflon tube containing 2-3 g of reagent grade, non-indicating 8-14 mesh soda-lime ($\text{Ca}(\text{OH})_2 + \text{NaOH}$) aggregates, packed between portions of silanized glass wool. This trap is purged of mercury by placing it on the output of a clean cold vapor generator and purging it with ~3-5% HCl and ~600 μL of SnCl_2 for approximately 20 minutes with N_2 at 40 mL/min.

13.6 Cold-vapor generator (bubbler): A 150 mL, tall, flat-bottom borosilicate flask with standard taper 24/40 neck, fitted with a sparger having a coarse glass frit which extends to within 0.2 cm of the flask bottom.

13.7 Gold Traps: Made from 12 cm lengths of 6 mm OD quartz tubing, with a 4-way crimp 3.0 cm from one end. The tube is filled with approximately 2.5 cm of 20/40 mesh gold-coated quartz sand, the end of which is then plugged with quartz wool. Gold-coated sand traps are heated to 450-500°C (the coil should have a barely visible red glow when the room is darkened) with a coil consisting of 75 cm of 24-gauge nichrome wire at a potential of 10 VAC. Potential is applied and finely adjusted with an auto-transformer. Refer to SOP FGS-061 regarding the construction of gold traps used for total mercury analysis.

13.8 Agilent Integrator Recorder or equivalent: Any multi-range chart recorder or integrator with 0.1-5.0 mV input and variable speeds is acceptable. Data capture software may also be used.

13.9 Pipettes: Calibrated variable pipettes with a range of 5 μL – 10 mL. Used to make solutions and sample dilutions. Pipettes are to be calibrated weekly according to SOP FGS-003 and FGS-155.

14 Reagents and Standards:

All reagents, except those made daily, must be entered into LIMS

- 14.1 Reagent Water: 18-M Ω ultra pure deionized water starting from a pre-purified (distilled, R.O., etc.) source is used. To remove any remaining trace metals and organics, an activated carbon cartridge is placed between the final ion exchange bed and the 0.2- μ m filter. Reagent water used in the mercury lab is checked weekly for total mercury concentrations, and must test below 0.25ng/L.
- 14.2 Hydrochloric Acid (HCl): Concentrated (36-38% weight basis). Must be trace-metal purified and reagent grade. HCl is typically monitored through performance of the BrCl. Sometimes it will be necessary to test the HCl directly. To do so, add 1 mL, using a calibrated pipette, of HCl to approximately 100mL of purged bubbler water. Enter 1mL as aliquot in the Excel spreadsheet. Do not prep blank correct. Analyze one replicate per bottle. This reagent should test below 5.0 ng/L. This solution is considered stable until the expiration date on the bottle, set by the manufacturer.
- 14.3 0.2N Bromine Monochloride (BrCl):
- 14.3.1 37.5 g of KBr is added to a 2.5-L bottle of concentrated HCl (pre-analyzed and found to be below 0.25 ng/L Hg). The bottle is then inverted in a fume hood to mix the acid and KBr. The solution then sits overnight allowing for the KBr to be dissolved.
- 14.3.2 27.5 g of KBrO₃, certified to be low in Hg, is slowly added to the acid. When all of the KBrO₃ has been added, the solution should have gone from yellow to red to orange.
- 14.3.3 Loosely cap the bottle, and allow to sit for 30 minutes in a fume hood before tightening the lid. Once capped invert bottle to make sure all of the solids goes into solution. **CAUTION: This process generates copious quantities of free halogens (Cl₂, Br₂, BrCl) which are released from the bottle. Add the KBrO₃ SLOWLY and in a well operating fume hood.**
- 14.3.3.1 To test the BrCl, add 1 mL, using a calibrated pipette, of the BrCl to a prep blank vial containing approximately 4 mL reagent water. Add 200 μ L Hydroxylamine-HCl to the vial; pour the entire contents into a bubbler containing approximately 100 mL of purged water. Assume a 100 mL aliquot in the Excel spreadsheet. This reagent must test below 0.20ng/L. Do not prep blank correct. Analyze one replicate per bottle.
- 14.3.3.2 The expiration time for this reagent is set by default to six months in LIMS. There is no suggested holding time in EPA method 1631E, therefore the holding time can be extended, as long as the primary reagent has not expired. The mercury concentration of the BrCl is monitored through the preparation of water preparation blanks.
- 14.4 Hydroxylamine hydrochloride: dissolve 300g of NH₂OH-HCl in reagent water and bring the volume up to 1L. This solution may be purified by the addition of 1mL SnCl₂ solution and purging overnight at 500mL/min with mercury-free N₂. The working reagent is a 25% solution that is made by adding one part reagent water to one part 50% hydroxylamine hydrochloride. This reagent must test below 0.25ng/L.
- 14.4.1 To test the Hydroxylamine-HCl (NH₂OH-HCl), add 1 mL of the 50% reagent, using a calibrated pipette, to approximately 100 mL of purged bubbler water.

Assume a 100 mL aliquot in the Excel spreadsheet. This reagent must test below 0.20 ng/L. Do not prep blank correct. Analyze one replicate per bottle.

- 14.4.2 The expiration time for this reagent is set by default to six months in LIMS. There is no suggested holding time in EPA method 1631E; therefore the holding time can be extended, as long as the primary reagent has not expired.
- 14.5 Stannous Chloride (SnCl_2): Weigh out 500 g SnCl_2 using a calibrated balance that also has been verified for the day. Dissolve with three 100 mL aliquots of concentrated HCl and transfer to a 1L I-CHEM glass bottle, which contains approximately 300 mL of reagent water. Bring this solution up to approximately 1 L of volume and purge overnight with mercury-free N_2 at 500 mL/min to remove all traces of mercury. Store tightly capped. The working reagent is a 25 % solution that is made by adding one part reagent water to one part 50 % stannous chloride.
- 14.5.1 To test the Stannous Chloride (SnCl_2), add 1 mL of the 50% reagent, using a calibrated pipette, to approximately 100 mL of purged bubbler water. Assume a 100 mL aliquot in the spreadsheet. This reagent must test below 0.20 ng/L. Do not prep blank correct. Analyze one replicate per bottle.
- 14.5.2 The expiration time for this reagent by default is set to six months in LIMS. There is no suggested holding time in EPA method 1631E; therefore the holding time can be extended, as long as the primary reagent has not expired.
- 14.6 Argon Grade 4.7 or better (ultra high-purity grade): Argon that has been further purified by the removal of mercury using a gold trap that is located in line between the gas output and the analyzer gas input.
- 14.7 Nitrogen Grade 4.5 (standard laboratory grade): Nitrogen that can be further purified of mercury using a gold trap that is located in line between the gas output and bubbler
- 14.8 Preparation of Total Mercury Standard Solutions:
- 14.8.1 Mercury standard solutions are prepared in ultra clean volumetric glassware and gravimetrically calibrated pipettes. Resulting solutions must be stored in glass or Teflon bottles and preserved to at least 2 % BrCl. All working standards must be tested prior to use.
- 14.8.1.1 New working standards and standard dilutions are tested prior to use. Three reps of the new standard are analyzed in the same run as three reps of the current NIST 1641D standard. Analyze 200 μl of the NIST 1641D and assume 100 ml in the bubbler. The mean percent recovery of the three standards should be $\pm 5\%$ (95-105 %) of the true value and also within 5 % of the average NIST 1641D recovery (e.g. If the average of NIST 1641D recovery is 97 %, the range for the standard is 95-102 %). If the standard does not test within this control limit, it is retested. If it still does not meet the control limit, it is discarded and remade, unless otherwise approved by the Quality Assurance Officer. NOTE: When making serial dilutions to create various standard levels; the lowest concentration may be used to test any of the higher concentration steps (for example: if a 10ng/mL calibration standard is created from a 1000ng/mL spiking standard, only the 10ng/mL standard requires testing.

If the 10ng/mL standard passes, then both standards are considered to be passing within the control limits.)

- 14.8.2 Total Mercury Stock Standard Solution (Stock): Certified mercury standard purchased from High Purity Standards (1000 µg/mL (1 000 000 ng/mL) primary source) or Absolute Standards (100 µg/mL (100 000 ng/mL) secondary source), or any equivalent standard.
- 14.8.3 Total Mercury Spiking Standard Solutions (Spiking Standard): Spiking standards are made from either the primary or secondary sources.
- 14.8.3.1 To make standards, use an ultra clean volumetric flask and a calibrated pipette. Add reagent water until flask is about half full. Add 2 % 0.2N BrCl and the specific spike volume noted below (these volumes may be changed as long as ratio and resulting concentration remains the same). Bring up to the mark with reagent water and mix well prior to testing. When spiking samples, no more than 200 µL of any spiking standard is added to the sample to minimize effects on volume. It is also recommended that staff pipette no less than 25 µL. If possible, minimize headspace during standard storage. Expiration date is currently set at 6 months or when the stock standard expires, whichever is shorter.
- 14.8.3.2 100,000 ng/mL Spiking Standard: Made from the Primary Stock Standard (High Purity, or equivalent vendor). Dilute 10 mL of the stock standard to 100 mL of reagent water containing 2 % BrCl. (Can also be made by preserving Secondary Stock Standard to 2% BrCl).
- 14.8.3.3 10,000 ng/mL Spiking Standard: If made from the Primary Stock Standard (High Purity, or equivalent vendor). Dilute 1.0 mL of the stock standard to 100 mL of reagent water containing 2 % BrCl. If made from Secondary Stock Standard, dilute 10mL of stock standard to 100mL with reagent water containing 2% BrCl.
- 14.8.3.4 1,000 ng/mL Spiking Standard: If made from the Primary Stock Standard (High Purity, or equivalent vendor). Dilute 0.250 mL of the stock standard to 250 mL RO water containing 2 % BrCl. If made from Secondary Stock Standard dilute 2.5mL of stock standard to 250mL with RO water containing 2% BrCl.
- 14.8.3.5 100 ng/mL Spiking Standard: Made from a stock standard or dilution of a stock standard with a concentration of 100,000 ng/mL. Dilute 0.100 mL of the 100,000 ng/mL dilution to 100 mL of reagent water containing 2 % BrCl. Expiration date is currently set at 3 months or when the stock standard expires, whichever is shorter.
- 14.8.4 Calibration Standard (10 ng/mL): Must be made from a dilution of the Primary Stock Standard (High Purity, or equivalent vendor). Typically made by diluting 0.5mL of a 10,000 ng/mL Primary Spiking Standard to 500 mL of reagent water containing 2 % BrCl. Transfer to glass or Teflon bottle. The calibration standard is considered stable for three months or until the stock standard expires.

- 14.8.5 Calibration Standard (1 ng/mL): Must be made from a dilution of a Primary Stock Standard. Typically made by diluting 1.0mL of a 100 ng/mL Primary Spiking Standard to 100mL with Reagent water containing 2% BrCl.
- 14.8.6 Initial Calibration Verification (ICV): A 10 ng/mL ICV solution is prepared using the Secondary Stock Standard (Absolute Standards, or equivalent vendor). Use 0.100 mL (100 µL) of the Secondary Stock Standard to 1000 mL Milli-Q containing 2 % BrCl. Transfer to one 1000 mL glass or Teflon bottle. The ICV standard is considered stable for three months or until the stock standard expires. It is recommended to alternate expiration date with the CAL standard.
- 14.8.7 Continuing Calibration Verification (CCV): For CCV analysis, use 200 µL of the 10 ng/mL CAL standard (documented in LIMS as SEQ-CAL3). The True Value is 20 ng/L.
- 14.8.8 Certified Reference Material (CRM) for Total Mercury in Water: A 1.5679 mg/L solution (1.557 mg/kg at a density of 1.007 g/mL) is prepared by adding a 5.0 mL of CRM NIST 1641d (from ampoule) into a 1000 mL flask containing of reagent water. This solution is diluted to 1000 mL, and an additional 10 mL of 0.2N BrCl is added, resulting in a final volume of 1010 mL. Preparing the solution in this manner makes a 1:200 dilution of the stock CRM. This solution is considered stable for one year, or until the stock standard expires. Results are corrected for the additional 1 % BrCl in the analysis Excel spreadsheet and in LIMS.
- 14.8.9 Ongoing Precision and Recovery (OPR) for "Strict" 1631E: A 5.0 ng/L solution is prepared by adding 100 µL of the 100 ng/mL secondary spiking standard into 2000 mL reagent water. An additional 1 % BrCl (20 mL) of BrCl is added, so that the final volume is 2020 mL. This standard is analyzed at 100 mL at the instrument, and preparation blank corrected exactly in the same manner as samples
- 14.9 Documentation of Standards and Reagents:
- 14.9.1 Standards and Reagents are documented in LIMS upon receipt or creation. A LIMS generated label is affixed to each standard and reagent that has the name of the solution, the person who prepared or received it, the date it was prepared or received, and the expiration date.
- 14.9.2 Each bottle of standard must be labeled with the following: the date of receipt or creation, the initials (or name) of who entered the standard into LIMS, the concentration and analyte, the expiration date and the LIMS ID. This information must also appear on the certificate of analysis of stock standards.
- 14.9.3 Stock standards and CRMs are logged into LIMS upon receipt by Shipping and Receiving (S&R) or the Quality Assurance department (QA). These do not require testing, provided there is a Certificate of Analysis on file in QA. When receiving a solid CRM, QA shall generate a work order in LIMS for total solids analysis.
- 14.9.4 For all standards, LIMS documentation must include the following: a description of the standard, department, expiration date of the standard (not to exceed the expiration of the parent standard), the name of the person who made (or

received) the standard or reagent, the date it was prepared (or received), final volume, a reference date (date entered into LIMS), concentration units ($\mu\text{g/mL}$), the vendor and vendor lot. The solvent lot is used to document the Lot Number or LIMS ID of the BrCl that was used. In the comments section, the analyst must enter the sequence and applicable results for documentation of standard testing. Other notes may be entered in here as well. The correct parent standard must be noted, as well as the amount used. Analytes are entered individually from the list. LIMS will calculate the true value of the standard based on the amount of the parent used and the final volume. Click the appropriate radio button under Standard type. A Spike Mix is a standard that is used in a bench sheet, and a Calibration standard is a standard used only in sequences. A Reference Standard is a Certified Reference Material (CRM). The standard must not be used until it has passed control limits and is approved by the mercury supervisor, mercury laboratory manager, or QA for use.

- 14.9.4.1 If the new standard is a calibration standard, a separate standard ID must be created for each calibration point based on the final concentration in the sequence (example: THg CAL1 0.10 ng or THg CAL2 0.50 ng). These are given the same expiration as the standard they are made from, and will need to be generated every three months as each new working calibration standard is made and tested.
- 14.9.4.2 To generate new "CAL" standards in LIMS, go to the Laboratory drop down menu and select Standards. Open the current CAL1 standard and click "Copy". Update the appropriate information, including the Prepared Date, Expiration Date, Prepared By, and the Reference Date. For these standards, which are to be used in the sequence, the final volume is equal to the assumed aliquot in the bubbler (100 mL). Check that the vendor lot is correct. Remove the old (expired) parent standard. Choose the new parent standard, and enter the amount of standard added to the bubbler for that calibration point. All depleted or expired standards are moved into the Expired Standards Department once they are no longer being used.
- 14.9.4.3 Each bottle of standard must be labeled with the following: the date of receipt or creation, the initials (or name) of who entered the standard into LIMS, the concentration and analyte, the expiration date and the LIMS ID. This information must also appear on the certificate of analysis of stock standards.
- 14.9.5 Neat reagents are logged into LIMS with a unique identifier upon receipt by Shipping and Receiving Department and given a default expiration of 3 years, unless otherwise noted by the manufacturer.
- 14.9.6 Working reagents are prepared by the analyst, logged into LIMS and assigned a unique identifier. Reagents entered into LIMS must have the information listed in section 14.9.2. In addition the parent neat reagents are added by their unique identifier and the amount of each reagent is entered. It is not necessary to enter analytes from the list for reagents. The Solvent Lot is not applicable to working reagents. The radio button must be clicked to Reagent. If the reagent

requires testing, it must test clean prior to using. All reagents used during analysis and prep should be added to bench sheet.

- 14.9.7 Depleted or expired standards and reagents are segregated and removed from use.

15 Calibration:

- 15.1 The analyst should label the strip chart/integrator printout with the corresponding dataset ID as well as print and sign their name. For strip chart printouts, the analyst should label the baseline ratios accordingly (usually X=1 and X=20) and label with the analysis day start time and strip chart drum speed (usually 1 mm/min). The analyst should note the end time as well. If using an integrator, the date and time should be checked and corrected if necessary.
- 15.2 The calibration sequence determines the range of sample concentrations that are reportable. The calibration sequence starts with a 5-point curve using the total mercury calibration standard solution. The five points are: *0.05ng (0.50 ng/L)*, *0.10 ng (1.00 ng/L)*, *0.50 ng (5.00 ng/L)*, *2.00 ng (20.00 ng/L)*, and *4.00 ng (40.0 ng/L)*. An ICV/OPR and IBLs (one for every bubbler used are analyzed immediately following the standard curve.
- 15.2.1 Using the 10 ng/mL calibration standard, add 5 μ L, 10 μ L, 50 μ L, and 200 μ L to the bubblers sequentially from the left to right. Add 300 μ L SnCl₂ to the bubblers and seal bubbler tops using Keck Clips.
- 15.2.2 Place blanked gold traps securely at the end of soda-lime traps (pinched section of gold trap closest to the soda-lime trap). Purge bubblers with N₂ for a minimum of 20 minutes.
- 15.2.3 Attach individual gold traps to the analytical train and burn in sequential order. Peaks produced should be labelled, as well as recorded in the Excel spreadsheet in real time.
- 15.3 For the second round, add 400 μ L of the 10 ng/mL mercury calibration standard to the first bubbler. Add 50 μ L of the *10 ng/mL ICV(OPR) standard* to the second bubbler (*5.0 ng/L*). *The third and fourth bubblers are used for the first and second IBLs and nothing should be added to these bubblers.* To ensure that nothing is added, keep it sealed with a Keck Clip. Add 300 μ L SnCl₂ to all bubblers except the fourth and seal bubbler tops with Keck Clips.
- 15.4 For the third round, use the first and second bubbler to finish the IBLs needed for 1631. The third and fourth bubbler can be used for the first portion of the batch. If the curve does not pass or needs to be investigated any batch portions analyzed in this round will need to be reanalyzed.
- 15.5 Once the instrument is calibrated and the ICV/IBLs are analyzed and judged to be in control, the instrument is operational. The sample concentrations must fall within the range of the calibration standards or be diluted and reanalyzed.
- 15.6 The purge efficiency of the bubbler system is 100 % and is independent of volume at the volumes used in this method. Calibration of this system is typically performed using units of mass. For purposes of working in concentration, the volume is assumed to be 100 mL.

15.7 This completes the instrument calibration for total mercury analysis.

16 Procedure:

16.1 *When analyzing on the Tekran 2600, follow the procedure in EFGS-121 while still adhering to the QA/QC criteria of this method.*

16.2 Pre-analysis and Organization:

16.2.1 Prior to analyzing samples it is imperative to reference LIMS for all project specific information, such as QC requirements, suggested dilutions, project manager information, and specifics regarding spike levels.

16.2.2 The analyst should then locate samples and check the work order in LIMS for notes about specific project requirements.

16.2.3 The analyst should compare the sample IDs to the work order and see that the samples are accounted for, and notify the project manager of any discrepancies in analysis required, sample identification, etc.

16.2.4 All mercury analyses receive a unique dataset identifier. This is comprised of the instrument type and number, the date and the calibration number for that day. The format is as follows: THg8-091218-1, where “THg” refers to a total mercury analysis; “8” refers to the analyzer number 8; 091218 refers to the date (December 18, 2009 in the YYMMDD format); and “1” refers to the first calibration of the day.

The sequence number is assigned by LIMS when the data gets imported into LIMS. The alpha-numeric code is based on the following format: 3B02001, where the 3 refers to the year (2013), the “B” is the month (A= January, B=February...L=December), “02” is the day of the month (February 2nd) and the final 3 digits is the nth sequence created on that particular year/month/day combination.

16.2.5 In general, the analyst should organize their samples in the order listed on the bench sheet. The first samples analyzed should be the preparation blanks, then the LCS if analyzing solid samples, followed by actual samples. If possible, run total and dissolved samples side by side to facilitate verification that total concentration is greater than dissolved concentration. See QA section.

16.2.6 All samples specified as being *High QA* should be analyzed prior to any Standard QA projects that are being analyzed on the same instrument on the same day. However, if concentrations are known, analyze samples with low concentrations prior to samples with high concentrations

16.3 Instrument Start Up:

16.3.1 Begin blanking gold traps. To do this, attach one trap at a time to the analytical train and burn to the instrument. Ensure the Argon is flowing at appropriate levels (~25-40 mL/min). The pinched portion of the gold trap should be on the left (closest to the analytical trap). Continue to burn traps in sequential order.

- 16.3.2 Rinse out the bubbler three times with reagent water and fill with about 100 mL of reagent water. Using a pre-purged pipette, add 3-5 mL HCl. Initially add 600 μL of SnCl_2 .
- 16.3.3 Prepare one soda-lime trap for each bubbler. To prepare soda-lime traps, hold soda-lime between two glass wool plugs in a Teflon tube. Cap the tubes with Teflon plugs and attach to the bubbler. Once the soda-lime traps have been attached, the bubbler system (soda lime trap and bubbler water/acid/ SnCl_2) must purge for a minimum of 20 minutes before beginning the instrument calibration sequence.

16.4 Analyzing Aqueous Samples:

- 16.4.1 All aqueous samples should be preserved with BrCl according to FGS-012 at least 24 hours prior to analysis. In the event a sample requires further oxidation prior to analysis, additional BrCl is added and the sample should not be analyzed for at least 12 additional hours. In special cases where rush turn-around-time is required and an oxidation period of less than 24 hours may be used, a heated oven digestion procedure can be utilized.
- 16.4.2 While bubbling and burning the standard curve, the analyst should prepare a minimum of three BrCl method blanks (BLK) at 1% BrCl. Add 1 mL BrCl and 200 μL hydroxylamine hydrochloride ($\text{NH}_2\text{OH}\cdot\text{HCl}$) to each bubbler. The aliquot is assumed to be 100 mL. Any sample requiring an increased amount of reagent must be accompanied by at least one method blank that includes an identical amount of reagent.
- 16.4.3 After the instrument calibration sequence, preparation blanks and the LCS/LCSD are analyzed.
- 16.4.4 All known field, equipment, and trip blanks should be analyzed before any other sample types, usually after the BLKs. Aliquots of 100 mL should be analyzed, provided there is adequate collected sample volume. Sample aliquot sizes of 125 mL can be analyzed upon request by the project manager.
- 16.4.5 For all waters, select the appropriate dilution (refer to LIMS, historical data, etc.).
- 16.4.5.1 For sample aliquots of 25 μL to 10.0 mL, use calibrated pipettes to dispense the aliquots directly into bubbler. Due to minimal amounts of BrCl in aliquots of 10 mL or less, $\text{NH}_2\text{OH}\cdot\text{HCl}$ is not added. It is highly recommended that the analyst should not pipette less than 25 μL . A dilution of the sample should be made to allow a larger aliquot to be analyzed.
- 16.4.5.2 For sample aliquots greater than 10 mL, gravimetrically weigh out the selected volume (± 0.2 g) into a clean 125 mL Teflon bottle. Once quantity is weighed out, neutralize BrCl with 200 μL $\text{NH}_2\text{OH}\cdot\text{HCl}$ no more than five minutes prior to adding the sample to bubblers. The sample should turn from a yellowish color to a clear/cloudy solution, depending on the matrix.
- 16.4.6 If the material is a seawater or highly dense liquid, it may be necessary to account for the density if the aliquot is gravimetrically determined. Density

checks can be performed at the time of analysis to determine if further determinations are necessary.

16.4.7 The procedure for analysis is similar to that of the calibration. Samples to be analyzed are pipetted or poured into the bubbler (one sample per bubbler) along with 300 μ L SnCl₂. Bubbler tops are sealed with Keck Clips to ensure nominal sample leakage. Blanked gold traps are securely placed at the end of the soda-lime trap. Purge bubblers with N₂ for a minimum of 20 minutes, remove gold traps, and sequentially place in the analytical train. Burn individual traps to analyzer, labeling resulting peaks with corresponding sample in real time.

16.4.7.1 Sample IDs, aliquot volume, BrCl percentage (group ID), peak height/peak area, and dilution factor (if applicable) associated with each sample should be entered into the THg Waters Template Excel spreadsheet.

16.4.7.2 While purging one set of samples, the analyst should begin preparing the next round of water samples in the same fashion to maximize efficiency.

16.5 End of analysis close-down procedure:

16.5.1 Turn off gas flow.

16.5.2 Carryout all end of day cleaning and restocking tasks.

16.6 The analytical data is compiled into an Excel file. The data is then copied and pasted into an Excel template that is LIMS compatible.

16.7 *Maintenance and Troubleshooting*

16.7.1 *ISSUE: No peaks at all*

16.7.1.1 *Ensure that the system is powered.*

16.7.2 *ISSUE: Low sensitivity*

16.7.2.1 *Make sure that you have freshly changed soda lime in the soda lime trap, and that it is from a good source.*

16.7.2.2 *Do not use old calibration standards to calibrate the system.*

16.7.2.3 *Make sure you are running fresh SnCl₂ solution.*

16.7.2.4 *Make sure that your stock Hg standard has not expired and is from a reliable source and that it is not compromised.*

16.7.2.5 *Check the lamp voltage*

16.7.3 *ISSUE: High blanks*

16.7.3.1 *Check reagent (including water) quality*

16.7.3.2 *Check for system contamination*

16.7.4 ISSUE: Nonlinearity of the calibration curve

16.7.4.1 *Check and investigate high blanks.*

16.7.4.2 *Contaminated and expired soda lime. Change soda lime.*

16.7.4.3 *Make sure your calibration standards are fresh and properly prepared.*

17 Calculations:

17.1 Average all instrument blanks (PH_x) using the peak area values from the TekMDS software. Subtract the average (IB) from the peak area for each standard and sample.

17.2 Calculate the calibration factor (CF_x) for mercury in each of the five standards using the mean instrument-blank-subtracted peak area and the following equation:

$$CF_x = PA_x - IB / C_x$$

Where:

17.2.1 PA_x=peak area (or peak height) for mercury in standard

17.2.2 IB= mean peak height (or peak area) for mercury in bubbler blank

17.2.3 C_x=mass in standard analyzed (ng/L)

17.2.4 CF_x=Calibration Factor of each concentration

17.2.4.1 Average the five calibration factors to establish mean value: CF(Avg) (units/ng/L).

17.3 Sample results are then corrected for the average peak area values of at least three preparation blanks (PBs), unless otherwise requested. This result is shown as the Initial Result on the Excel spreadsheet and in LIMS.

17.4 Total Mercury in Water:

$$\text{Instrument Value (ng/L)} = (\text{Peak Height} - \text{BB}) / CF_{(\text{Avg})}$$

$$\text{Final Result (ng/L)} = [(\text{Instrument Value} \times \text{DF}) - (\text{BLK})] \times (V_f / V_i)$$

Where:

17.4.1 CF_(avg) = average calibration factor for curve (in units/ng/L).

17.4.2 BB = average bubbler blank peak area or peak height (in units)

17.4.3 V_f = Final volume of sample (in mL) from bench sheet.

17.4.4 V_i = initial volume of sample analyzed in mL prior to addition of BrCl.

17.4.5 DF = Dilution Factor - takes into account any instrumental dilution of the sample

17.4.6 BLK = average of the preparation blanks in ng/L.

17.5 A linear regression can be used as alternate calibration. A linear regression will not change values significantly. If linear regression is used, the correlation coefficient (R) must be ≥ 0.995 .

18 Statistical Information/Method Performance:

18.1 The Method Detection Limit (MDL) is determined according to 40 CFR Part 136 Section B. Ten replicates (9 degrees of freedom) spiked 3-10 times the expected MDL are run. The standard deviation (s) is taken from the resulting data and the MDL is calculated as follows: $MDL = 2.821 * s$. This value should not be interpreted as the method reporting limit.

18.2 The Practical Quantitation Limit (PQL) is the reporting limit for this method and is included as the lowest calibration point (2003 NELAC regulation 5.5.5.2.2.1.h.3). The PQL is determined by running ten samples with a concentration that will produce a recovery of 70-130 %. The PQL is referred to as the Method Reporting Limit (MRL) in LIMS.

18.3 Using clean handling techniques and reagents tested low for Hg content, the LOD value for Total Hg in water is typically less than 0.2 ng/L, while the PQL is 0.50 ng/L.

18.4 Current LODs, LOQs, MDLs, and PQLs are stored at: Cuprum\General and Admin\Quality Assurance\MDLs & PQLs.

19 Quality Assurance/Quality Control:

19.1 A minimum of three preparation blanks and one LCS/LCSD (preferably NIST 1641d), must be analyzed per preparation batch. The upper control limit for each preparation blank is equal to the PQL.

19.2 Matrix Spikes: One Matrix Spike/Matrix Spike Duplicate (MS/MSD) must be performed for every 10 samples. The recovery of the MS/MSD must be between 71%-125% recovery, and the Relative Percent Difference (RPD) below 24%. If an MS/MSD is out of control, the analyst should investigate to identify the source of the failure. The MS and MSD may be used as duplicates. Some failures may be qualified using QA Qualification Flow Charts (Appendix A).

19.2.1 For aqueous samples, the MS/MSD is spiked at 1 to 5 times the ambient concentration, with 0.25 ng, in the bubbler, being the minimum spiking level. Sample aliquots for the MS/MSD should be the same as the ambient sample aliquot, if sufficient sample volume exists. Spikes are added to the split aliquots for volumes of 10mL or greater. For less than 10mL aliquots, spikes are added directly to the bubbler. NEVER ADD SPIKE DIRECTLY TO THE ORIGINAL SAMPLE VESSEL UNLESS OTHERWISE STATED.

19.3 Matrix Duplicates – One Matrix Duplicate (MD) may be analyzed for every batch of 20 samples. Upon request, a Matrix Triplicate (MT) may be performed. The MSD may serve as the MD if necessary. The Relative Percent Difference (RPD) and the Relative Standard Deviation (RSD) of duplicate samples must be less than 24%. Some failures may be qualified using QA Qualification Flow Charts.

- 19.3.1 For aqueous samples, analyze the parent, duplicate and triplicate at the same dilution.
- 19.4 Laboratory Control Standard (LCS) or Quality Control Sample (QCS): For every batch of samples, at least one LCS is processed and analyzed. The recovery of the LCS must be within 80-120% for the aqueous NIST 1641d. An LCS Duplicate (LCSD) should accompany the LCS.
- 19.4.1 A Certified Reference Material (CRM) is the preferred LCS, but a Blank Spike may serve as an LCS if an appropriate CRM does not exist. The spiking level is based on client request, historical data, or a default of mid-curve. A duplicate blank spike must also be prepared as an LCSD.
- 19.5 Ongoing Precision and Recovery (OPR): An OPR must be analyzed at the beginning and end of each analytical batch, or at the end of each 12-hour shift. The recovery of the OPR must be within 77-123% to be considered in control.
- 19.6 All calibration standards must be traceable to the original standard source. The calibration curve must be established at the beginning of the analytical run. It must include at least five different concentrations, with the lowest concentration equal to the PQL. The average response factor of each calibration standard is used to calculate the sample values. The RSD of the response factors must be less than 15% of the mean or the calibration fails.
- 19.7 ICV and CCV control limit is 77-123%. The CCV is analyzed every 10 analyses, and at the end of an analytical run. CCBs are always analyzed after the CCVs.
- 19.8 Field Blanks: To be compliant with EPA 1631, clients must submit a field blank for each set of samples (samples collected from the same site at the same time, to a maximum of 10 samples).
- 19.8.1 If no field blanks are submitted by the client, their data will be flagged with "FB-1631." "Required equipment/field/filter blank not submitted by the client. The sample has been analyzed according to 1631E, but does not meet 1631E criteria."
- 19.9 Method or Preparation Blanks (BLK): Method blanks are used to demonstrate that the analytical system is free from contamination that could otherwise compromise sample results. Method blanks are prepared and analyzed using sample containers, labware, reagents, and analytical procedures identical to those used to prepare and analyze the samples.
- 19.9.1 A minimum of three 1 % BrCl method blanks per analytical batch are required. Any sample requiring an increased amount of reagent must be accompanied by at least one method blank that includes an identical amount of reagent.
- 19.9.2 If the result for any 1 % BrCl method blank is found to contain ≥ 0.50 ng/L Hg (0.25 ng/L for DOD), the system is out of control. Mercury in the analytical system must be reduced until a method blank is free of contamination at the 0.50 ng/L level.
- 19.9.3 For method blanks containing more than 1% BrCl, the control limit is equal to 0.50 ng/L multiplied by the final preservation percentage of BrCl. For example, for a method blank preserved to 2 % BrCl, the control limit for the blank is 0.50

ng/L * (102/101), or 0.50 ng/L. For 3% BrCl the control limit is (103/101)*0.50ng/L, or 0.51ng/L.

- 19.10 Instrument Blanks (IBL): A minimum of three instrument blanks must be analyzed with each analytical batch. To analyze an instrument blank, attach a clean gold trap to the bubbler. Purge and analyze as previously described and determine the amount of Hg remaining in the system.
 - 19.10.1 An instrument blank must be performed on all bubblers used during the analytical run (normally four, but three at a minimum).
 - 19.10.2 If the instrument blank is found to contain more than 0.50ng/L, the system is out of control. The problem must be investigated and remedied and the samples run on that bubbler must be reanalyzed. If the blanks from other bubblers contain less than 0.50 ng/L, the data associated with those bubblers remain valid, provided that all other QC criteria are met.
 - 19.10.2.1.1 The mean result for all instrument blanks must be <0.25ng/L with a standard deviation of 0.10 ng/L.
- 19.11 The analytical day must close with a CCV/OPR/CCB.
- 19.12 Because the method is done in real-time, it is EFGS' position that a single non-compliant QC sample result does not automatically invalidate a data set. All data points that can be explained and rerun with a passing result can be qualified. If the source of error cannot be corrected for a QC standard that day, none of the data can be validated. In the event that the system becomes out of control during the analysis day, all results bracketed between valid QC data points shall still be considered valid (CCV, OPR, CCB, etc).
- 19.13 The Control Limits are established from EPA 1631E.

20 Corrective Action

- 20.1 The data is reviewed as in the QC section (or matrix specific QC section) for all parameters that pass specific requirements. If the data does not meet QC requirements it is qualified or submitted for reruns. Data may be qualified (based on scientific peer review) by the Group Supervisor, Project Manager, Lab Manager, or QA Officer.
- 20.2 Control Chart data is generated through LIMS to monitor the performance of the CCV, LCS, MS, and MSD. This is done by the QA department.
- 20.3 Due to the real-time nature of the CVAFS method, failures must be investigated as they happen. If the source of the problem can be identified, and corrected, the samples may be rerun. If source of problem cannot be isolated, see the Senior Analyst, Group Supervisor, or Laboratory Manager for instructions.
- 20.4 *The Senior Analyst, Group Supervisor, Laboratory Manager, or QA Officer must be informed if QC fails. It is also advisable to always alert the Project Managers.*

21 List of Attachments

Table 1: QC Requirements for Total Mercury

Appendix A: Example - Standard Operating Procedure Training Record

Table 1: QC Requirements for Total Mercury

QC Parameter	Acceptance Criteria
Initial Calibration Verification (ICV)	77-123% Recovery
Continuing Calibration Verification (CCV)	77-123% Recovery
Ongoing Precision and Recovery (OPR)	77-123% Recovery
Initial Calibration Blank (ICB)/ Continuing Calibration Blank (CCB)	Individually, IBL and CCB $\leq 0.50\text{ng/L}$, but the mean of all the IBLs shall be $< 0.25\text{ng/L}$ with a standard deviation of 0.10ng/L .
Laboratory Control Standard (LCS) or Quality Control Standard (QCS)	80-120% Recovery for NIST1641d and 75-125% for all other CRMs. RSD $< 24\%$
Calibration Curve RSD (Referred to as "Corr. RSD CF" in Excel spreadsheet).	RSD of Calibration Response Factor $\leq 15\%$
Lowest Calibration Point	75-125%
1% BrCl Method Blank (BLK)	Less than 0.50ng/L (0.25ng/L for DOD projects) (individually)
Matrix Duplicate (MD) and Analytical Duplicate (AD)	$< 24\%$ RPD
Matrix Spike and Matrix Spike Duplicate (MS/MSD) ; Analytical Spike (AS) and Analytical Spike Duplicate (ASD)	71-125% Recovery $< 24\%$ RPD

Appendix A: Example - Standard Operating Procedure Training Record

By signing this document, I the employee, certifies to have read, understood and agreed to follow the test method and quality procedure as described in this procedure.

Reading of SOP FGS-137.02:

Mercury in Water by Oxidation, Purge & Trap and CV-AFS (EPA Method 1631, Rev E).

SOP name and Revision number

Employee name (print)

Employee name (sign)


Date:

Supervisor name (sign)

Date:

Initial SOP Training (leave blank if not applicable)

Initial reading of method and training	Initials	Date	Supervisor
1. Read method			
2. Observe the method			
3. Detailed review of method and associated literature			
4. Supervised practice of method with trainer			
5. Unsupervised practice of the method with trainer			
6. Review of work with trainer and/or peer-review			
7. IDOC to determine precision and accuracy			
8. Determination of blanks			

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

Eurofins Document Reference	EFGS-SOP-011-R05	Revision	5
Effective Date	5/20/2013	Status	Final
Historical/Local Document Number	FGS-SOP-011.05		
Local Document Level	Level 3		
Local Document Type	SOP		
Local Document Category	NA		

Prepared by	Ryan Nelson
Reviewed and Approved by	Dave Wunderlich and Patrick Garcia-Strickland



 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

Table of Contents

1	Revision Log:.....	4
2	Reference:.....	4
3	Cross Reference:.....	4
4	Purpose:.....	4
5	Scope:.....	4
6	Basic Principles:.....	5
7	Reference Modifications:.....	5
8	Definitions:.....	5
9	Interferences:.....	6
10	Safety Precautions, Pollution Prevention and Waste Handling:.....	6
11	Personnel Training and Qualifications:.....	7
12	Sample Collection, Preservation, and Handling:.....	8
13	Apparatus and Equipment:.....	8
14	Reagents and Standards:.....	9
15	Procedure:.....	10
16	Calculations:.....	10
17	Statistical Information/Method Performance:.....	11
18	Quality Assurance/Quality Control:.....	11
19	Corrective Action:.....	11
20	List of Attachments.....	12
	Appendix A: Example - Standard Operating Procedure Training Record.....	13


 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

Approvals:

Prepared by: Ray Nelson Date: 5/20/13

Approved by: David A. Wundt Date: 5/16/13

Approved by: Pat [Signature] Date: 5/20/13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05

1 Revision Log:

Revision:	Effective Date:	
05	This version	
Section	Justification	Changes
Cover	Required change	Changed company name from Frontier Global Sciences to Eurofins Frontier Global Sciences.
All	Formatting requirement per LOM SOP-LAB-201	Reformatted document to new corporate specifications.
8.9	Required	Updated spiking levels for the matrix spike
14.3, 14.4	Required	Updated max contamination levels of reagent acids
17.3	Required	Replaced MDL with LOD
18.2 – 18.5	Required	Updated QC limits
18.3	Required	Incorporated QA MOC 2011-007

2 Reference:

- 2.1 Chemical Hygiene Plan, Eurofins Frontier Global Sciences, current version.
- 2.2 EPA Method 1631, Revision E: Mercury in Water by Oxidation, Purge and Trap, and Cold Vapor Atomic Fluorescence Spectrometry, 2002.
- 2.3 National Environmental Laboratory Accreditation Conference, NELAC Standard September 8, 2009.
- 2.4 Department of Defense Quality Systems Manual for Environmental Laboratories, prepared by DoD Environmental Quality Workgroup, Final Version 4.2, October 2010

3 Cross Reference:

Document	Document Title
SOP FGS-003	Pipette Verification, Calibration and Maintenance
SOP FGS-008	Ultra Clean Aqueous Sample Collection
SOP FGS-038	Data Review and Validation
SOP FGS-094, App F	Standard Operating Procedure Training Record
SOP FGS-099	Waste Disposal Procedure for Client Sample Waste
SOP FGS-121	Determination of Total Mercury in Various Matrices by Flow Injection Atomic Fluorescence Spectrometry (EPA Method 1631E)
SOP FGS-155	Calibration of Volumetric Dispensers


4 Purpose:

- 4.1 The purpose of this Standard Operating Procedure (SOP) is to describe the method for digesting biological tissue samples prior to analysis by CV-AFS for total mercury.

5 Scope:

- 5.1 This method is for the preparation of biological tissue samples for the determination of total mercury at concentrations less than 1 ng/g. Through the analysis of smaller digestate aliquots, contaminated tissues of up to 10,000 ng/g can be directly measured. Using clean handling techniques and low-level reagents, the typical detection limit for samples prepared by this method is less than 1 ng/g.
- 5.2 Total mercury, as defined by this method, is all HNO₃/H₂SO₄/BrCl-oxidizable mercury forms and species found in tissue matrices. This includes, but is not limited to, Hg(II), Hg(O), HgS, strongly organo-complexed Hg(II) compounds, adsorbed particulate Hg,

Revision: 5	Effective Date: 5/20/2013	Page 4 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

and several covalently bound organo-mercurials (i.e., CH_3HgCl , $(\text{CH}_3)_2\text{Hg}$, and $\text{C}_6\text{H}_5\text{HgOOCCH}_3$).

6 Basic Principles:

- 6.1 Samples are collected using clean sample handling protocols into commercially available clean glass containers with Teflon-lined caps (i.e., I-Chem glass jars) or 125 mL or 250 mL HDPE jars. Freezing ($< -15^\circ\text{C}$) preserves tissue samples until sample preparation is performed.
- 6.2 A subsample of homogenized sample is digested with 10 mL of 70:30 $\text{HNO}_3/\text{H}_2\text{SO}_4$.
- 6.3 The digested sample is diluted up to 40 mL with 10% (v/v) BrCl .


7 Reference Modifications:

- 7.1 No significant modifications were made to this method.

8 Definitions:

- 8.1 Batch – no more than 20 client samples grouped for preparation. 3 Preparation Blanks, 1 CRM or 1 LCS/LCSD (or BS/BSD) set and 1 MD are prepared per every 20 samples; 1 MS/MSD set is prepared for every 10 samples.
- 8.2 Celsius (C), conversion of Celsius to Fahrenheit: $(C * 1.8) + 32$.
- 8.3 Fahrenheit (F), conversion of Fahrenheit to Celsius: $(F - 32) * 5/9$.
- 8.4 Method Detection Limit (MDL) – the limit derived from an exercise as described in 40 CFR, Part 136, Appendix B. The exercise produces a defined value that is the minimum concentration that can be measured and reported with 99% confidence that the analyte concentration is greater than zero from a given matrix.
- 8.5 Certified Reference Material (CRM) – a standard of known composition that is certified by a recognized authority and representing a sample matrix. It is used to verify the accuracy of a method.
- 8.6 Laboratory Control Sample (LCS) and Laboratory Control Sample Duplicate (LCSD), is a sample containing known concentrations of the analytes of interest that is taken through the entire preparation and analysis process in the same manner as the samples to monitor complete method performance. A Certified Reference Material (CRM) is preferred as the LCS, but a blank spiked sample also meets the requirement.
- 8.7 Preparation Blank (BLK) – Method blanks consist of the same reagents used to digest the samples, in the same volume or proportion, and are carried through the complete sample preparation and analytical procedure. Teflon boiling chips are added to the preparation blanks.
- 8.8 Matrix Duplicate (MD) – a representative sample is selected and digested in the same manner. This QC sample will indicate sample homogeneity on the analytes of interest
- 8.9 Matrix Spike (MS) and Matrix Spike Duplicate (MSD) – a representative sample is selected and spiked with a secondary source at two to five times the ambient

Revision: 5	Effective Date: 5/20/2013	Page 5 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

concentration or at *two* to five times the MRL, whichever is greater. These QC samples will indicate sample matrix effects on the analytes of interest.


- 8.10 May: This action, activity or procedure is optional.
- 8.11 May Not: This action, activity or procedure is prohibited.
- 8.12 Shall: This action, activity or procedure is required.
- 8.13 Should: This action, activity or procedure is suggested, but is not required.

9 Interferences:

- 9.1 Due to the high levels of halogens (i.e., iodine) typically found in tissue digestates, it is recommended that aliquots of no more than 5.0 mL of the digestate be analyzed. Otherwise, soda-lime traps may be overloaded and the gold traps may lose the ability to amalgamate and retain mercury.
- 9.2 The high acidity and halogen levels that are found in tissue digestates necessitate the changing of the bubbler water after every 10 mL of digestate analyzed. Failure to do so can lead to low recoveries that would be reflected in the analysis of QC samples.

10 Safety Precautions, Pollution Prevention and Waste Handling:

- 10.1 Personnel will don appropriate laboratory attire according to the Chemical Hygiene Plan. This includes, but is not limited to, laboratory coat, safety goggles, and nitrile gloves under clean gloves.
- 10.2 The toxicity or carcinogenicity of reagents used in this method has not been fully established. Each chemical should be regarded as a potential health hazard and exposure to these compounds should be as low as reasonably achievable. Chemists should refer to the MSDS (Material Safety Data Sheets) for each chemical they are working with.
 - 10.2.1 Note: Use particular caution when preparing and using BrCl, as it releases extremely irritating, corrosive fumes similar in effect to free chlorine. Always handle this reagent in an approved fume hood.
 - 10.2.2 Note: Use particular caution when preparing and using the Nitric/Sulfuric Mixture. Always handle this reagent in an approved fume hood.
- 10.3 All personnel handling environmental samples known to contain or to have been in contact with human waste should be immunized against known disease-causative agents. Eurofins Frontier will reimburse the expense of Hepatitis A and B immunizations for any laboratory staff member who desires this protection.
- 10.4 Nitric acid (HNO₃): Corrosive. Strong oxidizer. Contact with other material may cause a fire. Causes eye and skin burns. May cause severe respiratory tract irritation with possible burns. May cause severe digestive tract irritation with possible burns. For more information see MSDS.
- 10.5 Sulfuric acid (H₂SO₄): Corrosive. Causes eye and skin burns. May cause severe eye irritation with possible burns. May cause severe respiratory tract irritation with possible burns. May cause severe digestive tract irritation with possible burns. Cancer hazard.


 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

Animal studies suggest this acid may cause fetal effects. May cause kidney damage. May cause lung damage. May be fatal if inhaled. Hygroscopic. Strong oxidizer. Contact with other material may cause a fire. For more information see MSDS.

- 10.5.1 Eyes: Get medical aid immediately. Do NOT allow victim to rub or keep eyes closed. Extensive irrigation with water is required (at least 30 minutes).
- 10.5.2 Skin: Get medical aid immediately. Flush skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.
- 10.6 See Eurofins Frontier Global Sciences Chemical Hygiene Plan (CHP) for general information regarding employee safety, waste management, and pollution prevention.
- 10.7 Pollution prevention information can be found in the current Eurofins Frontier Global Sciences Chemical Hygiene Plan (CHP), which details and tracks various waste streams and disposal procedures.
- 10.8 All laboratory waste is accumulated, managed, and disposed of in accordance with all federal, state, and local laws and regulations. Any waste generated by this procedure should be disposed of according to SOP FGS-099 "Waste Disposal Procedure for Client Sample Waste," which provides instruction on dealing with laboratory and client waste.

11 Personnel Training and Qualifications:

- 11.1 An analyst must perform an initial demonstration of capability (IDOC) that includes four replicates of a secondary source before being qualified to analyze samples without supervision. Continuing DOC will be maintained and monitored via performance on CRMs and other QC samples, as well as obtaining acceptable results on proficiency testing exercises.
- 11.2 The analyst/laboratory technician must have read this SOP and other relevant SOPs and have the training documented on the applicable form(s). The analyst may be questioned on SOP by supervisor(s) and/or trainers.
- 11.3 Training is documented by the employee and supervisor, and is kept on file in the QA Office. The employee must read, understand, and by signing the training document, agree to perform the procedures as stated in all Standard Operating Procedures (SOPs) related to this method.
- 11.4 Reading of the SOP must be documented on the correct form such as "Standard Operating Procedure Training Record," Appendix F in FGS-094, the last page of this SOP, Appendix A "Standard Operating Procedure Training Record" or a similar document."
- 11.5 All employees must also, on a yearly basis, read the Quality Manual (QM), and complete the yearly Ethics training.
- 11.6 All training documents including IDOCs, CDOCs, SOP reading, Initial QA orientation, and Ethics training are stored by the Quality Assurance Manager in the employees training file for ten years after the employee is no longer working for Eurofins Frontier Global Sciences.

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

11.7 Chemical Safety Training, Compressed Gas Training, Chemical Hygiene Plan documentation, and Shipping of Hazardous goods, are stored by the Health and Safety Officer for ten years after the employee is no longer working for Eurofins Frontier Global Sciences.


12 Sample Collection, Preservation, and Handling:

- 12.1 Samples must be collected in accordance with established ultraclean sampling techniques (see FGS-008 "Ultra Clean Aqueous Sample Collection"). Samples may be in commercially available clean glass containers with Teflon-lined caps (i.e., I-Chem glass jars), or 125 mL or 250 mL HDPE jars.
- 12.2 Tissue sample preservation - The tissue sample must be frozen in the sampling container at less than -15°C or freeze-dried and stored at room temperature. The holding time for tissue samples is 1 year.
- 12.3 Just prior to digestion, samples are thawed and if necessary homogenized. The sample is well mixed to ensure the most representative sample possible.

13 Apparatus and Equipment:

- 13.1 *LIMS – Element, version 5.85 or higher; Computer – Windows XP, 7 or 8*
- 13.2 40 mL or 20 mL I-Chem Vials: Borosilicate glass, series 300 vials with Teflon-lined septa in lids. The size used depends on the amount of sample available. The vials are volumetrically accurate to ± 0.5 mL when filled such that the meniscus is just to the bottom of the vial neck. The person performing the preparation should verify this.
- 13.3 Hot plate: A hot plate with the ability to achieve and maintain a temperature of 75 °C.
- 13.4 *Pipettors: All-plastic, pneumatic, fixed volume and variable pipettes in the range of 5 μ L to 10 mL. Pipettes are to be calibrated weekly according to SOP FGS-003 and FGS-155.*
- 13.5 Clean hood.
- 13.6 Analytical Balance: A laboratory analytical balance capable of weighing to ± 1 mg, with documented calibration.
- 13.7 Calibrated thermometer: Submerged in water in a 20 mL I-Chem vial. This vial is placed on the hotplate during the digestion process. The analysts must record the actual digestion temperature and the serial number of the thermometer used in the digestion logbook.
- 13.8 Sample Digestion Log.
- 13.9 Stainless steel tools for homogenization
- 13.10 Tissue Homogenization Log.
- 13.11 Disposable spatula.
- 13.12 Teflon boiling chips.
- 13.13 Teflon reflux cap to fit the 40 mL and 20 mL I-Chem vials.


Revision: 5	Effective Date: 5/20/2013	Page 8 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

14 Reagents and Standards:

- 14.1 **Reagent Water:** 18 MΩ ultra-pure deionized water starting from a pre-purified (distilled, R.O., etc.) source. As a final mercury and organic removal step, the activated carbon cartridge on the 18-MΩ system is placed between the final ion exchange bed and the 0.2 μm filter.
- 14.2 **Nitric Acid (HNO₃):** Trace metal purified reagent-grade HNO₃ is pre-analyzed and lot sequestered. Several brands (Baker, Fisher, Omnitrace) have been found to have lots with acceptably low levels of trace metals. This reagent should be from a lot number that has been previously tested to be low for the analytes of interest. This reagent shall be entered into LIMS and the expiration date is set to the same as the manufacturer's expiration date.
- 14.3 **Sulfuric acid (H₂SO₄) -** Trace metal purified reagent-grade H₂SO₄ is pre-analyzed to < 50 ng/L Hg and lot sequestered before purchase. This reagent shall be entered into the LIMS and is considered stable until the expiration date on the bottle (set by the manufacturer).
- 14.4 **Nitric/Sulfuric Acid Mixture:** Carefully add 300 mL of pre-analyzed, low mercury (< 50 ng/L) concentrated sulfuric acid to 700 mL of pre-analyzed, low mercury concentrated nitric acid to a pre-marked Teflon bottle. Stir constantly. This reagent shall be entered into the LIMS with an expiration date of six months. **CAUTION: THIS MIXTURE BECOMES VERY HOT AND EMITS CAUSTIC FUMES.**
- 14.5 **Potassium Bromide (KBr), neat:** this reagent is pre-certified by the vendor to be low in mercury and is entered into the LIMS with a five year expiration date.
- 14.6 **Potassium Bromate (KBrO₃), neat:** this reagent is pre-certified by the vendor to be low in mercury and is entered into the LIMS with a five year expiration date.
- 14.7 **0.2N Bromine Monochloride (BrCl):**
- 14.7.1 37.5 g of KBr is added to a 2.5 L bottle of concentrated HCl (pre-analyzed and below 5 ng/L Hg). The bottle is inverted in a fume hood to mix the acid and KBr. The solution sits overnight, allowing the KBr to dissolve.
- 14.7.2 27.5 g of KBrO₃ (certified to be low in Hg) is slowly added to the acid. As the KBrO₃ is added, the solution should go from yellow to red to orange.
- CAUTION: This process generates copious quantities of free halogens (Cl₂, Br₂, BrCl) which are released from the bottle. Add the KBrO₃ SLOWLY in a well operating fume hood.**
- 14.7.3 Loosely cap the bottle and allow to sit for 30 minutes (in a fume hood) before tightening. Once tightly capped, invert bottle to make sure all of the solids go into solution.
- 14.7.4 This reagent shall be entered into the LIMS with a six month expiration date.
- 14.8 **10% (v/v) of 0.2N BrCl:** 200 mL of 0.2N BrCl is diluted up to 2.0 L with reagent water in a clean, empty HCl bottle. This bottle is fitted with a 10 mL repipettor. The expiration time for this reagent is set by default to six months in the LIMS.

Revision: 5	Effective Date: 5/20/2013	Page 9 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---


15 Procedure:

- 15.1 If needed, the sample is dissected and homogenized with acid-washed stainless steel tools.
 - 15.1.1 The process used for homogenization, number of samples, work order number, client name, and initials of the technician are entered into the Tissue Homogenization Log.
- 15.2 Weigh at least a 0.5 g aliquot (but not more than 0.65 g) for common and unknown samples, and up to 1.0 g \pm 0.025 g for low-level or large-grain samples. This aliquot is placed into a 40 mL I-Chem glass vial.
 - 15.2.1 If limited sample is available, use 20 mL glass vials and drop the initial mass of the samples to 0.25g \pm 0.025 g.
 - 15.2.2 It is imperative that all biological tissue samples are thoroughly homogenized. The importance of representativeness cannot be understated.
 - 15.2.3 Batch requirements for this digestion limit the number of samples to 20. In each batch, there must be three method blanks (BLKs), a Blank Spike and Blank Spike Duplicate (BS/BSD) that is *preferably a Certified Reference Material (CRM) or a Laboratory Control Spike (LCS, prepared at 8 ng/g)*, a Matrix Duplicate (MD), and a Matrix Spike and Matrix Spike Duplicate (MS/MSD).
- 15.3 10.0 mL of 70:30 (v/v) HNO₃/H₂SO₄ solution is pipetted in and the sample is swirled. *Note: 5.0 mL of 70:30 (v/v) HNO₃/H₂SO₄ solution is used for limited samples prepared in 20 mL vials (15.2.1).*
- 15.4 The vial is placed on a hot plate operating at 75 \pm 5°C with a Teflon reflux can in place instead of the vial's lid. An aluminum rack is often used to keep the vials from tipping over while on the hot plate.
 - 15.4.1 A calibrated thermometer submerged in water is placed in a 20 mL I-Chem vial. This I-Chem vial with a calibrated thermometer is placed on the hot plate during the digestion process. The analysts must record the actual digestion temperature and the serial number of the thermometer used in the digestion logbook.
- 15.5 After the samples start to reflux, the samples are heated at 75 \pm 5°C for an additional 2 hours or until all organic matter is dissolved.
- 15.6 The samples are allowed to cool and are diluted to 40 mL (or to 20 mLs for limited sample digestions as described in 15.2.1) with a 10% (v/v) solution of 0.2N BrCl, capped with their respective lids, and are thoroughly shaken. Sample digestates should be allowed to settle prior to an aliquot being taken for analysis.
- 15.7 Analysis for total mercury is according to Eurofins Frontier SOP FGS-121.

16 Calculations:

- 16.1 This preparation procedure does not involve calculations.

Revision: 5	Effective Date: 5/20/2013	Page 10 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

17 Statistical Information/Method Performance:

- 17.1 Method Detection Limit (MDL) and Practical Quantitation Limit (PQL) studies are based on 40 CFR 136, Appendix B. The MDL and PQL must be performed for each analyte/matrix/preparation combination.
- 17.2 The Practical Quantitation Limit (PQL) is the reporting limit for this method and is included as the lowest calibration point (2003 NELAC regulation 5.5.5.2.2.1.h.3). The PQL is determined by running ten replicate samples with a concentration that will produce a recovery of 70-130% for most analytes, but the recovery requirements are analyte dependent. The PQL is referred to as the Method Reporting Limit (MRL) in LIMS.
- 17.3 The current LOD value for Total Hg in tissue prepared by the Nitric and Sulfuric Acids (70:30) Digestion is 0.16 ng/g, while the PQL is 0.8 ng/g.
- 17.4 Current LODs and PQLs are stored at: \General and Admin\Quality Assurance\MDLs & PQLs.


18 Quality Assurance/Quality Control:

- 18.1 Maximum Sample Batch Size: 20 samples.
- 18.2 Preparation Blanks: Minimum of three per batch. Each preparation blank must be less than *one-half* the PQL for the method.
 - 18.2.1 The preparation blanks are prepared with a similar mass of Teflon boiling chips as the samples, with the same reagents, and put through the same preparation process as the samples.
- 18.3 *Certified Reference Material (CRM, representing the sample matrix when commercially available); a Laboratory Control Spike (LCS) and Laboratory Control Spike Duplicate (LCSD) prepared at 8 ng/g is used when a suitable CRM is not available: One per batch in duplicate. The control limits are 77-123% recovery.*
- 18.4 Matrix Duplicate (MD) Sample: One per batch. The control limit for the RPD is $\leq 24\%$.
- 18.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples: One set per 10 samples. The control limits are 71-125% recoveries and an RPD of $\leq 24\%$.
- 18.6 Follow the flow charts in SOP FGS-038 "Data Review and Validation" to determine if any QC falling outside the established control limits can be qualified.
- 18.7 All of the quality control limits for the analysis method are included on the "Data Review Checklist".
 - 18.7.1 The data review checklists are located at: \cuprum\General and Admin\Quality Assurance\Data Review\Current Data Review Checklists.

19 Corrective Action:

- 19.1 Limiting the source of contamination/error in the preparatory stage can decrease QC problems during analysis. Limiting such contamination/error sources may include: cleaning all digestion tools in a 10% HCl solution, ensuring all samples are thoroughly homogenized, changing gloves whenever appropriate, flushing repipettors at least

Revision: 5	Effective Date: 5/20/2013	Page 11 of 13

 Frontier Global Sciences	Document Title: Digestion of Tissues for Total Mercury Analysis Using Nitric Acid and Sulfuric Acids (70:30)	Eurofins Document Reference: EFGS-SOP-011-R05
---	--	---

three times before dispensing into vials and, in general, following ultra-clean procedures.

- 19.2 A failing QC point does not necessary fail the entire dataset. If upon analysis a QC sample is out of control, some investigation must be performed to assess if the difficulties are related to matrix effects. The cause and method of determining the set's failure must be documented on the checklist and in the MMO notes, and the Group Supervisor shall be informed. See SOP FGS-038 "Data Review and Validation" for flow charts regarding analytical issues.
- 19.3 Additional corrective actions are listed in the SOP for total mercury analysis (Eurofins Frontier SOP FGS-121).

20 List of Attachments

Appendix A: Example - Standard Operating Procedure Training Record

Appendix A: Example - Standard Operating Procedure Training Record

By signing this document, I the employee, certifies to have read, understood and agreed to follow the test method and quality procedure as described in this procedure.

Reading of SOP EFGS-011.05:
 Digestion of Tissues for Total Mercury Analysis Using Nitric and Sulfuric Acids (70:30).

SOP name and Revision number

Employee name (print)

Employee name (sign)

Date:

Supervisor name (sign)

Date:

Initial SOP Training (leave blank if not applicable)

Initial reading of method and training	Initials	Date	Supervisor
1. Read method			
2. Observe the method			
3. Detailed review of method and associated literature			
4. Supervised practice of method with trainer			
5. Unsupervised practice of the method with trainer			
6. Review of work with trainer and/or peer-review			
7. IDOC to determine precision and accuracy			
8. Determination of blanks			

APPENDIX B

**Quality Assurance Project Plan for Sample Preparation for the 2013-2014 National Rivers
and Streams Assessment Fish Fillet Indicator**



**Quality Assurance Project Plan for
Sample Preparation for the 2013-2014 National Rivers and
Streams Assessment Fish Fillet Indicator**

December 12, 2013

Prepared jointly by:

United States Environmental Protection Agency
Office of Water
Office of Science and Technology
Standards and Health Protection Division

Tetra Tech, Inc.
under:
Office of Science and Technology
Contract No. EP-C-09-019

and

CSC
under:
Technical, Analytical, and Regulatory Mission Support for the Water Security Division
Contract No. EP-C-10-060

Quality Assurance Project Plan for Sample Preparation for the 2013-2014 National Rivers and Streams Assessment Fish Fillet Indicator

A. PROJECT MANAGEMENT

This Quality Assurance Project Plan (QAPP) has been prepared by the EPA Office of Science and Technology (OST). It presents performance requirements, acceptance criteria, and objectives for the preparation of tissue samples from whole fish composite samples collected by field crews during the 2013 and 2014 sampling seasons of the National Rivers and Streams Assessment (NRSA). It does not address the fish sample collection because that process is already covered by a separate QAPP (USEPA 2013a) prepared by the Office of Wetlands, Oceans, and Watersheds (OWOW). OST will revise this QAPP at a later date to include the details of the analyses of the fillet tissue samples prepared under this QAPP for various environmental contaminants.


This QAPP was prepared in accordance with the most recent version of EPA QA/R-5, *EPA Requirements for Quality Assurance Project Plans* (USEPA 2001), which was reissued in 2006. In accordance with EPA QA/R-5, this QAPP is a dynamic document that is subject to change as project activities progress. Changes to procedures in this QAPP must be reviewed by the OST Project Manager and the EPA Standards and Health Protection Division (SHPD) Quality Assurance Coordinator for the NRSA to determine whether the changes will impact the technical and quality objectives of the project. If so, the QAPP will be revised accordingly, circulated for approval, and forwarded to all project participants listed in the QAPP distribution list (Section A3). Key project personnel and their roles and responsibilities are discussed in the QAPP section to follow (Section A4), and project background perspective and description is provided in Sections A5 and A6, respectively.

A1. Approvals



Leanne Stahl, OST Project Manager, EPA

12/16/13
Date



Denise Hawkins, Chief, FSBOB, EPA

Dec. 16, 2013
Date



Robert Shippen, SHPD QA Coordinator, EPA

12/16/13
Date




Marion Kelly, OST QA Officer, EPA

12/17/13
Date




Blaine Snyder, Tetra Tech Project Leader

12/16/13
Date




Susan Lanberg, Tetra Tech QA Officer

12/13/2013
Date




Harry McCarty, CSC Project Leader

12/12/2013
Date



Marguerite Jones, CSC QA Officer

12/12/2013
Date



Laura Flynn Jenkins, EPA Project Officer
Contract No. EP-C-10-060

12/18/13
Date

A2. Table of Contents

A.	PROJECT MANAGEMENT.....	1
A1.	Approvals.....	2
A2.	Table of Contents.....	3
A3.	Distribution List.....	6
A4.	Project/Task Organization.....	7
A5.	Problem Definition/Background.....	12
A6.	Project/Task Description.....	12
A7.	Quality Objectives and Criteria.....	13
A8.	Special Training/Certification.....	13
A9.	Documents and Records.....	14
B.	DATA GENERATION AND ACQUISITION.....	14
B1.	Sampling Process Design (Experimental Design).....	14
B2.	Sampling Methods.....	17
B3.	Sample Handling and Custody.....	18
B4.	Fish Sample Preparation Methods.....	19
B5.	Fish Sample Preparation Quality Control.....	19
B6.	Instrument/Equipment Testing, Inspection, and Maintenance.....	21
B7.	Instrument/Equipment Calibration and Frequency.....	21
B8.	Inspection/Acceptance of Supplies and Consumables.....	21
B9.	Non-direct Measurements.....	22
B10.	Data Management.....	22
C.	ASSESSMENT AND OVERSIGHT.....	22
C1.	Assessments and Response Actions.....	22
C1.1	Surveillance.....	23
C1.2	Product Review.....	23
C1.3	Quality Systems Audit.....	23
C1.4	Readiness Review.....	24
C1.5	Technical Systems Audit.....	24
C2.	Reports to Management.....	24
D.	DATA VALIDATION AND USABILITY.....	25
D1.	Data Review, Verification, and Validation.....	25
D1.1	Data Review.....	25
D1.2	Data Verification.....	25
D1.3	Data Validation.....	25
D2.	Verification and Validation Methods.....	26
D2.1	Verification Methods.....	26
D2.2	Validation Methods.....	26
D3.	Reconciliation with User Requirements.....	26
	References.....	27

TABLES

Table 1. Site Selection Summary for the 2013-2014 NRSA Survey Design..... 16
Table 2. Methods for Determination of Lipids and Analyses of Rinsate Samples 20
Table 3. Acceptance Limits for Rinsate Samples 21

FIGURES

Figure 1. NRSA fillet tissue study project team organization..... 8
Figure 2. NRSA fillet tissue study sampling locations 13

APPENDICES

Appendix A List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations
Appendix B 2013-2014 National Rivers and Streams Assessment Tissue Preparation, Homogenization, and Distribution Procedures

LIST OF ACRONYMS AND ABBREVIATIONS

EPA	Environmental Protection Agency
FSBOB	Fish, Shellfish, Beach, and Outreach Branch
ID	Identification
NRSA	National Rivers and Streams Assessment
ORD-WED	Office of Research and Development - Western Ecology Division
OST	Office of Science and Technology
OW	Office of Water
OWOW	Office of Wetlands, Oceans, and Watersheds
PBDE	Polybrominated diphenyl ether
PCB	Polychlorinated biphenyl
PFC	Perfluorinated compound
QA	Quality assurance
QAPP	Quality Assurance Project Plan
QC	Quality control
QSA	Quality system audit
SHPD	Standards and Health Protection Division
SOP	Standard operating procedure
SOW	Statement of work
TBD	To be determined

A3. Distribution List

Denise Hawkins USEPA/OST (4305T) 1200 Pennsylvania Ave., N.W. Washington, DC 20460 202/566-1384 (phone) hawkins.denise@epa.gov	Robert Shippen USEPA/OST (4305T) 1200 Pennsylvania Ave., N.W. Washington, DC 20460 202/566-0391 (phone) shippen.robert@epa.gov
Marguerite Jones CSC 6361 Walker Lane, Suite 300 Alexandria, VA 22310 703/461-2247 (phone) mjones214@csc.com	Blaine Snyder Tetra Tech, Inc. 400 Red Brook Blvd., Suite 200 Owings Mills, MD 21117 410/902-3158 (phone) blaine.snyder@tetrattech.com
Marion Kelly USEPA/OST (4303T) 1200 Pennsylvania Avenue, N.W. Washington, DC 20460 202/566-1045 (phone) kelly.marion@epa.gov	Leanne Stahl USEPA/OST (4305T) 1200 Pennsylvania Ave., N.W. Washington, DC 20460 202/566-0404 (phone) stahl.leanne@epa.gov
Susan Lanberg Tetra Tech, Inc. 10306 Easton Place, Suite 340 Fairfax, VA 22030 703/385-6000 (phone) susan.lanberg@tetrattech.com	Ellen Tarquino USEPA/OWOW (4503T) 1200 Pennsylvania Avenue, N.W. Washington, DC 20460 202/566-2267 (phone) tarquino.ellen@epa.gov
Sarah Lehmann USEPA/OWOW (4503T) 1200 Pennsylvania Avenue, N.W. Washington, DC 20460 202/566-1379 (phone) lehmann.sarah@epa.gov	John Wathen USEPA/OST (4305T) 1200 Pennsylvania Ave., N.W. Washington, DC 20460 202/566-0367 (phone) wathen.john@epa.gov
Harry McCarty CSC 6361 Walker Lane, Suite 300 Alexandria, VA 22310 703/461-2392 (phone) hmccarty@csc.com	Michael Arbaugh and Emily Deya Microbac Laboratories 2101 Van Deman Street Baltimore, MD 21224 (Contact Harry McCarty at CSC)
Tony Olsen USEPA/ORD/NHEERL/WED 200 S.W. 35th Street Corvallis, OR 97333 541/754-4790 (phone) olsen.tony@epa.gov	Laura Flynn Jenkins USEPA Region 8 1595 Wynkoop Street, 8P-W-DW Denver, CO 80202 303-312-6256 (phone) jenkins.laura@epa.gov

A4. Project/Task Organization

EPA's 2013-2014 National Rivers and Streams Assessment (NRSA) is a probability-based survey designed to assess the condition of the nation's river and stream resources. It includes collection and analysis of physical, chemical, and biological indicator data that will allow a statistically valid characterization of the condition of the nation's rivers and streams. EPA used an unequal probability design to select 1808 streams and rivers (both wadeable and non-wadeable) from across the 48 contiguous United States. To improve the ability to assess changes over time (i.e., trends analysis), the design includes revisits to 811 sites that were sampled during the 2008-2009 NRSA. The Office of Wetlands, Oceans, and Watersheds (OWOW) within the Office of Water (OW) is responsible for the overall planning and implementation of the 2013-2014 NRSA.

EPA's Office of Science and Technology (OST) within OW is collaborating with the Office of Research and Development Western Ecology Division (ORD-WED) in Corvallis, Oregon to plan and implement the fish fillet indicator under the 2013-2014 NRSA. OST is responsible for management of this indicator. ORD-WED developed the study design and selected all the sampling locations, including approximately 450 sites from which whole fish composite samples will be collected for fillet analysis. Statisticians in the Western Ecology Division will also be analyzing the fillet tissue concentration data.

Routine composite samples for the NRSA fish fillet indicator consist of five similarly sized adult fish of a single species commonly consumed by humans. All of the fish samples collected for this indicator are being shipped as whole fish to Microbac Laboratories in Baltimore, Maryland, the designated sample preparation laboratory. Staff at Microbac will prepare the fish samples for analysis (i.e., filleting the fish samples and homogenizing the fillet tissue). OST currently plans to analyze the fillet tissue samples from all sites for mercury and from the urban sites only for perfluorinated compounds (PFCs). The 2013-2014 NRSA may also include future analysis of fillet tissue samples for polybrominated diphenyl ethers (PBDEs) and polychlorinated biphenyls (PCBs).

In 2013, OWOW developed the *National Rivers and Streams Assessment 2013-2014 Quality Assurance Project Plan* (USEPA 2013a) and the *National Rivers and Streams Assessment Field Operations Manual* (USEPA 2013b). The procedures and associated quality assurance/quality control (QA/QC) activities for collecting and shipping NRSA whole fish samples for fillet analysis were described in both documents. OST developed whole fish collection and shipping procedures for the 2013-2014 NRSA based on the protocols used for EPA's National Lake Fish Tissue Study and the 2008-2009 NRSA. This additional QAPP covers activities associated with preparing NRSA whole fish samples for fillet tissue analyses.

The fish fillet indicator project team currently consists of managers, scientists, statisticians, and QA personnel in OST and the ORD Western Ecology Division, along with contractors providing scientific and technical support to OST from CSC and Tetra Tech (see Figure 1). Project team members are providing support for developing and reviewing technical and program information related to all aspects of the indicator, including training materials, standard operating procedures, QAPPs, analytical QA reports, briefings and reports on indicator results, and outreach materials. Responsibilities for key members of the project team are described below.




Figure 1. NRSA fish fillet indicator project team organization

Leanne Stahl of OST is the **NRSA fish fillet indicator Technical Leader and OST Project Manager** who is providing overall direction for planning and implementation of this fillet tissue study being conducted under the NRSA. This role involves the following responsibilities related to the fish fillet indicator:

- developing technical information for whole fish sample collection for fillet analysis that includes preparation of the sampling SOP and coordination with the NRSA Project

Leader in OWOW to integrate field sampling technical information for the fish fillet indicator into NRSA documents and training materials

- providing technical support to conduct training on the fish tissue sampling requirements in coordination with the NRSA Project Leader in OWOW
- developing the fish preparation SOP, implementing training for laboratory processing of NRSA fish samples, and providing technical direction for and oversight of fish preparation activities, including technical support for review of fish preparation QA data
- managing analysis of fish samples for target chemicals, including obtaining technical support for chemical analysis of fish tissue, directing development of this QAPP, providing for QA review of the analytical results, developing the data files for statistical analysis of the data, reviewing and approving the final analytical QA report, and providing oversight for development of the database to store NRSA fillet tissue results
- facilitating communication among fish fillet indicator project team members and coordinating with all of these individuals to ensure technical quality and adherence to QA/QC requirements
- developing and managing work assignments under OST or other EPA contracts to provide technical support for the NRSA, providing oversight of all OST contractor activities, and reviewing and approving study deliverables for each work assignment
- scheduling and leading meetings and conference calls with project team members for planning study activities, reporting progress on study tasks, and discussing and resolving technical issues related to the study
- working with QA staff to identify corrective actions necessary to ensure that study quality objectives are met
- managing the development of and/or reviewing and approving all major work products associated with the NRSA fish fillet indicator
- collaborating with the NRSA project team for reporting the indicator results in technical journal articles and federal technical reports

Marion Kelly is the **OST Quality Assurance Officer** who is responsible for reviewing and approving all QAPPs that involve scientific work being conducted by OST. Robert Shippen is the **Standards and Health Protection Division (SHPD) QA Coordinator** who is responsible for reviewing and recommending approval of all QAPPs that include scientific work being conducted by SHPD within OST. The OST QA Officer and SHPD QA Coordinator are also responsible for the following QA/QC activities:

- reviewing and approving this QAPP
- reviewing and evaluating the QA/QC requirements and data for all the NRSA fish fillet indicator activities and procedures
- conducting external performance and system audits of the procedures applied for all NRSA fish fillet indicator activities
- participating in Agency QA reviews of the study

Blaine Snyder is the **Tetra Tech Project Leader** who is responsible for managing all aspects of the technical support being provided by Tetra Tech staff for the NRSA fish fillet indicator. His specific responsibilities include the following:

- providing direct technical support for the following NRSA fish fillet indicator activities or providing leadership and oversight for Tetra Tech staff supporting these activities:
 - developing standard operating procedures for fish sampling, handling, and shipment
 - preparing NRSA fish fillet indicator training materials and project information to incorporate into NRSA documents
 - providing field sampling and fish preparation training
 - planning and implementing NRSA fish fillet indicator logistics
 - conducting fish sampling at NRSA sites designated by the OST Project Manager
 - obtaining and performing QA reviews of NRSA field sampling data related to the fish fillet indicator
 - preparing fish tissue sample preparation instructions for whole fish samples collected from designated NRSA sites
 - evaluating weekly fish processing reports for adherence to the technical and quality requirements in the fish preparation SOP
 - preparing summary project information and graphics for development of project fact sheets, presentations, and other EPA meeting and outreach materials
- monitoring the performance of Tetra Tech staff participating in this study to ensure that they are following all QA procedures described in this QAPP that are related to Tetra Tech tasks being performed to support this study (see list above)
- ensuring completion of high-quality deliverables within established budgets and time schedules
- participating in meetings and conference calls with project team members for planning study activities, reporting progress on study tasks, and discussing and resolving technical issues related to the study

Susan Lanberg is the **Tetra Tech QA Officer**, whose primary responsibilities include the following:

- assisting Tetra Tech's Project Leader with the review of this QAPP
- approving this QAPP
- providing oversight for the implementation of QA procedures related to Tetra Tech tasks that are described in this QAPP
- reporting deviations from this QAPP to the Tetra Tech Project Leader and assisting in implementing corrective actions to resolve these deviations

Harry McCarty is the **CSC Project Leader** who is responsible for managing all aspects of the technical support being provided by CSC staff for the NRSA fish fillet indicator. His specific responsibilities include the following:

- providing direct technical support for the following NRSA fish fillet indicator activities or providing leadership and oversight for CSC staff supporting these activities:
 - preparing information related to technical and quality assurance requirements for preparation of fish tissue samples and for analyses of fillet tissue samples for target chemicals designated by OST, validation of analytical data, and database development to support project planning and development of NRSA fish fillet indicator documents (including this QAPP) or characterization of this indicator in NRSA documents
 - obtaining laboratory services for whole fish sample preparation and fillet tissue analyses, and providing technical and QA oversight of laboratory operations
 - conducting reviews of fish preparation QA/QC data associated with each batch of up to 20 fish samples and preparing a report about the results of each batch review for distribution to the OST Project Manager and the fish preparation laboratory
 - obtaining freezer space that meets the requirements for long-term storage of archived fish tissue samples, organizing the archived fish tissue samples by project to facilitate retrieval of the samples, and developing and maintaining an inventory of the archived samples
 - preparing summary project information and graphics for development of project fact sheets, presentations, and other EPA meeting and outreach materials
- monitoring the performance of CSC staff participating in this study to ensure that they are following all QA procedures described in this QAPP that are related to CSC tasks being performed to support this study (see list above)
- ensuring completion of high-quality deliverables within established budgets and time schedules
- participating in meetings and conference calls with project team members for planning study activities, reporting progress on study tasks, and discussing and resolving technical issues related to the study

Marguerite Jones is the **CSC QA Officer**, whose primary responsibilities include the following:

- assisting CSC's Project Leader with the development and review of this QAPP
- approving this QAPP
- providing oversight for the implementation of QA procedures related to CSC tasks that are described in this QAPP
- reporting deviations from this QAPP to the CSC Project Leader and recommending corrective actions to resolve these deviations

Tony Olsen is the **Senior Statistician** at the ORD Western Ecology Division in Corvallis, Oregon who is supporting the NRSA fish fillet indicator by providing technical expertise for

study planning and implementation. He is providing direct technical support for the following activities or providing leadership and oversight for ORD staff supporting these activities:

- developing the study design for the NRSA
- selecting probability-based sites and tracking each site for final statistical classification
- completing statistical analysis of analytical data for NRSA fillet tissue samples
- developing cumulative distribution functions for analytical data sets with sufficient data points
- participating in development of final reports for publication

A5. Problem Definition/Background

Obtaining statistically representative occurrence data on multiple contaminants in fish tissue is a priority area of interest for EPA. Since 1998, OW has collaborated with ORD to conduct a series of national- and regional-scale assessments of contaminants in fish tissue through statistically based studies of U.S. lakes and rivers. These EPA studies are referred to as the National Lake Fish Tissue Study, the 2008-2009 NRSA, and the Great Lakes Human Health Fish Tissue Study conducted under the 2010 National Coastal Condition Assessment. Including the fish fillet indicator in the 2013-2014 NRSA is providing the first opportunity for analysis of probability-based national fish contamination trends in U.S. rivers. Results from the 2013-2014 NRSA fish fillet indicator will be compared to corresponding results from the 2008-2009 fish fillet indicator (which generated a national baseline for fish contamination data in U.S. rivers) to examine temporal trends.

A6. Project/Task Description

OST is collaborating with OWOW and with ORD-WED in Corvallis, Oregon, to plan and implement the fish fillet indicator within the framework of the 2013-2014 NRSA. Fish composite samples will be collected during May through September of 2013 and 2014 at a statistical subset of approximately 450 sites in the NRSA framework (Figure 2).

Following are the key design components for the 2013-2014 NRSA fish fillet indicator:

- Sampling approximately 450 randomly selected sites during 2013 and 2014 (see Appendix A).
- Collecting one fish composite sample for human health applications (i.e., five similarly sized adult fish of the same species that are commonly consumed by humans) from each site.
- Shipping whole fish samples to a commercial laboratory for storage and fish sample preparation, which includes collection of tissue plug samples for mercury analysis, before filleting the fish, removing both fillets from each fish, homogenizing the fillet tissue composites, and preparing fillet tissue aliquots for analysis of mercury, perfluorinated compounds (PFCs), PCBs, PBDEs, and lipids.

- Analyzing the fillet tissue samples for mercury (total) and 13 PFCs, including perfluorooctane sulfonate (PFOS) (details to be addressed in a subsequent revision of this QAPP).
- Preparing and storing fillet tissue aliquots for potential future PCB and PBDE analyses.



Figure 2. NRSA fish fillet indicator sampling locations

Microbac will store the 2013-2014 NRSA fillet tissue samples and prepare the fish tissue samples for analysis as outlined in the third bullet above. Microbac staff are also preparing multiple aliquots of archived fillet tissue from each fish sample and storing them in a freezer to allow for future analysis of these samples for other contaminants, particularly PCBs and PBDEs.

A7. Quality Objectives and Criteria

The overall quality objective for the preparation of the 2013-2014 NRSA fish fillet indicator samples is to obtain a complete set of samples for each chemical or chemical group of interest to OST. Completeness is defined as the percentage of samples collected in the study for which usable sample aliquots are produced. The goal for completeness is 95%, which recognizes that a few samples sent from the field may not arrive in acceptable condition for inclusion in the study.

A8. Special Training/Certification

All laboratory staff involved in the preparation of fish tissue samples must be proficient in the associated tasks, as required by the National Rivers and Streams Assessment 2013 Tissue Preparation, Homogenization, and Distribution Procedures (Appendix B).

Specialized training is being provided for laboratory technicians who will be collecting fish tissue plug samples (for mercury analysis only) and preparing fillet tissue samples for this project. This training is being conducted jointly by OST, CSC, and Tetra Tech at Microbac for all laboratory staff involved with 2013-2014 NRSA fillet tissue sample preparation to accomplish the following objectives:

- Present NRSA fillet tissue preparation, homogenization and distribution procedures described in Appendix B,
- Demonstrate mercury plug sample collection techniques with fish from invalid NRSA samples,
- Demonstrate filleting and homogenizing techniques with fish from invalid NRSA samples,
- Provide hands-on opportunities for fish preparation laboratory staff to develop proficiency with plug sample extraction and with filleting and homogenizing fish samples, including equipment cleaning procedures and production of equipment rinsate samples.

A9. Documents and Records

The statement of work (SOW) issued by CSC to Microbac for the fillet tissue preparation subcontract provides the specific requirements for the preparation laboratory deliverables. That SOW is the basis for Appendix B to this QAPP. The major deliverables requirements are summarized below:

- The sample preparation laboratory must prepare and submit a weekly progress report to CSC to document the status of fish sample preparation activities and provide information specified in the SOW.
- The laboratory must report the results of the rinsate analyses for mercury, PCBs, and PBDEs, and the triplicate lipid results associated with the sample batch to CSC.
- The laboratory must provide shipping information (airbills, shipping forms, etc.) to CSC for tissue or rinsate samples sent from the laboratory.

The laboratory will maintain records and documentation associated with these efforts for a minimum of five years after completion of the study. Additional copies will be maintained by CSC for at least five years and will be transferred to EPA on request.

B. DATA GENERATION AND ACQUISITION

B1. Sampling Process Design (Experimental Design)

The objective of the 2013-2014 NRSA fish fillet indicator is to investigate the occurrence of mercury, PFCs, and other contaminants in the edible tissue (fillets) of harvestable-sized adult freshwater fish that are typically consumed by humans. This fish contamination study will provide statistically representative data on the concentrations of mercury and PFCs in fish from

the nation's rivers that are applicable to human health. Fish tissue data from this study will also provide EPA with the first opportunity to analyze trends in the levels of river fish contamination by comparing 2013-2014 NRSA fillet tissue results to the fillet tissue data generated during the 2008-2009 NRSA. The 2013-2014 NRSA fish fillet indicator may also include future analysis of tissue samples for PCBs and PBDEs. In this event, the description of the 2013-2014 NRSA fish fillet indicator objective will be expanded to add these chemical groups.

The details of the sampling process design, sampling methods, and sample handling and custody procedures are described in EPA's *National Rivers and Streams Assessment 2014-2014 Quality Assurance Project Plan, May 2013*, prepared by OWOW with input by other study participants (USEPA 2013a). However, to provide some context for the readers of this QAPP, those aspects of the NRSA are summarized below.

The target population for the 2013-14 NRSA consists of all streams and rivers within the 48 contiguous states that have flowing water from April through September, excluding portions of tidal rivers up to the head of salt. This target population applies to all the NRSA core indicators (i.e., in situ measurements, water chemistry, chlorophyll a, periphyton, benthic macroinvertebrate assemblage, fish assemblage, and physical habitat). The 2013-2014 NRSA survey design incorporates two major components: the NRSA14 survey design and the NRSA09 survey design. These design components address both NRSA objectives of estimating current status and estimating change in status for all flowing waters. The NRSA09 survey design is a subsample of 2008-2009 NRSA target river sites (Strahler order 5th and greater) and stream sites (Strahler order 1st through 4th) sampled in 2008 and 2009. The NRSA14 survey design is a new survey design that involved selection of new sites in the following four river and stream categories: major rivers (Strahler order 5th and greater), other rivers (Strahler order 5th and greater), large streams (Strahler order 3rd and 4th), and small streams (Strahler order 1st and 2nd). Both the NRSA09 and NRSA14 designs are explicitly stratified by state. Within each state, the unequal probability of selection was based on river and stream categories and ecological reporting sites. Application of both the NRSA09 survey design and the NRSA14 survey design resulted in selection of 1808 base sampling sites for the 2013-2014 NRSA, which are distributed among the six river and stream categories as follows: 409 previously sampled rivers, 402 previously sampled streams, 227 new major rivers, 236 new other rivers, 256 new large streams, and 278 new small streams.

Note: The terms "NRSA09" and "NRSA14" above were developed by ORD-WED to specifically identify components of the statistical design for the 2013-2014 NRSA.

Table 1. Site Selection Summary for the 2013-2014 NRSA Survey Design

Ecological Reporting Region	NRSA09 Design			NRSA14 Design					Design Total
	Rivers	Streams	Totals	Rivers Major	Rivers Other	Large Streams	Small Streams	Total	
Coastal Plain (CPL)	52	48	100	29	33	34	42	138	238
Northern Appalachians (NAP)	52	41	93	30	34	39	44	147	240
Northern Plains (NPL)	43	39	82	16	17	17	25	75	157
Southern Appalachians (SAP)	52	60	112	29	30	31	38	128	240
Southern Plains (SPL)	41	34	75	20	21	20	20	81	156
Temperate Plains (TPL)	44	49	93	28	27	30	28	113	206
Upper Midwest (UMW)	39	40	79	19	20	20	18	77	156
Western Mountains (WMT)	43	61	104	29	26	32	32	119	223
Xeric Region (XER)	43	30	73	27	28	33	31	119	192
Total	409	402	811	227	236	256	278	997	1808

The target population for the 2013-2014 NRSA fish fillet indicator (a supplemental indicator) consists of all Strahler order 5th and greater streams (which are categorized as rivers) within the 48 contiguous states that have flowing water from April through September, excluding portions of tidal rivers up to the head of salt. A statistically representative subset of 453 river sites distributed throughout the 48 states was designated as the group of sampling sites for the 2013-2014 NRSA fish fillet indicator. To optimize the capability for estimating change in fish contaminant levels, the 2013-2014 NRSA fish fillet indicator sampling sites include the 409 river locations previously sampled during the 2008-2009 NRSA and 44 of the new major river sites from the NRSA14 design (one new major river site in each of the 44 states where new major river sites were selected).

To meet the study objective, one fish composite sample was collected from each site. A routine fish composite sample consists of five adult fish that are selected for each composite based on the following criteria:

- All are of the same species;
- All satisfy legal requirements of harvestable size (or weight) for the sampled site, or at least be of consumable size if new legal harvest requirements are in effect;

- All are of similar size, so that the smallest individual in a composite is no less than 75% of the total length of the largest individual;
- All are collected at the same time, i.e., collected as close to the same time as possible, but no more than one week apart. (Note: Individual fish may have to be frozen until all fish to be included in the composite are available for delivery to the designated laboratory.)

Accurate taxonomic identification is essential in preventing the mixing of closely related target species. Under no circumstances are individuals from different species used in a composite sample.

The sample collection goal at each NRSA fish fillet indicator site is to obtain a composite sample of fish that are adequate in size to provide a minimum of 536 grams of fillet tissue for chemical analysis. Field crews will collect fish between May and September during both field seasons in 2013 and 2014.

B2. Sampling Methods

Sampling method procedures and requirements for collection of human health fish samples are detailed in EPA's *National Rivers and Streams Assessment 2013-2014 Quality Assurance Project Plan, May 2013* (USEPA 2013a) and *National Rivers and Streams Assessment Field Operations Manual* (USEPA 2013b). These sampling procedures and requirements are summarized below.

The field objective is for sampling teams to obtain one representative fish composite sample from each sampling site. Collecting fish composite samples is a cost-effective means of estimating average chemical concentrations in the tissue of target species, and compositing fish ensures adequate sample mass for analysis of multiple chemicals. The sampling procedures specify that each composite should consist of five similarly sized adult fish of the same species. OST developed a recommended fish species list with OWOW concurrence that contained 18 priority target fish species. In June 2013, OST expanded this list to include 16 alternative fish species. Sampling teams will use this list as the basis for selecting appropriate fish species for the NRSA fish fillet indicator samples. The method applied for fish collection is at the discretion of the field team, but electrofishing is preferred.

In preparing fish samples for shipping, field teams record sample number, species name, specimen length, sampling location and sampling data and time on a fish collection form. Each fish is wrapped in solvent-rinsed, oven-baked aluminum foil, with the dull side in using foil sheets provided by EPA. Individual foil-wrapped specimens are placed into a length of food-grade polyethylene tubing, each end of the tubing is sealed with a plastic cable tie, and a fish specimen label is affixed to the outside of the food-grade tubing with clear tape. All of the wrapped fish in the sample from each site are placed in a large plastic bag and sealed with another cable tie, then placed immediately on dry ice for shipment to Microbac in Baltimore, Maryland. Field crews are directed to pack fish samples on dry ice in sufficient quantities to keep samples frozen for up to 48 hours (50 pounds are recommended), and to ship them via priority overnight delivery service (e.g., Federal Express), so that they arrive at Microbac in less than 24 hours from the time of sample collection. Alternatively, field crews may transport whole fish samples on wet or dry ice (depending on the distance) to an interim facility where the fish

samples are frozen and stored for up to two weeks before overnight shipping to Microbac on dry ice as described above.

B3. Sample Handling and Custody

This section describes the sample handling and custody procedures that apply once the whole fish tissue samples are shipped from the field to the sample preparation laboratory. Fish samples for the 2013-2014 NRSA are being collected by various organizations participating with EPA in this study, including state and tribal agencies, other federal agencies, and contractors. Although samples will be shipped frozen on dry ice, they must be inspected promptly on receipt. As samples are received, the sample custodian at the sample preparation laboratory will:

- Check that each shipping container has arrived undamaged and verify that samples are still frozen and in good condition.
- Check the temperature of one of the samples in the cooler using a thermometer that reads to at least -20 degrees Celsius (°C), or an infra-red (IR) temperature “gun” and record the reading on the sample tracking form.
- Verify that all associated paperwork is complete, legible, and accurate.
- Compare the information on the label on each individual fish specimen to the sample tracking form for each composite and verify that each specimen was included in the shipment and is properly wrapped and labeled.
- Notify CSC of the fact that samples were received and of any discrepancies in the paperwork identified above.
- Provide CSC with a copy of the sample tracking form for each sample (via email). (CSC will check that the samples were collected from sites on the list of valid whole fish tissue sampling locations (uniquely designated by the site identification number), and notify EPA immediately if samples have been received from sites not on that list.)
- Transfer the samples to the freezer for long-term storage.

The sample preparation laboratory will notify CSC immediately about any problems encountered upon receipt of samples. Problems involving sample integrity, conformity, or inconsistencies for fish tissue samples should be reported to CSC in writing (e.g., by email) as soon as possible following sample receipt and inspection.

Following sample processing, the sample preparation laboratory must store sample aliquots frozen to less than or equal -20 °C until they are distributed to the laboratories performing analyses under separate CSC purchase orders. (The freezers are maintained by the sample processing laboratory under a separate agreement with CSC and are continuously monitored by an automated temperature monitoring system.)

B4. Fish Sample Preparation Methods

Microbac has been selected as the fish sample preparation laboratory (prep lab) for the NRSA fish fillet indicator. In this role, Microbac is responsible for extracting a fish plug sample from designated fish in the sample before filleting the fish, filleting each valid fish sample, homogenizing the fillet tissue, preparing the required number of fish tissue aliquots for analysis and archive, shipping the fish tissue aliquots for each analysis to the designated analytical laboratory, and storing archived fish tissue samples in a freezer at their facility. The specific procedures for NRSA fillet tissue sample preparation activities are described in Appendix B.

Before beginning sample processing, trained lab technicians complete a relative fish length comparison to confirm that field crews attached the correct label to each fish in the composite sample. Each fish is then weighed to the nearest gram, rinsed with deionized water, placed on a clean glass cutting board, and scaled. Prior to filleting each fish in the sample, the lab technicians extract fish plug samples from designated fish (typically two fish per composite sample). The filleting process involves removing the fillet (with skin on and belly flap [ventral muscle] attached) from both sides of each fish. Fillets are composited using the “batch” method, in which all of the fillets from the individual specimens that make up the sample are homogenized together, regardless of each specimen’s proportion to one another (as opposed to the “individual” method, in which equal weights of tissue from each specimen are added together).

An electric meat grinder is used to prepare homogenate samples. Entire fillets (with skin and belly flap) from both sides of each fish are homogenized, and the entire homogenized volume of all fillets from the fish sample is used to prepare the tissue sample. Tissues are mixed thoroughly until they are completely homogenized as evidenced by a fillet homogenate that consists of a fine paste of uniform color and texture. Homogeneity is confirmed by conducting triplicate analyses of the lipid content in one of every twenty samples. The collective weight of the homogenized tissue from each sample is recorded to the nearest gram (wet weight) after processing. Microbac prepares fillet tissue samples and sample aliquots according to the specifications listed in Steps 18 to 28 of the fish sample preparation procedures in Appendix B.

B5. Fish Sample Preparation Quality Control

The project-specific QC procedures include preparation and testing of equipment rinsate samples and homogeneity testing, using lipids as a surrogate. The QC procedures are performed in two distinct phases: (1) as part of an initial demonstration of capabilities after the kickoff meeting and training workshop with EPA, and (2) during normal operations (i.e., NRSA fish sample preparation procedures).

B.5.1 Initial demonstration of capabilities

After the kickoff meeting and training workshop, Microbac staff will prepare three test fish samples provided by Tetra Tech. Each test sample will consist of a single large fish that will be processed separately. Each of these test samples will be carried through the entire sample preparation and aliquoting procedures separately. The resulting sample aliquots will not be distributed to other laboratories. In between processing each individual fish sample, Microbac

staff will clean all of the sample preparation equipment as described in Step 29 of Appendix B. After each cleaning, Microbac staff will prepare the entire series of equipment rinsates and solvent blanks described in Step 32 of Appendix B.

Microbac also will collect three lipid aliquots from each sample prepared during the initial demonstration and use them for triplicate determinations of lipids, as described in Step 36 of Appendix B. Microbac will analyze the rinsate samples for mercury, PBDE congeners, and PCB congeners using the procedures described in Table 2, or have them analyzed by a subcontract laboratory under their control, as shown below.

Table 2. Methods for Determination of Lipids and Analyses of Rinsate Samples

Parameter	Method	Laboratory
Lipids	SW-846 9071B	Microbac
Mercury	EPA 245.1	Microbac
PBDEs	EPA 1614	Vista Analytical (under subcontract to Microbac)
PCBs	EPA 1668A	Cape Fear (under subcontract to Microbac)

The results of the analyses of the rinsates and the homogeneity testing (three sets each) will be submitted to CSC for review. Microbac will not begin 2013-2014 NRSA sample preparation until CSC and EPA determine that the sample preparation laboratory has successfully demonstrated proficiency in meeting QC requirements for equipment cleaning and tissue homogenization.

From the lipid results, Microbac will calculate the mean lipid content (in percent), the standard deviation (SD), and the relative standard deviation (RSD) using the formulae below, or the corresponding functions in Excel.

$$\text{mean \% lipids} = \frac{\sum_{i=1}^3 (\% \text{ lipids})_i}{3}$$

$$\text{SD} = \sqrt{\frac{\sum_{i=1}^3 (\% \text{ lipids}_i - \text{mean lipids})^2}{2}}$$

$$\text{RSD} = \frac{\text{SD}}{\text{mean}}$$

If the RSD of the triplicate results is less than or equal to 15%, then CSC and EPA will judge the homogenization effort to be sufficient for all samples in that preparation batch.

If the results for the rinsate samples are below the limits in Table 3 for mercury, PBDEs, and PCBs, then CSC and EPA will judge the equipment cleaning effort to be sufficient for all samples in that preparation batch.

Table 3. Acceptance Limits for Rinsate Samples

Parameter	Acceptance Limit	Basis for Limit
Mercury	1 µg/L for total mercury	Method detection limit for an aqueous sample
PBDEs	0.5 ng/mL per congener	Instrument detection limit for a 0.5-mL final volume of solvent concentrated from the original 50-mL rinsate sample
PCBs	0.5 ng/mL per congener	Instrument detection limit for a 0.5-mL final volume of solvent concentrated from the original 50-mL rinsate sample

B.5.2 Normal Operations

During normal sample preparation efforts, the Microbac will prepare one set of rinsate samples and will conduct one set of triplicate lipid determinations per batch of 20 composite fish samples, as described in Steps 32 to 37 of Appendix B. The batch-specific rinsate and homogeneity results will be reviewed by CSC and EPA against the same QC specifications used for the initial demonstration of capabilities. The sample preparation laboratory may continue to process up to one additional batch of 20 samples (based on sample preparation instructions provided by CSC) during that review process. However, the sample preparation laboratory may not continue beyond that next batch of samples until receiving notification from CSC that review of the prior batch rinsate and homogeneity test results is complete and the results were deemed satisfactory.

B6. Instrument/Equipment Testing, Inspection, and Maintenance

There are no analytical instruments used in the preparation of the fillet tissue samples. However, the balances used to weigh the whole fish and the tissue sample aliquots are inspected and serviced on a regular schedule and the homogenization equipment (meat grinder) will be inspected when it is reassembled after cleaning between samples.

All analytical instrumentation associated with the rinsate analyses will be inspected and maintained as described in the respective analysis methods and laboratory SOPs.

B7. Instrument/Equipment Calibration and Frequency

The balances used to weigh the whole fish and the tissue sample aliquots are calibrated on a regular schedule and calibrations are verified at the beginning of each day on which the balances are used.

All analytical instrumentation associated with the rinsate analyses will be calibrated as described in the respective analysis methods. The methods in Table 3 all require multi-point initial calibrations and periodic calibration verifications, and all the methods contain QC acceptance criteria for calibration.

B8. Inspection/Acceptance of Supplies and Consumables

The inspection and acceptance of any laboratory supplies and consumables associated with the rinsate analyses are addressed in the individual laboratory operating procedures to be used, and/or in the laboratory's existing overall quality system documentation. There are no additional requirements specific to this project, and therefore, none are described here.

B9. Non-direct Measurements

Non-direct measurements are not required for this project. (The analytical results from the 2008-2009 NRSA to which any new data are to be compared are primary data that EPA generated under an approved QAPP for that study.)

B10. Data Management

Data management practices employed in this study will be based on standard data management practices used for EPA's National Lake Fish Tissue Study and other OST fish contamination studies (e.g. Great Lakes Human Health Fish Tissue Study). The data management (i.e., sample tracking, data tracking, data inspection, data quality assessment, database development) procedures have been regularly applied to other technical studies by CSC. These procedures are being employed because they are effective, efficient, and have successfully withstood repeated internal and external audits, including internal review by EPA Quality Staff, public review and comment, judicial challenge, and an audit by the Government Accountability Office. These procedures, as implemented for the NRSA fish fillet indicator, are summarized below.

- Microbac is required to maintain all records and documentation associated with the preparation of study samples and rinsates for a minimum period of five years after completion of the study.
- All required reports and documentation, including raw data, must be sequentially paginated and clearly labeled with the laboratory name, and associated sample numbers. Any electronic media submitted must be similarly labeled.
- Microbac will adhere to a comprehensive data management plan that is consistent with the principles set forth in Good Automated Laboratory Practices, EPA Office of Administration and Resources Management (USEPA 1995). Microbac's data management plan is incorporated in their overall quality system documentation, e.g., their quality management plan, a copy of which will be maintained on file at CSC.

C. ASSESSMENT AND OVERSIGHT

C1. Assessments and Response Actions

The laboratory contract prepared to support this study stipulates that the sample preparation laboratory has a comprehensive QA program in place and operating at all times during the performance of their contract, and that in performing laboratory work for this study, the laboratory shall adhere to the requirements of that QA program (Microbac 2012). A copy of that plan will be maintained on file at CSC.

Sections C1.1 through C1.5 describe other types of assessment activities and corresponding response actions identified to ensure that data gathering activities in the NRSA fish fillet indicator are conducted as prescribed and that the performance criteria defined for the study are met.

C1.1 Surveillance

The CSC Project Leader will schedule and track all work performed by the sample preparation laboratory. The Project Leader will coordinate with staff at Microbac regarding fish tissue sample shipments to other laboratories once analysis contracts are funded and in place.

When CSC is advised that samples are being shipped from the field to the sample preparation laboratory, the Project Leader will contact designated sample preparation laboratory staff by email to notify them of the forthcoming shipment(s) and request that they contact CSC if the shipments do not arrive intact as scheduled. Within 24 hours of scheduled sample receipt, CSC will contact the laboratory to verify that the samples arrived in good condition, and if problems are noted, will work with the laboratory and EPA to resolve the problem as quickly as possible to minimize data integrity problems.

CSC's project leader will obtain fish sample processing instructions for each batch of 20 samples from the OST Project Manager and transmit those instructions to the sample processing laboratory by email. The sample preparation laboratory may not begin processing any samples until this QAPP is approved and CSC provides the sample processing instructions.

CSC will communicate periodically with laboratory staff by telephone or email to monitor the progress of sample preparation and lipid and rinsate analysis. If technical problems are encountered during sample preparation and rinsate analysis, CSC will identify a technical expert within CSC to assist in resolving the problem, and work with EPA to identify and implement a solution to the problem. The sample preparation laboratory will be permitted to work one batch ahead of the production and CSC/EPA review of the lipid and rinsate analyses to ensure that the homogenization and equipment cleaning procedures are adequate.

If the laboratory fails to deliver QC data on time, or if the laboratory notifies CSC of anticipated reporting or sample processing delays, CSC will notify the OST Project Manager of the situation. To the extent possible, CSC will adjust schedules and shift resources within CSC as necessary to minimize the impact of laboratory delays on EPA schedules. CSC also will immediately notify the Project Manager of any laboratory delays that are anticipated to impact EPA schedules.

C1.2 Product Review

Reviews of the sample preparation records and the results of the lipid homogeneity and rinsate testing will be performed by CSC. The results of those reviews will be documented in emails to the OST Project Manager.

C1.3 Quality Systems Audit

A quality system audit (QSA) is used to verify, by examination and evaluations of objective evidence, that applicable elements of the quality system are appropriate and have been developed, documented, and effectively implemented in accordance and in conjunction with specified requirements. The focus of these assessments is on the quality system processes – not on evaluating the quality of specific products or judging the quality of environmental data or the

performance of personnel or programs. The SHPD QA Coordinator may perform a QSA of the fillet tissue preparation portion of the 2013-2014 NRSA.

C1.4 Readiness Review

A readiness review of the sample preparation laboratory's capability to produce homogeneous tissue sample aliquots will begin with the kick-off meeting with the laboratory. This effort will include the initial demonstration of capabilities described in Appendix B. Routine processing of fish tissue samples will not begin until the laboratory has demonstrated acceptable performance in the initial demonstration of capabilities.

The results of the lipid homogeneity testing and rinsate analyses from the initial demonstration of capabilities will be examined by CSC data reviewers to determine if the laboratory met the QC acceptance criteria for the lipid homogeneity testing and the rinsate analyses. If problems are identified during these reviews, CSC will work with the laboratory, to the extent possible, to resolve the problem. If the problem cannot be resolved within the time frame required by EPA or within the scope of the laboratory's existing contract, CSC will notify the OST Project Manager immediately. Records of these reviews and any corrective actions are maintained by CSC. CSC staff will document their findings and recommendations concerning the readiness review as part of a written analytical QA report to EPA.

C1.5 Technical Systems Audit

The laboratory contract requires that the laboratory be prepared for and willing to undergo an on-site, or technical systems, audit of its facilities, equipment, staff, sample processing and rinsate analysis, training, record keeping, data validation, data management, and data reporting procedures. An audit will be conducted only if the results of the readiness reviews, data quality audits, and surveillance suggest serious or chronic laboratory problems that warrant on-site examinations and discussion with laboratory personnel.

If such an audit is determined to be necessary, a standardized audit checklist may be used to facilitate an audit walkthrough and document audit findings. Audit participants may include the OST Project Manager and/or the SHPD QA Coordinator (or a qualified EPA staff member designated by the OST QA Officer) and a CSC staff member experienced in conducting laboratory audits. One audit team member will be responsible for leading the audit and conducting a post-audit debriefing to convey significant findings to laboratory staff at the conclusion of the audit. Another audit team member will be responsible for gathering pre-audit documentation of problems that necessitated the audit, customizing the audit checklist as necessary to ensure that those problems are addressed during the audit, documenting audit findings on the audit checklist during the audit, and drafting a formal report of audit findings for review by EPA.

C2. Reports to Management

The sample preparation laboratory will provide CSC with a weekly status report that describes all of the fish samples processed during the previous week. CSC will review those reports for completeness and then forward them to the OST Project Manager.

D. DATA VALIDATION AND USABILITY

D1. Data Review, Verification, and Validation

The data review, verification, and validation aspects of the fillet tissue sample preparation effort are more limited than those that might be applied to typical chemical analysis efforts. The procedures described below apply primarily to the results of the lipid homogeneity and rinsate analyses.

D1.1 Data Review

All laboratory results and calculations will be reviewed by the Laboratory Manager prior to data submission. Any errors identified during this peer review will be returned to the analyst for correction prior to submission of the data package. Following correction of the errors, the Laboratory Manager will verify that the final package is complete and compliant with the contract, and will sign each data submission to certify that the package was reviewed and determined to be in compliance with the terms and conditions of the contract.

D1.2 Data Verification

The basic goal of data verification is to ensure that project participants know what data were produced, if they are complete, if they are contractually compliant, and the extent to which they meet the objectives of the study.

CSC staff will conduct reviews of the QC sample results for homogenized fish tissue samples prepared by Microbac. This will involve review of data for percent lipid measurements that serve as a surrogate for homogeneity testing and review of the results from rinsates of the sample processing equipment. The CSC Project Leader will verify the summary level results for these QC samples, determine if they meet the project objectives in this QAPP, and report the verification findings to OST.

D1.3 Data Validation

Data validation is the process of evaluating the quality of the results relative to their intended use. Data need not be “perfect” to be usable for a particular project, and the validation process is designed to identify data quality issues uncovered during the verification process that may affect the intended use. One goal of validation is to answer the “So what?” question with regard to any data quality issues.

As noted above, the data validation aspects of the fillet tissue sample preparation effort are more limited and will focus on the clarity and accuracy of the weekly sample processing reports.

D2. Verification and Validation Methods

D2.1 Verification Methods

In the first stage of the data verification process, CSC reviewers will perform a “Completeness Check” in which all elements in each laboratory submission will be evaluated to verify that results for all specified samples are provided, that data are reported in the correct format, and that all relevant information, such as preparation and analysis logs, are included in the data package. Corrective action procedures will be initiated if deficiencies are noted.

The second stage of the verification process will focus on an “Instrument Performance Check” in which the CSC data review chemists will verify that calibrations, calibration verifications, standards, and calibration blanks were analyzed at the appropriate frequency and met method or study performance specifications. If errors are noted at this stage, corrective action procedures will be initiated immediately.

Stage three of the verification process will focus on a “Laboratory Performance Check” in which CSC data review chemists will verify that the laboratory correctly performed the required analytical procedures and was able to demonstrate a high level of precision and accuracy. This stage includes evaluation of QC elements such as the laboratory control samples, method blanks, matrix spike samples and/or reference samples, where applicable. Corrective action procedures will be initiated with the laboratories to resolve any deficiencies identified.

D2.2 Validation Methods

CSC data review chemists will perform a data quality and usability assessment in which the overall quality of data is evaluated against the performance criteria. This assessment will strive to maximize use of data gathered in this study based on performance criteria established for this study. This will be accomplished by evaluating the overall quality of a particular data set rather than focusing on individual QC failures. Results of this assessment will be documented in a report after all of the results have been evaluated and forwarded to the OST Project Manager.

D3. Reconciliation with User Requirements

The QC results for lipids from the homogeneity testing and the rinsate analysis for each batch of fish tissue samples prepared will be assessed against the QC acceptance criteria. Although the sample preparation laboratory will be permitted to work “one batch ahead” of the delivery of the batch-specific QC results, CSC will track laboratory performance, notify the OST Project Manager of any issues, initiate corrective actions, and track progress by the sample preparation laboratory.

References

Microbac. 2012. Microbac Laboratories Baltimore Division Quality Assurance Manual, Issue 01, Revision 020, August 22, 2012.

USEPA. 1983. Method 245.1, Mercury (Manual Cold Vapor Technique). In Methods for Chemical Analysis of Water and Wastes (MCAWW) EPA/600/4-79-020 - Revised March 1983. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 1995. Good Automated Laboratory Practices. EPA Manual 2185. U.S. Environmental Protection Agency, Office of Administration and Resources Management, Washington, DC, August 1995.

USEPA. 1998. Method 9071B, n-Hexane Extractable Material (HEM for Sludge, Sediment, and Solid Samples). In "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods." Third Edition.

USEPA. 1999. Method 1668, Revision A: Chlorinated Biphenyl Congeners in Water, Soil, Sediment, and Tissue by HRGC/HRMS. EPA No. EPA-821-R-00-002. December 1999. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2001. EPA Requirements for Quality Assurance Project Plans. EPA QA/R-5. U.S. Environmental Protection Agency, Office of Environmental Information, Washington, DC. EPA/240/B-01/003.

USEPA. 2010. Method 1614A Brominated Diphenyl Ethers in Water, Soil, Sediment, and Tissue by HRGC/HRMS. EPA-821-R-10-005. May 2010. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2013a. National Rivers and Streams Assessment: Quality Assurance Project Plan, Version 1.0. May 2013. EPA-841-B-12-007. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2013b. National Rivers and Streams Assessment Field Operations Manual. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

Appendix A

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
AL	ALR9-0901	FW08AL012	34.95092	-87.04203	7	Elk River	Non-Urban
AL	ALR9-0902	FW08AL014	32.48594	-85.72031	5	Uphapee Creek	Non-Urban
AL	ALR9-0903	FW08AL015	31.08686	-87.08175	5	Murder Creek	Non-Urban
AL	ALR9-0904	FW08AL020	33.41281	-86.75190	5	Cahaba River	Urban
AL	ALR9-0905	FW08AL021	31.34381	-85.60881	5	Choctawhatchee River	Non-Urban
AL	ALR9-0906	FW08AL022	31.68740	-88.05213	5	Salitpa Creek	Non-Urban
AL	ALRM-1001		32.22869	-87.14828	7	Alabama River	Non-Urban
AR	ARR9-0901	FW08AR010	35.62598	-89.87933	10	Mississippi River	Non-Urban
AR	ARR9-0902	FW08AR012	34.35270	-91.10542	8	White River	Non-Urban
AR	ARR9-0903	FW08AR014	34.69500	-90.64588	7	Saint Francis River	Non-Urban
AR	ARR9-0904	FW08AR016	35.67817	-93.74409	5	Mulberry River	Non-Urban
AR	ARR9-0905	FW08AR017	33.55630	-92.02261	6	Saline River	Non-Urban
AR	ARR9-0906	FW08AR019	34.92888	-93.36068	5	Fourche Lafave River	Non-Urban
AR	ARR9-0907	FW08AR022	34.80142	-90.77003	5	Anguile River	Non-Urban
AR	ARR9-0908	FW08AR024	33.61703	-93.86001	6	Little River	Non-Urban
AR	ARR9-0909	FW08AR026	35.53264	-90.44201	6	Saint Francis River	Non-Urban
AR	ARRM-1001		35.60184	-89.90212	10	Mississippi River	Non-Urban
AZ	AZR9-0901	FW08AZ009	36.08766	-111.87061	8	Colorado River	Non-Urban
AZ	AZR9-0902	FW08AZ013	36.43346	-111.86409	8	Colorado River	Non-Urban
AZ	AZR9-0903	FW08AZ019	32.40882	-111.16063	6	Santa Cruz River	Non-Urban
AZ	AZR9-0904	FW08AZ022	33.29395	-109.49470	5	Eagle Creek	Non-Urban
AZ	AZR9-0913	FW08AZ062	33.47634	-114.60530	9	Colorado River	Non-Urban
AZ	AZRM-1001		33.66840	-114.53128	9	Colorado River	Non-Urban
CA	CAR9-0901	FW08CA020	41.31853	-123.52796	6	Klamath River	Non-Urban
CA	CAR9-0902	FW08CA022	34.35671	-119.01988	6	Santa Clara River	Urban
CA	CAR9-0903	FW08CA031	38.81627	-123.01119	5	Russian River	Urban
CA	CAR9-0904	FW08CA035	38.80836	-121.63521	6	Feather River	Non-Urban
CA	CAR9-0905	FW08CA038	34.42494	-118.55705	5	Santa Clara River	Urban
CA	CAR9-0906	FW08CA040	41.53926	-123.52673	6	Klamath River	Non-Urban
CA	CAR9-0907	FW08CA044	41.48963	-120.60459	6	Pit River	Non-Urban
CA	CAR9-0908	FW08CA056	41.45640	-123.93556	7	Klamath River	Non-Urban
CA	CAR9-0909	FW08CA059	40.00191	-121.26823	6	Feather River	Non-Urban
CA	CAR9-0910	FW08CA061	37.59638	-121.12876	6	Tuolumne River	Non-Urban
CA	CAR9-0911	FW08CA063	40.31844	-123.77101	7	Eel River	Non-Urban
CA	CAR9-0912	FW08CA067	38.57234	-121.35775	6	American River	Urban
CA	CAR9-0913	FW08CA068	41.84331	-122.89973	6	Klamath River	Non-Urban
CA	CARM-1001		33.85326	-117.78304	5	Santa Ana River	Urban
CO	COR9-0901	FW08CO021	39.98812	-108.77796	5	Douglas Creek	Non-Urban
CO	COR9-0902	FW08CO025	38.86531	-108.39814	6	Gunnison River	Non-Urban
CO	COR9-0903	FW08CO028	37.60462	-103.60597	5	Purgatoire River	Non-Urban
CO	COR9-0904	FW08CO032	40.94132	-102.34142	5	South Platte River	Non-Urban
CO	COR9-0905	FW08CO033	37.17608	-105.73105	6	Grande, Rio	Non-Urban
CO	COR9-0906	FW08CO036	40.39451	-103.47733	7	South Platte River	Non-Urban
CO	COR9-0907	FW08CO037	40.47797	-108.90822	7	Yampa River	Non-Urban
CO	COR9-0908	FW08CO046	39.65513	-107.06715	6	Colorado River	Non-Urban
CO	CORM-1001		39.18629	-108.90477	7	Colorado River	Non-Urban
CT	CTR9-0901	FW08CT005	41.89123	-72.66210	5	Farmington River	Urban
CT	CTR9-0902	FW08CT006	41.78270	-71.89588	5	Quinebaug River	Urban
CT	CTR9-0903	FW08CT007	41.54059	-72.55126	6	Connecticut River	Urban
CT	CTR9-0906	FW08CT016	41.84448	-72.63200	5	Farmington River	Urban
CT	CTRM-1001		41.48485	-72.50888	6	Connecticut River	Urban
DE	DER9-0901	FW08DE005	39.70013	-75.63339	5	White Clay Creek	Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
DE	DER9-0902	FW08DE009	39.83430	-75.57709	5	Brandywine Creek	Urban
DE	DER9-0903	FW08DE010	38.61817	-75.63092	5	Nanticoke River	Urban
FL	FLR9-0901	FW08FL005	30.35243	-84.68592	5	Ochlockonee River	Non-Urban
FL	FLR9-0902	FW08FL006	29.98459	-85.03299	8	Apalachicola River	Non-Urban
FL	FLR9-0903	FW08FL007	27.41502	-81.13117	5	Kissimmee River	Non-Urban
FL	FLRM-1001		30.21423	-85.11154	8	Apalachicola River	Non-Urban
GA	GAR9-0901	FW08GA006	30.70227	-83.03386	6	Alapaha River	Non-Urban
GA	GAR9-0902	FW08GA008	32.30967	-84.05752	5	Buck Creek	Non-Urban
GA	GAR9-0903	FW08GA009	33.05392	-81.82509	5	Brier Creek	Non-Urban
GA	GAR9-0904	FW08GA010	30.81591	-83.01665	6	Alapaha River	Non-Urban
GA	GAR9-0905	FW08GA012	32.14304	-83.38112	6	Ocmulgee River	Non-Urban
GA	GAR9-0906	FW08GA018	32.00825	-83.29546	6	Ocmulgee River	Non-Urban
GA	GAR9-0907	FW08GA020	31.15899	-85.07891	7	Chattahoochee River	Non-Urban
GA	GARM-1001		32.61633	-83.54926	6	Ocmulgee River	Non-Urban
IA	IAR9-0901	FW08IA019	42.79185	-96.60157	7	Big Sioux River	Non-Urban
IA	IAR9-0902	FW08IA021	41.00446	-91.66528	6	Skunk River	Non-Urban
IA	IAR9-0903	FW08IA022	42.20200	-90.33231	8	Mississippi River	Non-Urban
IA	IAR9-0904	FW08IA024	43.45106	-94.86716	6	Des Moines River	Non-Urban
IA	IAR9-0905	FW08IA029	42.24731	-92.32474	5	Wolf Creek	Non-Urban
IA	IAR9-0906	FW08IA034	43.10975	-91.17645	8	Mississippi River	Non-Urban
IA	IAR9-0907	FW08IA035	43.26844	-96.21303	5	Little Rock River	Non-Urban
IA	IAR9-0908	FW08IA037	40.87470	-91.04809	8	Mississippi River	Non-Urban
IA	IAR9-0909	FW08IA038	42.13068	-90.35650	6	Maquoketa River	Non-Urban
IA	IAR9-0914	FW08IA047	41.46760	-95.90931	5	Boyer River	Non-Urban
IA	IARM-1001		42.50707	-90.64463	8	Mississippi River	Urban
ID	IDR9-0901	FW08ID013	42.57566	-113.62921	7	Snake River	Non-Urban
ID	IDR9-0902	FW08ID014	46.13488	-115.95995	6	Middle Fork Clearwater River	Non-Urban
ID	IDR9-0903	FW08ID016	42.52532	-115.49077	5	Clover Creek	Non-Urban
ID	IDR9-0904	FW08ID017	45.36948	-114.28991	7	Salmon River	Non-Urban
ID	IDR9-0905	FW08ID019	47.69645	-116.91528	7	Spokane River	Urban
ID	IDR9-0906	FW08ID020	43.96347	-116.18915	6	Payette River	Non-Urban
ID	IDR9-0907	FW08ID021	44.83915	-114.78516	6	Middle Fork Salmon River	Non-Urban
ID	IDR9-0908	FW08ID023	46.66523	-115.54751	5	North Fork Clearwater River	Non-Urban
ID	IDR9-0909	FW08ID026	45.38528	-115.53329	7	Salmon River	Non-Urban
ID	IDR9-0910	FW08ID029	44.39607	-116.04608	6	North Fork Payette River	Non-Urban
ID	IDR9-0911	FW08ID032	42.66149	-114.66271	7	Snake River	Non-Urban
ID	IDR9-0912	FW08ID033	45.13323	-113.80082	6	Lemhi River	Non-Urban
ID	IDRM-1001		42.93930	-115.70144	7	Snake River	Non-Urban
IL	ILR9-0901	FW08IL009	39.20865	-90.59292	8	Illinois River	Non-Urban
IL	ILR9-0902	FW08IL011	41.48585	-89.84848	5	Green River	Non-Urban
IL	ILR9-0903	FW08IL012	37.00011	-89.26342	10	Mississippi River	Non-Urban
IL	ILR9-0904	FW08IL013	40.47669	-91.36704	8	Mississippi River	Non-Urban
IL	ILR9-0905	FW08IL017	40.78506	-90.13891	6	Fox Creek	Non-Urban
IL	ILR9-0906	FW08IL018	41.15196	-87.91418	6	Kankakee River	Urban
IL	ILR9-0907	FW08IL022	41.90002	-89.48215	7	Rock River	Urban
IL	ILR9-0908	FW08IL024	37.85242	-89.19183	5	Little Muddy River	Non-Urban
IL	ILRM-1001		42.47833	-89.05604	6	Rock River	Urban
IN	INR9-0901	FW08IN006	38.64279	-87.61438	7	Wabash River	Non-Urban
IN	INR9-0902	FW08IN008	38.83491	-86.52326	6	East Fork White River	Urban
IN	INR9-0903	FW08IN009	41.69465	-85.91740	5	Saint Joseph River	Urban
IN	INR9-0904	FW08IN010	38.45178	-87.59800	7	White River	Non-Urban
IN	INRM-1001		40.75459	-86.28108	5	Wabash River	Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
KS	KSR9-0901	FW08KS007	39.87204	-95.02724	9	Missouri River	Non-Urban
KS	KSR9-0902	FW08KS008	37.82360	-97.46279	7	Arkansas River	Non-Urban
KS	KSR9-0903	FW08KS009	38.12609	-98.07809	7	Arkansas River	Non-Urban
KS	KSR9-0904	FW08KS010	39.42728	-98.53949	5	South Fork Solomon River	Non-Urban
KS	KSR9-0905	FW08KS011	39.72624	-94.91122	9	Missouri River	Urban
KS	KSR9-0906	FW08KS015	37.39754	-95.67977	5	Fall River	Non-Urban
KS	KSR9-0907	FW08KS017	38.76631	-100.27414	6	Smoky Hill River	Non-Urban
KS	KSR9-0908	FW08KS018	39.25252	-96.32660	5	Rock Creek	Non-Urban
KS	KSR9-0909	FW08KS019	38.83876	-100.99193	5	Smoky Hill River	Non-Urban
KS	KSR9-0910	FW08KS022	39.49523	-97.23190	7	Republican River	Non-Urban
KS	KSR9-0911	FW08KS023	39.06027	-94.84195	8	Kansas River	Urban
KS	KSR9-0912	FW08KS024	37.33922	-97.25535	6	Ninnescah River	Non-Urban
KY	KYR9-0901	FW08KY013	37.78140	-88.03819	9	Ohio River	Non-Urban
KY	KYR9-0902	FW08KY014	37.62117	-83.49986	6	North Fork Kentucky River	Non-Urban
KY	KYR9-0903	FW08KY016	37.98150	-86.03399	8	Ohio River	Non-Urban
KY	KYR9-0904	FW08KY017	37.47040	-88.09642	9	Ohio River	Non-Urban
KY	KYR9-0905	FW08KY019	37.29116	-85.59289	5	Green River	Non-Urban
KY	KYR9-0906	FW08KY021	37.97943	-82.67112	6	Levisa Fork	Non-Urban
KY	KYR9-0907	FW08KY023	37.23007	-84.24396	5	Rockcastle River	Non-Urban
KY	KYRM-1001		37.33669	-87.13761	7	Green River	Urban
LA	LAR9-0901	FW08LA011	32.97480	-92.07644	7	Ouachita River	Non-Urban
LA	LAR9-0902	FW08LA013	31.62650	-92.90921	7	Red River	Non-Urban
LA	LAR9-0903	FW08LA014	32.78465	-91.95737	6	Bayou Bartholomew	Non-Urban
LA	LAR9-0904	FW08LA017	31.55119	-91.80545	7	Black River	Non-Urban
LA	LAR9-0905	FW08LA018	32.06618	-93.41412	7	Red River	Non-Urban
LA	LAR9-0906	FW08LA022	32.54806	-93.78100	6	Twelvemile Bayou	Urban
LA	LAR9-0915	FW08LA039	30.32848	-90.84382	6	Amite River	Urban
LA	LARM-1001		32.27010	-90.96074	10	Mississippi River	Non-Urban
MA	MAR9-0901	FW08MA002	41.96179	-70.91978	5	Taunton River	Non-Urban
MA	MAR9-0902	FW08MA003	42.70064	-71.21798	7	Merrimack River	Urban
MA	MAR9-0903	FW08MA005	42.57836	-72.56958	6	Connecticut River	Urban
MA	MARM-1001		42.65448	-72.46514	6	Connecticut River	Non-Urban
MD	MDR9-0901	FW08MD008	39.06637	-77.38957	7	Potomac River	Urban
MD	MDR9-0902	FW08MD009	39.59856	-77.88461	6	Potomac River	Urban
MD	MDR9-0905	FW08MD015	39.62421	-78.42927	6	Potomac River	Non-Urban
MD	MDRM-1003		39.44732	-78.97643	5	North Branch Potomac River	Urban
ME	MER9-0901	FW08ME013	47.13183	-67.89810	6	Saint John River	Non-Urban
ME	MER9-0902	FW08ME016	47.15428	-68.94424	6	Saint John River	Non-Urban
ME	MER9-0903	FW08ME017	45.87867	-68.62034	5	East Branch Penobscot River	Non-Urban
ME	MER9-0904	FW08ME018	44.73738	-67.54984	5	Machias River	Non-Urban
ME	MER9-0905	FW08ME019	43.49885	-70.46423	6	Saco River	Urban
ME	MER9-0906	FW08ME021	45.25733	-68.94966	5	Pleasant River	Non-Urban
ME	MER9-0907	FW08ME022	44.42155	-69.70560	6	Kennebec River	Non-Urban
ME	MER9-0908	FW08ME026	44.50109	-69.67614	6	Kennebec River	Urban
ME	MERM-1001		45.89867	-68.61411	5	East Branch Penobscot River	Non-Urban
MI	MIR9-0901	FW08MI019	43.05631	-85.59421	6	Grand River	Urban
MI	MIR9-0902	FW08MI020	42.55230	-82.58846	5	Saint Clair River	Non-Urban
MI	MIR9-0903	FW08MI023	42.06127	-86.42370	6	Saint Joseph River	Urban
MI	MIR9-0904	FW08MI024	43.34147	-83.62441	5	Cass River	Non-Urban
MI	MIR9-0905	FW08MI026	43.02234	-86.02397	6	Grand River	Non-Urban
MI	MIR9-0906	FW08MI028	43.31097	-83.96788	6	Flint River	Non-Urban
MI	MIR9-0907	FW08MI030	42.82316	-84.93878	6	Grand River	Non-Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
MI	MIR9-0908	FW08MI033	42.54167	-84.62803	5	Grand River	Non-Urban
MI	MIR9-0909	FW08MI034	44.64747	-84.09452	5	Au Sable River	Non-Urban
MI	MIR9-0910	FW08MI036	43.00436	-82.52504	5	Black River	Urban
MI	MIRM-1001		44.67449	-84.32747	5	Au Sable River	Non-Urban
MN	MNR9-0901	FW08MN013	44.13244	-91.72952	8	Mississippi River	Non-Urban
MN	MNR9-0902	FW08MN016	48.48513	-93.72216	5	Big Fork River	Non-Urban
MN	MNR9-0903	FW08MN017	43.71940	-95.04622	6	Des Moines River	Non-Urban
MN	MNR9-0904	FW08MN018	45.12479	-93.99624	5	North Fork Crow River	Non-Urban
MN	MNR9-0905	FW08MN019	45.29729	-93.57205	6	Mississippi River	Urban
MN	MNR9-0906	FW08MN022	46.98702	-92.81150	5	Saint Louis River	Non-Urban
MN	MNR9-0907	FW08MN024	44.79956	-93.53312	8	Minnesota River	Urban
MN	MNR9-0908	FW08MN031	45.56509	-92.79530	6	Saint Croix River	Non-Urban
MN	MNR9-0909	FW08MN032	48.70306	-94.33570	6	Rainy River	Non-Urban
MN	MNR9-0910	FW08MN033	44.85127	-93.98283	5	South Fork Crow River	Non-Urban
MN	MNR9-0911	FW08MN034	45.19240	-94.28959	5	North Fork Crow River	Non-Urban
MN	MNR9-0912	FW08MN035	45.23426	-93.49636	7	Mississippi River	Urban
MN	MNR9-0913	FW08MN036	44.80659	-93.01163	8	Mississippi River	Urban
MN	MNR9-0914	FW08MN037	43.90668	-94.06030	5	Maple River	Non-Urban
MN	MNR9-0915	FW08MN039	47.27310	-93.78416	5	Mississippi River	Non-Urban
MN	MNR9-0916	FW08MN042	46.94815	-92.43222	5	Cloquet River	Non-Urban
MN	MNR9-0917	FW08MN043	47.25508	-96.20332	5	Wild Rice River	Non-Urban
MN	MNR9-0918	FW08MN045	44.94299	-95.77757	7	Minnesota River	Non-Urban
MN	MNRM-1001		46.76493	-96.77698	6	Red River of the North	Non-Urban
MO	MOR9-0901	FW08KY097	36.53474	-89.46723	10	Mississippi River	Non-Urban
MO	MOR9-0902	FW08KY209	36.60870	-89.30583	10	Mississippi River	Non-Urban
MO	MOR9-0903	FW08MO009	38.96337	-90.41565	9	Mississippi River	Non-Urban
MO	MOR9-0904	FW08MO011	37.02754	-90.64282	6	Black River	Non-Urban
MO	MOR9-0905	FW08MO013	38.24012	-91.80405	6	Gasconade River	Non-Urban
MO	MOR9-0906	FW08MO014	39.17605	-90.71722	8	Mississippi River	Non-Urban
MO	MOR9-0907	FW08MO015	36.78477	-93.71443	5	Flat Creek	Non-Urban
MO	MOR9-0908	FW08MO017	37.53898	-92.36536	5	Gasconade River	Non-Urban
MO	MOR9-0909	FW08MO018	37.88325	-90.54442	5	Big River	Non-Urban
MO	MOR9-0910	FW08MO019	38.68744	-92.94992	5	Lamine River	Non-Urban
MO	MOR9-0911	FW08MO021	38.30297	-90.62706	6	Big River	Non-Urban
MO	MOR9-0912	FW08MO025	38.82912	-90.41661	9	Missouri River	Urban
MO	MORM-1001		36.45933	-89.46806	10	Mississippi River	Non-Urban
MS	MSR9-0901	FW08MS008	34.00166	-88.51833	6	Tombigbee River	Non-Urban
MS	MSR9-0902	FW08MS016	33.91374	-88.53107	7	Tombigbee River	Non-Urban
MS	MSR9-0903	FW08MS025	30.88339	-88.77355	7	Pascagoula River	Non-Urban
MS	MSR9-0904	FW08MS042	32.08681	-90.94759	6	Big Black River	Non-Urban
MS	MSR9-0905	FW08MS050	32.58246	-89.84870	7	Pearl River	Non-Urban
MS	MSR9-0906	FW08MS052	31.09621	-89.27796	5	Black Creek	Non-Urban
MS	MSR9-0907	FW08MS053	30.40424	-88.58716	7	Pascagoula River	Urban
MS	MSRM-1001		32.84498	-89.99038	6	Big Black River	Non-Urban
MT	MTR9-0901	FW08MT022	47.06636	-114.76985	7	Clark Fork	Non-Urban
MT	MTR9-0902	FW08MT024	48.07747	-114.01872	5	Swan River	Non-Urban
MT	MTR9-0903	FW08MT025	48.07661	-104.39125	8	Missouri River	Non-Urban
MT	MTR9-0904	FW08MT029	46.56604	-107.96573	6	Musselshell River	Non-Urban
MT	MTR9-0905	FW08MT031	47.41435	-111.49864	7	Missouri River	Non-Urban
MT	MTR9-0906	FW08MT032	46.35963	-105.81405	6	Tongue River	Non-Urban
MT	MTR9-0907	FW08MT033	48.34598	-107.58381	5	Beaver Creek	Non-Urban
MT	MTR9-0908	FW08MT035	44.97626	-112.99659	5	Medicine Lodge Creek	Non-Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
MT	MTR9-0909	FW08MT039	46.45775	-110.37131	5	South Fork Musselshell River	Non-Urban
MT	MTR9-0910	FW08MT041	46.86783	-104.99520	8	Yellowstone River	Non-Urban
MT	MTR9-0911	FW08MT042	47.90948	-113.87070	5	Swan River	Non-Urban
MT	MTR9-0912	FW08MT043	47.45161	-111.30128	7	Missouri River	Urban
MT	MTR9-0913	FW08MT045	47.01519	-108.16501	5	Box Elder Creek	Non-Urban
MT	MTR9-0914	FW08MT047	48.45767	-109.92638	5	Big Sandy Creek	Non-Urban
MT	MTR9-0915	FW08MT048	46.11059	-106.45039	5	Rosebud Creek	Non-Urban
MT	MTR9-0916	FW08MT049	48.00521	-105.90923	8	Missouri River	Non-Urban
MT	MTR9-0917	FW08MT050	45.59732	-109.31160	6	Stillwater River	Non-Urban
MT	MTR9-0918	FW08MT058	47.61666	-112.68106	5	Sun River	Non-Urban
MT	MTR9-0919	FW08MT061	48.14733	-107.54900	5	Beaver Creek	Non-Urban
MT	MTR9-0920	FW08MT062	45.90936	-111.56689	7	Jefferson River	Non-Urban
MT	MTR9-0921	FW08MT063	47.79247	-109.27680	7	Missouri River	Non-Urban
MT	MTRM-1001		48.36584	-108.15370	6	Milk River	Non-Urban
NC	NCR9-0901	FW08NC017	36.48171	-77.65994	7	Roanoke River	Non-Urban
NC	NCR9-0903	FW08NC024	36.21492	-80.96029	6	Yadkin River	Non-Urban
NC	NCR9-0905	FW08NC029	35.45800	-77.67500	5	Contentnea Creek	Non-Urban
NC	NCR9-0906	FW08NC032	35.99756	-80.41813	6	Yadkin River	Urban
NC	NCR9-0907	FW08NC034	36.15021	-76.73789	7	Chowan River	Non-Urban
NC	NCR9-0908	FW08NC035	34.92337	-78.79820	7	Cape Fear River	Non-Urban
NC	NCR9-0915	FW08NC050	36.47170	-76.94345	6	Chowan River	Non-Urban
NC	NCRM-1001		36.42778	-77.58416	7	Roanoke River	Urban
ND	NDR9-0901	FW08ND020	46.11629	-97.38506	5	Wild Rice River	Non-Urban
ND	NDR9-0902	FW08ND021	47.12958	-102.23419	5	Knife River	Non-Urban
ND	NDR9-0903	FW08ND022	47.16034	-102.04208	6	Knife River	Non-Urban
ND	NDR9-0904	FW08ND023	48.17576	-97.69986	5	Forest River	Non-Urban
ND	NDR9-0905	FW08ND024	46.22149	-101.50255	5	Cannonball River	Non-Urban
ND	NDR9-0906	FW08ND027	47.50223	-97.33886	6	Goose River	Non-Urban
ND	NDR9-0907	FW08ND028	46.79972	-101.10684	5	Sweetbriar Creek	Non-Urban
ND	NDR9-0908	FW08ND029	47.97871	-103.82529	9	Missouri River	Non-Urban
ND	NDR9-0909	FW08ND031	46.76208	-97.19334	5	Maple River	Non-Urban
ND	NDR9-0910	FW08ND034	45.95829	-103.12024	6	North Fork Grand River	Non-Urban
ND	NDR9-0918	FW08ND043	45.97889	-98.16758	5	James River	Non-Urban
ND	NDR9-0921	FW08ND049	47.28029	-101.17793	9	Missouri River	Non-Urban
ND	NDRM-1001		46.45899	-102.65684	5	Cannonball River	Non-Urban
NE	NER9-0901	FW08NE010	41.14421	-101.21225	5	South Platte River	Non-Urban
NE	NER9-0902	FW08NE013	42.44907	-102.99896	5	Niobrara River	Non-Urban
NE	NER9-0903	FW08NE014	40.24541	-99.70083	6	Republican River	Non-Urban
NE	NER9-0904	FW08NE015	40.79966	-98.43775	7	South Channel Platte River	Non-Urban
NE	NER9-0905	FW08NE016	41.15205	-96.54845	5	Wahoo Creek	Non-Urban
NE	NER9-0906	FW08NE017	41.25373	-103.61138	5	Lodgepole Creek	Non-Urban
NE	NER9-0907	FW08NE019	42.71175	-98.15501	6	Niobrara River	Non-Urban
NE	NER9-0908	FW08NE022	40.35743	-98.13044	5	Little Blue River	Non-Urban
NE	NER9-0909	FW08NE024	42.94804	-99.44767	5	Keya Paha River	Non-Urban
NE	NER9-0910	FW08NE026	42.43359	-103.69931	5	Niobrara River	Non-Urban
NE	NER9-0914	FW08NE036	41.93933	-96.14472	9	Missouri River	Non-Urban
NE	NERM-1001		40.01724	-95.33155	9	Missouri River	Non-Urban
NH	NHR9-0901	FW08NH005	44.24308	-72.04818	5	Connecticut River	Non-Urban
NH	NHR9-0902	FW08NH007	43.06807	-72.44870	6	Connecticut River	Urban
NH	NHR9-0903	FW08NH009	43.86581	-72.17822	5	Connecticut River	Non-Urban
NH	NHR9-0904	FW08NH010	43.19317	-71.52351	7	Merrimack River	Urban
NH	NHR9-0905	FW08NH011	43.35118	-72.39344	6	Connecticut River	Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
NH	NHRM-1001		44.86397	-71.54817	5	Connecticut River	Non-Urban
NJ	NJR9-0901	FW08NJ004	41.27242	-74.84022	6	Delaware River	Non-Urban
NJ	NJR9-0902	FW08NJ005	40.50890	-74.46615	6	Raritan River	Urban
NJ	NJRM-1001		40.84438	-73.95545	7	Hudson River	Urban
NM	NMR9-0901	FW08NM005	35.79088	-104.61169	5	Mora River	Non-Urban
NM	NMR9-0902	FW08NM008	34.75015	-106.74249	7	Grande, Rio	Urban
NM	NMR9-0903	FW08NM010	32.92507	-105.33746	5	Pe±asco, Rio	Non-Urban
NM	NMR9-0904	FW08NM019	33.30077	-108.12551	6	East Fork Gila River	Non-Urban
NM	NMR9-0905	FW08NM022	36.70793	-108.21145	6	San Juan River	Urban
NM	NMR9-0906	FW08NM023	34.00485	-104.31475	5	Pecos River	Non-Urban
NM	NMRM-1001		34.35425	-106.85316	8	Grande, Rio	Non-Urban
NV	NVR9-0901	FW08NV019	40.70241	-116.52352	7	Humboldt River	Non-Urban
NV	NVR9-0902	FW08NV020	35.07424	-114.60429	9	Colorado River	Urban
NV	NVR9-0903	FW08NV022	41.77180	-117.80605	6	Quinn River	Non-Urban
NV	NVR9-0904	FW08NV026	41.39736	-117.46467	6	Little Humboldt River	Non-Urban
NV	NVR9-0920	FW08NV069	41.88666	-114.68661	6	Salmon Falls Creek	Non-Urban
NV	NVRM-1001		36.73991	-114.20599	7	Virgin River	Non-Urban
NY	NYR9-0901	FW08NY017	42.42297	-75.63217	5	Chenango River	Non-Urban
NY	NYR9-0902	FW08NY019	42.14603	-77.05409	5	Chemung River	Urban
NY	NYR9-0903	FW08NY021	42.82852	-73.98933	6	Mohawk River	Urban
NY	NYR9-0904	FW08NY023	42.16144	-75.85678	6	Chenango River	Urban
NY	NYR9-0905	FW08NY025	43.24866	-73.74077	6	Hudson River	Non-Urban
NY	NYR9-0906	FW08NY027	44.25928	-75.76743	5	Indian River	Non-Urban
NY	NYR9-0907	FW08NY028	42.47413	-73.78702	7	Hudson River	Urban
NY	NYR9-0908	FW08NY030	42.08065	-78.42363	5	Olean Creek	Urban
NY	NYR9-0909	FW08NY032	42.06591	-78.46922	6	Allegheny River	Urban
NY	NYR9-0910	FW08NY034	43.13767	-76.29551	7	Seneca River	Urban
NY	NYR9-0911	FW08NY035	42.02896	-76.39831	6	Susquehanna River	Non-Urban
NY	NYR9-0912	FW08NY037	42.93558	-74.19445	6	Mohawk River	Urban
NY	NYR9-0913	FW08NY039	42.34775	-75.69644	5	Chenango River	Non-Urban
NY	NYR9-0914	FW08NY040	43.25553	-73.58640	6	Hudson River	Urban
NY	NYR9-0915	FW08NY042	42.85984	-77.84331	6	Genesee River	Non-Urban
NY	NYR9-0916	FW08NY044	42.05576	-73.93195	7	Hudson River	Urban
NY	NYRM-1001		42.01278	-75.77946	5	Susquehanna River	Urban
OH	OHR9-0901	FW08OH012	39.30982	-82.96430	5	Paint Creek	Urban
OH	OHR9-0902	FW08OH017	40.26612	-81.87411	7	Muskingum River	Urban
OH	OHR9-0903	FW08OH018	40.58128	-81.39514	6	Tuscarawas River	Non-Urban
OH	OHR9-0904	FW08OH019	39.13619	-84.34206	6	Little Miami River	Urban
OH	OHR9-0905	FW08OH021	39.46603	-81.48059	7	Muskingum River	Urban
OH	OHR9-0906	FW08OH023	38.82668	-83.01769	6	Scioto River	Non-Urban
OH	OHR9-0907	FW08OH024	41.02829	-83.21295	5	Sandusky River	Non-Urban
OH	OHR9-0908	FW08OH027	41.20854	-80.81059	5	Mahoning River	Urban
OH	OHRM-1001		41.23380	-84.59052	6	Maumee River	Non-Urban
OK	OKR9-0901	FW08OK017	35.92582	-99.51525	7	Canadian River	Non-Urban
OK	OKR9-0902	FW08OK018	36.95800	-97.42192	6	Chikaskia River	Non-Urban
OK	OKR9-0903	FW08OK019	33.86362	-97.00595	7	Red River	Non-Urban
OK	OKR9-0904	FW08OK022	35.39936	-95.79265	6	North Canadian River	Non-Urban
OK	OKR9-0905	FW08OK024	35.53000	-99.13021	6	Washita River	Non-Urban
OK	OKR9-0906	FW08OK025	36.05503	-98.12901	6	Cimarron River	Non-Urban
OK	OKR9-0907	FW08OK026	34.63573	-95.12159	5	Kiamichi River	Non-Urban
OK	OKR9-0908	FW08OK027	35.92491	-97.86391	6	Cimarron River	Non-Urban
OK	OKR9-0909	FW08OK028	34.59159	-99.02375	5	Otter Creek	Non-Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
OK	OKR9-0910	FW08OK031	36.69695	-101.67678	5	Beaver River	Non-Urban
OK	OKR9-0911	FW08OK032	34.22208	-96.70688	6	Washita River	Non-Urban
OK	OKR9-0912	FW08OK034	33.91222	-95.54936	7	Red River	Non-Urban
OK	OKRM-1001		33.63195	-94.57131	7	Red River	Non-Urban
OR	ORR9-0901	FW08OR011	43.99127	-123.66433	5	Siuslaw River	Non-Urban
OR	ORR9-0902	FW08OR012	45.39535	-122.14937	5	Sandy River	Non-Urban
OR	ORR9-0903	FW08OR014	44.16795	-122.24967	5	McKenzie River	Non-Urban
OR	ORR9-0904	FW08OR015	42.41324	-123.15797	5	Rogue River	Urban
OR	ORR9-0905	FW08OR016	44.49071	-122.81372	5	South Santiam River	Non-Urban
OR	ORR9-0906	FW08OR019	44.37292	-123.83635	5	Alsea River	Non-Urban
OR	ORR9-0907	FW08OR021	45.16978	-120.48228	6	John Day River	Non-Urban
OR	ORR9-0908	FW08OR022	43.31057	-123.21152	5	North Umpqua River	Non-Urban
OR	ORR9-0909	FW08OR025	45.57558	-116.48749	8	Snake River	Non-Urban
OR	ORR9-0910	FW08OR026	44.24753	-120.85947	6	Crooked River	Non-Urban
OR	ORR9-0911	FW08OR027	44.06547	-123.10635	6	Willamette River	Urban
OR	ORR9-0912	FW08OR028	45.48478	-122.95994	5	Tualatin River	Urban
OR	ORR9-0913	FW08OR030	42.46206	-121.46883	6	Sprague River	Non-Urban
OR	ORR9-0914	FW08OR033	43.77084	-118.04897	6	Malheur River	Non-Urban
OR	ORRM-1001		45.76530	-117.75988	6	Grande Ronde River	Non-Urban
PA	PAR9-0901	FW08PA015	41.41992	-78.74775	5	Clarion River	Urban
PA	PAR9-0902	FW08PA016	41.47516	-79.51793	6	Allegheny River	Non-Urban
PA	PAR9-0903	FW08PA017	41.92258	-77.12923	5	Tioga River	Non-Urban
PA	PAR9-0904	FW08PA019	40.49180	-76.94813	7	Susquehanna River	Urban
PA	PAR9-0905	FW08PA020	40.93107	-80.37396	6	Beaver River	Urban
PA	PAR9-0906	FW08PA021	41.96990	-76.51192	6	Susquehanna River	Urban
PA	PAR9-0907	FW08PA023	41.28871	-77.34123	5	Pine Creek	Non-Urban
PA	PAR9-0908	FW08PA024	41.02419	-80.16323	5	Slippery Rock Creek	Non-Urban
PA	PAR9-0909	FW08PA030	40.14318	-75.51026	6	Schuylkill River	Urban
PA	PAR9-0910	FW08PA035	40.88572	-76.80151	6	West Branch Susquehanna River	Urban
PA	PAR9-0911	FW08PA036	41.24333	-80.50937	6	Shenango River	Urban
PA	PARM-1001		40.76001	-79.54689	6	Allegheny River	Urban
RI	RIR9-0901	FW08RI003	41.88014	-71.38130	5	Seekonk River	Urban
RI	RIR9-0902	FW08RI004	41.39354	-71.84080	5	Pawcatuck River	Urban
SC	SCR9-0901	FW08SC002	33.88391	-78.78474	6	Waccamaw River	Non-Urban
SC	SCR9-0902	FW08SC003	33.90909	-79.44030	7	Great Pee Dee River	Non-Urban
SC	SCR9-0903	FW08SC004	34.12622	-80.65031	6	Wateree River	Non-Urban
SC	SCR9-0904	FW08SC005	34.57048	-81.77745	5	Enoree River	Non-Urban
SC	SCRM-1001		34.93019	-80.86840	6	Catawba River	Urban
SD	SDR9-0901	FW08SD023	45.65636	-100.85083	6	Grand River	Non-Urban
SD	SDR9-0902	FW08SD026	42.99859	-97.00442	5	Vermillion River	Non-Urban
SD	SDR9-0903	FW08SD027	45.72850	-101.98438	6	Grand River	Non-Urban
SD	SDR9-0904	FW08SD029	45.00144	-98.63766	5	South Fork Snake Creek	Non-Urban
SD	SDR9-0905	FW08SD031	44.04386	-101.45112	6	South Fork Bad River	Non-Urban
SD	SDR9-0906	FW08SD032	44.80320	-102.54405	6	Sulphur Creek	Non-Urban
SD	SDR9-0907	FW08SD034	43.42244	-103.99180	7	Cheyenne River	Non-Urban
SD	SDR9-0908	FW08SD035	44.59103	-101.44896	5	Plum Creek	Non-Urban
SD	SDR9-0909	FW08SD036	44.81715	-103.69388	5	Indian Creek	Non-Urban
SD	SDR9-0910	FW08SD038	43.81009	-100.89714	6	White River	Non-Urban
SD	SDR9-0911	FW08SD039	45.76411	-100.68313	5	Oak Creek	Non-Urban
SD	SDR9-0912	FW08SD040	45.25933	-100.91089	6	Moreau River	Non-Urban
SD	SDR9-0913	FW08SD042	42.85420	-97.28016	9	Missouri River	Non-Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
SD	SDR9-0926	FW08SD063	44.52040	-101.99408	7	Cheyenne River	Non-Urban
SD	SDRM-1001		45.15509	-102.75259	6	Moreau River	Non-Urban
TN	TNR9-0901	FW08TN010	36.60637	-85.50504	6	Cumberland River	Non-Urban
TN	TNR9-0902	FW08TN011	35.95145	-83.55066	7	French Broad River	Non-Urban
TN	TNR9-0903	FW08TN012	35.10401	-85.36090	8	Tennessee River	Urban
TN	TNR9-0904	FW08TN013	35.67241	-87.26333	6	Duck River	Non-Urban
TN	TNR9-0905	FW08TN015	36.12508	-83.18162	6	Nolichucky River	Non-Urban
TN	TNRM-1003		35.06895	-85.33960	8	Tennessee River	Urban
TX	TXR9-0901	FW08TX022	26.04502	-97.79641	8	Grande, Rio	Non-Urban
TX	TXR9-0902	FW08TX023	29.77151	-101.73182	8	Grande, Rio	Non-Urban
TX	TXR9-0903	FW08TX028	33.05566	-97.25306	5	Denton Creek	Non-Urban
TX	TXR9-0904	FW08TX030	25.84893	-97.43996	8	Grande, Rio	Urban
TX	TXR9-0905	FW08TX033	35.97241	-100.82439	7	Canadian River	Non-Urban
TX	TXR9-0906	FW08TX035	29.15721	-97.38375	5	Sandies Creek	Non-Urban
TX	TXR9-0907	FW08TX037	30.57973	-94.99791	6	Trinity River	Non-Urban
TX	TXR9-0908	FW08TX038	26.23520	-98.54719	8	Grande, Rio	Urban
TX	TXR9-0909	FW08TX042	28.30211	-98.05815	7	Nueces River	Non-Urban
TX	TXR9-0910	FW08TX043	29.23893	-98.45168	5	Medina River	Non-Urban
TX	TXR9-0911	FW08TX046	31.77034	-103.77929	7	Pecos River	Non-Urban
TX	TXR9-0912	FW08TX050	28.95042	-100.64937	8	Grande, Rio	Non-Urban
TX	TXR9-0913	FW08TX052	34.56295	-100.62735	5	Prairie Dog Town Fork Red River	Non-Urban
TX	TXR9-0914	FW08TX053	31.93453	-95.43336	5	Neches River	Non-Urban
TX	TXR9-0915	FW08TX055	31.76248	-100.14048	6	Colorado River	Non-Urban
TX	TXR9-0916	FW08TX057	30.88169	-93.57254	6	Sabine River	Non-Urban
TX	TXR9-0917	FW08TX058	28.72577	-99.81584	5	Nueces River	Non-Urban
TX	TXR9-0918	FW08TX059	31.55041	-97.09174	7	Brazos River	Urban
TX	TXRM-1001		29.02616	-103.31277	8	Grande, Rio	Non-Urban
UT	UTR9-0901	FW08UT014	37.22372	-109.20869	7	San Juan River	Non-Urban
UT	UTR9-0902	FW08UT016	41.59255	-111.14148	6	Bear River	Non-Urban
UT	UTR9-0903	FW08UT020	40.98295	-111.45065	5	Weber River	Non-Urban
UT	UTR9-0904	FW08UT021	37.74306	-112.09859	5	East Fork Sevier River	Non-Urban
UT	UTR9-0905	FW08UT022	39.08975	-109.10164	7	Colorado River	Non-Urban
UT	UTR9-0906	FW08UT023	38.35280	-109.75346	7	Colorado River	Non-Urban
UT	UTR9-0907	FW08UT026	39.30653	-110.40517	6	Price River	Non-Urban
UT	UTRM-1001		38.76150	-109.32372	7	Colorado River	Non-Urban
VA	VAR9-0901	FW08VA014	36.96530	-82.05180	5	Clinch River	Non-Urban
VA	VAR9-0902	FW08VA017	36.87645	-79.06775	5	Banister River	Non-Urban
VA	VAR9-0903	FW08VA018	37.31028	-80.68118	5	Walker Creek	Non-Urban
VA	VAR9-0904	FW08VA020	36.76203	-78.87142	5	Banister River	Non-Urban
VA	VAR9-0905	FW08VA022	38.30562	-78.90091	5	North River	Non-Urban
VA	VAR9-0906	FW08VA026	37.59328	-79.38321	6	James River	Non-Urban
VA	VAR9-0911	FW08VA038	37.12219	-79.35359	6	Roanoke River	Non-Urban
VA	VARO-1001		37.83120	-77.12220	5	Mattaponi River	Non-Urban
VT	VTR9-0901	FW08VT006	42.79337	-72.52477	6	Connecticut River	Non-Urban
VT	VTR9-0902	FW08VT009	43.79297	-72.67631	5	White River	Non-Urban
VT	VTR9-0903	FW08VT011	44.48913	-73.14832	5	Winooski River	Urban
WA	WAR9-0901	FW08WA015	48.95608	-119.69332	5	Similkameen River	Non-Urban
WA	WAR9-0902	FW08WA016	45.69861	-120.41753	9	Columbia River	Non-Urban
WA	WAR9-0903	FW08WA017	48.52373	-122.05344	6	Skagit River	Non-Urban
WA	WAR9-0904	FW08WA020	46.27617	-118.19248	5	Touchet River	Non-Urban
WA	WAR9-0905	FW08WA022	47.72892	-121.42756	5	South Fork Skykomish River	Non-Urban

List of 2013-2014 National Rivers and Streams Fish Tissue Study Sampling Locations¹

State	Site ID 2013- 2014	Site ID 2008-2009 ²	Lat	Long	Stream Order	River Name	Urban/ Non-urban
WA	WAR9-0906	FW08WA028	47.50383	-119.29244	5	Trail Lake Coulee	Non-Urban
WA	WAR9-0907	FW08WA029	47.84358	-121.69460	5	Skykomish River	Urban
WA	WAR9-0908	FW08WA032	46.27117	-119.57047	7	Yakima River	Non-Urban
WA	WAR9-0909	FW08WA033	47.69212	-121.96626	5	Snoqualmie River	Non-Urban
WA	WARM-1001		47.18231	-120.90807	6	Yakima River	Non-Urban
WI	WIR9-0901	FW08WI021	44.68674	-92.69129	8	Mississippi River	Non-Urban
WI	WIR9-0902	FW08WI022	44.00670	-90.05381	5	Yellow River	Non-Urban
WI	WIR9-0903	FW08WI029	42.53137	-90.64118	8	Mississippi River	Urban
WI	WIR9-0904	FW08WI030	43.21793	-89.82451	6	Wisconsin River	Non-Urban
WI	WIR9-0905	FW08WI031	44.74817	-91.15140	5	Eau Claire River	Non-Urban
WI	WIR9-0906	FW08WI033	43.82745	-91.27193	8	Mississippi River	Urban
WI	WIR9-0907	FW08WI034	44.97808	-89.63045	5	Wisconsin River	Urban
WI	WIR9-0908	FW08WI036	45.07960	-88.62394	5	Wolf River	Non-Urban
WI	WIR9-0909	FW08WI039	46.41642	-90.74116	5	Marengo River	Non-Urban
WI	WIR9-0910	FW08WI040	45.66598	-91.17972	5	Chippewa River	Non-Urban
WI	WIR9-0911	FW08WI041	42.65018	-90.03286	5	Pecatonica River	Non-Urban
WI	WIR9-0912	FW08WI044	42.89687	-88.89542	6	Rock River	Urban
WI	WIR9-0913	FW08WI045	44.36113	-91.91075	5	Buffalo River	Non-Urban
WI	WIR9-0914	FW08WI046	43.56469	-89.65428	6	Wisconsin River	Non-Urban
WI	WIRM-1001		45.58439	-89.46554	5	Wisconsin River	Non-Urban
WV	WVR9-0901	FW08WV005	37.54136	-82.03361	5	Tug Fork	Non-Urban
WV	WVR9-0902	FW08WV006	39.13143	-81.34434	5	Hughes River	Non-Urban
WV	WVR9-0903	FW08WV007	39.91877	-80.79683	8	Ohio River	Non-Urban
WV	WVR9-0904	FW08WV008	38.58809	-80.89452	5	Elk River	Non-Urban
WV	WVRM-1001		39.24890	-77.81410	6	Shenandoah River	Urban
WY	WYR9-0901	FW08WY016	42.85202	-106.18585	7	North Platte River	Non-Urban
WY	WYR9-0902	FW08WY020	41.59625	-109.14876	6	Bitter Creek	Non-Urban
WY	WYR9-0903	FW08WY021	44.47897	-109.38303	5	North Fork Shoshone River	Non-Urban
WY	WYR9-0904	FW08WY022	43.41402	-106.28598	5	Salt Creek	Non-Urban
WY	WYR9-0905	FW08WY026	44.62542	-105.30171	5	Little Powder River	Non-Urban
WY	WYR9-0906	FW08WY029	44.26445	-107.90091	6	Nowood River	Non-Urban
WY	WYR9-0907	FW08WY030	43.34957	-104.29569	6	Lance Creek	Non-Urban
WY	WYR9-0908	FW08WY034	44.69584	-106.33826	5	Clear Creek	Non-Urban
WY	WYR9-0909	FW08WY038	43.96561	-106.17143	6	Powder River	Non-Urban
WY	WYR9-0910	FW08WY039	42.82884	-106.36679	7	North Platte River	Urban
WY	WYR9-0911	FW08WY040	41.96621	-110.00073	7	Green River	Non-Urban
WY	WYR9-0912	FW08WY042	44.38685	-104.67731	5	Inyan Kara Creek	Non-Urban
WY	WYR9-0913	FW08WY043	42.11494	-104.98519	5	Laramie River	Non-Urban
WY	WYRM-1002		43.44464	-104.51173	6	Cheyenne River	Non-Urban

¹ This list of sites is subject to change as the project proceeds. For example, access to some sites may not be granted by property owners. Other sites may not yield fish of suitable size or species. OST maintains the list of valid sites, and this QAPP will **not** be revised just to address changes in the list of sites.

² Empty cells in this column represent sites that were not selected for sampling in the 2008-2009 NRSA, but that are included in sample design for the 2013-2014 NRSA.

Appendix B

2013-2014 National Rivers and Streams Assessment Tissue Preparation, Homogenization, and Distribution Procedures

Note: This appendix contains the fish tissue preparation, homogenization, and distribution procedures developed by OST for the 2013-2014 NRSA. The information in this appendix formed the basis for the contractual SOW issued by CSC to the sample preparation laboratory. Therefore, the details of this appendix have **not** been revised to reflect that OST has prepared this QAPP. In addition, the acronyms, abbreviations, and units of measure listed in this appendix are not included in the list of acronyms at the front of the QAPP. Rather, they are spelled out on first usage in the appendix.

Appendix B

2013-2014 National Rivers and Streams Assessment Tissue Preparation, Homogenization, and Distribution Procedures

I. PURPOSE

This document describes the procedures that the sample preparation laboratory will follow when preparing fish tissue samples for EPA's National Rivers and Streams Assessment (2013-2014 NRSA) under contract to CSC. Adherence to these procedures will ensure that fish tissue preparation activities are performed consistently across all study samples and in a manner consistent with previous EPA fish tissue studies. The effort is divided into four components:

- A kickoff meeting and workshop involving all study participants, including the sample preparation laboratory staff, EPA, CSC, and Tetra Tech (EPA's sampling contractor)
- An initial demonstration of capabilities, also referred to as the QA study
- Normal fish tissue processing and distribution procedures, including quality control steps
- Preparation and analyses of rinsate samples and blanks for mercury, selected polychlorinated biphenyls (PCBs), and selected polybrominated diphenyl ethers (PBDEs), and preparation of rinsate samples and blanks for perfluorinated compounds (PFCs) to be analyzed by a laboratory under a separate CSC purchase order.

Each of these components is described in detail below.

EPA will prepare a quality assurance project plan (QAPP) for this project which will include the details of fish tissue sample preparation processes described in this SOW, including the description of the analytical procedures and the QC acceptance criteria. After award, CSC will provide the laboratory with a copy of EPA's QAPP for the project.

II. KICKOFF MEETING AND WORKSHOP

Following award of a purchase order, CSC will schedule a kickoff meeting and workshop to be held at the sample preparation laboratory at a mutually agreed upon date and time. Staff from all study participants, including the sample preparation laboratory, EPA, CSC, and Tetra Tech, will meet at the sample preparation laboratory to review the overall 2013-2014 NRSA project goals, the roles of each participant, the fish sample preparation procedures, and the communication strategies necessary to ensure successful completion of the project. In conjunction with that meeting, CSC will provide whole fish samples that will be used during a hands-on workshop on the specific procedures for fish sample preparation. All the sample preparation laboratory staff involved in the preparation of fish samples must attend the kickoff meeting and workshop.

The kickoff meeting and workshop will be billable to the CSC subcontract as a fixed price line item.

III. INITIAL DEMONSTRATION OF CAPABILITIES

A routine aspect of any procedure for sample preparation or analysis is an initial demonstration of capabilities, or QA study. For the 2013-2014 NRSA project, the sample preparation laboratory will receive three whole large fish provided by Tetra Tech. Each of these fish will be treated as a separate project sample and will be prepared using the procedures detailed in Section IV (i.e., Steps 1 to 24). In between each fish, the sample preparation laboratory will prepare the entire series of equipment rinsate samples and blanks described in Section IV, Steps 32 and 33, but analyze only the rinsates and blanks for mercury, PCBs, and PBDEs (Steps 34 and 35, and Attachment 1). The sample preparation laboratory

will perform triplicate determinations of lipids on each test sample, as described in Step 31. The results of the QA study will be reported to CSC.

Note: The sample preparation laboratory will not be authorized to process actual project samples until CSC determines that the QA study results meet the project objectives, including the adequacy of the sample preparation laboratory's equipment cleaning and homogenization procedures.

The sample aliquots prepared from these QA study samples will be stored frozen at the sample preparation laboratory for possible future use by EPA, or until CSC authorizes their disposal. Each of the samples prepared for the QA study will be billable under the CSC subcontract at the cost for a normal project sample.

IV. FISH TISSUE PROCESSING AND DISTRIBUTION PROCEDURES

The procedures for processing and distributing 2013-2014 NRSA composite fish tissue samples are described below. The process description is organized into the following components, including the quality control (QC) procedures:

- A. Sample Receipt and Storage
- B. Sample Handling
- C. Filleting and Homogenization Procedures, Including Removal of Plug Samples for Mercury Analysis
- D. Aliquoting and Distribution Procedures
- E. Equipment Cleaning between Composite Samples
- F. Lipid Determination on Every Homogenized Composite Sample
- G. Quality Control (QC) Procedures
- H. Reporting Requirements
- I. Shipping Samples

The individual steps in the overall process are presented as a series of numbered steps across the nine components listed above.

Note: The sample preparation laboratory may **not** process any fish tissue samples until directed by CSC to proceed. No samples collected from NRSA sampling sites may be processed until after the kickoff meeting and workshop and until CSC reviews the results of the initial demonstration of capabilities (QA study) described in Section III above.

Composite Sample Classifications

For the purposes of the 2013-2014 NRSA, EPA has classified each valid sample as a "routine" composite sample, or a "non-routine" composite sample, based on the following definitions:

- **Routine sample** – A routine composite sample consists of five individual adult fish of a single species that meet EPA's length requirements (i.e., length of the smallest specimen in the composite is at least 75% of the length of the largest individual). Fillets from both sides of all five fish will be removed (total of 10 fillets) and homogenized to prepare one composite fillet sample.
- **Non-routine sample** – A non-routine sample is any sample that does not meet the definition of a routine sample, including those that do not meet the 75% rule and those with fewer or greater than five fish. When non-routine samples are sent to the sample preparation laboratory, EPA and CSC will provide instructions for processing the non-routine samples. These instructions may include discarding some of the fish in the composite sample based on size before proceeding with filleting and homogenizing. In cases when fewer or more than five fish were collected, instructions may include processing some or all of those fish in the composite sample.

Each of the five fish in the routine samples must be filleted before homogenization. **For non-routine composites, only the designated specimens (identified by specimen number) will be filleted and homogenized.** For both types of samples, the specimens to be included in each composite must be scaled (i.e., scales removed) and both fillets from each specimen prepared as skin-on fillets (belly-flap included) to form the fillet composites.

Note: The classifications described above do not include samples that were collected from an incorrect sampling location, were an unnecessary duplicate sample, or contained an inappropriate fish species. EPA does not plan on using these “invalid” samples for the 2013-2014 NRSA, so it is imperative that the sample preparation laboratory not process any sample without specific instructions from CSC. Therefore, samples will be retained in frozen storage and processed only upon receipt of CSC-issued instructions. If the status of any composite sample in the instructions is not clear, contact CSC and wait for clarification.

IV.A Sample Receipt and Storage

Fish samples for the 2013-2014 NRSA are being collected by various organizations cooperating with EPA in this study, including State agencies, other Federal agencies, and contractors. Sample collection is expected to begin as early as May 2013, and continue through approximately November 2014, with the bulk of collection to occur between June and October of 2013 and June and October of 2014, respectively (i.e., a two-year sampling effort). Ultimately, EPA anticipates the collection of composite samples from up to 453 sites by the end of the collection effort in late 2014.

Samples will be shipped directly from the field sampling crews to the sample preparation laboratory for storage and processing. Therefore, the sample preparation laboratory must have sufficient freezer space to store **up to 150 unprocessed fish composite samples** (e.g., 150 5-fish composites) at a temperature of less than or equal to -20 °C from the time of receipt until completion of sample processing and sufficient freezer space to store **homogenized tissue aliquots from up to 100 processed samples** (e.g., up to 900 jars) prior to distribution. CSC will provide as much advance notice of sample shipments from the field crews as possible, but we anticipate that some shipments may arrive before we can notify the laboratory. CSC also will provide the laboratory with a list of all of the valid sites from which samples are being collected.

1. Although samples will be shipped frozen, on dry ice, they must be inspected promptly on receipt. As samples are received, the sample custodian must:
 - Check that each shipping container has arrived undamaged and verify that samples are still frozen and in good condition.
 - Check the temperature of one of the samples in the cooler using a thermometer that reads to at least -20 °C, or an infra-red (IR) temperature “gun” and record the reading.
 - Verify that all associated paperwork is complete, legible, and accurate.
 - Compare the information on the label on each individual fish specimen to the sample tracking form for each composite and verify that each specimen was included in the shipment and is properly wrapped and labeled.
 - Notify CSC of the fact that samples were received and of any discrepancies in the paperwork identified above.
 - Check that the samples were collected from sites on the list of valid whole-fish tissue sampling locations (uniquely designated by the site identification number) provided by CSC, and notify CSC immediately if samples have been received from sites not on that list.
 - Transfer the samples to the freezer for long-term storage.

2. Notify CSC immediately about any problems encountered upon receipt of samples. Problems involving sample integrity, conformity, or inconsistencies for fish tissue samples should be reported to CSC in writing (e.g., by email) as soon as possible following sample receipt and inspection.

Following sample processing, the sample preparation laboratory must store sample aliquots frozen to less than or equal -20 °C until they are distributed to the laboratories performing analyses under separate CSC purchase orders (see Sec IV.I).

IV.B Sample Handling

The whole fish collected for the 2013-2014 NRSA must remain frozen at less than or equal to -20 °C until the sample processing laboratory receives composite-specific processing instructions from CSC. Samples to be processed must be retrieved from the freezer, with their associated paperwork, and allowed to partially thaw before they can be processed.

3. CSC will send sample processing instructions to the laboratory via email. The instructions consist of an Excel spreadsheet file that details the site and sample identifiers for fish that EPA has determined are routine valid five-fish composites, or non-routine composites to be prepared. At a minimum, the Excel file will list the following fields for each individual fish specimen in a given composite sample:

- Site ID
- Date of collection
- Sample ID (XXXXXX.YY, where YY usually ranges from 1 to 5 specimens in the composite, but can range up to 10)
- Common name for the fish species
- Measured length of each specimen in mm
- Relative length order of the specimens in the composite (e.g., “1” for the longest specimen, etc.)
- Composite type (predator or bottom dweller)
- Composite classification (Routine, Non-Routine, or Invalid)
- Deviation (e.g., why it is not routine or not valid)
- Instructions (sample-specific details about which fish to process), including which two specimens to be used for plug sample collection

Samples shipped to the laboratory that EPA identifies as “invalid” are to be held in the freezer until CSC provides instructions for their disposition or disposal.

4. When retrieving samples from the freezer, the sample custodian must:
 - Verify that all associated paperwork stored with the samples is complete, legible, and accurate.
 - Compare the information on the label on each individual fish specimen to the processing instructions and notify CSC of any discrepancies between the sample labels and the Excel file of instructions. Problems involving sample paperwork, sample integrity, or custody inconsistencies for all fish tissue samples should be reported to CSC in writing (e.g., by email) as soon as possible following sample retrieval and inspection. **Do not proceed with sample processing until discrepancies are resolved.**

Note: The hardcopy paperwork generated by the field samplers and stored with the samples does *not* contain all of the information in the Excel instruction files. Therefore, lack of information on hardcopy field paperwork regarding the composite type, composite classification, or deviation is *not* a discrepancy that must be reported.

IV.C. Filleting and Homogenization Procedures, Including Plug Sampling for Mercury Analysis

As part of the overall 2013-2014 NRSA, mercury analyses will be performed on two types of samples: aliquots of the homogenized composite fillet samples and plugs removed from two fish in each composite with an 8-mm disposable biopsy tool (Acuderm brand Acu-Punch or equivalent). The sample processing instructions sent by CSC will include instructions to collect one plug sample each from two specific fish specimens in the sample composite, using the procedure described in Steps 11 - 16. Prior to collecting the plug sample for mercury, there are a number of steps that must be taken before preparing both types of samples.

5. Prior to preparing any samples, thoroughly clean utensils and cutting boards using the following series of procedures:

- Wash with a detergent solution (phosphate- and scent-free) and warm tap water
- Rinse three times with warm tap water
- Rinse three times with DI water
- Rinse with acetone
- Rinse three times with DI water
- Rinse with (not soak in) 5% nitric acid
- Rinse three times with DI water

To control contamination, separate sets of utensils and cutting boards must be used for scaling fish and for filleting fish.

Note: The biopsy punches provided by EPA for collecting the plug samples are to be used as received and are **not** subjected to the cleaning procedures above.

6. Put on powder-free nitrile gloves before unpacking individual fish specimens for plug sampling (as directed) and for filleting and tissue homogenization. As samples are unpacked and unwrapped, inspect each fish carefully to verify that it has not been damaged during collection or shipment. If damage (e.g., tearing the skin or puncturing the gut) is observed, document it in the laboratory project log sheet and notify CSC before proceeding further.

7. The sample collection personnel measured the total length of each fish specimen in the field and recorded those lengths on the sample tracking form. However, the label applied to each wrapped specimen does not include the length information, and it may be difficult to reproduce the field measurements of fish length when the specimens are still partially frozen.

Therefore, begin processing the specimens by laying them out in order by specimen number (the portion of the sample ID after the decimal point) and allowing them to partially thaw to the point that each specimen can be laid relatively flat. Using the length data on the sample tracking form (or the relative length order data in the fish sample processing instructions spreadsheet), confirm that the specimen ID for the longest specimen recorded on the tracking form is the same as the specimen ID on the label of the longest specimen. Repeat this relative length comparison for each of the other specimen IDs to ensure that the length orders based on the recorded lengths in the sample tracking form are consistent with the specimen IDs on the individual fish labels. This check is important for confirming that the field crews attached the correct label to each fish in the composite sample.

If discrepancies are observed, document them in the laboratory project log sheet and notify CSC before proceeding further.

8. Weigh each fish to the nearest gram (wet weight) prior to any sample processing. Enter weight information for each individual fish into a laboratory project log sheet. Individual specimen weights eventually will be transferred to spreadsheets for submission to CSC.

9. Rinse each fish with deionized water as a precautionary measure to treat for possible contamination from sample handling in the field. Use HDPE wash bottles for rinsing fish and for cleaning homogenization equipment and utensils. Do **NOT** use Teflon[®] wash bottles for these procedures, because PFCs are among the target analytes for this study.
 10. Before beginning the scaling process for the first fish in the composite, put on new powder-free nitrile gloves. (Gloves must be changed *between* composites, but the same gloves may be used for all fish *within* a given composite.) Fish with scales must be scaled (and any adhering slime should be removed) prior to filleting. ***Begin with the two fish specimens designated by EPA for plug sampling.*** Scale the first designated fish by laying it flat on a clean glass cutting board and scraping from the tail to the head using a stainless steel scaler or the blade-edge of a clean stainless steel knife.
 11. Turn the first scaled fish specimen designated by EPA for the plug sample so that the left side is facing up. Insert a new 8-mm biopsy punch into the fish through the tissue in the dorsal (upper) portion of the specimen between the dorsal fin and the lateral line, avoiding areas where the punch may contact the viscera (internal organs). Insert the punch with a slight twisting motion, cutting the skin and muscle tissue. Once the punch is inserted to its full depth, use a slight bending or tilting motion of the punch to break off the end of the sample.
 12. Remove the biopsy punch, taking care to ensure that the sample remains in the punch.
 13. Place a laboratory pipette bulb on the end of the biopsy punch and squeeze the bulb quickly, blowing the tissue sample into a tared clean 20-mL scintillation vial (supplied by EPA).
 14. Repeat Steps 10 through 13 with the second fish specimen designated by EPA for plug sampling. The same biopsy punch used for the first specimen is used for the second specimen.
 15. After transferring the second plug to the tared vial, weigh the tared vial containing the two plugs and determine the combined weight of the plugs by difference. Label the vial with the Site ID, and the two Specimen IDs (XXXXXX.YY and XXXXXX.ZZ, where YY and ZZ are the specimen numbers of the fish designated by EPA for the plug samples), the total weight of the plugs, and the date the sample was processed.
- Note:** The two punch samples should yield at least 0.5 to 0.7 grams of fish tissue for mercury analysis.
16. Transfer the vial to the freezer within 30 minutes. (The vial may be stored in a small cooler in the sample processing area on water ice or dry ice while the remainder of the composite sample is processed.)
 17. Continue scaling all the other fish in the sample composite as described in Step 10 above. Filleting can proceed after all scales have been removed from the skin and a separate clean cutting board and fillet knife are prepared or available.
 18. Place each fish on a clean glass cutting board in preparation for the filleting process. Note that filleting should be conducted under the supervision of an experienced fisheries biologist, if possible. Ideally, fish should be filleted while ice crystals are still present in the muscle tissue. Fish should be thawed only to the point where it becomes possible to make an incision into the flesh. Remove both fillets (lateral muscle tissue with skin attached) from each fish specimen using clean, high-quality stainless steel knives. Include the belly flap (ventral muscle and skin) with each fillet. Care must be taken to avoid contaminating fillet tissues with material released from inadvertent puncture of internal organs. In the event that an internal organ is punctured, rinse the fillet with deionized water immediately after filleting and make a note on the laboratory project log sheet that a puncture has

occurred. Bones still present in the tissue after filleting should be carefully removed using the tip of the fillet knife or a clean pair of forceps.

19. Samples should be homogenized partially frozen for ease of grinding. Composite the fillets using the “batch” method, in which all of the fillets from the individual specimens that comprise the sample are homogenized together, regardless of each individual specimen’s proportion to one another (as opposed to the “individual” method, in which equal weights of tissue from each specimen are added together).
20. Process each sample using a size-appropriate homogenization apparatus (e.g., automatic grinder or high-speed blender). Entire fillets (with skin and belly flap) from both sides of each fish must be homogenized, and the entire homogenized volume of all fish fillets from the composite will be used to prepare the composite. Mix the tissues thoroughly until they are completely homogenized as evidenced by a final composite sample that consists of a fine paste of uniform color and texture. Chunks of skin or tissue will hinder extraction and digestion and, therefore, are NOT acceptable. Grinding of tissue may be easier when tissues are partially frozen. Chilling the grinder briefly with a few small pieces or pellets of dry ice may also keep the tissue from sticking to the equipment. Pellets of dry ice also may be added to the tissue as it enters the grinder.
21. Grind the sample a second time, using the same grinding equipment. This second grinding should proceed more quickly. The grinding equipment does not need to be cleaned between the first and second grinding of the sample. The final sample must consist of a fine paste of uniform color and texture. If there are obvious differences in color or texture, grind the entire sample a third time.
22. Measure the collective weight of the homogenized fillet tissue from each composite to the nearest gram (wet weight) after processing and record the total homogenized tissue weight of each composite on a laboratory project log sheet. The collective weight of the homogenized tissue from each sample will be transferred to spreadsheets for submission to CSC. At least 536 g of homogenized tissue will be needed to fill all of the containers in Table 1 below with their minimum acceptable masses. **If a sample does not yield at least 536 g of homogenized tissue, contact CSC via email immediately and await instructions.** As appropriate, place any less-than-536-g homogenized samples in the freezer while waiting for instructions, which are likely to involve preparing fewer archive aliquots.
23. After the final (second or third) grinding, clean the **grinding equipment and all other sample preparation equipment** using the procedures described in Step 29.
24. Once in every batch of 20 samples, verify the continued absence of equipment contamination and uniformity of homogenization using the procedures described in Steps 32 to 37.

IV.D. Aliquoting and Distribution Procedures

25. The sample preparation laboratory will prepare one bulk homogenate tissue aliquot per fish composite sample and use it to fill the pre-cleaned sample containers specified for each type of sample listed in Table 1, following the procedures described in Step 26. **Except as noted in Table 1, all containers will be provided by the sample preparation laboratory.** Documentation of their cleanliness provided by the vendor (i.e., certificates of analysis) must be retained by the sample preparation laboratory and provided to CSC on request. The target masses listed in Table 1 are designed to provide enough tissue for multiple analyses of each sample and analyte type, including tissue for QC purposes, as needed. The sample preparation laboratory should not exceed those target masses when filling the containers. The order of the containers and target masses in Table 1 are important and are designed to ensure that adequate tissue is available for all analyses, as well as archiving.

Table 1. 2013-2014 NRSA Initial Tissue Sample Aliquot Requirements

Analysis	Target Mass	Container Type	Destination
Mercury, plug	0.5 - 0.7 g	20-mL glass scintillation vial (provided by EPA)	TBD
Mercury, fillet	5 - 10 g	50-mL HDPE straight-sided jar with foil-lined lid , or conical HDPE tube with snap top	TBD
PFCs	60 - 65 g	100-mL HDPE straight-sided jar with foil-lined lid , or conical HDPE tube with snap top. <i>PTFE lid liners not allowed.</i>	TBD
PBDEs	30 - 35 g	125-mL straight-sided amber or clear glass jar with PTFE-lined lid	TBD
PCBs	30 - 35 g	125-mL straight-sided amber or clear glass jar with PTFE-lined lid	TBD
Lipids	10 - 15 g	Laboratory's choice, as this aliquot will be used in-house to determine the lipid content of the sample	In-house
Bulk Archive 1	250 - 260 g	500-mL straight-sided amber or clear glass jar with foil-lined lid	CSC Sample Repository
Small Archive 1	50 - 60 g	125-mL straight-sided amber or clear glass jar with foil-lined lid	CSC Sample Repository
Small Archive 2	50 - 60 g	125-mL straight-sided amber or clear glass jar with foil-lined lid	CSC Sample Repository
Bulk Archive 2	All remaining mass up to 260 g	500-mL straight-sided amber or clear glass jar with foil-lined lid	CSC Sample Repository
Total (to the nearest gram)*	536 - 801 g	<i>Assumes at least 50 g of tissue is available for Bulk Archive 2</i>	

* In the event that insufficient fish tissue mass exists to prepare the required number of aliquots, contact CSC for instructions, per Step 22.

26. Prepare the sample aliquots for **mercury, PFCs, PBDEs, and PCBs**. Weigh an appropriate clean sample container (Table 1) to the nearest 0.5 g and record the weight. Transfer sufficient aliquots of ground sample to the container to achieve the target mass for that container in Table 1, weigh the container again, record the weight, and determine the weight of the aliquot to the nearest 0.5 g by difference. **The sample preparation laboratory must use foil-lined lids for jars containing the tissue aliquots for PFC analysis and the archived tissue samples, as specified in Table 1.**

Note: The archive sample jars are not filled until after sufficient volume for lipids determination has been collected, as described in Step 27. For the sample used for homogeneity testing, the archive jars are not filled until triple the lipid mass is collected (see Step 36).

When filling jars, leave sufficient space at the top of each jar to allow for expansion of the tissue as it freezes. *In no case should jars be filled beyond 80% capacity, as this may result in breakage on freezing.* Wipe off the outside of the jars to remove any tissue residue or moisture. Fill out a label for each container using a waterproof marker. Include the following information (at a minimum) on each label:

- site identification number,
- sample identification number,
- analysis type (e.g., mercury, PFCs, PBDEs, etc.),
- aliquot weight (to the nearest 0.5 gram),
- preparation batch ID, and
- preparation date (e.g., mm/dd/yyyy)

(Other information may be included on the label at the laboratory's discretion, provided that CSC is given an explanation of each additional field.)

Affix the label to the container with clear wide tape. Place each container inside one heavy-weight food-grade self-sealing plastic freezer bag to avoid sample loss due to breakage. Freeze the tissue aliquots at -20 °C, and maintain samples in the freezer until directed by CSC to ship them to the analytical laboratories. (CSC will not issue such instructions until equipment rinsate and homogeneity tests described in Steps 31 to 37 have been completed, reported, evaluated, and determined to be acceptable.)

27. After filling all of the containers for the aliquots for mercury, PFCs, PBDEs, and PCBs, remove 10 to 15 g of homogenized tissue to be used by the sample preparation laboratory to determine the lipid content of each sample. Place this aliquot in a clean glass or plastic container of suitable size and label it with the site ID and sample number. Transfer the lipid aliquot to the appropriate staff performing the lipid determinations described in Steps 31, 36, and 37.
28. The archive sample jars are not filled until after sufficient volume for lipids determination has been collected. Once the aliquots for mercury, PFCs, PBDEs, PCBs, and lipids have been collected, the remaining tissue mass is used to create at five archive samples. Begin by transferring 250 - 260 g of tissue to the first bulk archive sample container, thus ensuring that at least one large volume (bulk) aliquot is archived. Continue by transferring one 50 - 60 g aliquot to each of the two small archive containers. Ideally, sufficient homogenized fillet tissue mass will remain to produce a second bulk archive container. Therefore, transfer 250 - 260 g of tissue to the second bulk archive sample container. However, if less than 250 g of tissue is available, transfer all of the remaining homogenized tissue to the second bulk archive container. Seal and label the containers as described in Step 26 for the other aliquots.

Note: Step 22 requires that the laboratory contact CSC whenever a sample does not yield at least 536 g of tissue. CSC will provide direction to the laboratory regarding samples yielding less than 536 g of tissue that must be followed at this point in the procedure.

Any tissue that remains after filling the second bulk archive jar may be discarded.

IV.E. Equipment Cleaning between Composite Samples

29. All of the homogenization equipment must be thoroughly cleaned between each composite sample. Once all of the fillets from the individual specimens in a given composite sample have been homogenized, disassemble the homogenization equipment (i.e., blender, grinder, or other device) and thoroughly **clean all surfaces and parts** that contact the sample. Similarly, **clean all knives, cutting boards, and other utensils used**. At a minimum:
 - Wash with a detergent solution (phosphate- and scent-free) and warm tap water
 - Rinse three times with warm tap water
 - Rinse three times with deionized (DI) water
 - Rinse with acetone
 - Rinse three times with DI water
 - Rinse with (not soak in) 5% nitric acid
 - Rinse three times with DI water
 - Allow the components to air dry
30. Reassemble the homogenization equipment and proceed with homogenization of the next sample in the batch (e.g., begin with Step 6 above).

IV.F. Lipid Determination on Every Homogenized Composite Sample

The procedures for determining the lipid content of every fillet composite are described in Step 31 below. (Additional lipid determinations are required for one sample in every preparation batch, as described in Steps 36 and 37.)

31. Use the 5 to 10 g of homogenized tissue collected in Step 27 to determine the lipid content of the sample. Extract the aliquot using SW-846 Method 9071B. Determine the lipid content of that aliquot and record it in units of percent (i.e., grams of lipid per gram of tissue x 100), and provide the results to CSC by email, as described in Section IV.H. These results may be used by the laboratories conducting the other analyses to lipid-normalize their results.

IV.G. Quality Control (QC) Procedures

The project-specific QC procedures include preparation and testing of equipment rinsate samples and homogeneity testing, using lipids as a surrogate. The QC procedures are performed in two distinct phases: (1) as part of an initial demonstration of capabilities after the kickoff meeting and workshop with EPA, and (2) during normal operations.

Initial demonstration of capabilities: After the kickoff meeting and workshop, the sample preparation laboratory staff will prepare three test fish samples provided by Tetra Tech. Each test sample will consist of a single large fish which will be processed separately. Each of these test samples will be carried through the entire sample preparation and aliquoting procedures separately. The resulting sample aliquots will not be distributed to other laboratories at this time, but stored frozen. In between processing each individual fish sample, the sample preparation laboratory staff will clean all of the sample preparation equipment as described in Step 29 above. After each cleaning, the sample preparation laboratory staff will prepare the entire series of equipment rinsates and solvent blanks described in Step 32 below.

The sample preparation laboratory also will collect three lipid aliquots from each sample prepared during the initial demonstration and use them for triplicate determinations of lipids, as described in Step 36 below.

The results of the analyses of the rinsates and the homogeneity testing (three sets each) will be submitted to CSC for review. The sample preparation laboratory may **not** begin 2013-2014 NRSA sample preparation until CSC and EPA determine that the sample preparation laboratory has successfully demonstrated proficiency in meeting QC requirements for equipment cleaning and tissue homogenization.

Normal Operations: During normal sample preparation efforts, the sample preparation laboratory will prepare one set of rinsate samples and will conduct one set of triplicate lipid determinations per batch of 20 composite fish samples, as described in Steps 32 to 37, below. The batch-specific rinsate and homogeneity results will be reviewed by CSC and EPA. The sample preparation laboratory may continue to process up to one additional batch of 20 samples (based on sample preparation instructions provided by CSC) during that review process. However, the sample preparation laboratory may **not** continue beyond that next batch of samples until receiving notification from CSC that review of the prior batch rinsate and homogeneity test results is complete and the results were deemed satisfactory.

Thus, continued sample processing is dependent on both the quality of the sample preparation laboratory's efforts and on the timeliness of their delivery of QC results.

Rinsate and Blank Sample Production

32. Prior to reassembling the homogenization equipment (Step 30) between each of the samples processed during the initial demonstration of capabilities, and once per batch during normal operations, prepare three rinsate samples, as follows:
- Prepare a **hexane rinsate sample** by pouring a 100-mL portion of pesticide-grade hexane over all parts of homogenization equipment, including the cutting boards and knives, and collect it in a clean glass container. Place an additional 100-mL aliquot of clean hexane in a similar glass container for use as a solvent blank. Allow the solvent to evaporate from the equipment. This rinsate and solvent blank will be analyzed for selected PCBs and PBDEs. Label, store, and analyze the PCB/PBDE rinsate and blank as described in Step 34.
 - Once the hexane has evaporated, prepare the **first DI water rinsate** using 250 mL of DI water. Collect the DI water rinsate in a clean glass or HDPE container. Place a second aliquot of DI water in a separate similar clean container for use as a blank. Acidify these two samples to pH < 2 with nitric acid. These rinsate and blank samples will be analyzed for mercury as described in Step 35.
 - Prepare the **second DI water rinsate** using an additional 250 mL of DI water. Collect this rinsate in a clean glass container **with a non-PTFE lid liner**. Place a second aliquot of DI water in a separate similar clean glass container for use as a blank. This rinsate and blank will be analyzed for PFCs by a laboratory to be determined later, thus the non-PTFE lid liners are essential. CSC will provide the sample preparation laboratory with the PFC laboratory name and shipping information as soon as it is available. Label and store these PFC rinsates and blanks as described in Step 33.

Note: In order to minimize the number of project samples that might be affected by cross contamination, collect the normal rinsate samples on the first day that samples in a batch of 20 are processed. Ideally, the laboratory will vary the point at which the rinsates are collected on that first day over the course of the project (e.g., between the 1st and 2nd samples for one batch, the 2nd and 3rd samples for another batch, etc.).

33. Label each container as either “rinsate - [insert name of solvent]” or “blank - [insert name of solvent],” and include the date it was prepared (mm/dd/yyyy), the analysis type (Hg, PFCs, PCBs/PBDEs), and the preparation batch identifier. Store the rinsates and blanks cold (<6 °C).

Rinsate Analyses

34. As part of the initial demonstration of capabilities, the sample preparation laboratory will analyze three sets of hexane rinsate and blank samples for PCBs/PBDEs (e.g., one set prepared after each tissue sample prepared during the initial demonstration process) using EPA Methods 1668A and 1614, respectively. Those methods will require concentration of the hexane to a final volume of 0.5 mL, and analysis by GC and high resolution mass spectrometry, in order to identify the PCB/PBDE congeners of interest. During normal operations, the sample preparation laboratory will analyze one set of the hexane rinsate and blank samples per batch. (The PCB analyses will be conducted by Cape Fear Analytical and the PBDE analyses by Vista Analytical Laboratories, both under contract to Microbac.)
35. As part of the initial demonstration of capabilities, the sample preparation laboratory will analyze three sets of DI water rinsate and blank samples for mercury using EPA Method 245.1, a cold-vapor atomic absorption procedure (e.g., one set prepared after each tissue sample prepared during the initial demonstration process). During normal operations, the sample preparation laboratory will analyze one set of the DI water rinsate and blank samples per batch for mercury.

Corrective Actions for Rinsates

CSC will evaluate the rinsate results based on the mass of each analyte detected, and assuming that all of the apparent contamination could be transferred to a nominal 536-g mass of homogenized tissue. Results for mercury or any PCBs/PBDEs above the anticipated reporting limits for these analytes in tissue samples may be cause for corrective actions by the sample preparation laboratory. Such corrective actions may include revisions to the sample preparation laboratory's equipment cleaning procedures, followed by a successful demonstration of the revised cleaning procedures through preparation and analysis of additional rinsate samples.

Lipid Determination to Confirm Homogeneity

36. For each of the samples processed during the initial demonstration of capabilities, and for one sample in every batch of 20 composite samples prepared during normal operations, the sample preparation laboratory will conduct triplicate analyses of the lipid content of samples to confirm that the samples are homogeneous.

As with the collection of rinsate samples, the homogeneity testing must be performed on the first day on which samples in a batch of 20 are processed. However, the sample chosen for homogeneity testing must be one that yields enough tissue mass to support the added mass needed for triplicate lipid aliquots (15 to 30 g). Therefore, unless otherwise directed by CSC for a particular batch of samples, the sample preparation laboratory will select one sample processed on the first day of every batch that will provide well over 536 g of total tissue mass.

From that sample, remove three 5- to 10-g aliquots of tissue before filling the archive sample containers. Place these three aliquots in clean glass or plastic containers of suitable size and label each with the site ID, sample number, and an aliquot identifier of the laboratory's choice. Transfer the lipid aliquot to the appropriate staff performing the lipid determination.

37. From the lipid results, calculate the mean lipid content (in percent), the standard deviation (SD), and the relative standard deviation (RSD) using the formulae below, or the corresponding functions in Excel.

$$\text{mean \% lipids} = \frac{\sum_{i=1}^3 (\% \text{ lipids})_i}{3}$$

$$\text{SD} = \sqrt{\frac{\sum_{i=1}^3 (\% \text{ lipids}_i - \text{mean lipids})^2}{2}}$$

$$\text{RSD} = \frac{\text{SD}}{\text{mean}}$$

If the RSD of the triplicate results is less than or equal to 15%, then the homogenization effort is judged to be sufficient for all samples in that preparation batch. For this sample analyzed in triplicate, the mean lipid content will be the value reported for that sample, following the requirements described in Step 31.

Corrective Actions for Homogeneity

If the RSD is greater than 15%, then corrective action is required for all samples in that preparation batch. Corrective actions will be determined by CSC in direct consultation with the laboratory and EPA, but the default corrective action consists of regrinding all of the aliquots from each composite sample in the affected batch until the RSD criterion is met.

This may entail retrieving all sample aliquots (see Table 1) from the freezer, allowing them to partially thaw, and homogenizing them again, beginning at Step 20. In these instances, all of the equipment cleaning procedures will be repeated between each composite sample, new lipids results will be determined for each composite, and a new homogenization QC determination (triplicate lipids on one sample per batch) will be performed. New sample containers will be required for any rehomogenized samples.

IV.H. Reporting Requirements

38. The sample preparation laboratory will prepare a weekly progress report to document the status of fish preparation activities and forward the report electronically to CSC. The format of the weekly progress report will be as an Excel spreadsheet. For each fillet composite processed or plug sample collected during that period, include at least the following information in the report:

- site identification number,
- sample identification number,
- specimen numbers of the fish homogenized for the fillet composite,
- specimen numbers of the fish from which the plug samples were collected,
- common name for the fish species (provided to the laboratory in the instructions from EPA),
- field-determined lengths and lab-determined weights of individual specimens that were filleted and homogenized,
- field-determined lengths and lab-determined weights of individual specimens from which the plug samples were collected,
- total composite sample (i.e., homogenate) weight (to the nearest gram),
- total plug sample weight (to the nearest 0.1 gram),
- analysis type (e.g., mercury, PFCs, PCBs, PBDEs, archive sample, etc.),
- aliquot weight (to the nearest 0.5 gram),
- preparation batch ID,
- preparation date (e.g., mm/dd/yyyy),
- QC sample identifiers associated with the batch of fillet composite samples,
- lipid results for each fillet composite sample, and
- airbill numbers for all sample shipments that week (these may include samples prepared during previous weeks), even though this information was transmitted to CSC at the time of shipment.

(Much of the sample-specific information above will be provided to the sample preparation laboratory electronically in the sample processing instructions from CSC.)

The weekly report will be due by COB Monday, or as agreed to in writing by CSC after consultation with the laboratory in the cases of holidays, and will document sample preparation progress for the previous week.

In addition, the laboratory must report the results of the rinsate analyses for mercury, PCBs, and PBDEs and the triplicate lipid results associated with the sample batch. Those results **must** be reported to CSC as soon after the analyses as practical to facilitate CSC's timely review and to minimize delays in receiving instructions to process future batches.

Note: As specified in the QC section of this document, the sample preparation laboratory may **not** continue beyond the next batch of samples until receiving notification from CSC that review of the prior batch rinsate and homogeneity test results is complete and the results were deemed satisfactory.

IV.I. Shipping Samples

39. **No samples may be shipped until CSC and EPA have reviewed the sample homogeneity testing and rinsate results.** CSC will notify the sample preparation laboratory by email when specific samples may be shipped, and to whom.

When shipping batches of pre-frozen fillet tissue aliquots, keep the individual containers bagged in the food-grade plastic freezer bags. Place these bags in a cooler with adequate space for the tissue containers, packing materials, and dry ice. (CSC may provide suitable coolers from existing stocks.) Secure each of the tissue containers with packing materials (e.g., bubble wrap or foam) before adding the dry ice. Place a modest layer of newspaper on top of the containers before adding the dry ice, as this can prevent cracking the lids. A single “section” of the local newspaper will usually suffice.

The amount of dry ice required for shipping will depend on the number of fillet tissue samples in the cooler and the time of year. It should be an adequate supply to keep the tissue samples frozen for 48 hours (i.e., a minimum of 25 pounds of dry ice per cooler for up to 10 pounds of fillet tissue samples).

Shipments of plug samples for mercury analyses may use smaller coolers and other forms of packing materials (e.g., foam blocks with pre-drilled holes) appropriate for the scintillation vials, but must be shipped on dry ice as well.

Record the samples contained in the cooler on a shipping form provided by CSC and place the form in a plastic bag taped to the inside lid of the cooler. (CSC will provide separate forms for plug samples and homogenized fillet samples.) Secure the outside of the cooler with sealing tape, address it to the sample recipient identified by CSC, and attach a dry ice (dangerous goods) label. Ship the cooler via an overnight express carrier on a date that will allow delivery of the cooler to the analytical laboratory on a normal business day (e.g., **no Saturday deliveries and no deliveries on U.S. Federal holidays without express permission from CSC**). Provide the air bill number for each shipment to CSC via email on the day that the shipment occurs. **CSC will provide the sample preparation laboratory with a third-party FedEx account to which each shipment will be billed.**

CSC Contact Information

Primary CSC Contact

Harry McCarty
6361 Walker Lane
Alexandria, VA 22310
703-461-2392
hmccarty@csc.com

Alternative CSC Contact

Lynn Walters
6361 Walker Lane
Alexandria, VA 22310
703-461-2060
lwalters3@csc.com

V. Deliverables

Item	Deliverable Description	Mechanism	Schedule
1	Kickoff meeting and workshop	--	July 16, 2013
2	Initial demonstration of capabilities	--	Begin within 3 days of receipt of test samples from Tetra Tech

Item	Deliverable Description	Mechanism	Schedule
3	Results of the initial demonstration, to include three sets of rinsate and solvent blank results for mercury and PBDEs, plus three sets of triplicate lipid determinations	Email	Close of Business (COB) of the day after results are generated
4	Confirmation of receipt of sample processing instructions, identifying any specific sample discrepancies	Email	COB on the day of receipt
5	Notification of samples that do not yield at least 536 g of homogenized fillet tissue	Email/phone	Immediately upon discovery during sample preparation
6	First completed batch of 20 homogenized fillet samples and 20 plug samples, ready for shipment at CSC's direction (i.e., sample turnaround time)	--	21 calendar days from receipt of sample processing instructions from CSC
7	Each subsequent batch of 20 homogenized fillet samples and 20 plug samples	--	14 calendar days from completion of the previous batch, or 14 days from receipt of sample processing instructions from CSC, whichever is longer
8	Mercury and PCB/PBDE results for rinsates and solvent blanks and lipid RSD results	Email/phone	COB of the day after results are generated
9	Weekly status report	Email	COB Monday of each week
10	Homogenized sample shipments	FedEx overnight	Within 3 working days of receipt of shipping information from CSC
11	Shipping information (airbills, shipping forms, etc.) for tissue or rinsate samples	Email	COB on day samples ship to other labs
12	Copies of all bench sheets, sample preparation records, and other project records	Hard copy or PDF	As directed by CSC after the completion of the project

ATTACHMENT 1 ANALYSES OF RINSATES AND BLANKS FOR MERCURY AND PCBs/PBDEs

This attachment describes the analyses of rinsate samples and blanks generated during the composite fish sample preparation process. The results of those analyses are important in demonstrating that the sample preparation laboratory's equipment cleaning procedures are effective at preventing cross-contamination between fish tissue samples.

A. EQUIPMENT AND MATERIALS:

- Mercury analyzer suitable for aqueous samples using cold-vapor atomic absorption (CVAA) instruments compatible with EPA Method 245. Must be capable of achieving an MDL of approximately 1 µg/L.
- Gas chromatograph with a high resolution mass spectrometric detector (GC/HRMS) suitable for analysis of PCB and PBDE congeners via EPA Methods 1668A and 1614.
- Solvent concentration equipment suitable for reducing hexane rinsates to final volumes of 0.5 to 10 mL.
- A PCB standard solution containing at least the following PCB congeners: **52, 66, 105, 118, 141, 146, 170, 174, 177, and 187**, to be used to establish retention times and perform calibration of the GC/HRMS. (Additional congeners can be included by the laboratory. These congeners represent those that EPA has found frequently, at relatively high concentrations, in other fish tissue studies.)
- A PBDE standard solution containing at least the following PBDE congeners: **47, 49, 66, 99, 100, 153, 154, and 155**, to be used to establish retention times and perform calibration of the GC/HRMS. (Additional congeners can be included by the laboratory. These congeners represent those that EPA has found frequently, at relatively high concentrations, in other fish tissue studies.)
- Assorted glassware, syringes, etc.

B. RINSATE AND BLANK ANALYSES

During the initial demonstration of capabilities, the laboratory will prepare three sets of rinsate samples, i.e., one set after each fish prepared as part of that demonstration. Each set of rinsate samples will include:

- Two de-ionized water (DI) rinsate samples and two DI water blanks sample for analysis of mercury and for analysis of PFCs.
- One hexane rinsate sample and one hexane blank sample for analysis of PCBs and PBDEs (e.g., one rinsate may be analyzed for both groups of contaminants).

During normal sample preparation efforts, the laboratory will prepare rinsates at a frequency of one set for each batch of 20 fish tissue samples prepared. Up to 25 sets of rinsates are anticipated.

The laboratory will digest and analyze the mercury rinsates and blanks by CVAA. The laboratory will concentrate the PCB/PBDE rinsates and blanks to a final volume of 1 mL and analyze the concentrated samples by GC/HRMS. For each analysis, the laboratory will determine the mass of each analyte (mercury, PCB congener, or PBDE congener) in the total volume of each rinsate or blank sample, rather than the concentration of each analyte.

The laboratory will either perform a method detection limit (MDL) study for mercury in aqueous samples, or use existing aqueous MDL data for the CVAA instrument employed. The laboratory must be able to achieve an MDL of approximately 1 µg/L. Mercury results will be reported down to the mass equivalent to the mass at the method detection limit (MDL) for aqueous samples.

Because the PCB/PBDE rinsates are not aqueous samples that are extracted, a traditional MDL study for aqueous samples does not apply. Therefore, the laboratory must perform an instrument detection limit (IDL) study before beginning any rinsate analyses. The IDL study will consist of analyzing 7 low-level standards containing the PCBs and PBDEs listed above, determining the standard deviation of results for each PCB and PBDE across all 7 analyses, and multiplying the standard deviation times 3.143, the Student's t-value for 7 replicates. The laboratory must achieve an IDL on the order of 0.5 ng/mL, for a 1-mL final volume.

PCB congeners and PBDE congeners will be identified based on the requirements of EPA Methods 1668A and 1614, respectively. PCB and PBDE results in the rinsates and blanks will be reported down to the mass equivalent to the IDL.

The rinsates for PFCs will not be analyzed by the laboratory, but will be held by the sample preparation laboratory.

C. QUALITY CONTROL

The quality control (QC) procedures required for the rinsate analyses include:

- MDL or IDL studies, as described above
- Instrument calibration (see Methods 245.1, 1668A, and 1614 for procedures and acceptance criteria)
- Instrument blanks for mercury, PCB, and PBDE analyses
- Calibration verification (once per analysis batch) for mercury, PCB, and PBDE analyses
- Laboratory control sample (LCS) once per analysis batch, for mercury only

The MDL and IDL results will be reviewed by CSC as soon as they become available, and the laboratory will not be authorized to prepare additional fish tissue samples until that review is complete and the results are acceptable.

The matrix for the mercury rinsates is reagent water, which should not adversely affect method performance. Therefore, matrix spike samples are not required for mercury.

Because the PCB/PBDE rinsates do not involve extraction of an environmental matrix, matrix spike samples are not applicable. Likewise, laboratory control samples are not applicable to PCBs and PBDEs.

The instrument blanks for mercury, PCBs, and PBDEs take the place of a traditional method blank that would be extracted along with environmental samples.

D. DELIVERABLES

Summary data from the rinsate analyses are to be delivered to CSC in an Excel file. That file must contain the following information, at a minimum:

- Batch ID - to be established by the laboratory, but a simple approach would be to number or letter each sample batch (e.g., A to H, or 1 to 8). The batch ID for the rinsates prepared during the initial demonstration results may be reported as "QA study."
- Sample ID - as described in the instructions for preparing the rinsates
- Lab sample ID - unique internal identifier used by the laboratory, if any
- Prep date - Date (MM/DD/YYYY) on which the rinsate or solvent blank was prepared
- Analysis type - "Mercury," "PCB," or "PBDE" (or "PCB/PBDE" if both types of analytes are analyzed together)
- Analysis date - Date (MM/DD/YYYY) on which the rinsate or solvent blank was analyzed
- Analyte name - PCB and PBDE congeners may be abbreviated as PCB-066, PBDE-047, etc.

- Mass of analyte found - in micrograms for mercury, and either micrograms or nanograms for the PCBs and PBDEs, provided that the reporting units for PCBs and PBDEs are consistent throughout the effort
- Lab qualifiers - as needed to describe any analytical concerns. A complete list of the qualifiers and their meanings must be included with each data submission (e.g., in a separate tab on the Excel file).
- Reporting limit for each analyte - in the same mass units used for the results
- Instrument calibration data - Submit as a separate tab in the Excel file. Must include results for the initial calibrations for mercury, PCBs, and PBDEs, as well as any relevant calibration verifications associated with the analyses. Include calibration equations (e.g., regressions) and metrics (e.g., correlation coefficient or calibration factor).

Separate Excel files may be provided for each type of analysis (mercury, PCBs, and PBDEs), at the laboratory's discretion. Raw data supporting each analysis (e.g., chromatograms or instrument printouts) must be retained by the laboratory and made available to CSC when requested, at no additional cost. If requested, raw data may be submitted in hard copy, or as a PDF file.

APPENDIX E

GLEC Fish Information Summary Tables

**Table 1. Fish Tissue Processing Field Data
Boulder, Thomson, and Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

GLEC ID	QC	Reservoir	Description	# of Individuals	Field Weight 1	Field Weight 2	Field Weight 3	Field Weight 4	Field Weight 5	Total Mass (mg)	Perform Sex ID?	Perform Otolith?	SexID 1	SexID 2	SexID 3	SexID 4	SexID 5	Processed Tissue Shipped to Test America
5044		Boulder	Black Crappie A	6						116	No	No						11/7/16
5035		Boulder	Rock Bass A	9						368	No	No						11/7/16
5033		Boulder	Shiners A	Many						152	No	No						11/7/16
5032		Boulder	Shiners B	Many						152	No	No						11/7/16
5045		Boulder	Shiners C	Many						163	No	No						11/7/16
5041	Dupe	Boulder	Walleye A	3	664	578	577			1,819	1,2,3	1,2,3	M	M	M			11/7/16
5042		Boulder	Walleye B	3	131	212	81			424	1,2,3	1,2,3	M	M	M			11/7/16
5043		Boulder	Walleye C	5	58	84	83	72	73	370	1,2,3,4,5	1,2,3,4,5	IND	IND	IND	IND	IND	11/7/16
5027	MSD	Boulder	White Sucker A	3	221	1,007	619			1,847	1,2,3	1,2,3	IND	M	M			11/7/16
5029		Boulder	White Sucker B	3	622	1,230	1,150			3,002	1,2,3	1,2,3	M	M	M			11/7/16
5028		Boulder	White Sucker C	3	1,779	1,285	1,326			4,390	1,2,3	1,2,3	F	F	F			11/7/16
5031		Boulder	Yellow Perch A	13						378	No	No						11/7/16
5030		Boulder	Yellow Perch B	13						311	No	No						11/7/16
5034		Boulder	Yellow Perch C	12						304	No	No						11/7/16
5006		Thomson	North Pike A	3	275	178	186			639	1,2,3	1,2,3	F	F	F			11/14/16
5009		Thomson	Rock Bass A	3	50	58	142			250	1,2,3	1,2,3	M	F	M			11/14/16
5010		Thomson	Rock Bass B	8						150	No	No						11/7/16
5003		Thomson	Small Mouth Bass A	10						394	No	No						11/14/16
5036		Thomson	Small Mouth Bass B	3	763	768	714			2,245	1,2,3	1,2,3	F	M	F			11/14/16
5004		Thomson	Small Mouth Bass C	3	1,090	1,012	936			3,038	1,2,3	1,2,3	F	M	M			11/14/16
5038		Thomson	Small Mouth Bass D	9						358	No	No						11/7/16
5007	MSD	Thomson	Walleye A	3	261	360	311			932	1,2,3	1,2,3	M	M	M			11/7/16
5011	Dupe	Thomson	White Sucker A	3	1,204	1,144	1,064			3,412	1,2,3	1,2,3	F	F	F			11/14/16
5015		Thomson	White Sucker B	3	965	820	923			2,708	1,2,3	1,2,3	F	F	F			11/14/16
5014		Thomson	White Sucker C	3	1,070	618	633			2,321	1,2,3	1,2,3	F	F	F			11/14/16
5005	Dupe	Thomson	Yellow Perch A	3	268	352	239			859	1,2,3	1,2,3	F	F	F			11/14/16
5008		Thomson	Yellow Perch B	4	210	211	188	172		781	1,2,3,4	1,2,3,4	F	M	M	F		11/14/16
5019	Dupe	Scanlon	Northern Pike A	2	340	487				827	1,2	1,2	F	F				11/14/16
5024		Scanlon	Shiners A	Many						61	No	No						11/15/16
5001		Scanlon	Small Mouth Bass A	3	547	627	547			1,721	1,2,3	1,2,3	M	F	M			11/14/16
5002	Dupe	Scanlon	Small Mouth Bass B	3	473	587	278			1,338	1,2,3	1,2,3	F	M	F			11/15/16
5021		Scanlon	Small Mouth Bass C	3	213	371	274			858	1,2,3	1,2,3	F	F	M			11/14/16
5023		Scanlon	Walleye A	3	237	215	168			620	1,2,3	1,2,3	M	M	M			11/14/16
5022		Scanlon	White Sucker A	3	1,015	736	792			2,543	1,2,3	1,2,3	F	F	F			11/14/16
5017		Scanlon	White Sucker B	3	844	952	324			2,120	1,2,3	1,2,3	F	F	M			11/14/16
5016		Scanlon	White Sucker C	3	791	781	817			2,389	1,2,3	1,2,3	F	F	F			11/14/16
5025	MSD	Scanlon	Yellow Perch A	4	166	136	124	74		500	1,2,3,4	1,2,3,4	F	F	F	M		11/15/16
5020		Scanlon	Yellow Perch B	3	98	76	141			315	1,2,3	1,2,3	M	M	F			11/15/16
5018		Scanlon	Yellow Perch C	19						432	No	No						11/14/16

For greyed-out samples, see small species Tables 5, 6, and 7 for individual mass and length

Dupe - Send two distinct samples from the same homogenization to Test America for analysis with separate IDs

MSD - Send twice as much sample from the same homogenization to Test America for Test America laboratory Quality Assurance/Quality Control requirements

**Table 2. Fish Tissue Processing Laboratory Data
Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

GLEC ID	QC	Description	# of Individuals	Metric	1	2	3	4	SexID 1	SexID 2	SexID 3	SexID 4	Average	+10% of Average	-10% of Average	Samples all within 10% of Average
5019	Dupe	Northern Pike A	2	Length (mm)	415	459			F	F			437	481	393	Yes
5019	Dupe	Northern Pike A	2	Mass (g)	343	481			F	F			412	453	371	No
5024		Shiners A	Many													
5001		Small Mouth Bass A	3	Length (mm)	343	338	341		M	F	M		341	375	307	Yes
5001		Small Mouth Bass B	3	Mass (g)	552	631	555		M	F	M		579	637	521	Yes
5002	Dupe	Small Mouth Bass B	3	Length (mm)	321	345	272		F	M	F		313	344	281	No
5002	Dupe	Small Mouth Bass C	3	Mass (g)	481	594	282		F	M	F		452	498	407	No
5021		Small Mouth Bass C	3	Length (mm)	250	289	265		F	F	M		268	295	241	Yes
5021		SMB C	3	Mass (g)	218	379	279		F	F	M		292	321	263	No
5023		Walleye A	3	Length (mm)	307	290	276		M	M	M		291	320	262	Yes
5023		Walleye A	3	Mass (g)	241	216	172		M	M	M		210	231	189	No
5022		White Sucker A	3	Length (mm)	436	389	395		F	F	F		407	447	366	Yes
5022		White Sucker A	3	Mass (g)	1,016	736	796		F	F	F		849	934	764	No
5017		White Sucker B	3	Length (mm)	420	432	306		F	F	M		386	425	347	No
5017		White Sucker B	3	Mass (g)	826	939	320		F	F	M		695	765	626	No
5016		White Sucker C	3	Length (mm)	415	410	414		F	F	F		413	454	372	Yes
5016		White Sucker C	3	Mass (g)	785	743	799		F	F	F		776	853	698	Yes
5025	MSD	Yellow Perch A	4	Length (mm)	232	219	214	187	F	F	F	M	213	234	192	No
5025	MSD	Yellow Perch A	4	Mass (g)	170	137	125	75	F	F	F	M	127	139	114	No
5020		Yellow Perch B	3	Length (mm)	201	186	219		M	M	F		202	222	182	Yes
5020		Yellow Perch B	3	Mass (g)	100	87	142		M	M	F		110	121	99	No
5018		Yellow Perch C	19													

For greyed-out samples, see small species Table 5 for individual mass and length

Dupe - Send two distinct samples from the same homogenization to Test America for analysis with separate IDs

MSD - Send twice as much sample from the same homogenization to Test America for Test America laboratory Quality Assurance/Quality Control requirements

**Table 3. Fish Tissue Processing Laboratory Data
Thomson Reservoir
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

GLEC ID	QC	Description	# of Individuals	Metric	1	2	3	4	SexID 1	SexID 2	SexID 3	SexID 4	Average	+10% of Average	-10% of Average	Samples all within 10% of Average
5006		North Pike A	3	Length (mm)	371	347	339		F	F	F		352	388	317	Yes
5006		North Pike A	3	Mass (g)	278	179	183		F	F	F		213	235	192	No
5009		Rock Bass A	3	Length (mm)	136	145	192		M	F	M		158	173	142	No
5009		Rock Bass A	3	Mass (g)	50	58	132		M	F	M		80	88	72	No
5010		Rock Bass B	8													
5003		Small Mouth Bass A	10													
5036		Small Mouth Bass B	3	Length (mm)	366	311	363		F	M	F		347	381	312	No
5036		Small Mouth Bass B	3	Mass (g)	763	768	714		F	M	F		748	823	674	Yes
5004		Small Mouth Bass C	3	Length (mm)	393	348	393		F	M	M		378	416	340	Yes
5004		Small Mouth Bass C	3	Mass (g)	1,083	1,001	924		F	M	M		1,003	1,103	902	Yes
5038		Small Mouth Bass D	9													
5007	MSD	Walleye A	3	Length (mm)	317	332	330		M	M	M		326	359	294	Yes
5007	MSD	Walleye A	3	Mass (g)	261	360	309		M	M	M		310	341	279	No
5011	Dupe	White Sucker A	3	Length (mm)	468	468	480		F	F	F		472	519	425	Yes
5011	Dupe	White Sucker A	3	Mass (g)	1,023	1,108	1,169		F	F	F		1,100	1,210	990	Yes
5015		White Sucker B	3	Length (mm)	419	412	438		F	F	F		423	465	381	Yes
5015		White Sucker B	3	Mass (g)	949	794	892		F	F	F		878	966	791	Yes
5014		White Sucker C	3	Length (mm)	431	404	392		F	F	F		409	450	368	Yes
5014		White Sucker C	3	Mass (g)	1,030	591	620		F	F	F		747	822	672	No
5005	Dupe	Yellow Perch A	3	Length (mm)	271	276	259		F	F	F		269	296	242	Yes
5005	Dupe	Yellow Perch A	3	Mass (g)	267	345	238		F	F	F		283	312	255	No
5008		Yellow Perch B	4	Length (mm)	216	215	228	230	F	M	M	F	222	244	200	Yes
5008		Yellow Perch B	4	Mass (g)	138	138	190	168	F	M	M	F	159	174	143	No

For greyed-out samples, see small species Table 6 for individual mass and length

Dupe - Send two distinct samples from the same homogenization to Test America for analysis with separate IDs

MSD - Send twice as much sample from the same homogenization to Test America for Test America laboratory Quality Assurance/Quality Control requirements

**Table 4. Fish Tissue Processing Laboratory Data
Boulder Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148**

GLEC ID	QC	Description	# of Individuals	Metric	1	2	3	4	5	SexID 1	SexID 2	SexID 3	SexID 4	SexID 5	Average	+10% of Average	-10% of Average	Samples all within 10% of Average
5044		Black Crappie A	6															
5035		Rock Bass A	9															
5033		Shiners A	Many															
5032		Shiners B	Many															
5045		Shiners C	Many															
5041	Dupe	Walleye A	3	Length (mm)	418	394	393			M	M	M			402	442	362	Yes
5041	Dupe	Walleye A	3	Mass (g)	671	599	591			M	M	M			620	682	558	Yes
5042		Walleye B	3	Length (mm)	248	288	219			M	M	M			252	277	227	No
5042		Walleye B	3	Mass (g)	127	213	79			M	M	M			140	154	126	No
5043		Walleye C	5	Length (mm)	204	213	220	200	211	IND	IND	IND	IND	IND	210	231	189	Yes
5043		Walleye C	5	Mass (g)	56	83	82	72	73	IND	IND	IND	IND	IND	73	81	66	No
5027	MSD	White Sucker A	3	Length (mm)	272	399	347			IND	M	M			339	373	305	No
5027	MSD	White Sucker A	3	Mass (g)	221	1,013	615			IND	M	M			616	678	555	No
5029		White Sucker B	3	Length (mm)	351	464	455			M	M	M			423	466	381	No
5029		White Sucker B	3	Mass (g)	616	1,232	1,147			M	M	M			998	1,098	899	No
5028		White Sucker C	3	Length (mm)	502	468	457			F	F	F			476	523	428	Yes
5028		White Sucker C	3	Mass (g)	1,884	1,368	1,326			F	F	F			1,526	1,679	1,373	No
5031		Yellow Perch A	13															
5030		Yellow Perch B	13															
5034		Yellow Perch C	12															

For greyed-out samples, see small species Table 7 for individual mass and length

Dupe - Send two distinct samples from the same homogenization to Test America for analysis with separate IDs

MSD - Send twice as much sample from the same homogenization to Test America for Test America laboratory Quality Assurance/Quality Control requirements

Table 5. Fish Tissue Processing Laboratory Data (continued)
Scanlon Reservoirs
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Species	Individual	Mass (g)	Length (mm)
5024	many	Shiners A	Min	<1	15
			Max	33	120
5018	19	Yellow Perch C	1	132	216
			2	82	178
			3	43	153
			4	25	132
			5	20	118
			6	16	111
			7	15	109
			8	14	109
			9	18	116
			10	14	103
			11	12	103
			12	12	103
			13	10	97
			14	3	68
			15	2	66
			16	3	65
			17	3	70
			18	3	70
			19	2	59
			+10% Average	25	118
			-10% Average	20	97
Samples all within 10% of Average			No	No	No

Table 6. Fish Tissue Processing Laboratory Data (continued)
Thomson Reservoir
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Species	Individual	Mass (g)	Length (mm)
5010	8	Rock Bass B	1	20	97
			2	14	91
			3	19	97
			4	19	101
			5	23	107
			6	22	104
			7	18	95
			8	18	95
			Average	19	98
			+10% Average	21	108
			-10% Average	17	89
Samples all within 10% of Average				No	Yes
5003	10	Small Mouth Bass A	1	30	132
			2	30	135
			3	29	133
			4	35	142
			5	39	141
			6	41	138
			7	40	139
			8	47	151
			9	38	140
			10	64	161
			Average	39	141
+10% Average	43	155			
-10% Average	35	127			
Samples all within 10% of Average				No	No
5038	9	Small Mouth Bass D	1	57	156
			2	55	155
			3	63	169
			4	50	149
			5	39	141
			6	35	133
			7	28	124
			8	19	110
			9	16	100
			Average	40	137
			+10% Average	44	151
-10% Average	36	124			
Samples all within 10% of Average				No	No

Table 7. Fish Tissue Processing Laboratory Data (continued)
Boulder
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Species	Individual	Mass (g)	Length (mm)
5044	6	Black Crappie A	1	18	95
			2	14	86
			3	18	94
			4	21	99
			5	26	103
			6	25	104
			Average	20	97
			+10% Average	22	107
			-10% Average	18	87
			Samples all within 10% of Average		
5035	9	Rock Bass A	1	29	108
			2	36	117
			3	23	102
			4	20	96
			5	22	101
			6	28	110
			7	24	103
			8	18	94
			9	19	100
			Average	24	103
			+10% Average	27	114
			-10% Average	22	93
			Samples all within 10% of Average		
5033	many	Shiners A	Min	<1	18
			Max	24	125
5032	many	Shiners B	Min	<1	39
			Max	12	110
5045	many	Shiners C	Min	<1	9
			Max	32	101
5031	13	Yellow Perch A	1	77	181
			2	64	172
			3	48	156
			4	65	169
			5	16	109
			6	14	107
			7	15	111
			8	14	108
			9	15	106
			10	17	116
			11	15	111
			12	10	97
			13	12	103
			Average	29	127
			+10% Average	32	139
-10% Average	26	114			
Samples all within 10% of Average			No	No	

Table 7. Fish Tissue Processing Laboratory Data (continued)
Boulder
Duluth, Minnesota
U.S. Army Corps of Engineers
GLEC Project Number: 5148

GLEC ID	# of Individuals	Species	Individual	Mass (g)	Length (mm)
5030	13	Yellow Perch B	1	12	102
			2	46	162
			3	12	107
			4	35	143
			5	18	110
			6	11	96
			7	12	104
			8	11	100
			9	17	109
			10	12	99
			11	14	104
			12	41	147
			13	67	176
			Average	24	120
			+10% Average	26	132
			-10% Average	21	108
Samples all within 10% of Average				No	No
5034	12	Yellow Perch C	1	11	99
			2	12	103
			3	12	104
			4	13	105
			5	14	108
			6	11	99
			7	13	103
			8	12	103
			9	45	154
			10	59	168
			11	47	146
			12	59	171
			Average	26	122
			+10% Average	28	134
			-10% Average	23	110
			Samples all within 10% of Average		

APPENDIX F

EPA and MCPA Macroinvertebrate COCs and Instructions

CHAIN-OF-CUSTODY / Analytical Request Document
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

N = 11 jars

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUIS Information:	
Company:		Report To:		Attention:	Facility Name:	St. Louis River Sediment Areas of Concern	Page 1 of 1
Address:		Copy To: pryamaker@baywest.com		Company Name:	Facility Code:	St. Louis River Sed	COC#
Email To:		mmcdonald@baywest.com		Address:	Facility ID:		SUR-GLEC-3
Phone:		Purchase Order No.:		Lab Quote Reference:	Subfacility Code:		
Requested Due Date/TAT:	Standard	Project Name:	SLR Sediment AOCs	Lab Project Manager:			Site Location STATE: MN

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	Sample ID (sys_sample_code)	Sample Location ID (sys_loc_code)	DATE	Collection	# OF CONTAINERS	Requested Analysis										Comments																	
	Sample ID (sys_sample_code)	Sample Location ID (sys_loc_code)								DATE	Collection	Matrix Code	Sample Type (G-GRAB C-COMP)	Relinquished By / Affiliation	Date	Time	Accepted By / Affiliation	Date	Time		Temp (C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)													
Ex.	BW14MLW-005	BW14MLW-005-0-015	SO	G			3/12/15	1204																													
1	BW16SR-001	BW16SR-001-M	✓	TS	G		9/19/16-10/16/16																														
2	BW16SR-002	BW16SR-002-M	✓	TS	G		9/19/16-10/16/16																														
3	BW16SR-002	BW16SR-002-D	✓	TS	G		9/19/16-10/16/16																														
4	BW16SR-102	BW16SR-102-D	✓	TS	G		9/19/16-10/16/16																														
5	BW16SR-003	BW16SR-003-M	✓	TS	G		9/19/16-10/16/16																														
6	BW16SR-103	BW16SR-103-M	✓	TS	G		9/19/16-10/16/16																														
7	BW16SR-005	BW16SR-005-D	✓	TS	G		9/19/16-10/16/16																														
8	BW16SR-005	BW16SR-005-C	✓	TS	G		9/19/16-10/16/16																														
9	EPA16BRHD	EPA16BRHD-MCRS		TS	C		9/19/16-10/16/16																														
10	EPA16SRHD	EPA16SRHD-MCRS		TS	C		9/19/16-10/16/16																														
11	EPA16TRHD	EPA16TRHD-MCRS		TS	C		9/19/16-10/16/16																														
12	EPA16IBHD	EPA16IBHD-C		TS	C		9/19/16-10/16/16																														
13	BW16SR-003	BW16SR-003-D		TS	G		9/19/16-10/16/16																														

BW16SR-1020s
tube collected
from BW16SR-003
is a DUP and BW16SR-003M
is to be collected
from BW16SR-003M
as a DUP.

Additional Comments: *BW16-SL-003-D*

Relinquished By / Affiliation: *Amber H. BayWest*

Date: *11/09/16*

Time: *1041*

Accepted By / Affiliation: _____

Date: _____

Time: _____

Temp (C): _____

Received on Ice (Y/N): _____

Custody Sealed Cooler (Y/N): _____

Samples Intact (Y/N): _____

Sampler Name and Signature: _____

Print Name of Sampler: _____

Signature of Sampler: _____

Date Signed (MM/DD/YYYY): _____

Sample name extension definitions:
M = Methyl
D = Dioxins
C = Crayfish
MCRS = Microcentrifuge

N = 5 of 19 Jan



GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
 (Complete and include a minimum of one per cooler)

www.glec.com
 Phone 231-941-2230
 Fax 231-941-2240

739 Hastings Street
 Traverse City, MI 49686

Section I.

Submitting Company: EPA Wild. Continent Ecol. Div.
 Report Results To: Joel Heffner
 Address: 6201 Congdon Blvd, Duluth MN 55804
 Phone: 218 529 5420 E-mail: joelheffner@epa.gov
 Project Name: St. Louis AOC
 Project Number:
 P.O.#:
 Sampled by: [initials] Client: EPA/MPCA
 GLEC Client

Section III. Sample Information at Collection

#	LAB USE GLEC ID#	Sample Identification	Sample Information		Grab or Composite	Preservative	Sample Containers		Requested Processing/Analysis
			Date	Time			Type	Size	
1	16-BE-HD-003		10-11-14	11:00	HD Comp.	on ice		1	Dioxin/Hg 2.9 g
2	16-BE-HD-001		10-11-10	12:05	HD Comp.	on ice		1	2.3 g
3	16-BE-HD-002		10-11-10	11:55	HD Comp.	on ice		1	10.2 g
4	16-BE-HD-004		10-11-10	10:10	HD Comp.	on ice		1	3.9 g
5	16-BE-HD-005		10-11-10	10:10	HD Comp.	on ice		1	5.1 g
6									

Section IV.

Client/Sampler Notes:

RELEASED BY / ORGANIZATION	DATE	TIME	RECEIVED BY / ORGANIZATION	DATE	TIME
Print Name & Organization: Joel Heffner EPA Duluth	11/13/16	12:00 PM	Print Name & Organization		
Signature: [Signature]			Signature		
Print Name & Organization:			Print Name & Organization		
Signature			Signature		

FOR LAB USE ONLY

Temperature of Samples: _____ °C

Notes/Anomalies/Discrepancies:

Received on Wet Ice Received on Dry Ice

MATRIX CODES: S = SEDIMENT E = EFFLUENT SL = SLUDGE
 W = SURFACE WATER GW = GROUNDWATER AO = AQUATIC ORGANISM

N = 8 of 19 jars



Great Lakes Environmental Center

GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
 (Complete and include a minimum of one per cooler)

www.glec.com
 Phone 231-941-2230
 Fax 231-941-2240

739 Hastings Street
 Traverse City, MI 49686

Section I.				Section II.					
Submitting Company: EPA Mid Continent Ecol. Div				Project Name: ST Louis AOC					
Report Results To: JIM LAZORCHEL				Project Number:					
Address: 6201 Compton Bldg, Duluth, MN				P.O.#:					
Phone: 513 569 7076				Sampled by: Initials Client					
E-mail: lazorchel@epa.gov				GLEC					
Section III. Sample Information at Collection									
#	LAB USE	Sample Identification	Sample Information		Grab or Composite	Preservative	Sample Containers		Requested Processing/Analysis
			Date	Time			Matrix	Type	
1	16-TR	HD-016 10/2	10/12/16		HD	ice		1	Dioxin/lyg 2.4g
2	16-TR	HD-016 20/2	"		HD	"	over fish	1	" " 2.4g
3	16-TR	HD-017	"		"	"		1	" " 0.1g
4	16-TR	HD-013 1/2	"		"	"		1	" " 0.6gm
5	16-TR	HD-013 2/2	"		"	"	Swamp	1	" " 1.2 gm
6	16-TR	HD-008 1/2	"		"	"		1	" " 1.6 gm
Client/Sampler Notes: 16-TR-008 1/2 " " 1.6 gm ✓ 16-TR-018 " " " " 1.6 gm									
RELEASED BY / ORGANIZATION				DATE	TIME	RECEIVED BY / ORGANIZATION			
Print Name & Organization: Joe Hoffman EPA Duluth				11/12/16	12:00 PM	Print Name & Organization			
Signature: [Signature]						Signature			
Print Name & Organization						Print Name & Organization			
Signature						Signature			
FOR LAB USE ONLY									
Temperature of Samples: _____ °C									
Notes/Anomalies/Discrepancies:									
<input type="checkbox"/> Received on Wet Ice <input type="checkbox"/> Received on Dry Ice									
MATRIX CODES: S = SEDIMENT E = EFFLUENT W = SURFACE WATER GW = GROUNDWATER SL = SLUDGE AO = AQUATIC ORGANISM									

N = 6 of 19 jar



GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
 (Complete and include a minimum of one per cooler)
 739 Hastings Street
 Traverse City, MI 49686
 www.glec.com
 Phone 231-941-2230
 Fax 231-941-2240

Section I.
 Submitting Company: _____
 Report Results To: Joel Hoffman / Jim La Zotte
 Address: 6201 Congdon Blvd, Dolohy, MI 49704
 Phone: 218-529-5420
 E-mail: joel.hoffman@jackreps.com
 Project Name: St Louis Ave
 Project Number: _____
 P.O.#: _____
 Sampled by: Joel Hoffman initials JH
 GLEC Client EPA / MDECA

Section III. Sample Information at Collection

#	LAB USE	GLEC ID#	Sample Identification	Sample Information		Grab or Composite	Preservative	Sample Containers		Requested Processing/Analysis
				Date	Time			Type	Size	
1			16-SR HD-007	10-13-16	9:35	HD	Ice	1/1		Dioxin / Hg 0.7g
2			16-SR HD-003	"	10:10	"	"	1/1		" " 1.4g
3			16-SR HD-001	"	9:55	"	"	1/1		" " 1.0g
4			16-SR HD-004	"	10:40	"	"	1/1		" " 0.5g
5			16-SR HD-005	"	10:35	"	"	1/2		" " 0.9g
6			16-SR HD-005 sample	"	"	"	"	1/2		" " 0.4g

Section IV.
 Client/Sampler Notes: _____

RELEASED BY / ORGANIZATION	DATE	TIME	RECEIVED BY / ORGANIZATION	DATE	TIME
<u>Joel Hoffman EPA Duluth</u> Signature: _____	<u>11/10/16</u>	<u>12:55 PM</u>	_____ Signature: _____		
_____ Signature: _____			_____ Signature: _____		

FOR LAB USE ONLY
 Temperature of Samples: _____ °C
 Notes/Anomalies/Discrepancies: _____
 Received on Wet Ice Received on Dry Ice
 MATRIX CODES: _____
 S = SEDIMENT E = EFFLUENT
 W = SURFACE WATER GW = GROUNDWATER
 SL = SLUDGE
 AO = AQUATIC ORGANISM

SLR team,

I know last week there were a few emails going back and forth but wanted to make sure everyone was in agreement with the macroinvertebrates (and to make sure I understand). I have attached Mariah's recent spreadsheet and mine for reference. From my understanding of the discussions so far this is what I have:

1. 3 Mayfly samples from Scanlon (BW16SR-001-M to 003-M) plus a duplicate (BW16SR103-M) for %lipids, dioxin, MeHg, Total Hg
2. 2 Dragonfly samples from Scanlon (BW16SR-002 and 005) plus a duplicate (BW16SR-102) for %lipids, dioxin, MeHg, Total Hg
3. 1 Crawfish sample from Scanlon (BW16SR-005-C) for %lipids, dioxin, MeHg, Total Hg
4. 1 Macrobenthos from Boulder (EPA16-BR-HD-M) by combining all Boulder Reservoir jars for % lipids, dioxin, and total Hg
5. 1 Thomson crawfish (EPA16TR-HD-C) combined and ran for total Hg, and % lipids
6. 7 Lumbriculus: (4 from Thomson), (2 from Scanlon) and (1 from Boulder) for %lipids, dioxin, MeHg, Total Hg

Based on the summary above, please see the following questions:

1. According to my spreadsheet (macroninvertcollectionssummary), there are 4.5 g from EPA Scanlon Macrobenthos and 5.8 g EPA Thomson Macrobenthos. Is it possible and does anyone have any objections to at least running these samples for % lipids, Total Hg and/or MeHg?
2. I do not have it written in my notes, I apologize, but did the group come to the agreement that no snails should be analyzed?
3. If the group has finalized the testing numbers, Mariah, how many samples does that leave us with to plan for spring?

Meaghan Kern
Great Lakes National Program Office
U.S. Environmental Protection Agency
77 W. Jackson Blvd.
Chicago, IL 60604
Phone: (312) 353-5784



calcs-fish tissue mod
October sampling.xlsx



Macroinvertebratecollect
ionsummar...716 (1).xlsx

EPA-ORD		
	Macros (g)	crawfish (g)
Scanlon		
BW16SR-HD-001	1.0	
BW16SR-HD-007	0.7	
BW16SR-HD-003	1.4	
BW16SR-HD-004	0.5	
BW16SR-HD-005	0.9	0.4
	4.5	
Thomson		
EPA16-TR-HD-016	2.4	2.4
EPA16-TR-HD-017	0.1	
EPA16-TR-HD-013	0.6	1.2
EPA16-TR-HD-008	1.6	6.6
EPA16-TR-HD-018	1.1	
	5.8	
Boulder		
EPA16-BR-HD-001	2.3	
EPA16-BR-HD-002	6.2	
EPA16-BR-HD-003	2.9	
EPA16-BR-HD-004	3.9	
EPA16-BR-HD-005	5.1	

combined for % lipids, total Hg, and dioxin
combining for % lipids, and total Hg?

Baywest						
Species	bioma	Mayfly	Snail	Dragonfly	Crawfish	Alderfly
Scanlon						
BW16SR-001		39.36	33.8			
BW16SR-002		40.43		51.72		
BW16SR-003		51.67				
BW16SR-004		NONE				
BW16SR-005			88	48.4	37	
Thomson		NONE				
Boulder						
BW16BR-001						0.9
BW16BR-002						2.4
BW16BR-003						

Will be analyzed for Hg, Total Hg, % lipids, and dioxin
7 Lumbriculus samples for Hg, Total Hg, % lipids, and dioxin

CHAIN-OF-CUSTODY / Analytical Request Document

N = 11 jars

Section A Required Client Information				Section B Required Project Information				Section C Requester Information				Section D EOWS Information			
Company		Report To		Project Name		SLR Sediment AOCs		Preservatives		Collection		Requested Analysis		Site Location	
Address: <u>2147 S. Main St. St. Louis, MO 63104</u>				Company Name: <u>Motek Garton</u>				Matrix Code: <u>TS G</u>				State: <u>MIN</u>			
Email To: <u>eric@motek.com</u>				Project Number: <u>1612</u>				Matrix Code: <u>TS G</u>				Date: <u>11/09/16</u>			
Phone: <u>636 453 7200</u>				Project Name: <u>SLR Sediment AOCs</u>				Matrix Code: <u>TS G</u>				Date: <u>11/09/16</u>			
Requested Due Date (TAT): <u>Standard</u>				Project Number: <u>1612</u>				Matrix Code: <u>TS G</u>				Date: <u>11/09/16</u>			
Section E Required Sample Information				Section F Sample Matrix				Section G Sample Matrix				Section H Sample Matrix			
Item #	Sample Location ID	Sample ID	Requested Date/Time	Matrix Code	Yield Matrix Codes	Collection	Requested Analysis	Matrix Code	Yield Matrix Codes	Collection	Requested Analysis	Matrix Code	Yield Matrix Codes	Collection	Requested Analysis
1	BW16SR-001	BW16SR-001-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
2	BW16SR-002	BW16SR-002-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
3	BW16SR-003	BW16SR-003-D	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
4	BW16SR-004	BW16SR-004-D	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
5	BW16SR-005	BW16SR-005-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
6	BW16SR-006	BW16SR-006-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
7	BW16SR-007	BW16SR-007-D	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
8	BW16SR-008	BW16SR-008-C	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
9	EPA16SR-001	EPA16SR-001-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
10	EPA16SR-002	EPA16SR-002-M	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					
11	BW16SR-003	BW16-SL-003-D	11/09/16 10:00	TS G	✓	Time	Mercury (Total)			Time					

Additional Comments: From Bullwinkler - 10/20/16 to be collected from Bullwinkler room as a DUP. IS to be collected from Bullwinkler room as a DUP.

V = 6 of 19 jar.



GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
 (Complete and include a minimum of one per cooler)
 739 Hastings Street
 Traverse City, MI 49686
 www.glec.com
 Phone 231-941-2230
 Fax 231-941-2240

Section I.		Section II.				Section III.				Section IV.					
Submitting Company:		Project Name: <u>St Louis Ave</u>				Sampled by: <u>initials</u> Client: <u>EPA/MPRA</u>				Requested Processing/Analysis					
Report Results To: <u>Joel Hoffman/ Jim LaZzeri</u>		Project Number: <u>6201 Congdon Blvd, Duluth, MN 55804</u>				P.O.#:									
Address: <u>6201 Congdon Blvd, Duluth, MN 55804</u>		E-mail: <u>hoffman.joe@epa.gov</u>				GLFC									
Phone: <u>218-529-5420</u>		Sample Information				Grab or Composite				Sample Containers					
#	LAB USE	GLEC ID#	Sample Identification	Date	Time	Matrix	Preservative	Type	Size	No.					
1		16-SR	HD-007	0-15-16	9:35	HD	ICE			1/1	Dioxin/Hg	0.79			
2		16-SR	HD-003	"	10:10	"	"			1/1	"	1.48			
3		16-SR	HD-001	"	9:55	"	"			1/1	"	1.08			
4		16-SR	HD-004	"	10:30	"	"			1/1	"	0.58			
5		16-SR	HD-005	"	10:35	"	"			1/2	"	0.98			
6		16-SR	HD-005	"	"	"	"			2/2	"	0.48			
Client/Sampler Notes:															
RELEASED BY / ORGANIZATION				DATE	TIME	RECEIVED BY / ORGANIZATION				DATE	TIME				
Print Name & Organization: <u>Joel Hoffman EPA Duluth</u>				11/15/16	12:00 PM	Print Name & Organization:									
Signature: <u>[Signature]</u>						Signature:									
Print Name & Organization:						Print Name & Organization:									
Signature:						Signature:									
FOR LAB USE ONLY															
Temperature of Samples: _____ °C															
Notes/Anomalies/Discrepancies: _____															
MATRIX CODES:				S = SEDIMENT	E = EFFLUENT	SL = SLUDGE				AO = AQUATIC ORGANISM					
W = SURFACE WATER				GW = GROUNDWATER											

GLEC Lab Composite all samples into one Sample Buyl 6 SR-HD: M
 Test America analysis order % Lipids Total Mercury. methyl mercury

N: 8 of 19 jars



GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
 (Complete and include a minimum of one per cooler)

www.glec.com
 Phone 231-941-2230
 Fax 231-941-2240

739 Hastings Street
 Traverse City, MI 49686

Section I.		Section II.				Section III. Sample Information at Collection				Section IV. Requested Processing/Analysis			
Submitting Company:		Project Name:		Sample Containers		Sample Information		Sample Containers		Requested Processing/Analysis		Requested Processing/Analysis	
EPA Mid Continent Ecol. Div		ST Louis ACC		Type		Date		Type		Requested Processing/Analysis		Requested Processing/Analysis	
Report Results To:		Project Number:		Time		Matrix		Size		Requested Processing/Analysis		Requested Processing/Analysis	
JIM LAZORCHEK		5580		10/1/16		HD		1		Dioxin/lyg 2.4g		Dioxin/lyg 2.4g	
Address:		P.O.#:		Composite		Preservative		No.		Requested Processing/Analysis		Requested Processing/Analysis	
6201 Congdon Bldg, Duluth, MN		55804		"		"		1		Dioxin/lyg 2.4g		Dioxin/lyg 2.4g	
Phone:		E-mail:		Grab or Composite		Initials		No.		Requested Processing/Analysis		Requested Processing/Analysis	
519 564 7076		Jim Lazorchek		"		"		1		Dioxin/lyg 2.4g		Dioxin/lyg 2.4g	
Client/Sampler Notes:		Client		DATE		TIME		RECEIVED BY / ORGANIZATION		DATE		DATE	
16-TR-018		"		11/1/16		12:00pm		Print Name & Organization		DATE		DATE	
16-TR-017		"		"		"		Signature		DATE		DATE	
16-TR-013 1/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-013 3/2		"		"		"		Signature		DATE		DATE	
16-TR-008 1/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 2/2		"		"		"		Signature		DATE		DATE	
16-TR-008 3/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 4/2		"		"		"		Signature		DATE		DATE	
16-TR-008 5/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 6/2		"		"		"		Signature		DATE		DATE	
16-TR-008 7/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 8/2		"		"		"		Signature		DATE		DATE	
16-TR-008 9/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 10/2		"		"		"		Signature		DATE		DATE	
16-TR-008 11/2		"		"		"		Print Name & Organization		DATE		DATE	
16-TR-008 12/2		"		"		"		Signature		DATE		DATE	

FOR LAB USE ONLY
 Temperature of Samples: _____ °C
 Received on Wet Ice Received on Dry Ice

MATRIX CODES: S = SEDIMENT E = EFFLUENT SL = SLUDGE
 W = SURFACE WATER GW = GROUNDWATER AO = AQUATIC ORGANISM

GLEC Lab Composite samples into one Sample EPA 16 TR HD
 1, 3, 4, 8 TA analysis order % Lipids - total mercury
 GLEC Lab Composite 2, 5, 7 into one Sample EPA 16 TR HD

N = 8 of 19 jars



GREAT LAKES ENVIRONMENTAL CENTER, INC. (GLEC)
CHAIN OF CUSTODY RECORD
(Complete and include a minimum of one per cooler)

www.glec.com
Phone 231-941-2230
Fax 231-941-2240

Great Lakes Environmental Center

Section I.				Section II.					
Submitting Company: EPA Mid Continent Ecol. Div				Project Name: ST Louis AOC					
Report Results To: JIM LAZORCHEK				Project Number:					
Address: 6201 Congdon Blvd, Dubuque, IA 52001				P.O.#:					
Phone: 519 567 7076				Sampled by: initials					
E-mail: J.LAZORCHEK@EPA.MIDCONTINENT.ORG				Client: <input checked="" type="checkbox"/>					
Section III. Sample Information at Collection									
#	LAB USE	GLEC ID#	Sample Information		Grab or Composite	Preservative	Sample Containers		Requested Processing/Analysis
			Date	Time			Matrix	Type	
1	✓	16-TR	HD-016	10/1/08	HD	"	ice	1	Dioxin/PCB 3.4g
2	✓	16-TR	HD-016	2/2/08	HD	"	"	1	" " 2.4g
3	✓	16-TR	HD-017	"	"	"	"	1	" " 0.1g
4	✓	16-TR	HD-013	1/2	"	"	"	1	" " 0.6gm.
5	✓	16-TR	HD-013	1/2	"	"	"	1	" " 1.2 gm
6	✓	16-TR	HD-008	1/2	"	"	"	1	" " 1/6 gm
Client/Sampler Notes: 16-TR-008 1/2 " " 1/2								" " 6.0 gm	
✓ 16-TR-018 " " 1/2								" " 1.01 gm	
RELEASED BY / ORGANIZATION				DATE	TIME	RECEIVED BY / ORGANIZATION		DATE	TIME
Print Name & Organization: J. Lazorchek EPA Dubuque				11/10/16	12:25 PM	Print Name & Organization			
Signature: [Signature]						Signature			
Print Name & Organization						Print Name & Organization			
Signature						Signature			
FOR LAB USE ONLY									
Temperature of Samples: _____ °C									
Notes/Anomalies/Discrepancies: <input type="checkbox"/> Received on Wet Ice <input type="checkbox"/> Received on Dry Ice									
MATRIX CODES:									
S = SEDIMENT			E = EFFLUENT			SL = SLUDGE			
W = SURFACE WATER			GW = GROUNDWATER			AO = AQUATIC ORGANISM			

GLEC Lab Composite samples into one sample EPA 16 TR HD M
1, 3, 4, 8 TA analysis order % H.P.O.S. = total mercury
GLEC Lab Composite 2, 5, 7, 16 M.M.S. Sample - EPA 16 TR HD C

APPENDIX G

Scanlon Reservoir Fish Samples Analytical Results Summary Table

Sample ID	MN16+SR-NP-A	MN16+SR-NP-A	MN16+SR-GSH-A	MN16+SR-SMB-A	MN16+SR-SMB-B	MN16+SR-SMB-C	MN16+SR-WAL-A	MN16+SR-WS-A	MN16+SR-WS-B	MN16+SR-WS-C	MN16+SR+YP-A	MN16+SR+YP-B	MN16+SR+YP-C	
Fish	Northern Pike	Northern Pike	Shiner Mix	Smallmouth Bass	Smallmouth Bass	Smallmouth Bass	Walleye	White Sucker	White Sucker	White Sucker	Yellow Perch	Yellow Perch	Yellow Perch	
GLEC Lab ID	5019	5019	5024	5001	5002	5021	5023	5022	5017	5016	5025	5020	5018	
Weight Homogenized	mg	827	827	61	1721	1338	858	620	2543	2120	2389	500	315	432
Weights within 10% of Average		No	No	NA	Yes	No	No	No	No	No	Yes	No	No	No
Lengths within 10% of Average		Yes	Yes	NA	Yes	No	Yes	Yes	Yes	No	Yes	Yes	Yes	No
Test America Lab ID	180-60837-14	180-60837-15	180-60852-1	180-60837-17	180-60852-2	180-60837-18	180-60837-16	180-60837-19	180-60837-20	180-60837-13	180-60852-3	180-60852-4	180-60837-21	
Total Mercury	mg/kg	0.12 J	0.13	0.054 J	0.22	0.2	0.071 J	0.12 J	0.075 J	0.067 J	0.083 J	0.086 J	0.079 J	0.092 J
Methyl Mercury	µg/kg	100	110	41	230	170	110	110	96	58	95	89	98	74
% Lipids	%	0.14	0.16	0.55	1.3	1.1	1.1	0.37	3.1	1.3	1.8	0.72	0.56	0.40
1998 WHO FISH TEQ ND=EDL		0.32	0.26	0.18	0.85	0.78	0.58	0.37	1.0	0.48	0.68	0.28	0.52	0.45
2005 WHO HUMAN TEQ ND=0		0.30	0.22	0.10	0.81	0.73	0.56	0.32	1.0	0.47	0.68	0.25	0.51	0.45
2,3,7,8-TCDD	pg/g	0.058 J	0.084 Q J	0.051 Q J	0.24 Q J	0.27 Q J	0.15 Q J	0.078 Q J	0.11 Q J	0.13 J	0.20 Q J	0.030 U	0.12 Q J	0.081 Q J
Total TCDD	pg/g	0.078 Q J	0.084 Q J	0.051 Q J	0.24 Q J	0.27 Q J	0.15 Q J	0.14 Q J	0.27 Q J	0.18 Q J	0.20 Q J	0.030 U	0.15 Q J	0.081 Q J
1,2,3,7,8-PeCDD	pg/g	0.18 Q B J	0.095 Q B J	0.035 U	0.40 Q B J	0.25 B Q J	0.25 Q B J	0.21 B J	0.41 Q B J	0.23 Q B J	0.28 Q B J	0.12 B J	0.16 Q B J	0.23 Q B J
Total PeCDD	pg/g	0.18 Q B J	0.095 Q B J	0.035 U	0.40 Q B J	0.25 B Q J	0.25 Q B J	0.21 B J	1.0 J Q B	0.49 Q J B	0.28 Q B J	0.18 Q J B	0.16 Q B J	0.23 Q B J
1,2,3,4,7,8-HxCDD	pg/g	0.027 U	0.042 U	0.045 U	0.035 U	0.026 U	0.031 U	0.035 U	0.16 Q J	0.042 U	0.051 U	0.052 U	0.031 U	0.038 U
1,2,3,6,7,8-HxCDD	pg/g	0.11 J	0.040 U	0.047 U	0.22 Q J	0.20 J	0.20 J	0.037 U	0.63 J	0.22 Q J	0.61 J	0.38 J	0.35 Q J	0.37 J
1,2,3,7,8,9-HxCDD	pg/g	0.025 U	0.038 U	0.043 U	0.031 U	0.025 U	0.030 U	0.034 U	0.030 U	0.041 U	0.049 U	0.19 J	0.029 U	0.13 Q J
Total HxCDD	pg/g	0.11 J	0.040 U	0.045 U	0.22 Q J	0.20 J	0.20 J	0.035 U	1.4 J Q	0.22 Q J	1.2 Q J	0.58 J	0.35 Q J	0.50 Q J
1,2,3,4,6,7,8-HpCDD	pg/g	0.039 U	0.045 U	0.24 Q B J	0.058 U	0.042 U	0.056 U	0.17 Q B J	0.75 Q B J	0.72 B J	0.67 Q B J	0.69 B J	0.59 Q B J	0.82 B J
Total HpCDD	pg/g	0.11 Q J	0.045 U	0.24 Q B J	0.058 U	0.042 U	0.056 U	0.17 Q B J	1.2 Q J B	1.2 Q J B	1.1 Q J B	0.69 B J	0.59 Q B J	0.82 B J
OCDD	pg/g	0.57 B J	0.73 Q B J	0.97 B J	0.75 Q B J	0.95 B J	1.0 B J	1.0 Q B J	3.6 Q B J	3.6 B J	3.1 B J	1.7 B J	2.2 B J	2.4 B J
2,3,7,8-TCDF	pg/g	0.16 Q J	0.098 Q J	0.15 Q J	0.33 Q J	0.18 Q J	0.32 J	0.043 U	1.5 Q	0.46 J	0.44 Q J	0.085 Q J	0.18 Q J	0.15 J
Total TCDF	pg/g	14 Q	13 Q	5.3 Q	31 Q	44 Q	48 Q	8.4 Q	75 Q	6.8 Q	2.3 Q	7.3 Q	37 Q	26 Q
1,2,3,7,8-PeCDF	pg/g	0.028 U	0.031 U	0.037 U	0.042 U	0.036 U	0.041 U	0.032 U	0.047 U	0.035 U	0.027 U	0.049 U	0.042 U	0.040 U
2,3,4,7,8-PeCDF	pg/g	0.023 U	0.030 U	0.034 U	0.22 Q J	0.27 J	0.040 U	0.031 U	0.37 J	0.035 U	0.19 J	0.046 U	0.15 Q J	0.038 U
Total PeCDF	pg/g	1.3 J Q	1.4 J Q	0.26 Q J	4.2 Q J	20 Q	8.8 Q	1.2 Q J	14 Q	0.88 Q J	0.58 Q J	4.0 J Q	6.2 J Q	3.4 J Q
1,2,3,4,7,8-HxCDF	pg/g	0.026 U	0.033 U	0.30 Q J	0.035 U	0.029 U	0.039 U	0.046 U	0.2 Q J	0.056 U	0.18 Q J	0.17 J	0.22 Q J	0.036 U
1,2,3,6,7,8-HxCDF	pg/g	0.34 Q B J	0.26 Q B J	0.063 U	0.47 Q B J	0.92 Q B J	1.1 Q B J	0.26 Q B J	1.2 Q B J	0.22 Q B J	0.052 U	0.34 Q B J	1.0 Q B J	0.59 Q B J
2,3,4,6,7,8-HxCDF	pg/g	0.024 U	0.031 U	0.045 U	0.035 U	0.028 U	0.042 U	0.032 U	0.037 U	0.041 U	0.029 U	0.050 U	0.039 U	0.039 U
1,2,3,7,8,9-HxCDF	pg/g	0.030 U	0.040 U	0.053 U	0.047 U	0.033 U	0.051 U	0.043 U	0.048 U	0.052 U	0.035 U	0.069 U	0.049 U	0.051 U
Total HxCDF	pg/g	1.3 J Q B	1.0 Q J B	0.64 Q J	4.2 J Q B	6.3 Q J B	7.7 Q J B	1.8 J Q B	16 Q B	2.5 J Q B	3.1 J Q	4.8 J Q B	8.4 J Q B	5.6 J Q B
1,2,3,4,6,7,8-HpCDF	pg/g	0.08 Q B J	0.028 U	0.17 Q B J	0.21 Q B J	0.18 Q B J	0.035 U	0.33 Q B J	1.4 B J	1.1 Q B J	1.5 B J	0.86 Q B J	0.60 B J	0.89 B J
1,2,3,4,7,8,9-HpCDF	pg/g	0.056 Q B J	0.039 U	0.038 U	0.043 U	0.031 U	0.043 U	0.039 U	0.044 U	0.038 U	0.033 U	0.062 U	0.042 U	0.043 U
Total HpCDF	pg/g	0.14 Q B J	0.032 U	0.17 Q B J	0.21 Q B J	0.18 Q B J	0.039 U	0.58 Q J B	2.2 Q J B	1.9 J Q B	2.6 Q J B	1.1 Q J B	0.77 J B	1.2 Q J B
OCDF	pg/g	0.15 B J	0.049 Q B J	0.28 Q B J	0.22 B J	0.12 Q B J	0.024 U	0.16 B J	0.37 B J	0.31 Q B J	0.38 B J	0.38 B J	0.28 B J	0.19 Q B J

*Results are on an as-received (wet-weight) basis, and have not been corrected for dry weight or % lipids.

B - The analyte is present in the associated method blank at a detectable level.

J - The reported result is an estimate

Q - Estimated maximum possible concentration.

U - Not detected

TEQ calculated with non-detect values (U) being 0

APPENDIX H

Thomson Reservoir Fish Samples Analytical Results Summary Table

Sample ID	MN16+TR-NP-A	MN16+TR-RB-A	MN16+TR-RB-B	MN16+TR-SMB-A	MN16+TR-SMB-B	MN16+TR-SMB-C	MN16+TR-SMB-D	MN16+TR-WAL-A	MN16+TR-WS-A	MN16+TR-WS-A DUP	MN16+TR-WS-B	MN16+TR-WS-C	MN16+TR+YP-A	MN16+TR+YP-A Dup	MN16+TR+YP-B
Fish	Northern Pike	Rock Bass	Rock Bass	Smallmouth Bass	Smallmouth Bass	Smallmouth Bass	Smallmouth Bass	Walleye	White Sucker	White Sucker	White Sucker	White Sucker	Yellow Perch	Yellow Perch	Yellow Perch
GLEC Lab ID	5006	5009	5010	5003	5036	5004	5038	5007	5011	5011	5015	5014	5005	5005	5008
Weight Homogenized mg	639	250	150	394	2245	3038	3358	932	3412	3412	2708	2321	859	859	781
Weights within 10% of Average	No	No	No	No	Yes	Yes	No	No	Yes	Yes	No	Yes	No	No	No
Lengths within 10% of Average	Yes	No	Yes	No	No	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Test America Lab ID	180-60837-7	180-60837-3	180-60593-16	180-60837-4	180-60837-5	180-60837-6	180-60593-17	180-60593-15	180-60837-11	180-60837-12	180-60837-1	180-60837-2	180-60837-8	180-60837-9	180-60837-10
Total Mercury mg/kg	0.066 J	0.11 J	0.049 J B	0.078 J	0.17	0.22	0.1 J B	0.17 B	0.12 J	0.12 J	0.086 J	0.1 J	0.085 J	0.083 J	0.053 J
Methyl Mercury µg/kg	78	92	83	70	140	220	99	200	110	110	94	110	74	73	49
% Lipids %	0.071 J	0.48	0.96	0.73	1.3	1.1	1.3	0.6	3.1	3.6	2.7	2.2	1.8	2.2	1.1
1998 WHO FISH TEQ ND=EDL	0.28	0.31	0.25	0.26	0.56	0.77	0.24	0.42	1.1	0.84	0.36	0.73	0.46	0.48	0.74
2005 WHO HUMAN TEQ ND=0	0.27	0.28	0.029	0.18	0.50	0.65	0.016	0.32	1.1	0.82	0.35	0.69	0.46	0.48	0.77
2,3,7,8-TCDD pg/g	0.074 Q J	0.056 Q J	0.039 U	0.046 U	0.11 Q J	0.14 Q J	0.038 U	0.043 U	0.26 Q J	0.19 Q J	0.051 Q J	0.20 Q J	0.045 Q J	0.083 Q J	0.14 Q J
Total TCDD pg/g	0.074 Q J	0.056 Q J	0.039 U	0.15 Q J B	0.11 Q J	0.26 B Q J	0.038 U	0.043 U	0.54 Q J	0.49 Q J	0.051 Q J	0.32 Q J	0.12 Q J B	0.083 Q J	0.14 Q J
1,2,3,7,8-PeCDD pg/g	0.084 Q J	0.17 Q J	0.034 U	0.063 Q J	0.30 Q J	0.29 Q J	0.050 U	0.18 Q J	0.41 Q J	0.27 Q B J	0.18 Q J	0.20 Q J	0.14 Q J	0.19 J	0.35 J
Total PeCDD pg/g	0.084 Q J	0.17 Q J	0.034 U	0.063 Q J	0.30 Q J	0.29 Q J	0.050 U	0.18 Q J	0.73 Q J	0.72 Q J B	0.45 Q J	0.20 Q J	0.18 Q J	0.19 J	0.35 J
1,2,3,4,7,8-HxCDD pg/g	0.026 U	0.025 U	0.097 U	0.025 U	0.031 U	0.037 U	0.083 U	0.070 U	0.11 Q J	0.11 Q J	0.049 U	0.048 U	0.031 U	0.032 U	0.028 U
1,2,3,6,7,8-HxCDD pg/g	0.11 Q J	0.063 Q J	0.110 U	0.12 J	0.035 U	0.31 J	0.084 U	0.26 J	0.55 Q J	0.50 J	0.23 Q J	0.41 J	0.42 Q J	0.36 Q J	0.40 Q J
1,2,3,7,8,9-HxCDD pg/g	0.026 U	0.024 U	0.096 U	0.023 U	0.031 U	0.037 U	0.078 U	0.067 U	0.027 U	0.031 U	0.047 U	0.047 U	0.12 J	0.12 Q J	0.18 J
Total HxCDD pg/g	0.11 Q J	0.063 Q J	0.100 U	0.12 J	0.032 U	0.31 J	0.082 U	0.26 J	0.92 Q J	0.61 Q J	0.23 Q J	0.41 J	0.54 J Q	0.49 Q J	0.58 J Q
1,2,3,4,6,7,8-HpCDD pg/g	0.19 Q J	0.11 Q J	0.110 U	0.061 U	0.068 U	0.062 U	0.120 U	0.098 U	0.60 Q J	0.59 Q B J	0.23 Q J	0.43 Q J	1.3 J	1.2 J	1.1 J
Total HpCDD pg/g	0.19 Q J	0.19 Q J	0.110 U	0.20 Q J	0.068 U	0.062 U	0.120 U	0.098 U	0.76 J Q	0.76 Q J B	0.52 Q J	0.68 Q J	1.3 J	1.3 Q J	1.4 J
OCDD pg/g	1.1 B J	0.42 Q B J	1.3 B J	2.2 Q B J	0.44 Q B J	1.1 B J	0.76 Q B J	0.92 B J	2.1 B J	1.3 Q B J	1.7 B J	1.9 B J	2.8 B J	2.7 Q B J	3.1 B J
2,3,7,8-TCDF pg/g	0.28 Q J	0.12 J	0.24 J	0.15 J	0.061 Q J	0.24 J	0.054 U	0.082 Q J	0.96 J	0.94 J	0.62 J	0.61 Q J	0.17 Q J	0.15 Q J	0.42 J
Total TCDF pg/g	13 Q	13 Q	0.54 Q J	15 Q	5.4 Q	5.3 Q	0.64 J Q	25 Q	40 Q	38 Q	6.2 Q	6.5 Q	20 Q	2.6 Q	21 Q
1,2,3,7,8-PeCDF pg/g	0.027 U	0.037 U	0.038 U	0.039 U	0.032 U	0.17 Q J	0.044 U	0.053 U	0.035 U	0.12 Q J	0.048 U	0.063 U	0.041 U	0.062 Q J	0.032 U
2,3,4,7,8-PeCDF pg/g	0.025 U	0.035 U	0.037 U	0.14 Q J	0.16 Q J	0.54 J	0.052 Q J	0.054 U	0.36 J	0.34 J	0.047 U	0.36 J	0.17 Q J	0.18 J	0.15 Q J
Total PeCDF pg/g	3.5 J Q	1.6 J Q	0.037 U	3.7 Q J	0.96 Q J	1.7 Q J	0.15 Q J	6.2 J Q	5.2 J Q	5.4 Q J	0.27 Q J	1.7 Q J	3.9 J Q	0.55 Q J	4.4 J Q
1,2,3,4,7,8-HxCDF pg/g	0.030 U	0.033 U	0.350 U	0.038 U	0.034 U	0.066 U	0.290 U	0.097 U	0.18 Q J	0.15 Q J	0.059 U	0.39 Q J	0.045 U	0.048 U	0.19 Q J
1,2,3,6,7,8-HxCDF pg/g	0.71 Q J	0.31 Q J	0.460 U	0.48 Q J	0.34 J	0.070 U	0.330 U	0.98 B J	0.89 Q J	0.69 Q B J	0.21 Q J	0.34 Q J	1.3 Q J	0.50 J	0.92 Q J
2,3,4,6,7,8-HxCDF pg/g	0.025 U	0.034 U	0.050 U	0.042 U	0.035 U	0.043 U	0.057 U	0.057 U	0.028 U	0.026 U	0.044 U	0.050 U	0.043 U	0.093 Q J	0.031 U
1,2,3,7,8,9-HxCDF pg/g	0.029 U	0.042 U	0.063 U	0.052 U	0.048 U	0.055 U	0.067 U	0.075 U	0.034 U	0.035 U	0.046 U	0.066 U	0.053 U	0.036 U	0.040 U
Total HxCDF pg/g	4.5 Q J	2.3 J Q	0.69 Q J	4.2 Q J	1.5 J Q	1.4 Q J	0.100 U	6.2 J Q B	8.3 Q J	6.8 Q J B	2.0 Q J	3.4 J Q	9.1 J Q	4.4 J Q	8.2 Q J
1,2,3,4,6,7,8-HpCDF pg/g	0.031 U	0.23 Q B J	0.44 Q B J	0.037 U	0.020 U	0.075 U	0.170 U	0.27 Q B J	0.74 B J	0.68 B J	0.58 B J	0.47 Q B J	1.2 Q B J	1.2 Q B J	1.1 B J
1,2,3,4,7,8,9-HpCDF pg/g	0.034 U	0.043 U	0.051 U	0.048 U	0.029 U	0.062 U	0.054 U	0.086 U	0.031 U	0.035 U	0.053 U	0.048 U	0.056 U	0.045 U	0.029 U
Total HpCDF pg/g	0.032 U	0.23 Q B J	0.44 Q B J	0.042 U	0.024 U	0.068 U	0.080 U	0.27 Q B J	1.1 Q J B	1.0 Q J B	0.93 Q J B	0.84 Q J B	1.4 Q J B	1.4 Q J B	1.4 Q J B
OCDF pg/g	0.039 J	0.037 Q J	0.12 Q B J	0.0093 U	0.031 Q J	0.032 Q J	0.045 U	0.25 Q B J	0.20 J	0.14 B J	0.13 Q J	0.32 J	0.065 J	0.08 Q J	0.17 Q J

*Results are on an as-received (wet-weight) basis, and have not been corrected for dry weight or % lipids.

B - The analyte is present in the associated method blank at a detectable level.
J - The reported result is an estimate.
Q - Estimated maximum possible concentration.
U - Not detected
TEQ calculated with non-detect values (U) being ND=0

APPENDIX I

Boulder Lake Reservoir Fish Samples Analytical Results Summary Table

Sample ID	MN16+BR+BLC-A	MN16+BR+RB-A	MN16+BR+GSH-A	MN16+BR+GSH-B	MN16+BR+GSH-C	MN16+BR+WAL-A	MN16+BR+WAL-A	MN16+BR+WAL-B	MN16+BR+WAL-C	MN16+BR+WS-A	MN16+BR+WS-B	MN16+BR+WS-C	MN16+BR+YP-A	MN16+BR+YP-B	MN16+BR+YP-C
Fish	Black Crappie	Rock Bass	Shiner Mix	Shiner Mix	Shiner Mix	Walleye	Walleye	Walleye	Walleye	White Sucker	White Sucker	White Sucker	Yellow Perch	Yellow Perch	Yellow Perch
Lab ID	5044	5035	5033	5032	5045	5041	5041	5042	5043	5027	5029	5028	5031	5030	5034
Weight Homogenized mg	116	368	152	152	163	1819	424	370	370	1847	3002	4390	378	311	304
Weights within 10% of Average	No	No	NA	NA	NA	Yes	Yes	No	Yes	No	No	No	No	No	No
Lengths within 10% of Average	No	No	NA	NA	NA	Yes	Yes	No	Yes	No	No	Yes	No	No	No
Test America Lab ID	180-60593-2	180-60593-1	180-60593-6	180-60593-7	180-60593-8	180-60593-9	180-60593-20	180-60593-14	180-60593-10	180-60593-12	180-60593-11	180-60593-13	180-60593-3	180-60593-4	180-60593-5
Methyl Mercury µg/kg	53	76	62	65	62	140	140	120	130	57	81	110	56	54	65
Total Mercury mg/kg	0.068 J B	0.077 J B	0.064 J B	0.071 J B	0.068 J B	0.13 J B	0.12 J B	0.098 J B	0.11 J B	0.056 J B	0.071 J B	0.051 J B	0.073 J B	0.068 J B	0.077 J B
% Lipids %	1.0	1.2	1.8	1.5	2.0	2.0	2.0	0.28	0.27	2.2	2.5	3.5	0.52	0.27	0.45
1998 WHO FISH TEQ ND=EDL	0.10	0.13	0.11	0.13	0.084	0.2	0.20	0.11	0.11	0.22	0.22	0.14	0.14	0.14	0.098
2005 WHO HUMAN TEQ ND=0	0.00015	0.0002	0.00086	0.018	0.00012	0.17	0.028	0.0045	0.000075	0.16	0.11	0.018	0.035	0.00016	0.000066
2,3,7,8-TCDD pg/g	0.026 U	0.037 U	0.031 U	0.037 U	0.016 U	0.046 J	0.033 U	0.032 U	0.027 U	0.028 U	0.029 U	0.033 U	0.024 U	0.038 U	0.027 U
Total TCDD pg/g	0.026 U	0.037 U	0.031 U	0.037 U	0.04 Q B J	0.091 J	0.047 J	0.032 U	0.027 U	0.036 Q J	0.029 U	0.068 Q J	0.024 U	0.048 Q J	0.027 U
1,2,3,7,8-PeCDD pg/g	0.022 U	0.026 U	0.023 U	0.029 U	0.023 U	0.086 Q J	0.049 U	0.029 U	0.025 U	0.12 Q J	0.11 Q J	0.037 U	0.029 U	0.032 U	0.024 U
Total PeCDD pg/g	0.022 U	0.026 U	0.023 U	0.11 Q J	0.023 U	0.086 Q J	0.049 U	0.093 Q J	0.025 U	0.33 J Q	0.30 Q J	0.89 Q J	0.029 U	0.032 U	0.024 U
1,2,3,4,7,8-HxCDD pg/g	0.034 U	0.042 U	0.040 U	0.038 U	0.029 U	0.035 U	0.059 U	0.037 U	0.034 U	0.033 U	0.040 U	0.034 U	0.034 U	0.049 U	0.032 U
1,2,3,6,7,8-HxCDD pg/g	0.031 U	0.042 U	0.043 U	0.037 U	0.030 U	0.038 U	0.067 U	0.039 U	0.035 U	0.099 Q J	0.042 U	0.034 U	0.033 U	0.051 U	0.032 U
1,2,3,7,8,9-HxCDD pg/g	0.030 U	0.039 U	0.039 U	0.15 J	0.028 U	0.034 U	0.058 U	0.035 U	0.032 U	0.030 U	0.038 U	0.032 U	0.031 U	0.047 U	0.030 U
Total HxCDD pg/g	0.032 U	0.041 U	0.040 U	0.15 J	0.029 U	0.035 U	0.061 U	1.2 J	0.034 U	0.099 Q J	0.040 U	0.033 U	0.033 U	0.049 U	0.031 U
1,2,3,4,6,7,8-HpCDD pg/g	0.051 U	0.056 U	0.060 U	0.049 U	0.046 U	0.47 J	0.081 U	0.045 U	0.048 U	0.055 U	0.057 U	0.051 U	0.091 Q J	0.064 U	0.040 U
Total HpCDD pg/g	0.051 U	0.18 Q J	0.060 U	0.049 U	0.068 Q J	0.73 Q J	0.081 U	0.045 U	0.048 U	0.055 U	0.057 U	0.051 U	0.091 Q J	0.064 U	0.040 U
OCDD pg/g	0.5 B J	0.68 B J	1.1 Q B J	0.66 B J	0.36 Q B J	3.9 B J	0.29 Q B J	0.71 B J	0.25 Q B J	0.39 B J	0.49 B J	0.38 B J	0.40 Q B J	0.55 Q B J	0.22 Q B J
2,3,7,8-TCDF pg/g	0.057 U	0.067 U	0.049 U	0.061 U	0.040 U	0.079 U	0.110 U	0.039 U	0.050 U	0.12 Q J	0.072 U	0.067 U	0.053 U	0.072 U	0.044 U
Total TCDF pg/g	9.0 Q	8.1 Q	9.5 Q	9.3 Q	9.4 Q	90 Q	34 Q	13 Q	11 Q	25 Q	31 Q	42 Q	20 Q	14 Q	10 Q
1,2,3,7,8-PeCDF pg/g	0.041 U	0.043 U	0.041 U	0.034 U	0.033 U	0.048 U	0.060 U	0.025 U	0.041 U	0.034 U	0.038 U	0.035 U	0.041 U	0.056 U	0.032 U
2,3,4,7,8-PeCDF pg/g	0.035 U	0.040 U	0.038 U	0.033 U	0.031 U	0.048 U	0.060 U	0.025 U	0.035 U	0.031 U	0.034 U	0.032 U	0.071 Q J	0.050 U	0.029 U
Total PeCDF pg/g	0.54 Q J	1.5 J	0.67 Q J	1.4 Q J	0.49 Q J	6.6 J Q	6.4 J Q	0.67 Q J	0.89 Q J	4.7 Q J	2.1 J	3.0 J Q	1.4 Q J	0.92 Q J	0.45 Q J
1,2,3,4,7,8-HxCDF pg/g	0.033 U	0.042 U	0.032 U	0.034 U	0.024 U	0.036 U	0.084 U	0.043 Q B J	0.034 U	0.030 U	0.036 U	0.030 U	0.031 U	0.039 U	0.028 U
1,2,3,6,7,8-HxCDF pg/g	0.033 U	0.039 U	0.033 U	0.035 U	0.023 U	0.25 Q J	0.28 Q B J	0.025 U	0.034 U	0.13 Q J	0.037 U	0.18 Q J	0.13 Q J	0.039 U	0.026 U
2,3,4,6,7,8-HxCDF pg/g	0.032 U	0.033 U	0.033 U	0.035 U	0.026 U	0.038 U	0.059 U	0.027 U	0.035 U	0.052 Q J	0.040 U	0.032 U	0.033 U	0.040 U	0.027 U
1,2,3,7,8,9-HxCDF pg/g	0.045 U	0.045 U	0.041 U	0.048 U	0.033 U	0.050 U	0.072 U	0.033 U	0.047 U	0.045 U	0.051 U	0.041 U	0.043 U	0.056 U	0.039 U
Total HxCDF pg/g	0.035 U	0.039 U	0.12 Q J	0.037 U	0.026 U	1.3 Q J	2.7 J Q B	0.043 Q B J	0.15 Q J	0.46 Q J	0.19 Q J	0.64 Q J	0.24 Q J	0.042 U	0.029 U
1,2,3,4,6,7,8-HpCDF pg/g	0.017 U	0.020 U	0.053 Q B J	0.12 B J	0.013 U	0.3 B J	0.059 U	0.014 U	0.022 U	0.055 Q B J	0.018 U	0.022 U	0.019 U	0.022 U	0.015 U
1,2,3,4,7,8,9-HpCDF pg/g	0.024 U	0.031 U	0.028 U	0.15 Q J	0.020 U	0.044 U	0.053 U	0.021 U	0.034 U	0.035 U	0.030 U	0.037 U	0.026 U	0.036 U	0.022 U
Total HpCDF pg/g	0.020 U	0.024 U	0.053 Q B J	0.27 B J Q	0.016 U	0.3 B J	0.055 U	0.017 U	0.027 U	0.055 Q B J	0.023 U	0.027 U	0.022 U	0.027 U	0.018 U
OCDF pg/g	0.021 U	0.031 U	0.021 U	0.27 Q B J	0.043 Q B J	0.62 B J	0.072 Q B J	0.026 U	0.027 U	0.026 U	0.11 Q B J	0.10 B J	0.089 Q B J	0.026 U	0.019 U

*Results are on an as-received (wet-weight) basis, and have not been corrected for dry weight or % lipids.

B - The analyte is present in the associated method blank at a detectable level.

J - The reported result is an estimate

Q - Estimated maximum possible concentration.

U - Not detected

TEQ calculated with non-detect values (U) being ND=0

APPENDIX J

Test America Lab Report

APPENDIX K

Test America Lab Report

APPENDIX L

Test America Lab Report

APPENDIX M

Macroinvertebrate Analytical Results Summary Table

DULUTH RESERVOIRS (SCANLON, THOMSON, AND BOULDER)
DULUTH MINNESOTA 2016 TISSUE ANALYSIS

APPENDIX M
MACROINVERTEBRATE SAMPLES
ANALYTICAL RESULTS SUMMARY TABLE

Reservoir	Scanlon	Scanlon	Scanlon	Scanlon	Scanlon	Scanlon	Scanlon	Scanlon	Scanlon	Boulder Lake	Scanlon	Thomson	Thomson	
Sample ID	BW16SR-001M	BW16SR-002M	BW16SR-003M	BW16SR-103M	BW16SR-002D	BW16SR-102D	BW16SR-003D	BW16SR-005D	BW16SR-005C	EPA16-BR-HD-001-MCRS	EPA16-SR-HD-001-MCRS	EPA16-TR-HD-001-MCRS	EPA16-TR-HD-001-C	
TA Laboratory ID	180-61461-1	180-61461-2	180-61461-5	180-61461-6	180-61461-3	180-61461-4	180-61461-7	180-61461-8	180-61461-9	180-61461-10	180-61461-11	180-61461-12	180-61461-13	
Organism	Mayfly	Mayfly	Mayfly	Mayfly	Dragonfly	Dragonfly	Dragonfly	Dragonfly	Crawfish	Macro	Macro	Macro	Crawfish	
Methyl Mercury	μg/kg	3.1	3.3	4.5	3.6	23	NA	NA	25	18	4.3	4.5	2.7	34
Mercury	mg/kg	0.034 U	0.031 U	0.036 U	0.033 U	0.029 U	NA	NA	0.030 U	0.030 U	0.032 U	0.037 U	0.036 U	0.036 J
Percent Lipids	%	0.72	0.56	0.66	NA	0.68	0.81	0.69	0.78	0.39	0.72	NA	NA	NA
1998 WHO FISH TEQ ND=EDL		1.5	0.51	1.3	NA	0.47	0.58	0.92	0.44	0.59	0.30	NA	NA	NA
2005 WHO HUMAN TEQ ND=0		1.7	0.41	1.5	NA	0.47	0.28	0.84	0.41	0.63	0.016	NA	NA	NA
2,3,7,8-TCDD	pg/g	0.15 J	0.055 U	0.074 U	NA	0.036 U	0.100 U	0.094 U	0.050 U	0.037 Q J	0.091 U	NA	NA	NA
Total TCDD	pg/g	1.4 Q B J	0.61 Q B J	0.78 Q B J	NA	0.7 Q B J	3.3 Q B	1.2 Q J	0.53 Q B J	1.2 B J Q	0.091 U	NA	NA	NA
1,2,3,7,8-PeCDD	pg/g	0.44 J	0.064 U	0.082 U	NA	0.045 U	0.099 U	0.110 U	0.058 U	0.098 U	0.051 U	NA	NA	NA
Total PeCDD	pg/g	3.0 Q J	0.93 J Q	1.8 Q J	NA	1.2 J Q	0.35 Q J	1.8 Q J	0.76 Q J	4.3 J Q	0.051 U	NA	NA	NA
1,2,3,4,7,8-HxCDD	pg/g	0.35 Q J	0.066 U	0.1 U	NA	0.058 U	0.130 U	0.190 U	0.071 U	0.093 U	0.110 U	NA	NA	NA
1,2,3,6,7,8-HxCDD	pg/g	1.5 J	0.49 J	2.0 Q J	NA	0.53 Q J	0.130 U	1.4 J	0.80 J	1.1 J	0.120 U	NA	NA	NA
1,2,3,7,8,9-HxCDD	pg/g	1.1 J	0.062 U	1.1 J	NA	0.29 J	0.120 U	0.69 Q J	0.33 J	0.72 J	0.110 U	NA	NA	NA
Total HxCDD	pg/g	17 Q	4.1 J	16 Q	NA	3.7 Q J	3.3 Q J	11 J Q	4.9 J Q	9.7	0.110 U	NA	NA	NA
1,2,3,4,6,7,8-HpCDD	pg/g	15	4.7 J	15	NA	5.8	4.4 J	13	5.9	5.2	0.34 Q J	NA	NA	NA
Total HpCDD	pg/g	39	12	30	NA	11 Q	9.0 Q J	27	12	11	0.34 Q J	NA	NA	NA
OCDD	pg/g	150 B	47 B	94 B	NA	44 B	35 Q B	87 B	40 B	33 B	4.0 Q B J	NA	NA	NA
2,3,7,8-TCDF	pg/g	0.58 Q J	0.069 U	0.34 Q J	NA	0.2 Q J	0.086 U	0.110 U	0.050 U	0.38 Q J	0.087 U	NA	NA	NA
Total TCDF	pg/g	7.2 Q	3.6 Q	7.7 Q	NA	1.6 J Q	0.96 Q J	2.5 Q J	1.5 Q	5.9 Q	2.0 Q J	NA	NA	NA
1,2,3,7,8-PeCDF	pg/g	0.066 U	0.055 U	0.083 U	NA	0.051 U	0.093 U	0.120 U	0.054 U	0.079 U	0.088 U	NA	NA	NA
2,3,4,7,8-PeCDF	pg/g	0.26 J	0.050 U	0.082 U	NA	0.045 U	0.082 U	0.110 U	0.051 U	0.073 U	0.078 U	NA	NA	NA
Total PeCDF	pg/g	4.3 J Q	1.6 Q J	6.5 J Q	NA	2.3 J Q	1.1 Q J	1.7 Q J	2.3 J Q	6.9 Q J	0.082 U	NA	NA	NA
1,2,3,4,7,8-HxCDF	pg/g	0.76 J	0.34 Q J	1.5 J	NA	0.45 J	0.100 U	0.130 U	0.26 Q J	0.53 J	0.110 U	NA	NA	NA
1,2,3,6,7,8-HxCDF	pg/g	1.5 Q J	0.92 Q J	1.6 J	NA	0.66 Q J	0.80 Q J	1.1 J	0.48 J	0.52 Q J	0.096 U	NA	NA	NA
2,3,4,6,7,8-HxCDF	pg/g	0.22 Q J	0.062 U	0.48 J	NA	0.058 U	0.110 U	0.130 U	0.062 U	0.25 Q J	0.098 U	NA	NA	NA
1,2,3,7,8,9-HxCDF	pg/g	0.079 U	0.079 U	0.12 U	NA	0.076 U	0.140 U	0.160 U	0.081 U	0.098 U	0.120 U	NA	NA	NA
Total HxCDF	pg/g	26 Q	16 Q	80 Q	NA	14 Q	12 J Q	24	13 Q	26 Q	0.100 U	NA	NA	NA
1,2,3,4,6,7,8-HpCDF	pg/g	24 B	17 B	64 B	NA	18 B	14 B	36 B	15 B	18 B	1.1 Q B J	NA	NA	NA
1,2,3,4,7,8,9-HpCDF	pg/g	0.37 Q J	0.073 U	0.65 Q J	NA	0.078 U	0.140 U	0.160 U	0.097 U	0.10 U	0.170 U	NA	NA	NA
Total HpCDF	pg/g	45 B Q	33 B	120 Q B	NA	31 B	24 B	64 B	27 B	28 B	1.9 Q J B	NA	NA	NA
OCDF	pg/g	8.7 B J	4.3 B J	17 B	NA	6.4 B J	4.5 Q B J	12 B J	4.9 J B	5.6 B J	0.33 Q B J	NA	NA	NA

*Results are on an as-received (wet-weight) basis, and have not been corrected for dry weight or % lipids.
 NA - Sample not analyzed due to client request or lack of organisms
 B - The analyte is present in the associated method blank at a detectable level.
 J - The reported result is an estimate
 Q - Estimated maximum possible concentration.
 U - Not detected
 TEQ calculated with non-detect values (U) being 0

APPENDIX N

Test America Lab Report

APPENDIX O

Lumbriculus Variegatus Analytical Results Summary Table

Reservoir		Boulder	Scanlon	Scanlon	Thomson	Thomson	Thomson	Thomson
	BACKGROUND DAY 0	BW16BLR -001	BW16SR -004	BW16SR -016	BW16TR -008	BW16TR -013	BW16TR -017	BW16TR -018
GLEC Lab ID		11097	11095	11096	11101	11100	11098	11099
Test America Lab ID	180-62135-8	180-62135-1	180-62135-2	180-62135-3	180-62135-7	180-62135-6	180-62135-4	180-62135-5
Methyl Mercury	µg/kg	0.088	0.15	0.24	0.32	0.19	0.22	0.23
Mercury	mg/kg	0.038 U	0.038 U	0.036 U	0.037 U	0.038 U	0.038 U	0.033 U
Percent Lipids	%	1.2	0.63	0.71	0.74	0.74	0.68	0.61
1998 WHO FISH TEQ ND=EDL		0.19	0.17	1.1	4.0	0.33	0.39	0.50
2005 WHO HUMAN TEQ ND=0		0.013	0.00024	1.3	4.3	0.10	0.14	0.33
1,2,3,4,6,7,8-HpCDD	0.1 U	0.082 U	8.1	15	0.76 Q J	1.7 Q J	4.1 J	1.6 Q J
1,2,3,4,6,7,8-HpCDF	0.16 U	0.044 U	14 B	86 B	3.3 Q B J	2.6 B J	12 B	12 B
1,2,3,4,7,8-HxCDD	0.057 U	0.051 U	0.087 U	0.44 Q J	0.094 U	0.073 U	0.073 U	0.065 U
1,2,3,4,7,8-HxCDF	0.057 U	0.066 U	0.66 J	2.6 J	0.06 U	0.063 U	0.075 U	0.065 U
1,2,3,4,7,8,9-HpCDF	0.19 U	0.053 U	0.1 U	0.7 Q J	0.09 U	0.074 U	0.1 U	0.094 U
1,2,3,6,7,8-HxCDD	0.056 U	0.056 U	1.3 Q J	3.6 J	0.39 J	0.08 U	0.41 Q J	0.29 Q J
1,2,3,6,7,8-HxCDF	0.052 U	0.059 U	1.1 Q J	4.5 Q J	0.23 Q J	0.39 Q J	0.88 Q J	0.53 Q J
1,2,3,7,8-PeCDD	0.055 U	0.044 U	0.082 U	1.3 Q J	0.076 U	0.08 U	0.075 U	0.092 U
1,2,3,7,8-PeCDF	0.054 U	0.06 U	0.077 U	0.094 U	0.064 U	0.066 U	0.079 U	0.059 U
1,2,3,7,8,9-HxCDD	0.053 U	0.05 U	0.36 Q J	1.6 J	0.087 U	0.071 U	0.069 U	0.059 U
1,2,3,7,8,9-HxCDF	0.063 U	0.069 U	0.083 U	0.12 U	0.082 U	0.077 U	0.095 U	0.086 U
2,3,4,6,7,8-HxCDF	0.052 U	0.058 U	0.065 U	0.4 Q J	0.064 U	0.062 U	0.076 U	0.069 U
2,3,4,7,8-PeCDF	0.047 U	0.051 U	0.071 U	0.72 J	0.062 U	0.06 U	0.07 U	0.055 U
2,3,7,8-TCDD	0.046 U	0.043 U	0.47 Q J	0.35 Q J	0.085 U	0.12 U	0.083 U	0.083 U
2,3,7,8-TCDF	0.13 Q J	0.077 U	2.8	0.96 J	0.09 U	0.56 Q J	0.33 Q J	0.3 J
OCDD	0.6 B J	0.68 B J	52 B	110 B	5.2 Q B J	13 B	30 B	13 Q B
OCDF	0.12 B J	0.12 Q B J	4.5 B J	25 B	0.88 B J	1.2 B J	3.9 B J	2.6 B J
Total HpCDD	0.1 U	0.082 U	16	32	2.2 J Q	3.9 J Q	9.3	3.7 Q J
Total HpCDF	0.17 U	0.048 U	29 B	160 B Q	7 J Q B	5.6 J B	24 B	23 B
Total HxCDD	0.055 U	0.052 U	6.4 J Q	21 Q	1.8 J	1.3 J Q	3 J Q	2.4 J Q
Total HxCDF	0.055 U	0.063 U	16 Q	65 Q	3.5 Q J	4.1 J Q	11 Q	9.6 Q
Total PeCDD	0.055 U	0.044 U	1.8 Q J	8.5 J Q	0.84 Q J	0.08 U	0.74 Q J	0.092 U
Total PeCDF	0.05 U	0.31 Q J	5.9 J Q	14 J Q	1 Q J	1.1 J Q	1.4 Q J	1 Q J
Total TCDD	0.046 U	0.043 U	2.2 B J Q	4.5 B Q	0.95 B J Q	1.4 Q B J	1.4 Q B J	1.1 Q B J
Total TCDF	2.8 Q	4.8 Q	20 Q	23 Q	5.6 Q	6.2 Q	5.9 Q	8 Q

*Results are on an as-received (wet-weight) basis, and have not been corrected for dry weight or % lipids.

B - The analyte is present in the associated method blank at a detectable level.

J - The reported result is an estimate

Q - Estimated maximum possible concentration.

U - Not detected

TEQ calculated with non-detect values (U) being 0

APPENDIX P

Test America Lab Report

APPENDIX Q

Test America Lab Report

APPENDIX R

Test America Lab Report

APPENDIX S

Test America Lab Report

Appendix C
Disposal Documentation



WASTESTREAM INFORMATION PROFILE

Recertification

Disposal Code _____

Veolia ES LOCATION _____

ADDRESS _____

CITY _____

ST _____

Invoice Address

Manifest from - blank if direct

Veolia ES TSDF requested _____ Technology requested _____ Generator No. _____ Generator EPA ID No. **MND982612368**

1. Generator Name MPCA-Duluth

Generator State No. _____

Address 525 South Lake Ave, Suite

State Wastestream No. _____

City Duluth

State MN

Country USA

ZIP 55802

NAICS (SIC) Code _____

Source _____

Origin _____

Form _____

System Type _____

2. Waste Name SLR Sediment

Lab or Waste Area _____

3. Process Generating Waste Investigation river sediment sampling

4. Shipping Name Non DOT, Non RCRA Hazardous Waste

Hazard Class _____ UN/NA No. _____ PG _____ RQ amt _____ lb

RQ Desc: 1. _____ 2. _____

DOT Desc: 1. _____ 2. _____

5. Waste Codes _____

Wastewater

Non Wastewater

Sub Category _____

6. Physical and chemical properties (check all that apply)

pH

a < 2

b 2 - 5

c 5 - 9

d 9 - 12.5

e > 12.5

_____ exact

Specific Gravity

a < .8

b .8 - 1.0

c 1.0

d 1.0 - 1.2

e > 1.2

_____ exact

Flash Point (F)

a < 80

b 80 - 100

c 101 - 140

d 141 - 200

e > 200

f no flash _____ exact

Solids

_____ % suspended

_____ % settleable

_____ % dissolved

_____ % ash

_____ water solubility

_____ BTU/lb

Free Liquid Range 0% to 0% %

Physical State

s solid

m semi-solid

l liquid

p pumpable semi-solid

f flowable powder

g gas

a aerosol

r pressurized liquid

d debris per 40 CFR 268.45

h sharps

Hazardous Characteristics

a air reactive

w water reactive

c cyanide reactive

f sulfide reactive

e explosive

o oxidizing acid

p peroxide former

r radioactive or NRC regulated

s shock sensitive

t temp sensitive

m polymerization/monomer

n OSHA carcinogen

l infectious

h inhalation hazard Zone: NO

Odor

a none

b mild

c strong

describe _____

Halogens

Br 0 % Bromine

Cl 0 % Chlorine

F 0 % Fluorine

I 0 % Iodine

Layers: a multilayered: b bi-layered: c single phase:

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<input type="checkbox"/> high (syrup)	<input type="checkbox"/> high (syrup)	<input type="checkbox"/> high (syrup)	
by	<input type="checkbox"/> medium (oil)	<input type="checkbox"/> medium (oil)	<input type="checkbox"/> medium (oil)	
Layer:	<input type="checkbox"/> low (water)	<input type="checkbox"/> low (water)	<input type="checkbox"/> low (water)	
	<input type="checkbox"/> solid	<input type="checkbox"/> solid	<input checked="" type="checkbox"/> solid	

Used oil y HOC <1000 ppm or > 1000 ppm

7. **Chemical Composition** [M = Marine Pollutant, S = Severe Marine Pollutant, O = Ozone Depleting Substance, U = Underlying Hazardous Constituent,
B = Benzene NESHP, T = TRI Chemical, C = OSHA Carcinogen]

Constituents	Range	Units	Constituents	Range	Units
River sediment	100	%			

Total Composition Must Equal or Exceed 100%

Other:

8. Is the wastestream being imported into the USA? Yes No
9. Does the wastestream contain PCBs regulated by 40CFR? Yes No
PCB concentration _____ ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes No
11. Is the wastestream subject to Benzene NESHP? Yes No
If yes, is the wastestream subject to Notification and Control Requirements? Yes No
Benzene concentration _____ ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes No
Volatile organic concentration, if known _____ ppmw
CC approved analytical method Generator Knowledge
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes No

14. **Container Information** (Identify UN container marking if known)

Packaging: Bulk Solid Type/Size: _____ Bulk Liquid Type/Size: _____ Drum Type/Size: DM/55 gallon

Other

Shipping Frequency: Units 2 Per Month Quarter Year One Time Other

15. **Additional Information:**

Site:
St. Louis River Reservoirs (SLR)
Duluth, MN 55802

Is analytical or an MSDS available that describes the waste? Yes No If yes, please attach.

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Heidi Bauman 218-302-6607 11/29/16
NAME (PRINT OR TYPE) PHONE DATE
Heidi Bauman Project Manager
SIGNATURE TITLE

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

TSDF PROCESSING USE ONLY: PPE REQUIRED No _____ Yes _____ Describe _____

NON-HAZARDOUS WASTE MANIFEST

1 Generator ID Number
WMD981612368

2 Page 1 of
1

3 Emergency Response Phone
NR: 800-451-8346

4 Waste Tracking Number
W16132

5 Generator's Name and Mailing Address
**MOCA-Duluth
 505 South Lake Ave. Suite 400
 Duluth, MN 55802**

Generator's Site Address (if different than mailing address)
**SLR AOC
 St. Louis River Reservoir
 Duluth MN 55802**

Generator's Phone
218-723-1831

6 Transporter 1 Company Name
BAY WEST LLC

U.S. EPA ID Number
WMD981205417

7 Transporter 2 Company Name
Venita ES Technical Solutions-MN

U.S. EPA ID Number
WMD980631369

8 Designated Facility Name and Site Address
**Venita ES Technical Solutions-MN
 1124 N945a Boundary Road
 Menomonie Falls WI 53051**

U.S. EPA ID Number
WTD003967148

Facility's Phone
800-255-5096

9 Waste Shipping Name and Description

10 Containers
 No. Type

11 Total Quantity

12 Unit Wt./Vol

Most DYT. Non PCPS Residuals Waste

01
~~02~~ **100**

20
~~50~~

P

NON-DE, NON RCRA Hazardous Waste

01 **UP**

20

P

13 Special Handling Instructions and Additional Information

**1) 068821 - SLR Sediment 2) 068821 - SLR Sediment
 Job # 0160139 1
 ER phone # is contracted by Bay West with 3X contract # 55713**

14. GENERATOR'S/OFFEROR'S CERTIFICATION. I hereby declare that the contents of this consignment are fully and accurately described above by me proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.

Generator's/Offendor's Printed/Typed Name

Signature

Month Day Year

Michael L. L...

[Signature]

12 13 16

15 International Shipments Import to U.S.

Export from U.S.

Port of entry/exit

Date leaving U.S.

Transporter Signature (for exports only)

16 Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name

Signature

Month Day Year

Jim Leisz

[Signature]

12 13 16

Transporter 2 Printed/Typed Name

Signature

Month Day Year

17 Discrepancy

17a Discrepancy Indication Space

Quantity

Type

Residue

Partial Rejection

Full Rejection

Manifest Reference Number

17b Alternate Facility (or Generator)

U.S. EPA ID Number

Facility's Phone

17c Signature of Alternate Facility (or Generator)

Month Day Year

18 Designated Facility Owner or Operator Certification of receipt of materials covered by the manifest except as noted in Item 17a

Printed/Typed Name

Signature

Month Day Year

ROBERT L. KANN JR.

[Signature]

12 28 16

October 26, 2016

Nancy McDonald
Bay West
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOCs
Pace Project No.: 10366073

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 12, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

525 N 8th Street, Salina, KS 67401

Alaska Certification UST-107

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

Virginia VELAP ID: 460263

North Dakota Certification #: R-150

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

US Dept of Agriculture #: S-76505

Virginia VELAP ID: 460263

Virginia VELAP Certification ID: 460263

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10366073001	BW16-RB01-092816	Water	09/28/16 16:30	10/12/16 18:30
10366073002	BW16-RB01-092216	Water	09/22/16 17:00	10/12/16 18:30
10366073003	BW16-RB01-100416	Water	10/04/16 17:34	10/12/16 18:30
10366073004	BW16-RB01-100516	Water	10/05/16 17:30	10/12/16 18:30
10366073005	BW16-RB02-100516	Water	10/05/16 17:35	10/12/16 18:30
10366073006	SLRIDW-101116	Solid	10/11/16 16:30	10/12/16 18:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10366073001	BW16-RB01-092816	EPA 7470A	LMW	1	PASI-M
10366073002	BW16-RB01-092216	EPA 7470A	LMW	1	PASI-M
10366073003	BW16-RB01-100416	EPA 7470A	LMW	1	PASI-M
10366073004	BW16-RB01-100516	EPA 7470A	LMW	1	PASI-M
10366073005	BW16-RB02-100516	EPA 7470A	LMW	1	PASI-M
10366073006	SLRIDW-101116	WI MOD DRO	JRH	2	PASI-M
		EPA 6010C	DM	7	PASI-M
		EPA 7470A	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 1010	DEY	1	PASI-G
		EPA 9045	PH1	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: BW16-RB01-092816 **Lab ID: 10366073001** Collected: 09/28/16 16:30 Received: 10/12/16 18:30 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470A Mercury									
Analytical Method: EPA 7470A Preparation Method: EPA 7470A									
Mercury	ND	ug/L	0.20	0.031	1	10/21/16 09:57	10/24/16 13:56	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: BW16-RB01-092216 **Lab ID: 10366073002** Collected: 09/22/16 17:00 Received: 10/12/16 18:30 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470A Mercury									
Analytical Method: EPA 7470A Preparation Method: EPA 7470A									
Mercury	ND	ug/L	0.20	0.031	1	10/21/16 09:57	10/24/16 13:58	7439-97-6	H1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: BW16-RB01-100416 **Lab ID: 10366073003** Collected: 10/04/16 17:34 Received: 10/12/16 18:30 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470A Mercury									
Analytical Method: EPA 7470A Preparation Method: EPA 7470A									
Mercury	ND	ug/L	0.20	0.031	1	10/21/16 09:57	10/24/16 14:04	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: BW16-RB01-100516 **Lab ID: 10366073004** Collected: 10/05/16 17:30 Received: 10/12/16 18:30 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7470A Mercury									
Analytical Method: EPA 7470A Preparation Method: EPA 7470A									
Mercury	ND	ug/L	0.20	0.031	1	10/21/16 09:57	10/24/16 14:07	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: BW16-RB02-100516 **Lab ID: 10366073005** Collected: 10/05/16 17:35 Received: 10/12/16 18:30 Matrix: Water

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----------------	-----	----	----------	----------	---------	------

7470A Mercury

Analytical Method: EPA 7470A Preparation Method: EPA 7470A

Mercury	ND	ug/L	0.20	0.031	1	10/21/16 09:57	10/24/16 14:13	7439-97-6	
---------	----	------	------	-------	---	----------------	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Sample: SLRIDW-101116 **Lab ID: 10366073006** Collected: 10/11/16 16:30 Received: 10/12/16 18:30 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
WIDRO GCS									
Analytical Method: WI MOD DRO Preparation Method: WI MOD DRO									
WDRO C10-C28	5.4J	mg/kg	22.8	5.3	1	10/20/16 11:20	10/21/16 18:01		
Surrogates									
n-Triacontane (S)	59	%	50-150		1	10/20/16 11:20	10/21/16 18:01	638-68-6	
6010C MET ICP, TCLP									
Analytical Method: EPA 6010C Preparation Method: EPA 3010									
Leachate Method/Date: EPA 1311; 10/20/16 17:26 Initial pH: 7.09; Final pH: 1.54									
Arsenic	ND	mg/L	0.10	0.034	1	10/22/16 13:30	10/24/16 05:30	7440-38-2	
Barium	0.42	mg/L	0.20	0.079	1	10/22/16 13:30	10/24/16 05:30	7440-39-3	
Cadmium	0.0020J	mg/L	0.015	0.0011	1	10/22/16 13:30	10/24/16 05:30	7440-43-9	
Chromium	ND	mg/L	0.050	0.0046	1	10/22/16 13:30	10/24/16 05:30	7440-47-3	
Lead	ND	mg/L	0.050	0.0091	1	10/22/16 13:30	10/24/16 05:30	7439-92-1	
Selenium	ND	mg/L	0.12	0.051	1	10/22/16 13:30	10/24/16 05:30	7782-49-2	
Silver	ND	mg/L	0.050	0.0050	1	10/22/16 13:30	10/24/16 05:30	7440-22-4	
7470A Mercury, TCLP									
Analytical Method: EPA 7470A Preparation Method: EPA 7470A									
Leachate Method/Date: EPA 1311; 10/20/16 17:26 Initial pH: 7.09; Final pH: 1.54									
Mercury	ND	ug/L	0.60	0.094	1	10/22/16 12:10	10/24/16 13:49	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	54.9	%	0.10	0.10	1		10/25/16 10:36		
1010 Flashpoint, Closed Cup									
Analytical Method: EPA 1010									
Flashpoint	>134	deg F			1		10/21/16 13:15		1M, S9
9045 pH									
Analytical Method: EPA 9045									
pH at 25 Degrees C	6.8	Std. Units	0.10	0.10	1		10/18/16 14:25		H6

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs
Pace Project No.: 10366073

QC Batch: 442411 Analysis Method: EPA 7470A
QC Batch Method: EPA 7470A Analysis Description: 7470A Mercury TCLP
Associated Lab Samples: 10366073006

METHOD BLANK: 2410478 Matrix: Water
Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	ND	0.60	0.094	10/24/16 13:44	

METHOD BLANK: 2406967 Matrix: Water
Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	ND	0.60	0.094	10/24/16 14:27	

METHOD BLANK: 2406968 Matrix: Water
Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	ND	0.60	0.094	10/24/16 14:29	

LABORATORY CONTROL SAMPLE: 2410479

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	15	16.6	111	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2410480 2410481

Parameter	Units	10366073006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	ND	15	15	16.1	16.4	107	110	80-120	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs
Pace Project No.: 10366073

QC Batch: 441326 Analysis Method: EPA 7470A
QC Batch Method: EPA 7470A Analysis Description: 7470A Mercury Water
Associated Lab Samples: 10366073001, 10366073002, 10366073003, 10366073004, 10366073005

METHOD BLANK: 2402473 Matrix: Water
Associated Lab Samples: 10366073001, 10366073002, 10366073003, 10366073004, 10366073005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	ug/L	ND	0.20	0.031	10/24/16 13:52	

LABORATORY CONTROL SAMPLE: 2402474

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	4.8	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2402475 2402476

Parameter	Units	2402475		2402476		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10366073002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Mercury	ug/L	ND	5	5	5.0	4.4	99	88	80-120	12	20 H1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

QC Batch: 442410

Analysis Method: EPA 6010C

QC Batch Method: EPA 3010

Analysis Description: 6010C TCLP

Associated Lab Samples: 10366073006

METHOD BLANK: 2410468

Matrix: Water

Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.10	0.034	10/24/16 05:12	
Barium	mg/L	ND	0.20	0.079	10/24/16 05:12	
Cadmium	mg/L	ND	0.015	0.0011	10/24/16 05:12	
Chromium	mg/L	ND	0.050	0.0046	10/24/16 05:12	
Lead	mg/L	ND	0.050	0.0091	10/24/16 05:12	
Selenium	mg/L	ND	0.12	0.051	10/24/16 05:12	
Silver	mg/L	ND	0.050	0.0050	10/24/16 05:12	

METHOD BLANK: 2406967

Matrix: Water

Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.10	0.034	10/24/16 06:01	
Barium	mg/L	ND	0.20	0.079	10/24/16 06:01	
Cadmium	mg/L	ND	0.015	0.0011	10/24/16 06:01	
Chromium	mg/L	ND	0.050	0.0046	10/24/16 06:01	
Lead	mg/L	ND	0.050	0.0091	10/24/16 06:01	
Selenium	mg/L	ND	0.12	0.051	10/24/16 06:01	
Silver	mg/L	ND	0.050	0.0050	10/24/16 06:01	

METHOD BLANK: 2406968

Matrix: Water

Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.10	0.034	10/24/16 06:04	
Barium	mg/L	ND	0.20	0.079	10/24/16 06:04	
Cadmium	mg/L	ND	0.015	0.0011	10/24/16 06:04	
Chromium	mg/L	ND	0.050	0.0046	10/24/16 06:04	
Lead	mg/L	ND	0.050	0.0091	10/24/16 06:04	
Selenium	mg/L	ND	0.12	0.051	10/24/16 06:04	
Silver	mg/L	ND	0.050	0.0050	10/24/16 06:04	

LABORATORY CONTROL SAMPLE: 2410469

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	5	4.8	97	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

LABORATORY CONTROL SAMPLE: 2410469

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Barium	mg/L	5	4.6	93	80-120	
Cadmium	mg/L	5	4.7	93	80-120	
Chromium	mg/L	5	4.6	92	80-120	
Lead	mg/L	5	4.6	91	80-120	
Selenium	mg/L	5	5.1	101	80-120	
Silver	mg/L	2.5	2.4	95	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2410470 2410471

Parameter	Units	10360736019		2410470		2410471		% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec				
Arsenic	mg/L	ND	5	5	5.0	5.0	100	75-125	0	30	
Barium	mg/L	292 ug/L	5	5	5.0	5.0	94	75-125	0	30	
Cadmium	mg/L	ND	5	5	4.8	4.8	96	75-125	1	30	
Chromium	mg/L	ND	5	5	4.7	4.7	94	75-125	1	30	
Lead	mg/L	0.18	5	5	4.8	4.8	93	75-125	1	30	
Selenium	mg/L	ND	5	5	5.2	5.2	104	75-125	1	30	
Silver	mg/L	ND	2.5	2.5	2.5	2.5	99	75-125	1	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

QC Batch: 443074

Analysis Method: ASTM D2974

QC Batch Method: ASTM D2974

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 10366073006

SAMPLE DUPLICATE: 2414709

Parameter	Units	10367206003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	15.1	15.5	3	30	

SAMPLE DUPLICATE: 2414743

Parameter	Units	10366077001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	57.9	58.8	1	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

QC Batch: 442280	Analysis Method: WI MOD DRO
QC Batch Method: WI MOD DRO	Analysis Description: WIDRO GCS
Associated Lab Samples: 10366073006	

METHOD BLANK: 2409537 Matrix: Solid

Associated Lab Samples: 10366073006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
WDRO C10-C28	mg/kg	ND	10.0	2.3	10/21/16 13:56	
n-Triacontane (S)	%.	68	50-150		10/21/16 13:56	

LABORATORY CONTROL SAMPLE & LCSD: 2409538

2409539

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
WDRO C10-C28	mg/kg	80	65.5	68.9	82	86	70-120	5	20	
n-Triacontane (S)	%.				80	77	50-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs
Pace Project No.: 10366073

QC Batch: 238889 Analysis Method: EPA 1010
QC Batch Method: EPA 1010 Analysis Description: 1010 Flash Point, Closed Cup
Associated Lab Samples: 10366073006

LABORATORY CONTROL SAMPLE: 1415269

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Flashpoint	deg F		82.0			

SAMPLE DUPLICATE: 1415390

Parameter	Units	10366533001 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	108	114			

SAMPLE DUPLICATE: 1415978

Parameter	Units	40140418001 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	144	140			

SAMPLE DUPLICATE: 1416003

Parameter	Units	40140418002 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	140	142			

SAMPLE DUPLICATE: 1416018

Parameter	Units	40140430001 Result	Dup Result	RPD	Max RPD	Qualifiers
Flashpoint	deg F	156	160			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

QC Batch:	441692	Analysis Method:	EPA 9045
QC Batch Method:	EPA 9045	Analysis Description:	9045 pH
Associated Lab Samples:	10366073006		

LABORATORY CONTROL SAMPLE: 2404481

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
pH at 25 Degrees C	Std. Units	5	5.0	100	98-102	

SAMPLE DUPLICATE: 2404482

Parameter	Units	10366324001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	7.6	7.6	0	3	H6

SAMPLE DUPLICATE: 2404483

Parameter	Units	10365981001 Result	Dup Result	RPD	Max RPD	Qualifiers
pH at 25 Degrees C	Std. Units	11.1	11.1	0	3	H6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

1M This sample contained free liquid on the surface. The free liquid was stirred into the rest of the sample before the sample was analyzed. Analysis was stopped at 134 degrees F when the sample boiled over.

H1 Analysis conducted outside the recognized method holding time.

H6 Analysis initiated outside of the 15 minute EPA required holding time.

S9 The laboratory is not accredited for this parameter by the certifying body for this state.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10366073

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10366073006	SLRIDW-101116	WI MOD DRO	442280	WI MOD DRO	442566
10366073006	SLRIDW-101116	EPA 3010	442410	EPA 6010C	442813
10366073006	SLRIDW-101116	EPA 7470A	442411	EPA 7470A	442689
10366073001	BW16-RB01-092816	EPA 7470A	441326	EPA 7470A	442672
10366073002	BW16-RB01-092216	EPA 7470A	441326	EPA 7470A	442672
10366073003	BW16-RB01-100416	EPA 7470A	441326	EPA 7470A	442672
10366073004	BW16-RB01-100516	EPA 7470A	441326	EPA 7470A	442672
10366073005	BW16-RB02-100516	EPA 7470A	441326	EPA 7470A	442672
10366073006	SLRIDW-101116	ASTM D2974	443074		
10366073006	SLRIDW-101116	EPA 1010	238889		
10366073006	SLRIDW-101116	EPA 9045	441692		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10366073

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUIS Information:	
Company: Bay West, LLC	Report To: Nancy McDonald	Copy To: Paul Raymaker	Company Name: Bay West, LLC	Facility Name: St. Louis River Sediment Areas of Concern	Facility Code: St. Louis River Sed	Page 1 of 1	
Address: 5 Empire Drive	Copy To: Paul Raymaker	Copy To: Paul Raymaker	Address: 5 Empire Drive	Facility ID: 547023	Subfacility Code: 547023	COC#	SLR-Misc.-1
St. Paul, MN 55103	Purchase Order No.: 108002	Purchase Order No.: 108002	Lab. Quote Reference: 3000017136	Site Location	STATE: MN		
Email To: nmcdonald@baywest.com	Project Name: SLR Sediment AOCs	Project Name: SLR Sediment AOCs	Lab Project Manager: Oyeyemi Odujole				
Phone: 651-291-3483	Project Number: J160139	Project Number: J160139					
Requested Due Date/TAT: Standard							

ITEM #	Section E Required Client Information	Valid Matrix Codes	MATRIX CODE	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	Collection		# OF CONTAINERS	Preservatives						Mercury (see note below)	TCLP Metals (SW-846 1311/6010)	DRO (WDRO)	Flashpoint (ASTM D93-13)	pH (EPA 9045D)	Comments
						DATE	Time		Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃						
EX	BW15MLW-005		SO G	BW14MLW-005-0-0.15		3/22/15	1204													
1	Rinsate Blank		W G	BW16-RB01-092816		9/28/16	1630	1	1										Ponar sampler 020	
2	Rinsate Blank		W G	BW16-RB01-092216		9/22/16	1700	1	1										Ponar sampler 020	
3	Rinsate Blank		W G	BW16-RB01-100416		10/4/16	1734	1	1										Ponar sampler 020	
4	Rinsate Blank		W G	BW16-RB01-100516		10/5/16	1730	1	1										Ponar sampler 020	
5	Rinsate Blank		W G	BW16-RB02-100516		10/5/16	1735	1	1										Peat Borer 020	
6	Waste Profile		SO C	SLRIDW-101116		10/11/16	1630	5	5										020	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION		SAMPLE CONDITIONS	
	DATE	TIME	DATE	TIME	Temp (C)	
Sample labels request analysis of nickel and zinc. Analysis should be conducted for mercury and not nickel and zinc. Reference Pace Subcontractor Order Form signed by Pace on 9/6/16	10/12/16	14:45	10/12/16	14:45	1.9	Received on Ice (MN)
	10/12/16	16:00	10/12/16	16:00	3.3	Custody Sealed Cooler (MN)
	10/12/16	18:30	10/12/16	18:30	1.7	Samples Intact (MN)

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Chris Musson
 SIGNATURE of SAMPLER: *Chris Musson*
 DATE Signed (MM/DD/YY): 10/12/16

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #: **WO#: 10366073**



Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeedDee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 33.15 Cooler Temp Corrected (°C): 3.567 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 10.7 Date and Initials of Person Examining Contents: BC 10/12/16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT/SE</u>	
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # <u>10-50</u> Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low Eater

Date: 10/14/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Chain of Custody

BD



Workorder: 10366073

Workorder Name: J160139 SLR Sediment AOCs

Owner Received Date: 10/12/2016

Results Requested By: 10/26/2016

10/26/2016

Report To
Lori Castille
Pace Analytical Minnesota
1700 Elm Street
Suite 200
Minneapolis, MN 55414
Phone (612)607-1700

Subcontract To
Pace Analytical Green Bay
1241 Bellevue Street
Suite 9
Green Bay, WI 54302
Phone (920)469-2436

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	Comments
						Unpreserved	Preserved		
1	SLRIDW-101116	PS	10/11/2016 16:30	10366073006	Solid	1		Flashpot	LAB USE ONLY 1-403agA
2									
3									
4									
5									
Transfers									
Released By	Date/Time	Received By	Date/Time	Custody Seal		Received on Ice	Samples Intact		
<i>[Signature]</i>	10/14/16 17:20	<i>[Signature]</i>	10/15/16 08:20	Y	N	Y	Y	Y	N
<i>[Signature]</i>	10/15/16 08:20	<i>[Signature]</i>	10/15/16 08:20	Y	N	Y	Y	Y	N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #: **WO# : 10366073**

Courier: Fed Ex UPS USPS Client
 Commercial Pace Speedee Other: _____

10366073

40140194

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 33.15 Cooler Temp Corrected (°C): 35.10 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 10.2 Date and Initials of Person Examining Contents: DL 10/12/16

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT/ST</u>	12.
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # <u>10-50</u>
(HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Pace Trip Blank Lot # (if purchased): _____	15.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Lois Carter

Date: 10/14/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project #: WO#: 40140194



Client Name: Pace MN
Courier: Fed Ex UPS Client Pace Other: Walco
Tracking #: 1180243-5

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no
Custody Seal on Samples Present: yes no Seals intact: yes no
Packing Material: Bubble Wrap Bubble Bags None Other
Thermometer Used SR-53 Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun
Cooler Temperature Uncorr: 5.5 / Corr: 5.5 Biological Tissue is Frozen: yes no
Temp Blank Present: yes no

Person examining contents:
Date: 10/15/16
Initials: KJ

Temp should be above freezing to 6°C for all sample except Biota.
Frozen Biota Samples should be received ≤ 0°C.

Comments:

Table with 15 rows of inspection criteria and checkboxes. Includes items like Chain of Custody Present, Short Hold Time Analysis, and Headspace in Vials.

Client Notification/ Resolution:
Person Contacted: Date/Time:
Comments/ Resolution:

Project Manager Review: [Signature] Date: 10/17/16

Appendix D
Laboratory Analytical Reports



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365380
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/27/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample BW16TR-101-0.15-0.35 was listed on the COC, but was not collected. No data were qualified.

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MS/MSDs were performed as batch QC.
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The MS recovery for TOC was biased low and outside QC limits in the batch QC from SDG 10365379.
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The source sample was not included with the samples in this SDG.
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the TOC samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

Report Prepared for:

Nancy McDonald
Bay West, Inc.
5 Empire Drive
Saint Paul MN 55103

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**

Report Prepared Date:

October 24, 2016

Report Information:

Pace Project #: 10365390
Sample Receipt Date: 10/07/2016
Client Project #: J160139 SLR Sediment AOCs
Client Sub PO #: 108002
State Cert #: 027-053-137

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Carolynne Trout, your Pace Project Manager.

This report has been reviewed by:



October 24, 2016

Carolynne Trout, Project Manager
(612) 607-6351
(612) 607-6444 (fax)
Carolynne.Trout@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

DISCUSSION

This report presents the results from the analyses performed on seven samples submitted by a representative of BayWest, Inc. The samples were analyzed for the presence or absence of polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The reporting limits were based on signal-to-noise measurements. Estimated Maximum Possible Concentration (EMPC) values were treated as positives in the toxic equivalence calculations.

Second column confirmation analyses of 2,3,7,8-TCDF values obtained from the primary (DB5-MS) column are performed only when specifically requested for a project and only when the values are above the concentration of the lowest calibration standard. Typical resolution for this isomer using the DB5-MS column ranges from 25-30%.

The recoveries of the isotopically-labeled PCDD/PCDF internal standards in the sample extracts ranged from 29-94%. Except for three low values, which were flagged "R" on the results tables, the labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Also, since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for variation in recovery and accurate values were obtained.

In some cases, interfering substances impacted the determinations of PCDD or PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained or "P" where polychlorinated diphenyl ethers were present. Concentrations below the calibration range were flagged "J" and should be regarded as estimates. Concentrations above the calibration range were flagged "E" and should also be regarded as estimates. Results obtained from the analyses of diluted sample extracts were flagged "D".

A laboratory method blank was prepared and analyzed with the sample batch as part of our routine quality control procedures. The results show the blank to contain trace levels of selected congeners. These levels were below the calibration range of the method. The levels reported for the affected congeners in the field samples were higher than the corresponding blank levels by one or more orders of magnitude. These results indicate that the sample processing steps did not contribute significantly to the levels reported for the field samples.

Laboratory and matrix spike samples were also prepared with the sample batch using clean reference matrix or sample matrix that had been fortified with native standard materials. The results show that the spiked native compounds were generally recovered at 77-130% with relative percent differences (RPDs) generally from 0.1-19.5%. The background-subtracted recovery values obtained for 2,3,7,8-TCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDD, 1,2,3,4,6,7,8-HpCDF, HpCDD, OCDF, and OCDD in the matrix spike and/or matrix spike duplicate were outside the 70-130% target range. Also, the RPD values obtained for TCDF and 1,2,3,4,6,7,8-HpCDF were above the 20% target upper limit. These deviations may be due to the levels of the affected congeners in the sample material and/or sample inhomogeneity.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Montana	92
Alaska	MN00064	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN_00064_200
Arkansas	88-0680	New Jersey (NE)	MN002
California	01155CA	New York (NEL)	11647
Colorado	MN00064	North Carolina	27700
Connecticut	PH-0256	North Dakota	R-036
EPA Region 8	8TMS-Q	Ohio	4150
Florida (NELAP)	E87605	Oklahoma	D9922
Georgia (DNR)	959	Oregon (ELAP)	MN200001-005
Guam	959	Oregon (OREL)	MN300001-001
Hawaii	SLD	Pennsylvania	68-00563
Idaho	MN00064	Puerto Rico	MN00064
Illinois	200012	Saipan	MP0003
Indiana	C-MN-01	South Carolina	74003001
Indiana	C-MN-01	Tennessee	TN02818
Iowa	368	Texas	T104704192-08
Kansas	E-10167	Utah (NELAP)	MN00064
Kentucky	90062	Virginia	00251
Louisiana	03086	Washington	C755
Maine	2007029	West Virginia #	9952C
Maryland	322	West Virginia D	382
Michigan	9909	Wisconsin	999407970
Minnesota	027-053-137	Wyoming	8TMS-Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10364921

Appendix A

Sample Management

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10365390

Report No.....10365390_8290

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Section D EQUIS Information:
Company: Bay West, LLC	Report To: Nancy McDonald	Attention: Accounts Payable	Facility Name: St. Louis River Sediment Areas of Concern
Address: 5 Empire Drive	Copy To: Paul Raymaker	Company Name: Bay West, LLC	Facility Code: St Louis River Sed
St. Paul, MN 55103		Address: 5 Empire Drive	Facility ID: 547023
Email To: nmcdonald@baywest.com	Purchase Order No.: 108002	Lab Quote Reference: 3000017136	Subfacility code:
Phone: 651-291-3483	Project Name: SLR Sediment AOCs	Lab Project Manager: Oyeyemi Odujole	
Requested Due Date/TAT: Standard	Project Number: J160139		
			Page 1 of 1
			COC# SLR-TR-1
			Site Location STATE: MN

ITEM #	Section E Required Client Information		Valid Matrix Codes		Collection		Preservatives										Requested Analysis			Comments
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	MATRIX	CODE	DATE	Time	# OF CONTAINERS	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other	Dioxins and furans (SW-846 8290A)	Mercury (EPA 7471B)	% Moisture		
Ex.	BW15MLW-005	BW14MLW-005-0-0.15	SO	G	3/12/15	1204														
1	BW16TR-001	BW16TR-001-0.0-0.15	SO	G	10/5/16	1415	3	3								1	1	1	001	
2	BW16TR-001	BW16TR-001-0.15-0.35	SO	G	10/5/16	1421	3	3								1	1	1	002	
3	BW16TR-001	BW16TR-101-0.15-0.35	SO	G	10/5/16	1426	2	2								1	1	0	003	
4	BW16TR-002	BW16TR-002-0.0-0.15	SO	G	10/5/16	1510	3	3								1	1	1	004	
5	BW16TR-002	BW16TR-002-0.30-0.55	SO	G	10/5/16	1515	6	6								2.5	2.5	1	MS/MSD 005	
6	BW16TR-003	BW16TR-003-0.0-0.15	SO	G	10/5/16	1530	3	3								1	1	1	006	
7	BW16TR-003	BW16TR-003-0.27-0.52	SO	G	10/5/16	1535	3	3								1	1	1	007	
8																				
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
Reference Pace Subcontractor Order Form signed by Pace on 9/16/16	Chris Musson / Bay West	10/7/16	1555	Kristina Polson	10/7/16	1555	4.9	Y	N	Y
	Kristina Polson	10/11/16	1700	[Signature]	10/7/16	1700	2.9			
	[Signature]	10/7/16	1935	[Signature]	10/7/16	1935	2.8			


SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER: Chris Musson	DATE Signed (MM/DD/YY): 10/7/16
SIGNATURE of SAMPLER: [Signature]	

Page 5 of 20

Sample Condition Upon Receipt

Client Name: Bay West LLC Project #: WO# : 10365390

WO# : 10365390



Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeeDee Other: _____
 Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____
 Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No
 Thermometer Used: 151401163 151401164 151401164 2.7.2 888A912167504 888A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 Cooler Temp Read (°C): 2.9, 2.8 Cooler Temp Corrected (°C): 2.9, 2.8 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 10.2 Date and Initials of Person Examining Contents: BC 10/17/16
 USDA Regulated Soil (N/A, water sample) 10/17/16

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (Internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____ Field Data Required? Yes No
 Comments/Resolution: _____

Project Manager Review: Carolynne Hunt Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers).

Reporting Flags

- A = Reporting Limit based on signal to noise
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interference present
- J = Estimated value
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10364921

Report No.....10365390_8290

Page 7 of 20

Appendix B

Sample Analysis Summary

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-001-0.00.15		
Lab Sample ID	10365390001		
Filename	F161020B_07		
Injected By	SMT		
Total Amount Extracted	13.1 g	Matrix	Solid
% Moisture	48.8	Dilution	NA
Dry Weight Extracted	6.71 g	Collected	10/05/2016 14:15
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 20:12

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	4.2	—	0.180		2,3,7,8-TCDF-13C	2.00	74
Total TCDF	17.0	—	0.180		2,3,7,8-TCDD-13C	2.00	86
					1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	1.1	—	0.190	J	2,3,4,7,8-PeCDF-13C	2.00	65
Total TCDD	12.0	—	0.190		1,2,3,7,8-PeCDD-13C	2.00	73
					1,2,3,4,7,8-HxCDF-13C	2.00	80
1,2,3,7,8-PeCDF	—	1.3	0.097	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	71
2,3,4,7,8-PeCDF	2.3	—	0.064	J	2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	38.0	—	0.080		1,2,3,7,8,9-HxCDF-13C	2.00	79
					1,2,3,4,7,8-HxCDD-13C	2.00	70
1,2,3,7,8-PeCDD	1.8	—	0.093	J	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	24.0	—	0.093		1,2,3,4,6,7,8-HpCDF-13C	2.00	52
					1,2,3,4,7,8,9-HpCDF-13C	2.00	53
1,2,3,4,7,8-HxCDF	6.9	—	0.180	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	61
1,2,3,6,7,8-HxCDF	16.0	—	0.099		OCDD-13C	4.00	49
2,3,4,6,7,8-HxCDF	5.2	—	0.100	J			
1,2,3,7,8,9-HxCDF	2.0	—	0.071	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	320.0	—	0.110		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	2.0	—	0.870	J	2,3,7,8-TCDD-37Cl4	0.20	86
1,2,3,6,7,8-HxCDD	17.0	—	0.200				
1,2,3,7,8,9-HxCDD	8.0	—	0.100				
Total HxCDD	140.0	—	0.390				
1,2,3,4,6,7,8-HpCDF	530.0	—	0.300		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	5.4	—	0.320	J	Equivalence: 20 ng/Kg		
Total HpCDF	1000.0	—	0.310		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	320.0	—	1.100				
Total HpCDD	690.0	—	1.100				
OCDF	300.0	—	0.980				
OCDD	3700.0	—	0.380				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-001-0.15-0.35		
Lab Sample ID	10365390002		
Filename	F161020B_08		
Injected By	SMT		
Total Amount Extracted	13.1 g	Matrix	Solid
% Moisture	46.9	Dilution	NA
Dry Weight Extracted	6.96 g	Collected	10/05/2016 14:21
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 21:01

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	22.0	—	0.37	2,3,7,8-TCDF-13C	2.00	71
Total TCDF	51.0	—	0.37	2,3,7,8-TCDD-13C	2.00	82
				1,2,3,7,8-PeCDF-13C	2.00	65
2,3,7,8-TCDD	6.7	—	0.34	2,3,4,7,8-PeCDF-13C	2.00	55
Total TCDD	31.0	—	0.34	1,2,3,7,8-PeCDD-13C	2.00	67
				1,2,3,4,7,8-HxCDF-13C	2.00	72
1,2,3,7,8-PeCDF	2.5	—	0.26 J	1,2,3,6,7,8-HxCDF-13C	2.00	62
2,3,4,7,8-PeCDF	4.9	—	0.13 J	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	84.0	—	0.19	1,2,3,7,8,9-HxCDF-13C	2.00	70
				1,2,3,4,7,8-HxCDD-13C	2.00	67
1,2,3,7,8-PeCDD	3.1	—	0.25 J	1,2,3,6,7,8-HxCDD-13C	2.00	56
Total PeCDD	53.0	—	0.25	1,2,3,4,6,7,8-HpCDF-13C	2.00	46
				1,2,3,4,7,8,9-HpCDF-13C	2.00	42
1,2,3,4,7,8-HxCDF	12.0	—	0.20	1,2,3,4,6,7,8-HpCDD-13C	2.00	60
1,2,3,6,7,8-HxCDF	23.0	—	0.38	OCDD-13C	4.00	42
2,3,4,6,7,8-HxCDF	10.0	—	0.25			
1,2,3,7,8,9-HxCDF	3.7	—	0.37 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	240.0	—	0.30	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	5.3	—	0.39 J	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	58.0	—	0.46			
1,2,3,7,8,9-HxCDD	19.0	—	0.53			
Total HxCDD	410.0	—	0.46			
1,2,3,4,6,7,8-HpCDF	850.0	—	0.42	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	17.0	—	0.65	Equivalence: 55 ng/Kg		
Total HpCDF	870.0	—	0.53	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	1300.0	—	0.13			
Total HpCDD	2900.0	—	0.13			
OCDF	1200.0	—	0.53			
OCDD	22000.0	—	0.31 E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value
E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-101-0.15-0.35		
Lab Sample ID	10365390003		
Filename	F161020B_09		
Injected By	SMT		
Total Amount Extracted	13.5 g	Matrix	Solid
% Moisture	47.7	Dilution	NA
Dry Weight Extracted	7.06 g	Collected	10/05/2016 14:26
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 21:50

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	20.0	—	0.62	2,3,7,8-TCDF-13C	2.00	81
Total TCDF	59.0	—	0.62	2,3,7,8-TCDD-13C	2.00	92
				1,2,3,7,8-PeCDF-13C	2.00	72
2,3,7,8-TCDD	5.8	—	0.36	2,3,4,7,8-PeCDF-13C	2.00	62
Total TCDD	30.0	—	0.36	1,2,3,7,8-PeCDD-13C	2.00	70
				1,2,3,4,7,8-HxCDF-13C	2.00	68
1,2,3,7,8-PeCDF	—	2.3	0.56	1,2,3,6,7,8-HxCDF-13C	2.00	62
2,3,4,7,8-PeCDF	3.7	—	0.12	J 2,3,4,6,7,8-HxCDF-13C	2.00	73
Total PeCDF	76.0	—	0.34	1,2,3,7,8,9-HxCDF-13C	2.00	73
				1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	3.4	—	0.36	J 1,2,3,6,7,8-HxCDD-13C	2.00	57
Total PeCDD	56.0	—	0.36	1,2,3,4,6,7,8-HpCDF-13C	2.00	44
				1,2,3,4,7,8,9-HpCDF-13C	2.00	42
1,2,3,4,7,8-HxCDF	9.3	—	0.25	1,2,3,4,6,7,8-HpCDD-13C	2.00	56
1,2,3,6,7,8-HxCDF	19.0	—	0.17	OCDD-13C	4.00	36 R
2,3,4,6,7,8-HxCDF	7.8	—	0.20			
1,2,3,7,8,9-HxCDF	2.6	—	0.15	J 1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	150.0	—	0.19	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	8.1	—	0.51	2,3,7,8-TCDD-37Cl4	0.20	88
1,2,3,6,7,8-HxCDD	67.0	—	0.40			
1,2,3,7,8,9-HxCDD	23.0	—	0.46			
Total HxCDD	500.0	—	0.46			
1,2,3,4,6,7,8-HpCDF	560.0	—	0.56	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	14.0	—	0.25	Equivalence: 55 ng/Kg		
Total HpCDF	1800.0	—	0.40	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	1600.0	—	1.10			
Total HpCDD	3300.0	—	1.10			
OCDF	900.0	—	0.60			
OCDD	25000.0	—	0.76	E		

Conc = Concentration (Totals include 2,3,7,8-substituted isomers). ND = Not Detected
 EMPC = Estimated Maximum Possible Concentration NA = Not Applicable
 EDL = Estimated Detection Limit NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
 J = Estimated value
 R = Recovery outside target range
 P = PCDE Interference
 E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-002-0.0-0.15		
Lab Sample ID	10365390004		
Filename	F161020B_10		
Injected By	SMT		
Total Amount Extracted	15.1 g	Matrix	Solid
% Moisture	42.9	Dilution	NA
Dry Weight Extracted	8.62 g	Collected	10/05/2016 15:10
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 22:38

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.80	---	0.290	2,3,7,8-TCDF-13C	2.00	82
Total TCDF	5.40	---	0.290	2,3,7,8-TCDD-13C	2.00	94
				1,2,3,7,8-PeCDF-13C	2.00	78
2,3,7,8-TCDD	0.42	---	0.330 J	2,3,4,7,8-PeCDF-13C	2.00	71
Total TCDD	5.50	---	0.330	1,2,3,7,8-PeCDD-13C	2.00	79
				1,2,3,4,7,8-HxCDF-13C	2.00	88
1,2,3,7,8-PeCDF	0.46	---	0.270 J	1,2,3,6,7,8-HxCDF-13C	2.00	79
2,3,4,7,8-PeCDF	0.66	---	0.140 J	2,3,4,6,7,8-HxCDF-13C	2.00	89
Total PeCDF	10.00	---	0.200	1,2,3,7,8,9-HxCDF-13C	2.00	87
				1,2,3,4,7,8-HxCDD-13C	2.00	84
1,2,3,7,8-PeCDD	0.52	---	0.220 J	1,2,3,6,7,8-HxCDD-13C	2.00	67
Total PeCDD	10.00	---	0.220	1,2,3,4,6,7,8-HpCDF-13C	2.00	58
				1,2,3,4,7,8,9-HpCDF-13C	2.00	61
1,2,3,4,7,8-HxCDF	2.00	---	0.098 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	69
1,2,3,6,7,8-HxCDF	3.60	---	0.110 J	OCDD-13C	4.00	55
2,3,4,6,7,8-HxCDF	1.20	---	0.098 J			
1,2,3,7,8,9-HxCDF	0.59	---	0.130 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	81.00	---	0.110	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.55	---	0.061 J	2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,6,7,8-HxCDD	4.50	---	0.097 J			
1,2,3,7,8,9-HxCDD	1.50	---	0.078 J			
Total HxCDD	34.00	---	0.079			
1,2,3,4,6,7,8-HpCDF	110.00	---	0.160	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.60	---	0.310 J	Equivalence: 5.1 ng/Kg		
Total HpCDF	240.00	---	0.230	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	81.00	---	0.190			
Total HpCDD	180.00	---	0.190			
OCDF	91.00	---	0.310			
OCDD	1100.00	---	0.290			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-002-0.30-0.55		
Lab Sample ID	10365390005		
Filename	F161020B_11		
Injected By	SMT		
Total Amount Extracted	13.5 g	Matrix	Solid
% Moisture	54.1	Dilution	NA
Dry Weight Extracted	6.20 g	Collected	10/05/2016 15:15
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 23:27

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	40	---	0.98		2,3,7,8-TCDF-13C	2.00	82
Total TCDF	86	---	0.98		2,3,7,8-TCDD-13C	2.00	91
					1,2,3,7,8-PeCDF-13C	2.00	76
2,3,7,8-TCDD	19	---	0.55		2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	160	---	0.55		1,2,3,7,8-PeCDD-13C	2.00	73
					1,2,3,4,7,8-HxCDF-13C	2.00	73
1,2,3,7,8-PeCDF	---	84	0.75	P	1,2,3,6,7,8-HxCDF-13C	2.00	70
2,3,4,7,8-PeCDF	47	---	0.45		2,3,4,6,7,8-HxCDF-13C	2.00	79
Total PeCDF	880	---	0.60		1,2,3,7,8,9-HxCDF-13C	2.00	81
					1,2,3,4,7,8-HxCDD-13C	2.00	75
1,2,3,7,8-PeCDD	71	---	1.00		1,2,3,6,7,8-HxCDD-13C	2.00	55
Total PeCDD	490	---	1.00		1,2,3,4,6,7,8-HpCDF-13C	2.00	47
					1,2,3,4,7,8,9-HpCDF-13C	2.00	34 R
1,2,3,4,7,8-HxCDF	310	---	4.60		1,2,3,4,6,7,8-HpCDD-13C	2.00	55
1,2,3,6,7,8-HxCDF	1100	---	0.77		OCDD-13C	4.00	29 R
2,3,4,6,7,8-HxCDF	200	---	1.40				
1,2,3,7,8,9-HxCDF	96	---	1.30		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	14000	---	2.00	E	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	40	---	1.30		2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,6,7,8-HxCDD	330	---	1.30				
1,2,3,7,8,9-HxCDD	170	---	1.30				
Total HxCDD	2600	---	1.30				
1,2,3,4,6,7,8-HpCDF	28000	---	0.27	E	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	200	---	0.52		Equivalence: 680 ng/Kg		
Total HpCDF	55000	---	0.39	E	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	3900	---	0.27				
Total HpCDD	9000	---	0.27				
OCDF	15000	---	2.00				
OCDD	47000	---	0.80	E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
R = Recovery outside target range
P = PCDE Interference
E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-003-0.0-0.15		
Lab Sample ID	10365390006		
Filename	F161020B_12		
Injected By	SMT		
Total Amount Extracted	13.7 g	Matrix	Solid
% Moisture	39.9	Dilution	NA
Dry Weight Extracted	8.23 g	Collected	10/05/2016 15:30
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/21/2016 00:16

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.70	—	0.40		2,3,7,8-TCDF-13C	2.00	82
Total TCDF	4.60	—	0.40		2,3,7,8-TCDD-13C	2.00	94
					1,2,3,7,8-PeCDF-13C	2.00	77
2,3,7,8-TCDD	—	0.47	0.27	J	2,3,4,7,8-PeCDF-13C	2.00	69
Total TCDD	7.50	—	0.27		1,2,3,7,8-PeCDD-13C	2.00	77
					1,2,3,4,7,8-HxCDF-13C	2.00	88
1,2,3,7,8-PeCDF	0.74	—	0.13	J	1,2,3,6,7,8-HxCDF-13C	2.00	77
2,3,4,7,8-PeCDF	1.10	—	0.27	J	2,3,4,6,7,8-HxCDF-13C	2.00	87
Total PeCDF	15.00	—	0.20		1,2,3,7,8,9-HxCDF-13C	2.00	86
					1,2,3,4,7,8-HxCDD-13C	2.00	81
1,2,3,7,8-PeCDD	0.92	—	0.29	J	1,2,3,6,7,8-HxCDD-13C	2.00	64
Total PeCDD	14.00	—	0.29		1,2,3,4,6,7,8-HpCDF-13C	2.00	54
					1,2,3,4,7,8,9-HpCDF-13C	2.00	55
1,2,3,4,7,8-HxCDF	3.60	—	0.23	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	63
1,2,3,6,7,8-HxCDF	8.70	—	0.19		OCDD-13C	4.00	47
2,3,4,6,7,8-HxCDF	2.20	—	0.23	J			
1,2,3,7,8,9-HxCDF	1.20	—	0.23	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	170.00	—	0.22		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.79	—	0.17	J	2,3,7,8-TCDD-37Cl4	0.20	91
1,2,3,6,7,8-HxCDD	7.60	—	0.13				
1,2,3,7,8,9-HxCDD	3.20	—	0.11	J			
Total HxCDD	61.00	—	0.14				
1,2,3,4,6,7,8-HpCDF	240.00	—	0.17		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.40	—	0.27	J	Equivalence: 9.3 ng/Kg		
Total HpCDF	480.00	—	0.22		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	170.00	—	0.50				
Total HpCDD	370.00	—	0.50				
OCDF	110.00	—	0.39				
OCDD	1300.00	—	0.36				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-003-0.27-0.52		
Lab Sample ID	10365390007		
Filename	F161020B_13		
Injected By	SMT		
Total Amount Extracted	13.5 g	Matrix	Solid
% Moisture	40.0	Dilution	NA
Dry Weight Extracted	8.10 g	Collected	10/05/2016 15:35
ICAL ID	F161011	Received	10/07/2016 19:35
CCal Filename(s)	F161020A_12 & F161020B_17	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/21/2016 01:05

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	2.00	—	0.31	2,3,7,8-TCDF-13C	2.00	77
Total TCDF	6.00	—	0.31	2,3,7,8-TCDD-13C	2.00	88
				1,2,3,7,8-PeCDF-13C	2.00	73
2,3,7,8-TCDD	0.68	—	0.16 J	2,3,4,7,8-PeCDF-13C	2.00	66
Total TCDD	9.90	—	0.16	1,2,3,7,8-PeCDD-13C	2.00	72
				1,2,3,4,7,8-HxCDF-13C	2.00	82
1,2,3,7,8-PeCDF	0.81	—	0.35 J	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	1.40	—	0.20 J	2,3,4,6,7,8-HxCDF-13C	2.00	82
Total PeCDF	19.00	—	0.27	1,2,3,7,8,9-HxCDF-13C	2.00	80
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	1.20	—	0.32 J	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	14.00	—	0.32	1,2,3,4,6,7,8-HpCDF-13C	2.00	49
				1,2,3,4,7,8,9-HpCDF-13C	2.00	52
1,2,3,4,7,8-HxCDF	5.00	—	0.19 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	59
1,2,3,6,7,8-HxCDF	8.80	—	0.19	OCDD-13C	4.00	44
2,3,4,6,7,8-HxCDF	2.60	—	0.17 J			
1,2,3,7,8,9-HxCDF	0.98	—	0.18 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	200.00	—	0.18	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.78	0.30 IJ	2,3,7,8-TCDD-37Cl4	0.20	86
1,2,3,6,7,8-HxCDD	9.60	—	0.44			
1,2,3,7,8,9-HxCDD	3.90	—	0.18 J			
Total HxCDD	75.00	—	0.31			
1,2,3,4,6,7,8-HpCDF	280.00	—	0.40	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.40	—	0.42 J	Equivalence: 9.8 ng/Kg		
Total HpCDF	550.00	—	0.41	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	90.00	—	0.32			
Total HpCDD	210.00	—	0.32			
OCDF	130.00	—	0.51			
OCDD	1300.00	—	0.23			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52398	Matrix	Solid
Filename	F161019A_10	Dilution	NA
Total Amount Extracted	20.6 g	Extracted	10/17/2016 17:00
ICAL ID	F161011	Analyzed	10/19/2016 21:29
CCal Filename(s)	F161019A_03 & F161020A_02	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.049		2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	---	0.049		2,3,7,8-TCDD-13C	2.00	81
					1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	ND	---	0.060		2,3,4,7,8-PeCDF-13C	2.00	58
Total TCDD	ND	---	0.060		1,2,3,7,8-PeCDD-13C	2.00	64
					1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	ND	---	0.027		1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	---	0.036	0.026	I	2,3,4,6,7,8-HxCDF-13C	2.00	79
Total PeCDF	ND	---	0.027		1,2,3,7,8,9-HxCDF-13C	2.00	76
					1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	ND	---	0.032		1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	ND	---	0.032		1,2,3,4,6,7,8-HpCDF-13C	2.00	52
					1,2,3,4,7,8,9-HpCDF-13C	2.00	49
1,2,3,4,7,8-HxCDF	---	0.047	0.030	I	1,2,3,4,6,7,8-HpCDD-13C	2.00	58
1,2,3,6,7,8-HxCDF	ND	---	0.039		OCDD-13C	4.00	43
2,3,4,6,7,8-HxCDF	0.041	---	0.036	J			
1,2,3,7,8,9-HxCDF	ND	---	0.046		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	0.041	---	0.038	J	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.042		2,3,7,8-TCDD-37Cl4	0.20	73
1,2,3,6,7,8-HxCDD	ND	---	0.037				
1,2,3,7,8,9-HxCDD	ND	---	0.048				
Total HxCDD	ND	---	0.042				
1,2,3,4,6,7,8-HpCDF	0.058	---	0.049	J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.066		Equivalence: 0.020 ng/Kg		
Total HpCDF	0.058	---	0.057	J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	ND	---	0.053				
Total HpCDD	ND	---	0.053				
OCDF	ND	---	0.120				
OCDD	0.210	---	0.160	J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52399	Matrix	Solid
Filename	F161019A_05	Dilution	NA
Total Amount Extracted	20.2 g	Extracted	10/17/2016 17:00
ICAL ID	F161011	Analyzed	10/19/2016 17:26
CCal Filename(s)	F161019A_03 & F161020A_02	Injected By	SMT
Method Blank ID	BLANK-52398		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.25	124	2,3,7,8-TCDF-13C	2.0	74
Total TCDF				2,3,7,8-TCDD-13C	2.0	87
				1,2,3,7,8-PeCDF-13C	2.0	71
2,3,7,8-TCDD	0.20	0.18	89	2,3,4,7,8-PeCDF-13C	2.0	63
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	71
				1,2,3,4,7,8-HxCDF-13C	2.0	80
1,2,3,7,8-PeCDF	1.0	1.2	118	1,2,3,6,7,8-HxCDF-13C	2.0	85
2,3,4,7,8-PeCDF	1.0	1.3	128	2,3,4,6,7,8-HxCDF-13C	2.0	83
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	79
				1,2,3,4,7,8-HxCDD-13C	2.0	75
1,2,3,7,8-PeCDD	1.0	0.99	99	1,2,3,6,7,8-HxCDD-13C	2.0	67
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	58
				1,2,3,4,7,8,9-HpCDF-13C	2.0	52
1,2,3,4,7,8-HxCDF	1.0	1.3	130	1,2,3,4,6,7,8-HpCDD-13C	2.0	64
1,2,3,6,7,8-HxCDF	1.0	1.2	117	OCDD-13C	4.0	45
2,3,4,6,7,8-HxCDF	1.0	1.2	118			
1,2,3,7,8,9-HxCDF	1.0	1.2	118	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.2	123	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,6,7,8-HxCDD	1.0	1.2	119			
1,2,3,7,8,9-HxCDD	1.0	1.1	112			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.1	106			
1,2,3,4,7,8,9-HpCDF	1.0	1.0	104			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.94	94			
Total HpCDD						
OCDF	2.0	2.3	114			
OCDD	2.0	2.2	108			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-002-0.30-0.55-MS		
Lab Sample ID	10365390005-MS		
Filename	Y161022A_04	Matrix	Solid
Total Amount Extracted	13.5 g	Dilution	10
ICAL ID	Y160816A	Extracted	10/17/2016 17:00
CCal Filename(s)	Y161022A_02 & Y161022A_15	Analyzed	10/22/2016 13:23
Method Blank ID	BLANK-52398	Injected By	BAL

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.38	188 D	2,3,7,8-TCDF-13C	2.00	75 D
				2,3,7,8-TCDD-13C	2.00	91 D
				1,2,3,7,8-PeCDF-13C	2.00	63 D
2,3,7,8-TCDD	0.20	0.33	165 D	2,3,4,7,8-PeCDF-13C	2.00	54 D
				1,2,3,7,8-PeCDD-13C	2.00	70 D
				1,2,3,4,7,8-HxCDF-13C	2.00	65 D
1,2,3,7,8-PeCDF	1.00	1.56	156 D	1,2,3,6,7,8-HxCDF-13C	2.00	74 D
2,3,4,7,8-PeCDF	1.00	1.55	155 D	2,3,4,6,7,8-HxCDF-13C	2.00	67 D
				1,2,3,7,8,9-HxCDF-13C	2.00	74 D
				1,2,3,4,7,8-HxCDD-13C	2.00	76 D
1,2,3,7,8-PeCDD	1.00	1.56	156 D	1,2,3,6,7,8-HxCDD-13C	2.00	66 D
				1,2,3,4,6,7,8-HpCDF-13C	2.00	81 D
				1,2,3,4,7,8,9-HpCDF-13C	2.00	76 D
1,2,3,4,7,8-HxCDF	1.00	2.88	288 D	1,2,3,4,6,7,8-HpCDD-13C	2.00	97 D
1,2,3,6,7,8-HxCDF	1.00	6.84	684 D	OCDD-13C	4.00	84 D
2,3,4,6,7,8-HxCDF	1.00	2.30	230 D			
1,2,3,7,8,9-HxCDF	1.00	1.50	150 D	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	1.27	127 D	2,3,7,8-TCDD-37Cl4	0.20	86 D
1,2,3,6,7,8-HxCDD	1.00	3.27	327 D			
1,2,3,7,8,9-HxCDD	1.00	2.26	226 D			
1,2,3,4,6,7,8-HpCDF	1.00	150.01	15001 D			
1,2,3,4,7,8,9-HpCDF	1.00	2.41	241 D			
1,2,3,4,6,7,8-HpCDD	1.00	29.13	2913 D			
OCDF	2.00	71.10	3555 D			
OCDD	2.00	282.99	14150 D			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

D = Result obtained from analysis of diluted sample

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-002-0.30-0.55-MSD		
Lab Sample ID	10365390005-MSD		
Filename	Y161022A_05	Matrix	Solid
Total Amount Extracted	13.5 g	Dilution	10
ICAL ID	Y160816A	Extracted	10/17/2016 17:00
CCal Filename(s)	Y161022A_02 & Y161022A_15	Analyzed	10/22/2016 14:04
Method Blank ID	BLANK-52398	Injected By	BAL

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.46	232 D	2,3,7,8-TCDF-13C	2.00	66 D
				2,3,7,8-TCDD-13C	2.00	82 D
				1,2,3,7,8-PeCDF-13C	2.00	54 D
2,3,7,8-TCDD	0.20	0.27	136 D	2,3,4,7,8-PeCDF-13C	2.00	49 D
				1,2,3,7,8-PeCDD-13C	2.00	60 D
				1,2,3,4,7,8-HxCDF-13C	2.00	73 D
1,2,3,7,8-PeCDF	1.00	1.59	159 D	1,2,3,6,7,8-HxCDF-13C	2.00	64 D
2,3,4,7,8-PeCDF	1.00	1.53	153 D	2,3,4,6,7,8-HxCDF-13C	2.00	66 D
				1,2,3,7,8,9-HxCDF-13C	2.00	69 D
				1,2,3,4,7,8-HxCDD-13C	2.00	72 D
1,2,3,7,8-PeCDD	1.00	1.56	156 D	1,2,3,6,7,8-HxCDD-13C	2.00	59 D
				1,2,3,4,6,7,8-HpCDF-13C	2.00	70 D
				1,2,3,4,7,8,9-HpCDF-13C	2.00	73 D
1,2,3,4,7,8-HxCDF	1.00	2.85	285 D	1,2,3,4,6,7,8-HpCDD-13C	2.00	84 D
1,2,3,6,7,8-HxCDF	1.00	7.58	758 D	OCDD-13C	4.00	79 D
2,3,4,6,7,8-HxCDF	1.00	2.38	238 D			
1,2,3,7,8,9-HxCDF	1.00	1.57	157 D	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	1.40	140 D	2,3,7,8-TCDD-37Cl4	0.20	80 D
1,2,3,6,7,8-HxCDD	1.00	3.27	327 D			
1,2,3,7,8,9-HxCDD	1.00	2.39	239 D			
1,2,3,4,6,7,8-HpCDF	1.00	187.07	18707 D			
1,2,3,4,7,8,9-HpCDF	1.00	2.51	251 D			
1,2,3,4,6,7,8-HpCDD	1.00	27.96	2796 D			
OCDF	2.00	84.77	4239 D			
OCDD	2.00	255.65	12783 D			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

D = Result obtained from analysis of diluted sample

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spike Sample Results

Client - Bay West, Inc.

Client Sample ID	BW16TR-002-0.30-0.55	Sample Filename	F161020B_11	Dry Weights	
Lab Sample ID	10365390005	MS Filename	Y161022A_04	Sample Amount	6.20 g
MS ID	10365390005-MS	MSD Filename	Y161022A_05	MS Amount	6.2 g
MSD ID	10365390005-MSD			MSD Amount	6.2 g

Analyte	Sample Conc. ng/Kg	MS/MSD Qs (ng)	MS Qm (ng)	MSD Qm (ng)	RPD	Background Subtracted		
						MS % Rec.	MSD % Rec.	RPD
2,3,7,8-TCDF	39.853	0.20	0.38	0.46	21.1	64	109	51.2
2,3,7,8-TCDD	18.918	0.20	0.33	0.27	19.5	106	77	31.9
1,2,3,7,8-PeCDF	0.000	1.00	1.56	1.59	1.5	104	107	2.2
2,3,4,7,8-PeCDF	46.984	1.00	1.55	1.53	1.6	126	124	2.0
1,2,3,7,8-PeCDD	71.014	1.00	1.56	1.56	0.1	112	112	0.2
1,2,3,4,7,8-HxCDF	311.337	1.00	2.88	2.85	1.0	95	92	3.2
1,2,3,6,7,8-HxCDF	1060.957	1.00	6.84	7.58	10.4	26	101	117.4
2,3,4,6,7,8-HxCDF	200.199	1.00	2.30	2.38	3.4	106	114	7.3
1,2,3,7,8,9-HxCDF	96.088	1.00	1.50	1.57	4.2	90	97	6.9
1,2,3,4,7,8-HxCDD	40.310	1.00	1.27	1.40	9.6	102	115	11.8
1,2,3,6,7,8-HxCDD	334.656	1.00	3.27	3.27	0.0	119	119	0.1
1,2,3,7,8,9-HxCDD	172.069	1.00	2.26	2.39	5.4	119	132	10.0
1,2,3,4,6,7,8-HpCDF	28403.836	1.00	150.01	187.07	22.0	0	1107	200.0
1,2,3,4,7,8,9-HpCDF	197.194	1.00	2.41	2.51	4.2	119	129	8.4
1,2,3,4,6,7,8-HpCDD	3927.122	1.00	29.13	27.96	4.1	480	362	27.9
OCDF	15071.536	2.00	71.10	84.77	17.5	0	0	0.0
OCDD	46570.371	2.00	282.99	255.65	10.2	0	0	0.0

Definitions

MS = Matrix Spike	CDD = Chlorinated dibenzo-p-dioxin
MSD = Matrix Spike Duplicate	CDF = Chlorinated dibenzo-p-furan
Qm = Quantity Measured	T = Tetra
Qs = Quantity Spiked	Pe = Penta
% Rec. = Percent Recovery	Hx = Hexa
RPD = Relative Percent Difference	Hp = Hepta
NA = Not Applicable	O = Octa
NC = Not Calculated	



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365385
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/24/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The response obtained for the native OCDF in calibration standard analysis U161017A_08 was outside the target

					range. As specified in Pace procedures, the average of the daily response factors for this compound was used in the calculations for the samples from this runshift. The affected values were flagged "Y" on the results tables. No data were qualified.
--	--	--	--	--	--

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Low-level concentrations of 1,2,3,4,6,7,8-HpCDF, Total HpCDF, 1,2,3,4,6,7,8-HpCDD, Total HpCDD, and OCDD were detected in the method blank 52337.
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All sample results were > 10x the blank concentrations.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dioxins/furans have internal standards instead of surrogates.
b.	Are the lab recovery limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is a Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i.	If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii.	Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
iii.	Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i.	Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	MS/MSD analysis was performed on sample BW16TR-006-0.0-0.15.
ii.	If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
iii.	Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
iv.	Are the lab limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
v.	Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
vi.	Are there compounds outside the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Background-subtracted recoveries for 1,2,3,4,6,7,8-HpCDF and OCDD in the matrix spike and/or matrix spike duplicate were above the 70-130% target range.
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	MS/MSD RPDs were reviewed for precision.
i.	Is the RPD for the duplicate pair within the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The RPD for 1,2,3,4,6,7,8-HpCDF was above the 20% target upper limit.
ii.	If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Results for 1,2,3,4,6,7,8-HpCDF and OCDD were qualified "J" as estimated in sample BW16TR-006-0.0-0.15.

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

(1) Samples BW16TR-005-0.23-0.48 and BW16TR-105-0.23-0.48 were collected as blind field duplicates. All RPDs were within the QC guideline of $\leq 50\%$ except for the following. RPDs for 2,3,7,8-TCDF (95.6%), Total TCDF (69.5%), 2,3,7,8-TCDD (79.1%), 2,3,4,7,8-PeCDF (61.8%), 1,2,3,7,8-PeCDD (69.3%), 1,2,3,4,7,8-HxCDF (53.2%), 1,2,3,6,7,8-HxCDF (54.8%), 2,3,4,6,7,8-HxCDF (64.3%), 1,2,3,7,8,9-HxCDF (76.4%), Total HxCDF (84.4%), 1,2,3,4,7,8-HxCDD (75.9%), 1,2,3,6,7,8-HxCDD (74.0%), 1,2,3,7,8,9-HxCDD (56.2%), Total HxCDD (77.2%), 1,2,3,4,6,7,8-HpCDF (95.6%), 1,2,3,4,7,8,9-HpCDF (90.9%), Total HpCDF (88.0%), 1,2,3,4,6,7,8-HpCDD (104%), Total HpCDD (107%), OCDF (101%), and OCDD (123%) were high and were $> 50\%$. Results for 2,3,7,8-TCDF, Total TCDF, 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF, 1,2,3,7,8-PeCDD, 1,2,3,4,7,8-HxCDF, 1,2,3,6,7,8-HxCDF, 2,3,4,6,7,8-HxCDF, 1,2,3,7,8,9-HxCDF, Total HxCDF, 1,2,3,4,7,8-HxCDD, 1,2,3,6,7,8-HxCDD, 1,2,3,7,8,9-HxCDD, Total HxCDD, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, Total HpCDF, 1,2,3,4,6,7,8-HpCDD, Total HpCDD, OCDF, and OCDD were qualified "J" as estimated in samples BW16TR-005-0.23-0.48 and BW16TR-105-0.23-0.48.

Sample BW16TR-007-0.26-0.51 and BW16TR-107-0.26-0.51 were collected as blind field duplicates. All RPDs were within the QC guideline of $\leq 50\%$ except for the following. RPDs for 1,2,3,7,8-PeCDF (61.3%), 1,2,3,6,7,8-HxCDF (75.9%), 1,2,3,4,6,7,8-HpCDF (57.6%), OCDF (58.1%), and OCDD (108%). Results for 1,2,3,7,8-PeCDF, 1,2,3,6,7,8-HxCDF, 1,2,3,4,6,7,8-HpCDF, OCDF, and OCDD were qualified "J" as estimated in samples BW16TR-007-0.26-0.51 and BW16TR-107-0.26-0.51.

- (2) Interfering substances impacted the determinations of PCDD or PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained. All results flagged "I" were qualified "J" as estimated by the reviewer. Concentrations below the calibration range were flagged "J" as estimated by the laboratory.
- (3) Level II reports were reviewed, so calibrations and raw data were not reviewed.

Report Prepared for:

Nancy McDonald
Bay West, Inc.
5 Empire Drive
Saint Paul MN 55103

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**

Report Prepared Date:

October 24, 2016

Report Information:

Pace Project #: 10365385
Sample Receipt Date: 10/07/2016
Client Project #: J160139 SLR Sediment AOC
Client Sub PO #: 108002
State Cert #: 027-053-137

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Carolynne Trout, your Pace Project Manager.

This report has been reviewed by:



October 24, 2016

Carolynne Trout, Project Manager
(612) 607-6351
(612) 607-6444 (fax)
Carolynne.Trout@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



DISCUSSION

This report presents the results from the analyses performed on twelve samples submitted by a representative of BayWest, Inc. The samples were analyzed for the presence or absence of polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The reporting limits were based on signal-to-noise measurements. Estimated Maximum Possible Concentration (EMPC) values were treated as positives in the toxic equivalence calculations.

Second column confirmation analyses of 2,3,7,8-TCDF values obtained from the primary (DB5-MS) column are performed only when specifically requested for a project and only when the values are above the concentration of the lowest calibration standard. Typical resolution for this isomer using the DB5-MS column ranges from 25-30%.

The recoveries of the isotopically-labeled PCDD/PCDF internal standards in the sample extracts ranged from 47-96%. All of the labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Also, since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for variation in recovery and accurate values were obtained.

In some cases, interfering substances impacted the determinations of PCDD or PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained. Concentrations below the calibration range were flagged "J" and should be regarded as estimates.

A laboratory method blank was prepared and analyzed with the sample batch as part of our routine quality control procedures. The results show the blank to contain trace levels of selected congeners. These levels were below the calibration range of the method. The levels reported for the affected congeners in the field samples were higher than the corresponding blank levels by one or more orders of magnitude. These results indicate that the sample processing steps did not contribute significantly to the levels reported for the field samples.

Laboratory and matrix spike samples were also prepared with the sample batch using clean reference matrix or sample matrix that had been fortified with native standard materials. The results show that the spiked native compounds were generally recovered at 76-127% with relative percent differences (RPDs) generally from 0.1-8.0%. The background-subtracted recovery values obtained for 1,2,3,4,6,7,8-HpCDF and OCDD in the matrix spike and/or matrix spike duplicate were above the 70-130% target range. Also, the RPD value obtained for 1,2,3,4,6,7,8-HpCDF was above the 20% target upper limit. These deviations may be due to the levels of the affected congeners in the sample material and/or sample inhomogeneity.

The response obtained for the native OCDF in calibration standard analysis U161017A_08 was outside the target range. As specified in our procedures, the average of the daily response factors for this compound was used in the calculations for the samples from this runshift. The affected values were flagged "Y" on the results tables.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Montana	92
Alaska	MN00064	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN_00064_200
Arkansas	88-0680	New Jersey (NE)	MN002
California	01155CA	New York (NEL)	11647
Colorado	MN00064	North Carolina	27700
Connecticut	PH-0256	North Dakota	R-036
EPA Region 8	8TMS-Q	Ohio	4150
Florida (NELAP)	E87605	Oklahoma	D9922
Georgia (DNR)	959	Oregon (ELAP)	MN200001-005
Guam	959	Oregon (OREL)	MN300001-001
Hawaii	SLD	Pennsylvania	68-00563
Idaho	MN00064	Puerto Rico	MN00064
Illinois	200012	Saipan	MP0003
Indiana	C-MN-01	South Carolina	74003001
Indiana	C-MN-01	Tennessee	TN02818
Iowa	368	Texas	T104704192-08
Kansas	E-10167	Utah (NELAP)	MN00064
Kentucky	90062	Virginia	00251
Louisiana	03086	Washington	C755
Maine	2007029	West Virginia #	9952C
Maryland	322	West Virginia D	382
Michigan	9909	Wisconsin	999407970
Minnesota	027-053-137	Wyoming	8TMS-Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

Report No.....10365385

Appendix A

Sample Management

Sample Condition Upon Receipt

Client Name: Bay West, LLC **Project #:** _____

WO# : 10365385



Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeedDee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No **Seals Intact?** Yes No **Optional:** Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ **Temp Blank?** Yes No

Thermometer 151401163 B88A912167504 **Type of Ice:** Wet Blue None Samples on ice, cooling process has begun
Used: 151401164 B88A0143310098

Cooler Temp Read (°C): 5.0, 2.5, 3.0 **Cooler Temp Corrected (°C):** 4.9, 2.4, 2.9 **Biological Tissue Frozen?** Yes No N/A
Temp should be above freezing to 6°C **Correction Factor:** -0.1 **Date and Initials of Person Examining Contents:** JDD 10-7-16

USDA Regulated Soil (N/A, water sample)
Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ **Date/Time:** _____ **Field Data Required?** Yes No
Comments/Resolution: _____

Project Manager Review: Carolynne Hunt

Date: 10/24/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Reporting Flags

- A = Reporting Limit based on signal to noise
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interference present
- J = Estimated value
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....10365385

Report No.....10365385_8290

Page 7 of 25

Appendix B

Sample Analysis Summary

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-004-0.0-0.15		
Lab Sample ID	10365385001		
Filename	U161013A_11		
Injected By	BAL		
Total Amount Extracted	14.9 g	Matrix	Solid
% Moisture	36.5	Dilution	NA
Dry Weight Extracted	9.46 g	Collected	10/07/2016 10:40
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_03 & U161013A_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 18:04

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.61	—	0.200	J	2,3,7,8-TCDF-13C	2.00	63
Total TCDF	1.60	—	0.360		2,3,7,8-TCDD-13C	2.00	88
					1,2,3,7,8-PeCDF-13C	2.00	73
2,3,7,8-TCDD	ND	—	0.190		2,3,4,7,8-PeCDF-13C	2.00	66
Total TCDD	2.00	—	0.420		1,2,3,7,8-PeCDD-13C	2.00	89
					1,2,3,4,7,8-HxCDF-13C	2.00	70
1,2,3,7,8-PeCDF	—	0.26	0.190	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	63
2,3,4,7,8-PeCDF	0.54	—	0.140	J	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	6.60	—	0.220		1,2,3,7,8,9-HxCDF-13C	2.00	60
					1,2,3,4,7,8-HxCDD-13C	2.00	77
1,2,3,7,8-PeCDD	0.26	—	0.190	J	1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	5.90	—	0.300		1,2,3,4,6,7,8-HpCDF-13C	2.00	64
					1,2,3,4,7,8,9-HpCDF-13C	2.00	66
1,2,3,4,7,8-HxCDF	1.40	—	0.130	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	83
1,2,3,6,7,8-HxCDF	3.00	—	0.220	J	OCDD-13C	4.00	56
2,3,4,6,7,8-HxCDF	0.96	—	0.120	J			
1,2,3,7,8,9-HxCDF	—	0.40	0.130	IJ	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	67.00	—	0.200		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.42	—	0.150	J	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	2.10	—	0.180	J			
1,2,3,7,8,9-HxCDD	0.90	—	0.190	J			
Total HxCDD	21.00	—	0.210				
1,2,3,4,6,7,8-HpCDF	100.00	—	0.220		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	—	0.85	0.280	IJ	Equivalence: 3.0 ng/Kg		
Total HpCDF	190.00	—	0.320		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	38.00	—	0.086				
Total HpCDD	82.00	—	0.230				
OCDF	39.00	—	0.250				
OCDD	450.00	—	0.310				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-004-0.21-0.46		
Lab Sample ID	10365385002		
Filename	U161013A_12		
Injected By	BAL		
Total Amount Extracted	14.7 g	Matrix	Solid
% Moisture	39.8	Dilution	NA
Dry Weight Extracted	8.85 g	Collected	10/07/2016 10:45
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_03 & U161013A_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 18:51

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	5.60	—	0.17	2,3,7,8-TCDF-13C	2.00	66
Total TCDF	18.00	—	0.17	2,3,7,8-TCDD-13C	2.00	91
				1,2,3,7,8-PeCDF-13C	2.00	75
2,3,7,8-TCDD	1.20	—	0.16	2,3,4,7,8-PeCDF-13C	2.00	65
Total TCDD	7.90	—	0.16	1,2,3,7,8-PeCDD-13C	2.00	92
				1,2,3,4,7,8-HxCDF-13C	2.00	70
1,2,3,7,8-PeCDF	0.54	—	0.31 J	1,2,3,6,7,8-HxCDF-13C	2.00	56
2,3,4,7,8-PeCDF	—	0.85	0.16 I	2,3,4,6,7,8-HxCDF-13C	2.00	65
Total PeCDF	11.00	—	0.23	1,2,3,7,8,9-HxCDF-13C	2.00	63
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	0.62	—	0.19 J	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	12.00	—	0.19	1,2,3,4,6,7,8-HpCDF-13C	2.00	62
				1,2,3,4,7,8,9-HpCDF-13C	2.00	64
1,2,3,4,7,8-HxCDF	2.60	—	0.21 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	83
1,2,3,6,7,8-HxCDF	3.20	—	0.17 J	OCDD-13C	4.00	58
2,3,4,6,7,8-HxCDF	1.70	—	0.15 J			
1,2,3,7,8,9-HxCDF	0.74	—	0.22 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	96.00	—	0.19	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	—	0.11 J	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,6,7,8-HxCDD	13.00	—	0.11			
1,2,3,7,8,9-HxCDD	3.30	—	0.14 J			
Total HxCDD	88.00	—	0.12			
1,2,3,4,6,7,8-HpCDF	110.00	—	0.22	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	3.90	—	0.29 J	Equivalence: 12 ng/Kg		
Total HpCDF	350.00	—	0.26	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	370.00	—	0.53			
Total HpCDD	740.00	—	0.53			
OCDF	200.00	—	0.26			
OCDD	4400.00	—	0.21			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-005-0.0-0.15		
Lab Sample ID	10365385003		
Filename	U161013B_02		
Injected By	BAL		
Total Amount Extracted	15.6 g	Matrix	Solid
% Moisture	51.3	Dilution	NA
Dry Weight Extracted	7.60 g	Collected	10/07/2016 11:00
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 21:59

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	2.10	—	0.10	2,3,7,8-TCDF-13C	2.00	63
Total TCDF	9.80	—	0.10	2,3,7,8-TCDD-13C	2.00	87
				1,2,3,7,8-PeCDF-13C	2.00	72
2,3,7,8-TCDD	0.56	—	0.11 J	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	8.40	—	0.11	1,2,3,7,8-PeCDD-13C	2.00	91
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	0.86	—	0.11 J	1,2,3,6,7,8-HxCDF-13C	2.00	62
2,3,4,7,8-PeCDF	1.60	—	0.13 J	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	22.00	—	0.12	1,2,3,7,8,9-HxCDF-13C	2.00	60
				1,2,3,4,7,8-HxCDD-13C	2.00	77
1,2,3,7,8-PeCDD	—	0.90	0.11 I	1,2,3,6,7,8-HxCDD-13C	2.00	61
Total PeCDD	16.00	—	0.11	1,2,3,4,6,7,8-HpCDF-13C	2.00	63
				1,2,3,4,7,8,9-HpCDF-13C	2.00	60
1,2,3,4,7,8-HxCDF	5.00	—	0.16 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	81
1,2,3,6,7,8-HxCDF	11.00	—	0.15	OCDD-13C	4.00	54
2,3,4,6,7,8-HxCDF	2.90	—	0.14 J			
1,2,3,7,8,9-HxCDF	1.50	—	0.14 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	270.00	—	0.15	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.87	—	0.15 J	2,3,7,8-TCDD-37Cl4	0.20	76
1,2,3,6,7,8-HxCDD	9.10	—	0.22			
1,2,3,7,8,9-HxCDD	3.70	—	0.25 J			
Total HxCDD	79.00	—	0.21			
1,2,3,4,6,7,8-HpCDF	470.00	—	0.59	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	3.60	—	0.48 J	Equivalence: 12 ng/Kg		
Total HpCDF	890.00	—	0.53	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	150.00	—	0.19			
Total HpCDD	310.00	—	0.19			
OCDF	170.00	—	0.29			
OCDD	1600.00	—	0.34			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-005-0.23-0.48		
Lab Sample ID	10365385004		
Filename	U161013B_03		
Injected By	BAL		
Total Amount Extracted	15.8 g	Matrix	Solid
% Moisture	44.1	Dilution	NA
Dry Weight Extracted	8.83 g	Collected	10/07/2016 11:05
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 22:46

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.80	—	0.160		2,3,7,8-TCDF-13C	2.00	62
Total TCDF	9.20	—	0.160		2,3,7,8-TCDD-13C	2.00	84
					1,2,3,7,8-PeCDF-13C	2.00	69
2,3,7,8-TCDD	—	0.52	0.110	I	2,3,4,7,8-PeCDF-13C	2.00	64
Total TCDD	8.30	—	0.110		1,2,3,7,8-PeCDD-13C	2.00	87
					1,2,3,4,7,8-HxCDF-13C	2.00	68
1,2,3,7,8-PeCDF	0.67	—	0.150	J	1,2,3,6,7,8-HxCDF-13C	2.00	63
2,3,4,7,8-PeCDF	0.95	—	0.075	J	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	16.00	—	0.110		1,2,3,7,8,9-HxCDF-13C	2.00	59
					1,2,3,4,7,8-HxCDD-13C	2.00	75
1,2,3,7,8-PeCDD	0.77	—	0.110	J	1,2,3,6,7,8-HxCDD-13C	2.00	57
Total PeCDD	15.00	—	0.110		1,2,3,4,6,7,8-HpCDF-13C	2.00	61
					1,2,3,4,7,8,9-HpCDF-13C	2.00	61
1,2,3,4,7,8-HxCDF	2.90	—	0.140	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	5.70	—	0.170		OCDD-13C	4.00	51
2,3,4,6,7,8-HxCDF	1.90	—	0.110	J			
1,2,3,7,8,9-HxCDF	0.85	—	0.150	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	130.00	—	0.140		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.63	0.130	I	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	6.90	—	0.150				
1,2,3,7,8,9-HxCDD	3.20	—	0.170	J			
Total HxCDD	62.00	—	0.150				
1,2,3,4,6,7,8-HpCDF	180.00	—	0.210		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.10	—	0.340	J	Equivalence: 7.3 ng/Kg		
Total HpCDF	360.00	—	0.280		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	110.00	—	0.160				
Total HpCDD	230.00	—	0.160				
OCDF	76.00	—	0.310				
OCDD	1100.00	—	0.260				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-105-0.23-0.48		
Lab Sample ID	10365385005		
Filename	U161013B_04		
Injected By	BAL		
Total Amount Extracted	15.3 g	Matrix	Solid
% Moisture	42.1	Dilution	NA
Dry Weight Extracted	8.86 g	Collected	10/07/2016 11:10
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 23:32

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	5.1	—	0.12	2,3,7,8-TCDF-13C	2.00	61
Total TCDF	19.0	—	0.12	2,3,7,8-TCDD-13C	2.00	85
				1,2,3,7,8-PeCDF-13C	2.00	67
2,3,7,8-TCDD	1.2	—	0.12	2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	12.0	—	0.12	1,2,3,7,8-PeCDD-13C	2.00	84
				1,2,3,4,7,8-HxCDF-13C	2.00	71
1,2,3,7,8-PeCDF	1.1	—	0.29 J	1,2,3,6,7,8-HxCDF-13C	2.00	63
2,3,4,7,8-PeCDF	1.8	—	0.14 J	2,3,4,6,7,8-HxCDF-13C	2.00	66
Total PeCDF	24.0	—	0.22	1,2,3,7,8,9-HxCDF-13C	2.00	57
				1,2,3,4,7,8-HxCDD-13C	2.00	71
1,2,3,7,8-PeCDD	1.5	—	0.14 J	1,2,3,6,7,8-HxCDD-13C	2.00	61
Total PeCDD	21.0	—	0.14	1,2,3,4,6,7,8-HpCDF-13C	2.00	58
				1,2,3,4,7,8,9-HpCDF-13C	2.00	57
1,2,3,4,7,8-HxCDF	5.0	—	0.24 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	76
1,2,3,6,7,8-HxCDF	10.0	—	0.16	OCDD-13C	4.00	50
2,3,4,6,7,8-HxCDF	3.7	—	0.16 J			
1,2,3,7,8,9-HxCDF	1.9	—	0.15 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	320.0	—	0.18	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.4	—	0.26 J	2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,6,7,8-HxCDD	15.0	—	0.13			
1,2,3,7,8,9-HxCDD	5.7	—	0.20			
Total HxCDD	140.0	—	0.20			
1,2,3,4,6,7,8-HpCDF	510.0	—	0.38	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	5.6	—	0.51 J	Equivalence: 18 ng/Kg		
Total HpCDF	1100.0	—	0.45	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	350.0	—	0.17			
Total HpCDD	760.0	—	0.17			
OCDF	330.0	—	0.36			
OCDD	4600.0	—	0.32			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-006-0.0-0.15		
Lab Sample ID	10365385006		
Filename	U161013B_05		
Injected By	BAL		
Total Amount Extracted	15.1 g	Matrix	Solid
% Moisture	39.2	Dilution	NA
Dry Weight Extracted	9.18 g	Collected	10/07/2016 11:30
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 00:19

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	2.10	—	0.098	2,3,7,8-TCDF-13C	2.00	63
Total TCDF	6.00	—	0.098	2,3,7,8-TCDD-13C	2.00	88
				1,2,3,7,8-PeCDF-13C	2.00	73
2,3,7,8-TCDD	0.47	—	0.100 J	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	6.50	—	0.100	1,2,3,7,8-PeCDD-13C	2.00	90
				1,2,3,4,7,8-HxCDF-13C	2.00	72
1,2,3,7,8-PeCDF	0.44	—	0.090 J	1,2,3,6,7,8-HxCDF-13C	2.00	65
2,3,4,7,8-PeCDF	0.77	—	0.100 J	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	12.00	—	0.095	1,2,3,7,8,9-HxCDF-13C	2.00	61
				1,2,3,4,7,8-HxCDD-13C	2.00	77
1,2,3,7,8-PeCDD	—	0.55	0.110 IJ	1,2,3,6,7,8-HxCDD-13C	2.00	53
Total PeCDD	8.00	—	0.110	1,2,3,4,6,7,8-HpCDF-13C	2.00	64
				1,2,3,4,7,8,9-HpCDF-13C	2.00	64
1,2,3,4,7,8-HxCDF	1.90	—	0.110 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	82
1,2,3,6,7,8-HxCDF	3.80	—	0.120 J	OCDD-13C	4.00	57
2,3,4,6,7,8-HxCDF	1.40	—	0.110 J			
1,2,3,7,8,9-HxCDF	—	0.53	0.110 IJ	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	87.00	—	0.110	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.72	—	0.170 J	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,6,7,8-HxCDD	6.30	—	0.230			
1,2,3,7,8,9-HxCDD	2.70	—	0.200 J			
Total HxCDD	55.00	—	0.200			
1,2,3,4,6,7,8-HpCDF	130.00	—	0.310	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.30	—	0.290 J	Equivalence: 6.3 ng/Kg		
Total HpCDF	280.00	—	0.300	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	130.00	—	0.160			
Total HpCDD	260.00	—	0.160			
OCDF	100.00	—	0.200			
OCDD	1400.00	—	0.220			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-006-0.15-0.28		
Lab Sample ID	10365385007		
Filename	U161013B_06		
Injected By	BAL		
Total Amount Extracted	14.9 g	Matrix	Solid
% Moisture	46.3	Dilution	NA
Dry Weight Extracted	8.00 g	Collected	10/07/2016 11:35
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 01:06

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	11.0	—	0.18	2,3,7,8-TCDF-13C	2.00	66
Total TCDF	34.0	—	0.18	2,3,7,8-TCDD-13C	2.00	91
				1,2,3,7,8-PeCDF-13C	2.00	74
2,3,7,8-TCDD	2.2	—	0.19	2,3,4,7,8-PeCDF-13C	2.00	68
Total TCDD	20.0	—	0.19	1,2,3,7,8-PeCDD-13C	2.00	93
				1,2,3,4,7,8-HxCDF-13C	2.00	78
1,2,3,7,8-PeCDF	1.4	—	0.19 J	1,2,3,6,7,8-HxCDF-13C	2.00	66
2,3,4,7,8-PeCDF	2.1	—	0.17 J	2,3,4,6,7,8-HxCDF-13C	2.00	72
Total PeCDF	34.0	—	0.18	1,2,3,7,8,9-HxCDF-13C	2.00	61
				1,2,3,4,7,8-HxCDD-13C	2.00	81
1,2,3,7,8-PeCDD	2.1	—	0.26 J	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	31.0	—	0.26	1,2,3,4,6,7,8-HpCDF-13C	2.00	59
				1,2,3,4,7,8,9-HpCDF-13C	2.00	61
1,2,3,4,7,8-HxCDF	5.5	—	0.18 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	83
1,2,3,6,7,8-HxCDF	12.0	—	0.21	OCDD-13C	4.00	55
2,3,4,6,7,8-HxCDF	4.5	—	0.17 J			
1,2,3,7,8,9-HxCDF	1.8	—	0.28 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	270.0	—	0.21	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	2.1	0.14 I	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,6,7,8-HxCDD	23.0	—	0.29			
1,2,3,7,8,9-HxCDD	9.1	—	0.28			
Total HxCDD	200.0	—	0.24			
1,2,3,4,6,7,8-HpCDF	340.0	—	0.49	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	6.2	—	0.60 J	Equivalence: 22 ng/Kg		
Total HpCDF	810.0	—	0.55	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	470.0	—	0.31			
Total HpCDD	980.0	—	0.31			
OCDF	250.0	—	0.32			
OCDD	5700.0	—	0.26			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-007-0.0-0.15		
Lab Sample ID	10365385008		
Filename	U161013B_07		
Injected By	BAL		
Total Amount Extracted	15.8 g	Matrix	Solid
% Moisture	50.6	Dilution	NA
Dry Weight Extracted	7.81 g	Collected	10/07/2016 11:50
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 01:52

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.99	—	0.17	J	2,3,7,8-TCDF-13C	2.00	56
Total TCDF	4.50	—	0.32		2,3,7,8-TCDD-13C	2.00	78
					1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	0.26	—	0.19	J	2,3,4,7,8-PeCDF-13C	2.00	60
Total TCDD	6.40	—	0.31		1,2,3,7,8-PeCDD-13C	2.00	80
					1,2,3,4,7,8-HxCDF-13C	2.00	64
1,2,3,7,8-PeCDF	0.36	—	0.26	J	1,2,3,6,7,8-HxCDF-13C	2.00	59
2,3,4,7,8-PeCDF	0.64	—	0.12	J	2,3,4,6,7,8-HxCDF-13C	2.00	60
Total PeCDF	9.00	—	0.23		1,2,3,7,8,9-HxCDF-13C	2.00	54
					1,2,3,4,7,8-HxCDD-13C	2.00	70
1,2,3,7,8-PeCDD	0.41	—	0.26	J	1,2,3,6,7,8-HxCDD-13C	2.00	57
Total PeCDD	9.60	—	0.38		1,2,3,4,6,7,8-HpCDF-13C	2.00	55
					1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	2.20	—	0.30	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	71
1,2,3,6,7,8-HxCDF	3.10	—	0.21	J	OCDD-13C	4.00	47
2,3,4,6,7,8-HxCDF	1.40	—	0.22	J			
1,2,3,7,8,9-HxCDF	0.95	—	0.17	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	110.00	—	0.32		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.46	—	0.24	J	2,3,7,8-TCDD-37Cl4	0.20	69
1,2,3,6,7,8-HxCDD	3.40	—	0.25	J			
1,2,3,7,8,9-HxCDD	1.30	—	0.24	J			
Total HxCDD	33.00	—	0.25				
1,2,3,4,6,7,8-HpCDF	190.00	—	0.32		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	—	1.4	0.47	I	Equivalence: 5.0 ng/Kg		
Total HpCDF	360.00	—	0.40		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	62.00	—	0.22				
Total HpCDD	130.00	—	0.22				
OCDF	73.00	—	0.27				
OCDD	610.00	—	0.45				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-007-0.26-0.51		
Lab Sample ID	10365385009		
Filename	U161013B_08		
Injected By	BAL		
Total Amount Extracted	14.2 g	Matrix	Solid
% Moisture	39.0	Dilution	NA
Dry Weight Extracted	8.66 g	Collected	10/07/2016 11:55
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 02:39

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	2.60	—	0.16	2,3,7,8-TCDF-13C	2.00	64
Total TCDF	9.70	—	0.16	2,3,7,8-TCDD-13C	2.00	87
				1,2,3,7,8-PeCDF-13C	2.00	70
2,3,7,8-TCDD	0.71	—	0.17 J	2,3,4,7,8-PeCDF-13C	2.00	66
Total TCDD	6.00	—	0.17	1,2,3,7,8-PeCDD-13C	2.00	86
				1,2,3,4,7,8-HxCDF-13C	2.00	73
1,2,3,7,8-PeCDF	0.69	—	0.23 J	1,2,3,6,7,8-HxCDF-13C	2.00	67
2,3,4,7,8-PeCDF	0.94	—	0.15 J	2,3,4,6,7,8-HxCDF-13C	2.00	69
Total PeCDF	14.00	—	0.19	1,2,3,7,8,9-HxCDF-13C	2.00	61
				1,2,3,4,7,8-HxCDD-13C	2.00	76
1,2,3,7,8-PeCDD	1.20	—	0.24 J	1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	17.00	—	0.24	1,2,3,4,6,7,8-HpCDF-13C	2.00	60
				1,2,3,4,7,8,9-HpCDF-13C	2.00	58
1,2,3,4,7,8-HxCDF	2.80	—	0.21 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	76
1,2,3,6,7,8-HxCDF	6.30	—	0.18	OCDD-13C	4.00	49
2,3,4,6,7,8-HxCDF	2.10	—	0.16 J			
1,2,3,7,8,9-HxCDF	0.96	—	0.15 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	140.00	—	0.18	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.10	—	0.24 J	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,6,7,8-HxCDD	9.70	—	0.21			
1,2,3,7,8,9-HxCDD	4.40	—	0.17 J			
Total HxCDD	78.00	—	0.21			
1,2,3,4,6,7,8-HpCDF	210.00	—	0.30	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.70	—	0.31 J	Equivalence: 9.1 ng/Kg		
Total HpCDF	410.00	—	0.30	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	130.00	—	0.18			
Total HpCDD	290.00	—	0.18			
OCDF	110.00	—	0.23			
OCDD	1500.00	—	0.42			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-107-0.26-0.51		
Lab Sample ID	10365385010		
Filename	U161013B_09		
Injected By	BAL		
Total Amount Extracted	14.1 g	Matrix	Solid
% Moisture	33.2	Dilution	NA
Dry Weight Extracted	9.42 g	Collected	10/07/2016 12:00
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 03:26

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	3.1	—	0.15	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	10.0	—	0.28	2,3,7,8-TCDD-13C	2.00	86
				1,2,3,7,8-PeCDF-13C	2.00	69
2,3,7,8-TCDD	1.0	—	0.13 J	2,3,4,7,8-PeCDF-13C	2.00	66
Total TCDD	5.5	—	0.20	1,2,3,7,8-PeCDD-13C	2.00	87
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	1.3	—	0.16 J	1,2,3,6,7,8-HxCDF-13C	2.00	60
2,3,4,7,8-PeCDF	1.2	—	0.14 J	2,3,4,6,7,8-HxCDF-13C	2.00	64
Total PeCDF	18.0	—	0.19	1,2,3,7,8,9-HxCDF-13C	2.00	58
				1,2,3,4,7,8-HxCDD-13C	2.00	73
1,2,3,7,8-PeCDD	1.6	—	0.15 J	1,2,3,6,7,8-HxCDD-13C	2.00	58
Total PeCDD	14.0	—	0.15	1,2,3,4,6,7,8-HpCDF-13C	2.00	57
				1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	4.2	—	0.14 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	14.0	—	0.15	OCDD-13C	4.00	53
2,3,4,6,7,8-HxCDF	3.1	—	0.15 J			
1,2,3,7,8,9-HxCDF	1.4	—	0.20 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	200.0	—	0.16	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.2	—	0.18 J	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,6,7,8-HxCDD	11.0	—	0.18			
1,2,3,7,8,9-HxCDD	5.2	—	0.22 J			
Total HxCDD	96.0	—	0.19			
1,2,3,4,6,7,8-HpCDF	280.0	—	0.25	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	3.4	—	0.30 J	Equivalence: 13 ng/Kg		
Total HpCDF	590.0	—	0.28	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	200.0	—	0.20			
Total HpCDD	450.0	—	0.20			
OCDF	150.0	—	0.22			
OCDD	2400.0	—	0.20			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-009-0.0-0.15		
Lab Sample ID	10365385011		
Filename	U161013B_10		
Injected By	BAL		
Total Amount Extracted	13.4 g	Matrix	Solid
% Moisture	16.1	Dilution	NA
Dry Weight Extracted	11.2 g	Collected	10/07/2016 12:25
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 04:13

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.370	—	0.069	J	2,3,7,8-TCDF-13C	2.00	66
Total TCDF	0.790	—	0.069	J	2,3,7,8-TCDD-13C	2.00	91
					1,2,3,7,8-PeCDF-13C	2.00	76
2,3,7,8-TCDD	0.087	—	0.063	J	2,3,4,7,8-PeCDF-13C	2.00	70
Total TCDD	0.190	—	0.063	J	1,2,3,7,8-PeCDD-13C	2.00	95
					1,2,3,4,7,8-HxCDF-13C	2.00	72
1,2,3,7,8-PeCDF	ND	—	0.061		1,2,3,6,7,8-HxCDF-13C	2.00	67
2,3,4,7,8-PeCDF	—	0.052	0.045	IJ	2,3,4,6,7,8-HxCDF-13C	2.00	70
Total PeCDF	0.430	—	0.053	J	1,2,3,7,8,9-HxCDF-13C	2.00	63
					1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	ND	—	0.058		1,2,3,6,7,8-HxCDD-13C	2.00	66
Total PeCDD	ND	—	0.058		1,2,3,4,6,7,8-HpCDF-13C	2.00	66
					1,2,3,4,7,8,9-HpCDF-13C	2.00	71
1,2,3,4,7,8-HxCDF	—	0.170	0.094	IJ	1,2,3,4,6,7,8-HpCDD-13C	2.00	83
1,2,3,6,7,8-HxCDF	0.240	—	0.094	J	OCDD-13C	4.00	58
2,3,4,6,7,8-HxCDF	ND	—	0.099				
1,2,3,7,8,9-HxCDF	ND	—	0.110		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	5.500	—	0.100		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	—	0.120		2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,6,7,8-HxCDD	0.500	—	0.095	J			
1,2,3,7,8,9-HxCDD	0.200	—	0.091	J			
Total HxCDD	4.600	—	0.100				
1,2,3,4,6,7,8-HpCDF	8.400	—	0.160		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	—	0.190		Equivalence: 0.50 ng/Kg		
Total HpCDF	20.000	—	0.170		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	11.000	—	0.097				
Total HpCDD	30.000	—	0.097				
OCDF	8.000	—	0.160	J			
OCDD	170.000	—	0.200				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-010-0.0-0.15		
Lab Sample ID	10365385012		
Filename	U161013B_11		
Injected By	BAL		
Total Amount Extracted	14.4 g	Matrix	Solid
% Moisture	46.6	Dilution	NA
Dry Weight Extracted	7.69 g	Collected	10/07/2016 13:05
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_14 & U161013B_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/14/2016 04:59

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.20	—	0.084	J	2,3,7,8-TCDF-13C	2.00	68
Total TCDF	6.90	—	0.084		2,3,7,8-TCDD-13C	2.00	93
					1,2,3,7,8-PeCDF-13C	2.00	77
2,3,7,8-TCDD	0.34	—	0.100	J	2,3,4,7,8-PeCDF-13C	2.00	72
Total TCDD	6.80	—	0.100		1,2,3,7,8-PeCDD-13C	2.00	96
					1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	—	0.43	0.180	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	67
2,3,4,7,8-PeCDF	0.74	—	0.110	J	2,3,4,6,7,8-HxCDF-13C	2.00	70
Total PeCDF	12.00	—	0.150		1,2,3,7,8,9-HxCDF-13C	2.00	61
					1,2,3,4,7,8-HxCDD-13C	2.00	81
1,2,3,7,8-PeCDD	0.53	—	0.160	J	1,2,3,6,7,8-HxCDD-13C	2.00	65
Total PeCDD	12.00	—	0.160		1,2,3,4,6,7,8-HpCDF-13C	2.00	63
					1,2,3,4,7,8,9-HpCDF-13C	2.00	64
1,2,3,4,7,8-HxCDF	2.20	—	0.230	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	81
1,2,3,6,7,8-HxCDF	5.70	—	0.170	J	OCDD-13C	4.00	58
2,3,4,6,7,8-HxCDF	1.60	—	0.140	J			
1,2,3,7,8,9-HxCDF	0.73	—	0.160	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	130.00	—	0.170		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.37	0.120	IJ	2,3,7,8-TCDD-37Cl4	0.20	83
1,2,3,6,7,8-HxCDD	4.10	—	0.120	J			
1,2,3,7,8,9-HxCDD	1.80	—	0.120	J			
Total HxCDD	46.00	—	0.120				
1,2,3,4,6,7,8-HpCDF	170.00	—	0.240		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	—	1.60	0.300	IJ	Equivalence: 5.6 ng/Kg		
Total HpCDF	330.00	—	0.270		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	71.00	—	0.250				
Total HpCDD	160.00	—	0.250				
OCDF	57.00	—	0.280				
OCDD	890.00	—	0.470				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52337	Matrix	Solid
Filename	Y161013A_05	Dilution	NA
Total Amount Extracted	75.5 g	Extracted	10/11/2016 17:25
ICAL ID	Y160816A	Analyzed	10/13/2016 14:51
CCal Filename(s)	Y161013A_01 & Y161013A_10	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.025	2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	---	0.025	2,3,7,8-TCDD-13C	2.00	79
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	ND	---	0.030	2,3,4,7,8-PeCDF-13C	2.00	56
Total TCDD	ND	---	0.030	1,2,3,7,8-PeCDD-13C	2.00	64
				1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	ND	---	0.023	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	---	0.016	2,3,4,6,7,8-HxCDF-13C	2.00	72
Total PeCDF	ND	---	0.020	1,2,3,7,8,9-HxCDF-13C	2.00	67
				1,2,3,4,7,8-HxCDD-13C	2.00	74
1,2,3,7,8-PeCDD	ND	---	0.027	1,2,3,6,7,8-HxCDD-13C	2.00	64
Total PeCDD	ND	---	0.027	1,2,3,4,6,7,8-HpCDF-13C	2.00	54
				1,2,3,4,7,8,9-HpCDF-13C	2.00	55
1,2,3,4,7,8-HxCDF	ND	---	0.026	1,2,3,4,6,7,8-HpCDD-13C	2.00	60
1,2,3,6,7,8-HxCDF	ND	---	0.028	OCDD-13C	4.00	43
2,3,4,6,7,8-HxCDF	ND	---	0.029			
1,2,3,7,8,9-HxCDF	ND	---	0.046	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	---	0.032	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.031	2,3,7,8-TCDD-37Cl4	0.20	69
1,2,3,6,7,8-HxCDD	ND	---	0.038			
1,2,3,7,8,9-HxCDD	ND	---	0.037			
Total HxCDD	ND	---	0.035			
1,2,3,4,6,7,8-HpCDF	---	0.081	0.066 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.084	Equivalence: 0.0019 ng/Kg		
Total HpCDF	0.120	---	0.075 J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	---	0.096	0.061 J			
Total HpCDD	0.093	---	0.061 J			
OCDF	ND	---	0.170			
OCDD	---	0.390	0.210 J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52338	Matrix	Solid
Filename	U161017A_07	Dilution	NA
Total Amount Extracted	75.3 g	Extracted	10/11/2016 17:25
ICAL ID	U161011	Analyzed	10/17/2016 16:47
CCal Filename(s)	U161017A_04 & U161017A_08	Injected By	SMT
Method Blank ID	BLANK-52337		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.19	97	2,3,7,8-TCDF-13C	2.0	63
Total TCDF				2,3,7,8-TCDD-13C	2.0	89
				1,2,3,7,8-PeCDF-13C	2.0	67
2,3,7,8-TCDD	0.20	0.15	77	2,3,4,7,8-PeCDF-13C	2.0	63
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	85
				1,2,3,4,7,8-HxCDF-13C	2.0	64
1,2,3,7,8-PeCDF	1.0	0.93	93	1,2,3,6,7,8-HxCDF-13C	2.0	70
2,3,4,7,8-PeCDF	1.0	0.98	98	2,3,4,6,7,8-HxCDF-13C	2.0	70
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	62
				1,2,3,4,7,8-HxCDD-13C	2.0	75
1,2,3,7,8-PeCDD	1.0	0.84	84	1,2,3,6,7,8-HxCDD-13C	2.0	74
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	71
				1,2,3,4,7,8,9-HpCDF-13C	2.0	69
1,2,3,4,7,8-HxCDF	1.0	1.0	105	1,2,3,4,6,7,8-HpCDD-13C	2.0	91
1,2,3,6,7,8-HxCDF	1.0	0.97	97	OCDD-13C	4.0	61
2,3,4,6,7,8-HxCDF	1.0	0.91	91			
1,2,3,7,8,9-HxCDF	1.0	0.92	92	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	0.89	89	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	1.0	1.1	110			
1,2,3,7,8,9-HxCDD	1.0	1.0	104			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	0.99	99			
1,2,3,4,7,8,9-HpCDF	1.0	0.93	93			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.90	90			
Total HpCDD						
OCDF	2.0	2.0	100 Y			
OCDD	2.0	2.1	105			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-006-0.0-0.15-MS	Matrix	Solid
Lab Sample ID	10365385006-MS	Dilution	NA
Filename	U161013B_12	Extracted	10/11/2016 17:25
Total Amount Extracted	15.0 g	Analyzed	10/14/2016 05:46
ICAL ID	U161011	Injected By	BAL
CCal Filename(s)	U161013A_14 & U161013B_14		
Method Blank ID	BLANK-52337		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.21	105	2,3,7,8-TCDF-13C	2.00	65
				2,3,7,8-TCDD-13C	2.00	88
				1,2,3,7,8-PeCDF-13C	2.00	74
2,3,7,8-TCDD	0.20	0.16	78	2,3,4,7,8-PeCDF-13C	2.00	69
				1,2,3,7,8-PeCDD-13C	2.00	90
				1,2,3,4,7,8-HxCDF-13C	2.00	74
1,2,3,7,8-PeCDF	1.00	0.91	91	1,2,3,6,7,8-HxCDF-13C	2.00	69
2,3,4,7,8-PeCDF	1.00	0.97	97	2,3,4,6,7,8-HxCDF-13C	2.00	69
				1,2,3,7,8,9-HxCDF-13C	2.00	62
				1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	1.00	0.84	84	1,2,3,6,7,8-HxCDD-13C	2.00	63
				1,2,3,4,6,7,8-HpCDF-13C	2.00	62
				1,2,3,4,7,8,9-HpCDF-13C	2.00	60
1,2,3,4,7,8-HxCDF	1.00	1.05	105	1,2,3,4,6,7,8-HpCDD-13C	2.00	77
1,2,3,6,7,8-HxCDF	1.00	1.00	100	OCDD-13C	4.00	49
2,3,4,6,7,8-HxCDF	1.00	0.96	96			
1,2,3,7,8,9-HxCDF	1.00	0.92	92	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	0.93	93	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	1.00	1.15	115			
1,2,3,7,8,9-HxCDD	1.00	1.05	105			
1,2,3,4,6,7,8-HpCDF	1.00	3.15	315			
1,2,3,4,7,8,9-HpCDF	1.00	0.95	95			
1,2,3,4,6,7,8-HpCDD	1.00	2.34	234			
OCDF	2.00	2.93	146			
OCDD	2.00	18.41	921			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-006-0.0-0.15-MSD		
Lab Sample ID	10365385006-MSD		
Filename	U161013B_13	Matrix	Solid
Total Amount Extracted	15.1 g	Dilution	NA
ICAL ID	U161011	Extracted	10/11/2016 17:25
CCal Filename(s)	U161013A_14 & U161013B_14	Analyzed	10/14/2016 06:32
Method Blank ID	BLANK-52337	Injected By	BAL

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.21	106	2,3,7,8-TCDF-13C	2.00	66
				2,3,7,8-TCDD-13C	2.00	89
				1,2,3,7,8-PeCDF-13C	2.00	75
2,3,7,8-TCDD	0.20	0.16	81	2,3,4,7,8-PeCDF-13C	2.00	70
				1,2,3,7,8-PeCDD-13C	2.00	92
				1,2,3,4,7,8-HxCDF-13C	2.00	74
1,2,3,7,8-PeCDF	1.00	0.94	94	1,2,3,6,7,8-HxCDF-13C	2.00	65
2,3,4,7,8-PeCDF	1.00	1.02	102	2,3,4,6,7,8-HxCDF-13C	2.00	69
				1,2,3,7,8,9-HxCDF-13C	2.00	61
				1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	1.00	0.88	88	1,2,3,6,7,8-HxCDD-13C	2.00	65
				1,2,3,4,6,7,8-HpCDF-13C	2.00	60
				1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	1.00	1.08	108	1,2,3,4,6,7,8-HpCDD-13C	2.00	76
1,2,3,6,7,8-HxCDF	1.00	1.05	105	OCDD-13C	4.00	50
2,3,4,6,7,8-HxCDF	1.00	0.96	96			
1,2,3,7,8,9-HxCDF	1.00	0.95	95	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	0.99	99	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	1.00	1.11	111			
1,2,3,7,8,9-HxCDD	1.00	1.05	105			
1,2,3,4,6,7,8-HpCDF	1.00	2.37	237			
1,2,3,4,7,8,9-HpCDF	1.00	0.98	98			
1,2,3,4,6,7,8-HpCDD	1.00	2.47	247			
OCDF	2.00	2.74	137			
OCDD	2.00	19.94	997			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)
Results reported on a dry weight basis and are valid to no more than 2 significant figures.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spike Sample Results

Client - Bay West, Inc.

Client Sample ID	BW16TR-006-0.0-0.15								
Lab Sample ID	10365385006	Sample Filename	U161013B_05						Dry Weights
MS ID	10365385006-MS	MS Filename	U161013B_12						Sample Amount
MSD ID	10365385006-MSD	MSD Filename	U161013B_13						MS Amount
									MSD Amount
									9.18 g
									9.1 g
									9.2 g

Analyte	Sample Conc. ng/Kg	MS/MSD Qs (ng)	MS Qm (ng)	MSD Qm (ng)	RPD	Background Subtracted		
						MS % Rec.	MSD % Rec.	RPD
2,3,7,8-TCDF	2.074	0.20	0.21	0.21	1.0	96	97	1.0
2,3,7,8-TCDD	0.475	0.20	0.16	0.16	3.4	76	79	3.4
1,2,3,7,8-PeCDF	0.440	1.00	0.91	0.94	3.0	91	93	3.0
2,3,4,7,8-PeCDF	0.770	1.00	0.97	1.02	5.2	96	101	5.3
1,2,3,7,8-PeCDD	0.000	1.00	0.84	0.88	4.5	84	88	4.5
1,2,3,4,7,8-HxCDF	1.891	1.00	1.05	1.08	2.6	103	106	2.6
1,2,3,6,7,8-HxCDF	3.763	1.00	1.00	1.05	5.0	97	102	5.2
2,3,4,6,7,8-HxCDF	1.402	1.00	0.96	0.96	0.2	95	94	0.3
1,2,3,7,8,9-HxCDF	0.000	1.00	0.92	0.95	2.4	92	94	2.4
1,2,3,4,7,8-HxCDD	0.717	1.00	0.93	0.99	5.7	93	98	5.7
1,2,3,6,7,8-HxCDD	6.283	1.00	1.15	1.11	3.6	109	105	3.8
1,2,3,7,8,9-HxCDD	2.668	1.00	1.05	1.05	0.1	103	103	0.1
1,2,3,4,6,7,8-HpCDF	127.833	1.00	3.15	2.37	28.4	198	119	49.9
1,2,3,4,7,8,9-HpCDF	2.262	1.00	0.95	0.98	2.5	93	96	2.5
1,2,3,4,6,7,8-HpCDD	130.033	1.00	2.34	2.47	5.1	116	127	9.4
OCDF	100.399	2.00	2.93	2.74	6.4	101	91	9.8
OCDD	1384.672	2.00	18.41	19.94	8.0	289	361	22.2

Definitions

MS = Matrix Spike	CDD = Chlorinated dibenzo-p-dioxin
MSD = Matrix Spike Duplicate	CDF = Chlorinated dibenzo-p-furan
Qm = Quantity Measured	T = Tetra
Qs = Quantity Spiked	Pe = Penta
% Rec. = Percent Recovery	Hx = Hexa
RPD = Relative Percent Difference	Hp = Hepta
NA = Not Applicable	O = Octa
NC = Not Calculated	



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365388
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/24/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The response obtained for the native OCDF in calibration standard analysis U161019C_ was outside the target range. As specified in the Pace procedures, the average of the daily

				response factors for this compound was used in the calculations for the samples from this runshift. The affected values were flagged "Y" on the results tables. No data were qualified.
--	--	--	--	---

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<p>Low-level concentrations of 1,2,3,4,6,7,8-HpCDF, Total HpCDF, 1,2,3,4,6,7,8-HpCDD, Total HpCDD, and OCDD were detected in the method blank 52337.</p> <p>Low-level concentrations of 2,3,4,7,8-PeCDF, 1,2,3,4,7,8-HxCDF, 2,3,4,6,7,8-HxCDF, Total HxCDF, 1,2,3,4,6,7,8-HpCDF, Total HpCDF, and OCDD were detected in the method blank 52398.</p> <p>Low-level concentrations of 2,3,4,7,8-PeCDF, 1,2,3,4,6,7,8-HpCDF, Total HpCDF, 1,2,3,4,6,7,8-HpCDF, Total HpCDD, and OCDD were detected in the method blank 52363.</p>
	i. If yes, are the same compounds present in the samples?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All sample results were > 10x the blank concentrations.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dioxins/furans have internal standards instead of surrogates.
b.	Are the lab recovery limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Except for one low value, which was flagged "R" on the results table, labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically

					corrected for variation in recovery and accurate values were obtained. No data were qualified.
--	--	--	--	--	--

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is a Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	MS/MSD analysis was performed on sample BW16TR-014-0.0-0.15.
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Background-subtracted recoveries were obtained for 1,2,3,4,6,7,8-HpCDF, OCDF, and OCDD in the matrix spike and/or matrix spike duplicate were above the 70-130%
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	MS/MSD RPDs were reviewed for precision.
	i. Is the RPD for the duplicate pair within the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The RPDs for 1,2,3,4,6,7,8-HpCDF and OCDF were above the 20% target upper limit.
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

c.	What is the impact of failed QC on this project?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Results for 1,2,3,4,6,7,8-HpCDF, OCDF, and OCDD were qualified "J" as estimated in sample BW16TR-014-0.0-0.15.
----	--	-------------------------------------	--------------------------	--------------------------	--

7. Method Detection Limits/Report Limits

Question	Yes	No	N/A	Comments
a. Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were included with the samples in this SDG.
- (2) Interfering substances impacted the determinations of PCDD and PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained. All results flagged "I" were qualified "J" as estimated by the reviewer. Results flagged "E" exceeded the calibration range and were qualified "J" as estimated. Concentrations below the calibration range were flagged "J" as estimated by the laboratory.
- (3) Level II reports were reviewed, so calibrations and raw data were not reviewed.

Report Prepared for:

Nancy McDonald
Bay West, Inc.
5 Empire Drive
Saint Paul MN 55103

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**

Report Prepared Date:

October 21, 2016

Report Information:

Pace Project #: 10365388
Sample Receipt Date: 10/07/2016
Client Project #: J160139 SLR Sediment AOCs
Client Sub PO #: 108002
State Cert #: 027-053-137

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Carolynne Trout, your Pace Project Manager.

This report has been reviewed by:



October 24, 2016

Carolynne Trout, Project Manager
(612) 607-6351
(612) 607-6444 (fax)
Carolynne.Trout@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.

DISCUSSION

This report presents the results from the analyses performed on eight samples submitted by a representative of BayWest, Inc. The samples were analyzed for the presence or absence of polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The reporting limits were based on signal-to-noise measurements. Estimated Maximum Possible Concentration (EMPC) values were treated as positives in the toxic equivalence calculations.

Second column confirmation analyses of 2,3,7,8-TCDF values obtained from the primary (DB5-MS) column are performed only when specifically requested for a project and only when the values are above the concentration of the lowest calibration standard. Typical resolution for this isomer using the DB5-MS column ranges from 25-30%.

The recoveries of the isotopically-labeled PCDD/PCDF internal standards in the sample extracts ranged from 42-92%. Except for one low value, which was flagged "R" on the results table, labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Also, since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for variation in recovery and accurate values were obtained.

In some cases, interfering substances impacted the determinations of PCDD or PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained or "P" where polychlorinated diphenyl ethers were present. Concentrations below the calibration range were flagged "J" and should be regarded as estimates. Concentrations above the calibration range were flagged "E" and should also be regarded as estimates.

A laboratory method blank was prepared and analyzed with each sample batch as part of our routine quality control procedures. The results show the blanks to contain trace levels of selected congeners. These levels were below the calibration range of the method. The levels reported for the affected congeners in the field samples were higher than the corresponding blank levels by one or more orders of magnitude. These results indicate that the sample processing steps did not contribute significantly to the levels reported for the field samples.

Laboratory and matrix spike samples were also prepared with the sample batches using clean reference matrix or sample matrix that had been fortified with native standard materials. The results show that the spiked native compounds were generally recovered at 77-130% with relative percent differences (RPDs) generally from 0.5-18.2%. The background-subtracted recovery values obtained for 1,2,3,4,6,7,8-HpCDF, OCDF, and OCDD in the matrix spike and/or matrix spike duplicate were above the 70-130% target range. Also, the RPD values obtained for 1,2,3,4,6,7,8-HpCDF and OCDF were above the 20% target upper limit. These deviations may be due to sample inhomogeneity. Matrix spikes were prepared with the 10/11/2016 and 10/17/2016 extraction batches using sample materials from separate projects; results from these analyses will be provided upon request.

The responses obtained for selected congeners in calibration standard analyses Y161019C_19 and U161017A_08 were outside the target ranges. As specified in our procedures, the averages of the daily response factors for these compounds were used in the calculations for the samples from these runshifts. The affected values were flagged "Y" on the results tables.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Montana	92
Alaska	MN00064	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN_00064_200
Arkansas	88-0680	New Jersey (NE)	MN002
California	01155CA	New York (NEL)	11647
Colorado	MN00064	North Carolina	27700
Connecticut	PH-0256	North Dakota	R-036
EPA Region 8	8TMS-Q	Ohio	4150
Florida (NELAP)	E87605	Oklahoma	D9922
Georgia (DNR)	959	Oregon (ELAP)	MN200001-005
Guam	959	Oregon (OREL)	MN300001-001
Hawaii	SLD	Pennsylvania	68-00563
Idaho	MN00064	Puerto Rico	MN00064
Illinois	200012	Saipan	MP0003
Indiana	C-MN-01	South Carolina	74003001
Indiana	C-MN-01	Tennessee	TN02818
Iowa	368	Texas	T104704192-08
Kansas	E-10167	Utah (NELAP)	MN00064
Kentucky	90062	Virginia	00251
Louisiana	03086	Washington	C755
Maine	2007029	West Virginia #	9952C
Maryland	322	West Virginia D	382
Michigan	9909	Wisconsin	999407970
Minnesota	027-053-137	Wyoming	8TMS-Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc.

Appendix A

Sample Management

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10365388

Report No.....10365388_8290


Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Section D EQUS Information:
Company: Bay West, LLC	Report To: Nancy McDonald	Attention: Accounts Payable	Facility_Name: St. Louis River Sediment Areas of Concern
Address: 5 Empire Drive	Copy To: Paul Raymaker	Company Name: Bay West, LLC	Facility_Code: St Louis River Sed
St. Paul, MN 55103		Address: 5 Empire Drive	Facility_ID: 547023
Email To: nmcdonald@baywest.com	Purchase Order No.: 108002	Lab Quote Reference: 3000017136	Subfacility_code:
Phone: 651-291-3483	Project Name: SLR Sediment AOCs	Lab Project Manager: Oyeyemi Odujole	
Requested Due Date/TAT: Standard	Project Number: J160139		
			Page 1 of 1
			COC# SLR-TR-3
			Site Location STATE: MN

ITEM #	Section E Required Client Information		Valid Matrix Codes		Collection		Preservatives										Requested Analysis			Comments
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	MATRIX	CODE	DATE	Time	# OF CONTAINERS	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ O ₂	Methanol	Other	Dioxins and furans (SW-846 8290A)	Mercury (EPA 7471B)	% Moisture		
			DRINKING WATER DW	WASTE WATER W															PRODUCT WW	
Ex.	BW15MLW-005	BW14MLW-005-0-0.15	SO	G	3/12/15	1204														
1	BW16TR-010	BW16TR-010-0.15-0.38	SO	G	10/7/16	1245	3	3								1	1	1	001	
2	BW16TR-011	BW16TR-011-0.0-0.15	SO	G	10/7/16	1305	3	3								1	1	1	002	
3	BW16TR-011	BW16TR-011-0.60-0.85	SO	G	10/7/16	1310	3	3								1	1	1	003	
4	BW16TR-012	BW16TR-012-0.0-0.15	SO	G	10/7/16	1320	3	3								1	1	1	004	
5	BW16TR-014	BW16TR-014-0.0-0.15	SO	G	10/7/16	1330	3	3								1	1	1	005	
6	BW16TR-014	BW16TR-014-0.15-0.38	SO	G	10/7/16	1335	3	3								1	1	1	006	
7	BW16TR-015	BW16TR-015-0.0-0.15	SO	G	10/7/16	1350	3	3								1	1	1	007	
8	BW16TR-015	BW16TR-015-0.15-0.36	SO	G	10/7/16	1355	3	3								1	1	1	008	
9																				
10																				
11																				
12																				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
							Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
Reference Pace Subcontractor Order Form signed by Pace on 9/16/16	Chris Musson/Bay West	10/7/16	1555	Kristina Polson	10/7/16	1555	+9	Y	N	Y
	Kristina Polson	10/14/16	1700		10/7/16	1700				
		10/7/16	1935	PAACE	10/7/16	1935				
					10-7-16	1935				

SAMPLER NAME AND SIGNATURE	
PRINT Name of SAMPLER: Chris Musson	
SIGNATURE of SAMPLER: <i>Chris Musson</i>	DATE Signed (MM/DD/YY): 10/7/16

Page 5 of 25

Sample Condition Upon Receipt	Client Name: <u>Bay West, LLC</u>	Project #: WO#: 10365388
	Courier: <input type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Pace <input type="checkbox"/> Speedee <input type="checkbox"/> Other: _____ Tracking Number: _____	 10365388

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____
 Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No
 Thermometer 151401163 B88A912167504 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 Used: 151401164 B88A0143310098
 Cooler Temp Read (°C): 5.0 Cooler Temp Corrected (°C): 4.9 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: -0.1 Date and Initials of Person Examining Contents: SJA 10-7-16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No
 Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Carolynne Hunt Date: 10/10/16
 Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Reporting Flags

- A = Reporting Limit based on signal to noise
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interference present
- J = Estimated value
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Appendix B

Sample Analysis Summary

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-010-0.15-0.38		
Lab Sample ID	10365388001		
Filename	U161013A_08		
Injected By	SMT		
Total Amount Extracted	14.6 g	Matrix	Solid
% Moisture	32.9	Dilution	NA
Dry Weight Extracted	9.80 g	Collected	10/07/2016 12:45
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_03 & U161013A_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 15:44

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.10	—	0.120	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	5.20	—	0.120	2,3,7,8-TCDD-13C	2.00	87
				1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	0.32	—	0.160 J	2,3,4,7,8-PeCDF-13C	2.00	67
Total TCDD	6.00	—	0.160	1,2,3,7,8-PeCDD-13C	2.00	90
				1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	0.38	—	0.140 J	1,2,3,6,7,8-HxCDF-13C	2.00	63
2,3,4,7,8-PeCDF	0.62	—	0.087 J	2,3,4,6,7,8-HxCDF-13C	2.00	65
Total PeCDF	8.80	—	0.110	1,2,3,7,8,9-HxCDF-13C	2.00	58
				1,2,3,4,7,8-HxCDD-13C	2.00	75
1,2,3,7,8-PeCDD	0.54	—	0.150 J	1,2,3,6,7,8-HxCDD-13C	2.00	59
Total PeCDD	11.00	—	0.150	1,2,3,4,6,7,8-HpCDF-13C	2.00	64
				1,2,3,4,7,8,9-HpCDF-13C	2.00	66
1,2,3,4,7,8-HxCDF	1.80	—	0.120 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	82
1,2,3,6,7,8-HxCDF	2.80	—	0.120 J	OCDD-13C	4.00	59
2,3,4,6,7,8-HxCDF	1.20	—	0.100 J			
1,2,3,7,8,9-HxCDF	—	0.46	0.110 I	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	72.00	—	0.110	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.36	0.160 I	2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,6,7,8-HxCDD	4.30	—	0.160 J			
1,2,3,7,8,9-HxCDD	2.00	—	0.180 J			
Total HxCDD	37.00	—	0.170			
1,2,3,4,6,7,8-HpCDF	120.00	—	0.340	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.30	—	0.280 J	Equivalence: 4.4 ng/Kg		
Total HpCDF	230.00	—	0.310	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	57.00	—	0.160			
Total HpCDD	120.00	—	0.160			
OCDF	49.00	—	0.110			
OCDD	550.00	—	0.270			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-011-0.0-0.15		
Lab Sample ID	10365388002		
Filename	U161013A_09		
Injected By	SMT		
Total Amount Extracted	16.2 g	Matrix	Solid
% Moisture	55.9	Dilution	NA
Dry Weight Extracted	7.14 g	Collected	10/07/2016 13:05
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_03 & U161013A_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 16:30

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.40	—	0.13	J	2,3,7,8-TCDF-13C	2.00	66
Total TCDF	7.00	—	0.13		2,3,7,8-TCDD-13C	2.00	90
					1,2,3,7,8-PeCDF-13C	2.00	74
2,3,7,8-TCDD	0.32	—	0.17	J	2,3,4,7,8-PeCDF-13C	2.00	68
Total TCDD	5.30	—	0.17		1,2,3,7,8-PeCDD-13C	2.00	92
					1,2,3,4,7,8-HxCDF-13C	2.00	73
1,2,3,7,8-PeCDF	—	0.35	0.21	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	68
2,3,4,7,8-PeCDF	0.70	—	0.14	J	2,3,4,6,7,8-HxCDF-13C	2.00	71
Total PeCDF	8.50	—	0.18		1,2,3,7,8,9-HxCDF-13C	2.00	63
					1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	0.42	—	0.16	J	1,2,3,6,7,8-HxCDD-13C	2.00	67
Total PeCDD	7.50	—	0.16		1,2,3,4,6,7,8-HpCDF-13C	2.00	69
					1,2,3,4,7,8,9-HpCDF-13C	2.00	73
1,2,3,4,7,8-HxCDF	1.50	—	0.22	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	88
1,2,3,6,7,8-HxCDF	2.90	—	0.17	J	OCDD-13C	4.00	59
2,3,4,6,7,8-HxCDF	1.00	—	0.15	J			
1,2,3,7,8,9-HxCDF	0.49	—	0.19	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	73.00	—	0.18		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.56	—	0.18	J	2,3,7,8-TCDD-37Cl4	0.20	80
1,2,3,6,7,8-HxCDD	3.60	—	0.15	J			
1,2,3,7,8,9-HxCDD	1.80	—	0.23	J			
Total HxCDD	32.00	—	0.19				
1,2,3,4,6,7,8-HpCDF	160.00	—	0.36		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.30	—	0.29	J	Equivalence: 4.6 ng/Kg		
Total HpCDF	280.00	—	0.33		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	54.00	—	0.13				
Total HpCDD	120.00	—	0.13				
OCDF	69.00	—	0.29				
OCDD	610.00	—	0.35				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-011-0.60-0.85		
Lab Sample ID	10365388003		
Filename	U161013A_10		
Injected By	SMT		
Total Amount Extracted	15.7 g	Matrix	Solid
% Moisture	53.2	Dilution	NA
Dry Weight Extracted	7.35 g	Collected	10/07/2016 13:10
ICAL ID	U161011	Received	10/07/2016 19:35
CCal Filename(s)	U161013A_03 & U161013A_14	Extracted	10/11/2016 17:25
Method Blank ID	BLANK-52337	Analyzed	10/13/2016 17:17

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	36.0	---	0.39	2,3,7,8-TCDF-13C	2.00	62
Total TCDF	99.0	---	0.39	2,3,7,8-TCDD-13C	2.00	86
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	8.6	---	0.35	2,3,4,7,8-PeCDF-13C	2.00	50
Total TCDD	54.0	---	0.35	1,2,3,7,8-PeCDD-13C	2.00	76
				1,2,3,4,7,8-HxCDF-13C	2.00	63
1,2,3,7,8-PeCDF	20.0	---	0.32	1,2,3,6,7,8-HxCDF-13C	2.00	58
2,3,4,7,8-PeCDF	19.0	---	0.22	2,3,4,6,7,8-HxCDF-13C	2.00	51
Total PeCDF	270.0	---	0.27	1,2,3,7,8,9-HxCDF-13C	2.00	58
				1,2,3,4,7,8-HxCDD-13C	2.00	70
1,2,3,7,8-PeCDD	15.0	---	0.29	1,2,3,6,7,8-HxCDD-13C	2.00	56
Total PeCDD	130.0	---	0.29	1,2,3,4,6,7,8-HpCDF-13C	2.00	55
				1,2,3,4,7,8,9-HpCDF-13C	2.00	54
1,2,3,4,7,8-HxCDF	75.0	---	0.52	1,2,3,4,6,7,8-HpCDD-13C	2.00	75
1,2,3,6,7,8-HxCDF	220.0	---	0.40	OCDD-13C	4.00	51
2,3,4,6,7,8-HxCDF	57.0	---	0.53			
1,2,3,7,8,9-HxCDF	17.0	---	0.71	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	3200.0	---	0.54	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	9.6	---	0.74	2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,6,7,8-HxCDD	100.0	---	0.59			
1,2,3,7,8,9-HxCDD	39.0	---	0.61			
Total HxCDD	1000.0	---	0.65			
1,2,3,4,6,7,8-HpCDF	4400.0	---	0.83	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	59.0	---	0.98	Equivalence: 160 ng/Kg		
Total HpCDF	9500.0	---	0.90 E	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	2100.0	---	0.29			
Total HpCDD	5300.0	---	0.29			
OCDF	2500.0	---	0.70			
OCDD	32000.0	---	0.90 E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-012-0.0-0.15		
Lab Sample ID	10365388004		
Filename	Y161019B_10		
Injected By	SMT		
Total Amount Extracted	17.4 g	Matrix	Solid
% Moisture	50.1	Dilution	NA
Dry Weight Extracted	8.68 g	Collected	10/07/2016 13:20
ICAL ID	Y160816A	Received	10/07/2016 19:35
CCal Filename(s)	Y161019B_01 & Y161019B_12	Extracted	10/13/2016 15:45
Method Blank ID	BLANK-52363	Analyzed	10/19/2016 18:32

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	30.0	---	0.43	2,3,7,8-TCDF-13C	2.00	75
Total TCDF	130.0	---	0.43	2,3,7,8-TCDD-13C	2.00	86
				1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	9.0	---	0.32	2,3,4,7,8-PeCDF-13C	2.00	68
Total TCDD	42.0	---	0.32	1,2,3,7,8-PeCDD-13C	2.00	76
				1,2,3,4,7,8-HxCDF-13C	2.00	75
1,2,3,7,8-PeCDF	14.0	---	0.36	1,2,3,6,7,8-HxCDF-13C	2.00	66
2,3,4,7,8-PeCDF	22.0	---	0.16	2,3,4,6,7,8-HxCDF-13C	2.00	67
Total PeCDF	280.0	---	0.26	1,2,3,7,8,9-HxCDF-13C	2.00	68
				1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	10.0	---	0.69	1,2,3,6,7,8-HxCDD-13C	2.00	60
Total PeCDD	110.0	---	0.69	1,2,3,4,6,7,8-HpCDF-13C	2.00	53
				1,2,3,4,7,8,9-HpCDF-13C	2.00	54
1,2,3,4,7,8-HxCDF	96.0	---	0.41	1,2,3,4,6,7,8-HpCDD-13C	2.00	60
1,2,3,6,7,8-HxCDF	200.0	---	0.27	OCDD-13C	4.00	48
2,3,4,6,7,8-HxCDF	52.0	---	0.50			
1,2,3,7,8,9-HxCDF	14.0	---	0.99	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	2600.0	---	0.54	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	8.3	---	1.80	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,6,7,8-HxCDD	68.0	---	0.36			
1,2,3,7,8,9-HxCDD	33.0	---	0.27			
Total HxCDD	700.0	---	0.82			
1,2,3,4,6,7,8-HpCDF	4500.0	---	0.36 E	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	38.0	---	0.33	Equivalence: 140 ng/Kg		
Total HpCDF	8700.0	---	0.35 E	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	1200.0	---	0.22			
Total HpCDD	3000.0	---	0.22			
OCDF	2100.0	---	0.69			
OCDD	18000.0	---	0.35 E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-014-0.0-0.15		
Lab Sample ID	10365388005		
Filename	Y161019B_07		
Injected By	SMT		
Total Amount Extracted	15.0 g	Matrix	Solid
% Moisture	45.6	Dilution	NA
Dry Weight Extracted	8.16 g	Collected	10/07/2016 13:30
ICAL ID	Y160816A	Received	10/07/2016 19:35
CCal Filename(s)	Y161019B_01 & Y161019B_12	Extracted	10/13/2016 15:45
Method Blank ID	BLANK-52363	Analyzed	10/19/2016 16:26

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.67	—	0.230	J	2,3,7,8-TCDF-13C	2.00	77
Total TCDF	4.20	—	0.230		2,3,7,8-TCDD-13C	2.00	86
					1,2,3,7,8-PeCDF-13C	2.00	71
2,3,7,8-TCDD	ND	—	0.260		2,3,4,7,8-PeCDF-13C	2.00	76
Total TCDD	6.10	—	0.260		1,2,3,7,8-PeCDD-13C	2.00	81
					1,2,3,4,7,8-HxCDF-13C	2.00	71
1,2,3,7,8-PeCDF	—	0.27	0.089	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	80
2,3,4,7,8-PeCDF	0.55	—	0.051	J	2,3,4,6,7,8-HxCDF-13C	2.00	80
Total PeCDF	6.80	—	0.070		1,2,3,7,8,9-HxCDF-13C	2.00	82
					1,2,3,4,7,8-HxCDD-13C	2.00	70
1,2,3,7,8-PeCDD	0.31	—	0.250	J	1,2,3,6,7,8-HxCDD-13C	2.00	70
Total PeCDD	8.40	—	0.250		1,2,3,4,6,7,8-HpCDF-13C	2.00	64
					1,2,3,4,7,8,9-HpCDF-13C	2.00	71
1,2,3,4,7,8-HxCDF	1.40	—	0.270	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	70
1,2,3,6,7,8-HxCDF	2.20	—	0.250	J	OCDD-13C	4.00	52
2,3,4,6,7,8-HxCDF	0.85	—	0.066	J			
1,2,3,7,8,9-HxCDF	0.46	—	0.260	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	50.00	—	0.210		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.54	—	0.170	J	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,6,7,8-HxCDD	2.80	—	0.140	J			
1,2,3,7,8,9-HxCDD	1.50	—	0.069	J			
Total HxCDD	27.00	—	0.130				
1,2,3,4,6,7,8-HpCDF	97.00	—	0.200		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.10	—	0.330	J	Equivalence: 3.0 ng/Kg		
Total HpCDF	190.00	—	0.260		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	40.00	—	0.340				
Total HpCDD	89.00	—	0.340				
OCDF	51.00	—	0.210				
OCDD	430.00	—	0.210				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-014-0.15-0.38		
Lab Sample ID	10365388006		
Filename	Y161019B_08		
Injected By	SMT		
Total Amount Extracted	14.7 g	Matrix	Solid
% Moisture	38.8	Dilution	NA
Dry Weight Extracted	9.00 g	Collected	10/07/2016 13:35
ICAL ID	Y160816A	Received	10/07/2016 19:35
CCal Filename(s)	Y161019B_01 & Y161019B_12	Extracted	10/13/2016 15:45
Method Blank ID	BLANK-52363	Analyzed	10/19/2016 17:08

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.20	—	0.240		2,3,7,8-TCDF-13C	2.00	80
Total TCDF	6.80	—	0.240		2,3,7,8-TCDD-13C	2.00	87
					1,2,3,7,8-PeCDF-13C	2.00	74
2,3,7,8-TCDD	0.35	—	0.320	J	2,3,4,7,8-PeCDF-13C	2.00	78
Total TCDD	9.80	—	0.320		1,2,3,7,8-PeCDD-13C	2.00	81
					1,2,3,4,7,8-HxCDF-13C	2.00	71
1,2,3,7,8-PeCDF	0.56	—	0.190	J	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	1.00	—	0.100	J	2,3,4,6,7,8-HxCDF-13C	2.00	77
Total PeCDF	13.00	—	0.140		1,2,3,7,8,9-HxCDF-13C	2.00	76
					1,2,3,4,7,8-HxCDD-13C	2.00	71
1,2,3,7,8-PeCDD	0.73	—	0.130	J	1,2,3,6,7,8-HxCDD-13C	2.00	66
Total PeCDD	16.00	—	0.130		1,2,3,4,6,7,8-HpCDF-13C	2.00	63
					1,2,3,4,7,8,9-HpCDF-13C	2.00	68
1,2,3,4,7,8-HxCDF	—	4.3	1.400	PJ	1,2,3,4,6,7,8-HpCDD-13C	2.00	65
1,2,3,6,7,8-HxCDF	7.20	—	0.180		OCDD-13C	4.00	50
2,3,4,6,7,8-HxCDF	2.00	—	0.042	J			
1,2,3,7,8,9-HxCDF	0.95	—	0.220	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	180.00	—	0.470		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.66	—	0.470	J	2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,6,7,8-HxCDD	4.30	—	0.110	J			
1,2,3,7,8,9-HxCDD	2.00	—	0.045	J			
Total HxCDD	48.00	—	0.210				
1,2,3,4,6,7,8-HpCDF	400.00	—	0.170		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	3.60	—	0.200	J	Equivalence: 8.8 ng/Kg		
Total HpCDF	770.00	—	0.180		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	79.00	—	0.430				
Total HpCDD	180.00	—	0.430				
OCDF	160.00	—	0.930				
OCDD	900.00	—	0.250				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

P = PCDE Interference

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-015-0.0-0.15		
Lab Sample ID	10365388007		
Filename	Y161019B_09		
Injected By	SMT		
Total Amount Extracted	14.8 g	Matrix	Solid
% Moisture	40.8	Dilution	NA
Dry Weight Extracted	8.76 g	Collected	10/07/2016 13:50
ICAL ID	Y160816A	Received	10/07/2016 19:35
CCal Filename(s)	Y161019B_01 & Y161019B_12	Extracted	10/13/2016 15:45
Method Blank ID	BLANK-52363	Analyzed	10/19/2016 17:50

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.89	—	0.31	J	2,3,7,8-TCDF-13C	2.00	79
Total TCDF	6.00	—	0.31		2,3,7,8-TCDD-13C	2.00	85
					1,2,3,7,8-PeCDF-13C	2.00	72
2,3,7,8-TCDD	ND	—	0.29		2,3,4,7,8-PeCDF-13C	2.00	75
Total TCDD	8.10	—	0.29		1,2,3,7,8-PeCDD-13C	2.00	80
					1,2,3,4,7,8-HxCDF-13C	2.00	69
1,2,3,7,8-PeCDF	—	0.50	0.19	IJ	1,2,3,6,7,8-HxCDF-13C	2.00	80
2,3,4,7,8-PeCDF	—	0.74	0.12	IJ	2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	8.70	—	0.15		1,2,3,7,8,9-HxCDF-13C	2.00	79
					1,2,3,4,7,8-HxCDD-13C	2.00	73
1,2,3,7,8-PeCDD	0.56	—	0.23	J	1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	16.00	—	0.23		1,2,3,4,6,7,8-HpCDF-13C	2.00	61
					1,2,3,4,7,8,9-HpCDF-13C	2.00	61
1,2,3,4,7,8-HxCDF	2.10	—	0.16	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	60
1,2,3,6,7,8-HxCDF	3.60	—	0.13	J	OCDD-13C	4.00	42
2,3,4,6,7,8-HxCDF	1.30	—	0.14	J			
1,2,3,7,8,9-HxCDF	0.81	—	0.24	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	75.00	—	0.17		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.74	0.20	IJ	2,3,7,8-TCDD-37Cl4	0.20	85
1,2,3,6,7,8-HxCDD	3.80	—	0.14	J			
1,2,3,7,8,9-HxCDD	1.90	—	0.15	J			
Total HxCDD	40.00	—	0.16				
1,2,3,4,6,7,8-HpCDF	130.00	—	0.24		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.30	—	0.29	J	Equivalence: 4.4 ng/Kg		
Total HpCDF	250.00	—	0.27		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	56.00	—	0.65				
Total HpCDD	140.00	—	0.65				
OCDF	69.00	—	0.86				
OCDD	660.00	—	0.31				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-015-0.15-0.36		
Lab Sample ID	10365388008		
Filename	Y161019C_06		
Injected By	SMT		
Total Amount Extracted	13.0 g	Matrix	Solid
% Moisture	34.9	Dilution	NA
Dry Weight Extracted	8.46 g	Collected	10/07/2016 13:55
ICAL ID	Y160816A	Received	10/07/2016 19:35
CCal Filename(s)	Y161019B_12 & Y161019C_19	Extracted	10/17/2016 17:00
Method Blank ID	BLANK-52398	Analyzed	10/20/2016 00:10

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	13.0	—	0.35	2,3,7,8-TCDF-13C	2.00	81
Total TCDF	41.0	—	0.35	2,3,7,8-TCDD-13C	2.00	89
				1,2,3,7,8-PeCDF-13C	2.00	80
2,3,7,8-TCDD	2.4	—	0.24	2,3,4,7,8-PeCDF-13C	2.00	75
Total TCDD	14.0	—	0.24	1,2,3,7,8-PeCDD-13C	2.00	81
				1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	1.2	—	0.22 J	1,2,3,6,7,8-HxCDF-13C	2.00	73
2,3,4,7,8-PeCDF	1.8	—	0.13 J	2,3,4,6,7,8-HxCDF-13C	2.00	69
Total PeCDF	20.0	—	0.18	1,2,3,7,8,9-HxCDF-13C	2.00	69
				1,2,3,4,7,8-HxCDD-13C	2.00	62
1,2,3,7,8-PeCDD	2.0	—	0.25 J	1,2,3,6,7,8-HxCDD-13C	2.00	68
Total PeCDD	23.0	—	0.25	1,2,3,4,6,7,8-HpCDF-13C	2.00	55
				1,2,3,4,7,8,9-HpCDF-13C	2.00	58
1,2,3,4,7,8-HxCDF	—	4.0	0.20 PJ	1,2,3,4,6,7,8-HpCDD-13C	2.00	61
1,2,3,6,7,8-HxCDF	6.0	—	0.27	OCDD-13C	4.00	81 Y
2,3,4,6,7,8-HxCDF	3.3	—	1.80 J			
1,2,3,7,8,9-HxCDF	1.4	—	0.18 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	140.0	—	0.61	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	2.2	—	0.68 J	2,3,7,8-TCDD-37Cl4	0.20	88
1,2,3,6,7,8-HxCDD	19.0	—	0.55			
1,2,3,7,8,9-HxCDD	4.4	—	0.95 J			
Total HxCDD	170.0	—	0.72			
1,2,3,4,6,7,8-HpCDF	170.0	—	0.42	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	6.6	—	0.56	Equivalence: 21 ng/Kg		
Total HpCDF	180.0	—	0.49	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	610.0	—	1.30			
Total HpCDD	1300.0	—	1.30			
OCDF	320.0	—	1.20			
OCDD	7400.0	—	0.42 E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

P = PCDE Interference

E = Exceeds calibration range

Y = Calculated using average of daily RFs

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52337	Matrix	Solid
Filename	Y161013A_05	Dilution	NA
Total Amount Extracted	75.5 g	Extracted	10/11/2016 17:25
ICAL ID	Y160816A	Analyzed	10/13/2016 14:51
CCal Filename(s)	Y161013A_01 & Y161013A_10	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.025	2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	---	0.025	2,3,7,8-TCDD-13C	2.00	79
				1,2,3,7,8-PeCDF-13C	2.00	63
2,3,7,8-TCDD	ND	---	0.030	2,3,4,7,8-PeCDF-13C	2.00	56
Total TCDD	ND	---	0.030	1,2,3,7,8-PeCDD-13C	2.00	64
				1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	ND	---	0.023	1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	ND	---	0.016	2,3,4,6,7,8-HxCDF-13C	2.00	72
Total PeCDF	ND	---	0.020	1,2,3,7,8,9-HxCDF-13C	2.00	67
				1,2,3,4,7,8-HxCDD-13C	2.00	74
1,2,3,7,8-PeCDD	ND	---	0.027	1,2,3,6,7,8-HxCDD-13C	2.00	64
Total PeCDD	ND	---	0.027	1,2,3,4,6,7,8-HpCDF-13C	2.00	54
				1,2,3,4,7,8,9-HpCDF-13C	2.00	55
1,2,3,4,7,8-HxCDF	ND	---	0.026	1,2,3,4,6,7,8-HpCDD-13C	2.00	60
1,2,3,6,7,8-HxCDF	ND	---	0.028	OCDD-13C	4.00	43
2,3,4,6,7,8-HxCDF	ND	---	0.029			
1,2,3,7,8,9-HxCDF	ND	---	0.046	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	---	0.032	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.031	2,3,7,8-TCDD-37Cl4	0.20	69
1,2,3,6,7,8-HxCDD	ND	---	0.038			
1,2,3,7,8,9-HxCDD	ND	---	0.037			
Total HxCDD	ND	---	0.035			
1,2,3,4,6,7,8-HpCDF	---	0.081	0.066 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.084	Equivalence: 0.0019 ng/Kg		
Total HpCDF	0.120	---	0.075 J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	---	0.096	0.061 J			
Total HpCDD	0.093	---	0.061 J			
OCDF	ND	---	0.170			
OCDD	---	0.390	0.210 J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.

J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52398	Matrix	Solid
Filename	F161019A_10	Dilution	NA
Total Amount Extracted	20.6 g	Extracted	10/17/2016 17:00
ICAL ID	F161011	Analyzed	10/19/2016 21:29
CCal Filename(s)	F161019A_03 & F161020A_02	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.049		2,3,7,8-TCDF-13C	2.00	69
Total TCDF	ND	---	0.049		2,3,7,8-TCDD-13C	2.00	81
					1,2,3,7,8-PeCDF-13C	2.00	64
2,3,7,8-TCDD	ND	---	0.060		2,3,4,7,8-PeCDF-13C	2.00	58
Total TCDD	ND	---	0.060		1,2,3,7,8-PeCDD-13C	2.00	64
					1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	ND	---	0.027		1,2,3,6,7,8-HxCDF-13C	2.00	75
2,3,4,7,8-PeCDF	---	0.036	0.026	I	2,3,4,6,7,8-HxCDF-13C	2.00	79
Total PeCDF	ND	---	0.027		1,2,3,7,8,9-HxCDF-13C	2.00	76
					1,2,3,4,7,8-HxCDD-13C	2.00	68
1,2,3,7,8-PeCDD	ND	---	0.032		1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	ND	---	0.032		1,2,3,4,6,7,8-HpCDF-13C	2.00	52
					1,2,3,4,7,8,9-HpCDF-13C	2.00	49
1,2,3,4,7,8-HxCDF	---	0.047	0.030	I	1,2,3,4,6,7,8-HpCDD-13C	2.00	58
1,2,3,6,7,8-HxCDF	ND	---	0.039		OCDD-13C	4.00	43
2,3,4,6,7,8-HxCDF	0.041	---	0.036	J			
1,2,3,7,8,9-HxCDF	ND	---	0.046		1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	0.041	---	0.038	J	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.042		2,3,7,8-TCDD-37Cl4	0.20	73
1,2,3,6,7,8-HxCDD	ND	---	0.037				
1,2,3,7,8,9-HxCDD	ND	---	0.048				
Total HxCDD	ND	---	0.042				
1,2,3,4,6,7,8-HpCDF	0.058	---	0.049	J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.066		Equivalence: 0.020 ng/Kg		
Total HpCDF	0.058	---	0.057	J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	ND	---	0.053				
Total HpCDD	ND	---	0.053				
OCDF	ND	---	0.120				
OCDD	0.210	---	0.160	J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52363	Matrix	Solid
Filename	F161020A_10	Dilution	NA
Total Amount Extracted	10.0 g	Extracted	10/13/2016 15:45
ICAL ID	F161011	Analyzed	10/20/2016 12:25
CCal Filename(s)	F161020A_02 & F161020A_12	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.100	2,3,7,8-TCDF-13C	2.00	84
Total TCDF	ND	---	0.100	2,3,7,8-TCDD-13C	2.00	95
				1,2,3,7,8-PeCDF-13C	2.00	86
2,3,7,8-TCDD	ND	---	0.100	2,3,4,7,8-PeCDF-13C	2.00	79
Total TCDD	ND	---	0.100	1,2,3,7,8-PeCDD-13C	2.00	87
				1,2,3,4,7,8-HxCDF-13C	2.00	90
1,2,3,7,8-PeCDF	ND	---	0.063	1,2,3,6,7,8-HxCDF-13C	2.00	87
2,3,4,7,8-PeCDF	---	0.050	0.045 J	2,3,4,6,7,8-HxCDF-13C	2.00	91
Total PeCDF	ND	---	0.054	1,2,3,7,8,9-HxCDF-13C	2.00	92
				1,2,3,4,7,8-HxCDD-13C	2.00	83
1,2,3,7,8-PeCDD	ND	---	0.060	1,2,3,6,7,8-HxCDD-13C	2.00	67
Total PeCDD	ND	---	0.060	1,2,3,4,6,7,8-HpCDF-13C	2.00	65
				1,2,3,4,7,8,9-HpCDF-13C	2.00	66
1,2,3,4,7,8-HxCDF	ND	---	0.120	1,2,3,4,6,7,8-HpCDD-13C	2.00	74
1,2,3,6,7,8-HxCDF	ND	---	0.100	OCDD-13C	4.00	60
2,3,4,6,7,8-HxCDF	ND	---	0.087			
1,2,3,7,8,9-HxCDF	ND	---	0.110	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	---	0.110	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.110	2,3,7,8-TCDD-37Cl4	0.20	91
1,2,3,6,7,8-HxCDD	ND	---	0.120			
1,2,3,7,8,9-HxCDD	ND	---	0.120			
Total HxCDD	ND	---	0.120			
1,2,3,4,6,7,8-HpCDF	0.17	---	0.087 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.110	Equivalence: 0.018 ng/Kg		
Total HpCDF	0.17	---	0.099 J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	0.17	---	0.069 J			
Total HpCDD	0.17	---	0.069 J			
OCDF	ND	---	0.150			
OCDD	0.59	---	0.170 J			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52338	Matrix	Solid
Filename	U161017A_07	Dilution	NA
Total Amount Extracted	75.3 g	Extracted	10/11/2016 17:25
ICAL ID	U161011	Analyzed	10/17/2016 16:47
CCal Filename(s)	U161017A_04 & U161017A_08	Injected By	SMT
Method Blank ID	BLANK-52337		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.19	97	2,3,7,8-TCDF-13C	2.0	63
Total TCDF				2,3,7,8-TCDD-13C	2.0	89
				1,2,3,7,8-PeCDF-13C	2.0	67
2,3,7,8-TCDD	0.20	0.15	77	2,3,4,7,8-PeCDF-13C	2.0	63
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	85
				1,2,3,4,7,8-HxCDF-13C	2.0	64
1,2,3,7,8-PeCDF	1.0	0.93	93	1,2,3,6,7,8-HxCDF-13C	2.0	70
2,3,4,7,8-PeCDF	1.0	0.98	98	2,3,4,6,7,8-HxCDF-13C	2.0	70
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	62
				1,2,3,4,7,8-HxCDD-13C	2.0	75
1,2,3,7,8-PeCDD	1.0	0.84	84	1,2,3,6,7,8-HxCDD-13C	2.0	74
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	71
				1,2,3,4,7,8,9-HpCDF-13C	2.0	69
1,2,3,4,7,8-HxCDF	1.0	1.0	105	1,2,3,4,6,7,8-HpCDD-13C	2.0	91
1,2,3,6,7,8-HxCDF	1.0	0.97	97	OCDD-13C	4.0	61
2,3,4,6,7,8-HxCDF	1.0	0.91	91			
1,2,3,7,8,9-HxCDF	1.0	0.92	92	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	0.89	89	2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	1.0	1.1	110			
1,2,3,7,8,9-HxCDD	1.0	1.0	104			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	0.99	99			
1,2,3,4,7,8,9-HpCDF	1.0	0.93	93			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.90	90			
Total HpCDD						
OCDF	2.0	2.0	100 Y			
OCDD	2.0	2.1	105			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52364	Matrix	Solid
Filename	Y161019B_02	Dilution	NA
Total Amount Extracted	10.2 g	Extracted	10/13/2016 15:45
ICAL ID	Y160816A	Analyzed	10/19/2016 12:46
CCal Filename(s)	Y161019B_01 & Y161019B_12	Injected By	SMT
Method Blank ID	BLANK-52363		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.22	110	2,3,7,8-TCDF-13C	2.0	81
Total TCDF				2,3,7,8-TCDD-13C	2.0	92
				1,2,3,7,8-PeCDF-13C	2.0	80
2,3,7,8-TCDD	0.20	0.19	93	2,3,4,7,8-PeCDF-13C	2.0	75
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	85
				1,2,3,4,7,8-HxCDF-13C	2.0	69
1,2,3,7,8-PeCDF	1.0	1.1	111	1,2,3,6,7,8-HxCDF-13C	2.0	75
2,3,4,7,8-PeCDF	1.0	1.2	117	2,3,4,6,7,8-HxCDF-13C	2.0	76
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	74
				1,2,3,4,7,8-HxCDD-13C	2.0	67
1,2,3,7,8-PeCDD	1.0	1.0	100	1,2,3,6,7,8-HxCDD-13C	2.0	68
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	59
				1,2,3,4,7,8,9-HpCDF-13C	2.0	55
1,2,3,4,7,8-HxCDF	1.0	1.2	117	1,2,3,4,6,7,8-HpCDD-13C	2.0	59
1,2,3,6,7,8-HxCDF	1.0	1.1	112	OCDD-13C	4.0	43
2,3,4,6,7,8-HxCDF	1.0	1.1	111			
1,2,3,7,8,9-HxCDF	1.0	1.1	107	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.2	120	2,3,7,8-TCDD-37Cl4	0.20	88
1,2,3,6,7,8-HxCDD	1.0	1.2	117			
1,2,3,7,8,9-HxCDD	1.0	1.3	130			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.2	116			
1,2,3,4,7,8,9-HpCDF	1.0	1.1	108			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	1.0	105			
Total HpCDD						
OCDF	2.0	2.4	118			
OCDD	2.0	2.5	123			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52399	Matrix	Solid
Filename	F161019A_05	Dilution	NA
Total Amount Extracted	20.2 g	Extracted	10/17/2016 17:00
ICAL ID	F161011	Analyzed	10/19/2016 17:26
CCal Filename(s)	F161019A_03 & F161020A_02	Injected By	SMT
Method Blank ID	BLANK-52398		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.25	124	2,3,7,8-TCDF-13C	2.0	74
Total TCDF				2,3,7,8-TCDD-13C	2.0	87
				1,2,3,7,8-PeCDF-13C	2.0	71
2,3,7,8-TCDD	0.20	0.18	89	2,3,4,7,8-PeCDF-13C	2.0	63
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	71
				1,2,3,4,7,8-HxCDF-13C	2.0	80
1,2,3,7,8-PeCDF	1.0	1.2	118	1,2,3,6,7,8-HxCDF-13C	2.0	85
2,3,4,7,8-PeCDF	1.0	1.3	128	2,3,4,6,7,8-HxCDF-13C	2.0	83
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	79
				1,2,3,4,7,8-HxCDD-13C	2.0	75
1,2,3,7,8-PeCDD	1.0	0.99	99	1,2,3,6,7,8-HxCDD-13C	2.0	67
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	58
				1,2,3,4,7,8,9-HpCDF-13C	2.0	52
1,2,3,4,7,8-HxCDF	1.0	1.3	130	1,2,3,4,6,7,8-HpCDD-13C	2.0	64
1,2,3,6,7,8-HxCDF	1.0	1.2	117	OCDD-13C	4.0	45
2,3,4,6,7,8-HxCDF	1.0	1.2	118			
1,2,3,7,8,9-HxCDF	1.0	1.2	118	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.2	123	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,6,7,8-HxCDD	1.0	1.2	119			
1,2,3,7,8,9-HxCDD	1.0	1.1	112			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.1	106			
1,2,3,4,7,8,9-HpCDF	1.0	1.0	104			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.94	94			
Total HpCDD						
OCDF	2.0	2.3	114			
OCDD	2.0	2.2	108			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-014-0.0-0.15-MS	Matrix	Solid
Lab Sample ID	10365388005-MS	Dilution	NA
Filename	Y161019B_03	Extracted	10/13/2016 15:45
Total Amount Extracted	15.1 g	Analyzed	10/19/2016 13:37
ICAL ID	Y160816A	Injected By	SMT
CCal Filename(s)	Y161019B_01 & Y161019B_12		
Method Blank ID	BLANK-52363		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.22	111	2,3,7,8-TCDF-13C	2.00	72
				2,3,7,8-TCDD-13C	2.00	81
				1,2,3,7,8-PeCDF-13C	2.00	66
2,3,7,8-TCDD	0.20	0.18	91	2,3,4,7,8-PeCDF-13C	2.00	61
				1,2,3,7,8-PeCDD-13C	2.00	68
				1,2,3,4,7,8-HxCDF-13C	2.00	61
1,2,3,7,8-PeCDF	1.00	1.09	109	1,2,3,6,7,8-HxCDF-13C	2.00	72
2,3,4,7,8-PeCDF	1.00	1.20	120	2,3,4,6,7,8-HxCDF-13C	2.00	71
				1,2,3,7,8,9-HxCDF-13C	2.00	75
				1,2,3,4,7,8-HxCDD-13C	2.00	67
1,2,3,7,8-PeCDD	1.00	1.01	101	1,2,3,6,7,8-HxCDD-13C	2.00	58
				1,2,3,4,6,7,8-HpCDF-13C	2.00	54
				1,2,3,4,7,8,9-HpCDF-13C	2.00	56
1,2,3,4,7,8-HxCDF	1.00	1.17	117	1,2,3,4,6,7,8-HpCDD-13C	2.00	56
1,2,3,6,7,8-HxCDF	1.00	1.14	114	OCDD-13C	4.00	38 R
2,3,4,6,7,8-HxCDF	1.00	1.08	108			
1,2,3,7,8,9-HxCDF	1.00	1.01	101	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	0.99	99	2,3,7,8-TCDD-37Cl4	0.20	79
1,2,3,6,7,8-HxCDD	1.00	1.32	132			
1,2,3,7,8,9-HxCDD	1.00	1.22	122			
1,2,3,4,6,7,8-HpCDF	1.00	2.01	201			
1,2,3,4,7,8,9-HpCDF	1.00	0.99	99			
1,2,3,4,6,7,8-HpCDD	1.00	1.51	151			
OCDF	2.00	2.78	139			
OCDD	2.00	6.64	332			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

R = Recovery outside target range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spiked Sample Report

Client - Bay West, Inc.

Client's Sample ID	BW16TR-014-0.0-0.15-MSD		
Lab Sample ID	10365388005-MSD		
Filename	Y161019B_04	Matrix	Solid
Total Amount Extracted	15.0 g	Dilution	NA
ICAL ID	Y160816A	Extracted	10/13/2016 15:45
CCal Filename(s)	Y161019B_01 & Y161019B_12	Analyzed	10/19/2016 14:19
Method Blank ID	BLANK-52363	Injected By	SMT

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.21	106	2,3,7,8-TCDF-13C	2.00	82
				2,3,7,8-TCDD-13C	2.00	92
				1,2,3,7,8-PeCDF-13C	2.00	80
2,3,7,8-TCDD	0.20	0.17	85	2,3,4,7,8-PeCDF-13C	2.00	82
				1,2,3,7,8-PeCDD-13C	2.00	85
				1,2,3,4,7,8-HxCDF-13C	2.00	68
1,2,3,7,8-PeCDF	1.00	1.05	105	1,2,3,6,7,8-HxCDF-13C	2.00	78
2,3,4,7,8-PeCDF	1.00	1.11	111	2,3,4,6,7,8-HxCDF-13C	2.00	76
				1,2,3,7,8,9-HxCDF-13C	2.00	81
				1,2,3,4,7,8-HxCDD-13C	2.00	63
1,2,3,7,8-PeCDD	1.00	0.96	96	1,2,3,6,7,8-HxCDD-13C	2.00	71
				1,2,3,4,6,7,8-HpCDF-13C	2.00	62
				1,2,3,4,7,8,9-HpCDF-13C	2.00	65
1,2,3,4,7,8-HxCDF	1.00	1.15	115	1,2,3,4,6,7,8-HpCDD-13C	2.00	64
1,2,3,6,7,8-HxCDF	1.00	1.10	110	OCDD-13C	4.00	46
2,3,4,6,7,8-HxCDF	1.00	1.07	107			
1,2,3,7,8,9-HxCDF	1.00	1.01	101	1,2,3,4-TCDD-13C	2.00	NA
				1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	1.00	1.13	113	2,3,7,8-TCDD-37Cl4	0.20	89
1,2,3,6,7,8-HxCDD	1.00	1.10	110			
1,2,3,7,8,9-HxCDD	1.00	1.19	119			
1,2,3,4,6,7,8-HpCDF	1.00	6.65	665			
1,2,3,4,7,8,9-HpCDF	1.00	1.03	103			
1,2,3,4,6,7,8-HpCDD	1.00	1.38	138			
OCDF	2.00	4.12	206			
OCDD	2.00	6.10	305			

Qs = Quantity Spiked Qm = Quantity Measured Rec. = Recovery (Expressed as Percent)

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Spike Sample Results

Client - Bay West, Inc.

Client Sample ID	BW16TR-014-0.0-0.15	Sample Filename	Y161019B_07	Dry Weights	
Lab Sample ID	10365388005	MS Filename	Y161019B_03	Sample Amount	8.16 g
MS ID	10365388005-MS	MSD Filename	Y161019B_04	MS Amount	8.2 g
MSD ID	10365388005-MSD			MSD Amount	8.2 g

Analyte	Sample Conc. ng/Kg	MS/MSD Qs (ng)	MS Qm (ng)	MSD Qm (ng)	RPD	Background Subtracted		
						MS % Rec.	MSD % Rec.	RPD
2,3,7,8-TCDF	0.670	0.20	0.22	0.21	4.8	108	103	4.9
2,3,7,8-TCDD	0.000	0.20	0.18	0.17	7.5	91	85	7.5
1,2,3,7,8-PeCDF	0.000	1.00	1.09	1.05	4.2	109	104	4.2
2,3,4,7,8-PeCDF	0.554	1.00	1.20	1.11	7.0	119	111	7.0
1,2,3,7,8-PeCDD	0.307	1.00	1.01	0.96	4.8	101	96	4.8
1,2,3,4,7,8-HxCDF	1.402	1.00	1.17	1.15	2.1	116	114	2.1
1,2,3,6,7,8-HxCDF	2.225	1.00	1.14	1.10	3.5	112	108	3.6
2,3,4,6,7,8-HxCDF	0.851	1.00	1.08	1.07	1.3	107	106	1.3
1,2,3,7,8,9-HxCDF	0.459	1.00	1.01	1.01	0.5	100	101	0.5
1,2,3,4,7,8-HxCDD	0.544	1.00	0.99	1.13	13.0	99	113	13.1
1,2,3,6,7,8-HxCDD	2.806	1.00	1.32	1.10	18.2	129	107	18.6
1,2,3,7,8,9-HxCDD	1.456	1.00	1.22	1.19	2.5	121	118	2.5
1,2,3,4,6,7,8-HpCDF	96.745	1.00	2.01	6.65	107.2	121	586	131.4
1,2,3,4,7,8,9-HpCDF	1.070	1.00	0.99	1.03	4.2	98	103	4.3
1,2,3,4,6,7,8-HpCDD	40.419	1.00	1.51	1.38	8.8	118	105	11.2
OCDF	50.977	2.00	2.78	4.12	39.0	118	185	44.4
OCDD	425.181	2.00	6.64	6.10	8.6	157	131	18.1

Definitions

MS = Matrix Spike	CDD = Chlorinated dibenzo-p-dioxin
MSD = Matrix Spike Duplicate	CDF = Chlorinated dibenzo-p-furan
Qm = Quantity Measured	T = Tetra
Qs = Quantity Spiked	Pe = Penta
% Rec. = Percent Recovery	Hx = Hexa
RPD = Relative Percent Difference	Hp = Hepta
NA = Not Applicable	O = Octa
NC = Not Calculated	



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365389
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/17/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS/MSD was performed on mercury sample BW16TR-002-0.30-0.55.
	ii. If no, is there and explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MSD recovery for mercury (128%) was biased high and outside QC limits.
	2. Below the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS recovery for mercury (59%) was biased low and outside QC limits.
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The mercury RPD of 34% exceeded the QC criterion of $\leq 20\%$.
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The mercury result in sample BW16TR-002-0.30-0.55 was qualified "J" as estimated.

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) Samples BW16TR-001-0.15-0.35 and BW16TR-101-0.15-0.35 were collected as blind field duplicates. The mercury RPD of 66.7% exceeded the QC guideline of $\leq 50\%$. Mercury results were qualified "J" as estimated in samples BW16TR-001-0.15-0.35 and BW16TR-101-0.15-0.35.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

October 17, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103


RE: Project: J160139 SLR Sediment AOCs
Pace Project No.: 10365389

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kabor Xiong for
Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365389001	BW16TR-001-0.0-0.15	Solid	10/05/16 14:15	10/07/16 19:35
10365389002	BW16TR-001-0.15-0.35	Solid	10/05/16 14:21	10/07/16 19:35
10365389003	BW16TR-101-0.15-0.35	Solid	10/05/16 14:26	10/07/16 19:35
10365389004	BW16TR-002-0.0-0.15	Solid	10/05/16 15:10	10/07/16 19:35
10365389005	BW16TR-002-0.30-0.55	Solid	10/05/16 15:15	10/07/16 19:35
10365389006	BW16TR-003-0.0-0.15	Solid	10/05/16 15:30	10/07/16 19:35
10365389007	BW16TR-003-0.27-0.52	Solid	10/05/16 15:35	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10365389001	BW16TR-001-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389002	BW16TR-001-0.15-0.35	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389003	BW16TR-101-0.15-0.35	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389004	BW16TR-002-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389005	BW16TR-002-0.30-0.55	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389006	BW16TR-003-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365389007	BW16TR-003-0.27-0.52	EPA 7471B	LMW	1
		ASTM D2974	JDL	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Method: EPA 7471B

Description: 7471B Mercury

Client: Bay West, Inc.

Date: October 17, 2016

General Information:

7 samples were analyzed for EPA 7471B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 440058

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365389005

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 2393000)
 - Mercury
- MSD (Lab ID: 2393001)
 - Mercury

R1: RPD value was outside control limits.

- MSD (Lab ID: 2393001)
 - Mercury

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-001-0.0-0.15 **Lab ID: 10365389001** Collected: 10/05/16 14:15 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.13	mg/kg	0.040	0.010	1	10/14/16 07:37	10/16/16 16:24	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	49.9	%	0.10	0.10	1		10/13/16 12:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-001-0.15-0.35 Lab ID: 10365389002 Collected: 10/05/16 14:21 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.65	mg/kg	0.038	0.0099	1	10/14/16 07:37	10/16/16 16:26	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	51.0	%	0.10	0.10	1		10/13/16 12:55		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-101-0.15-0.35 Lab ID: 10365389003 Collected: 10/05/16 14:26 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	1.3	mg/kg	0.034	0.0088	1	10/14/16 07:37	10/16/16 16:29	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	49.1	%	0.10	0.10	1		10/13/16 13:38		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-002-0.0-0.15 **Lab ID: 10365389004** Collected: 10/05/16 15:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.096	mg/kg	0.041	0.011	1	10/14/16 07:37	10/16/16 16:31	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	50.8	%	0.10	0.10	1		10/13/16 13:38		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-002-0.30-0.55 Lab ID: 10365389005 Collected: 10/05/16 15:15 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	1.1	mg/kg	0.040	0.010	1	10/14/16 07:37	10/16/16 16:33	7439-97-6	M1,R1
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	53.3	%	0.10	0.10	1		10/13/16 13:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-003-0.0-0.15 **Lab ID: 10365389006** Collected: 10/05/16 15:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.072	mg/kg	0.029	0.0076	1	10/14/16 07:37	10/16/16 16:43	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	37.5	%	0.10	0.10	1		10/13/16 13:39		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Sample: BW16TR-003-0.27-0.52 Lab ID: 10365389007 Collected: 10/05/16 15:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.13	mg/kg	0.030	0.0079	1	10/14/16 07:37	10/16/16 16:46	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	39.9	%	0.10	0.10	1		10/13/16 13:40		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

QC Batch: 440058

Analysis Method: EPA 7471B

QC Batch Method: EPA 7471B

Analysis Description: 7471B Mercury Solids

Associated Lab Samples: 10365389001, 10365389002, 10365389003, 10365389004, 10365389005, 10365389006, 10365389007

METHOD BLANK: 2392998

Matrix: Solid

Associated Lab Samples: 10365389001, 10365389002, 10365389003, 10365389004, 10365389005, 10365389006, 10365389007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.018	0.0046	10/16/16 16:20	

LABORATORY CONTROL SAMPLE: 2392999

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.48	0.50	103	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2393000 2393001

Parameter	Units	2393000		2393001		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		10365389005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Mercury	mg/kg	1.1	1	1	1.7	2.4	59	128	75-125	34	20 M1,R1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

QC Batch: 440926	Analysis Method: ASTM D2974
QC Batch Method: ASTM D2974	Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 10365389001, 10365389002	

SAMPLE DUPLICATE: 2398805

Parameter	Units	10362391018 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.1	12.4	2	30	

SAMPLE DUPLICATE: 2398806

Parameter	Units	10365389002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	51.0	50.5	1	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365389

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365389001	BW16TR-001-0.0-0.15	EPA 7471B	440058	EPA 7471B	441399
10365389002	BW16TR-001-0.15-0.35	EPA 7471B	440058	EPA 7471B	441399
10365389003	BW16TR-101-0.15-0.35	EPA 7471B	440058	EPA 7471B	441399
10365389004	BW16TR-002-0.0-0.15	EPA 7471B	440058	EPA 7471B	441399
10365389005	BW16TR-002-0.30-0.55	EPA 7471B	440058	EPA 7471B	441399
10365389006	BW16TR-003-0.0-0.15	EPA 7471B	440058	EPA 7471B	441399
10365389007	BW16TR-003-0.27-0.52	EPA 7471B	440058	EPA 7471B	441399
10365389001	BW16TR-001-0.0-0.15	ASTM D2974	440926		
10365389002	BW16TR-001-0.15-0.35	ASTM D2974	440926		
10365389003	BW16TR-101-0.15-0.35	ASTM D2974	440928		
10365389004	BW16TR-002-0.0-0.15	ASTM D2974	440928		
10365389005	BW16TR-002-0.30-0.55	ASTM D2974	440928		
10365389006	BW16TR-003-0.0-0.15	ASTM D2974	440928		
10365389007	BW16TR-003-0.27-0.52	ASTM D2974	440928		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt

Client Name:

BayWest LLC

Project #:

WO# : 10365389



Courier: Fed Ex UPS USPS Client
 Commercial Pace Speedee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 2.7, 2.8 Cooler Temp Corrected (°C): 2.9, 2.8 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 10.2 Date and Initials of Person Examining Contents: BC 10/27/16

USDA Regulated Soil (N/A, water sample) 10/7/16

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low Eater

Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365387
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/17/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS/MSD was performed on mercury sample BW16TR-006-0.0-0.15.
	ii. If no, is there and explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) The following blind field duplicates were collected with the mercury samples in this SDG: (1) BW16TR-005-0.23-0.48 and BW16TR-005-0.23-0.48 (RPD 29.9%) and (2) BW16TR-007-0.26-0.51 and BW16TR-107-0.26-0.51 (RPD 33.0%). All RPDs were within QC guidelines of $\leq 50\%$.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

October 17, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOC
Pace Project No.: 10365387

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

525 N 8th Street, Salina, KS 67401

Alaska Certification UST-107

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365387001	BW16TR-004-0.0-0.15	Solid	10/07/16 10:40	10/07/16 19:35
10365387002	BW16TR-004-0.21-0.46	Solid	10/07/16 10:45	10/07/16 19:35
10365387003	BW16TR-005-0.0-0.15	Solid	10/07/16 11:00	10/07/16 19:35
10365387004	BW16TR-005-0.23-0.48	Solid	10/07/16 11:05	10/07/16 19:35
10365387005	BW16TR-105-0.23-0.48	Solid	10/07/16 11:10	10/07/16 19:35
10365387006	BW16TR-006-0.0-0.15	Solid	10/07/16 11:35	10/07/16 19:35
10365387007	BW16TR-006-0.15-0.28	Solid	10/07/16 11:35	10/07/16 19:35
10365387008	BW16TR-007-0.0-0.15	Solid	10/07/16 11:50	10/07/16 19:35
10365387009	BW16TR-007-0.26-0.51	Solid	10/07/16 11:55	10/07/16 19:35
10365387010	BW16TR-107-0.26-0.51	Solid	10/07/16 12:00	10/07/16 19:35
10365387011	BW16TR-009-0.0-0.15	Solid	10/07/16 12:25	10/07/16 19:35
10365387012	BW16TR-010-0.0-0.15	Solid	10/07/16 12:40	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10365387001	BW16TR-004-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387002	BW16TR-004-0.21-0.46	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387003	BW16TR-005-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387004	BW16TR-005-0.23-0.48	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387005	BW16TR-105-0.23-0.48	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387006	BW16TR-006-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387007	BW16TR-006-0.15-0.28	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387008	BW16TR-007-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387009	BW16TR-007-0.26-0.51	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387010	BW16TR-107-0.26-0.51	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387011	BW16TR-009-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365387012	BW16TR-010-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Method: EPA 7471B

Description: 7471B Mercury

Client: Bay West, Inc.

Date: October 17, 2016

General Information:

12 samples were analyzed for EPA 7471B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-004-0.0-0.15 **Lab ID: 10365387001** Collected: 10/07/16 10:40 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.054	mg/kg	0.031	0.0080	1	10/14/16 07:19	10/16/16 19:03	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	37.2	%	0.10	0.10	1		10/13/16 11:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-004-0.21-0.46 Lab ID: 10365387002 Collected: 10/07/16 10:45 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.50	mg/kg	0.033	0.0085	1	10/14/16 07:19	10/16/16 19:06	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	38.6	%	0.10	0.10	1		10/13/16 11:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-005-0.0-0.15 **Lab ID: 10365387003** Collected: 10/07/16 11:00 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.13	mg/kg	0.042	0.011	1	10/14/16 07:19	10/16/16 19:08	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	54.2	%	0.10	0.10	1		10/13/16 11:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-005-0.23-0.48 Lab ID: 10365387004 Collected: 10/07/16 11:05 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.10	mg/kg	0.030	0.0077	1	10/14/16 07:19	10/16/16 19:10	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	40.3	%	0.10	0.10	1		10/13/16 11:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-105-0.23-0.48 Lab ID: 10365387005 Collected: 10/07/16 11:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.074	mg/kg	0.029	0.0074	1	10/14/16 07:19	10/16/16 19:12	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	38.2	%	0.10	0.10	1		10/13/16 11:33		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-006-0.0-0.15 **Lab ID: 10365387006** Collected: 10/07/16 11:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.098	mg/kg	0.033	0.0086	1	10/14/16 07:19	10/16/16 19:22	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	41.2	%	0.10	0.10	1		10/13/16 11:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-006-0.15-0.28 **Lab ID: 10365387007** Collected: 10/07/16 11:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.39	mg/kg	0.035	0.0091	1	10/14/16 07:19	10/16/16 19:28	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	50.8	%	0.10	0.10	1		10/13/16 11:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-007-0.0-0.15 **Lab ID: 10365387008** Collected: 10/07/16 11:50 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.050	mg/kg	0.031	0.0081	1	10/14/16 07:19	10/16/16 19:31	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	43.3	%	0.10	0.10	1		10/13/16 11:34		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-007-0.26-0.51 Lab ID: 10365387009 Collected: 10/07/16 11:55 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.38	mg/kg	0.028	0.0074	1	10/14/16 07:19	10/16/16 19:33	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	37.9	%	0.10	0.10	1		10/13/16 11:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-107-0.26-0.51 Lab ID: 10365387010 Collected: 10/07/16 12:00 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.53	mg/kg	0.028	0.0074	1	10/14/16 07:19	10/16/16 19:35	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	35.8	%	0.10	0.10	1		10/13/16 11:35		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-009-0.0-0.15 **Lab ID: 10365387011** Collected: 10/07/16 12:25 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.055	mg/kg	0.023	0.0061	1	10/14/16 07:19	10/16/16 19:37	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	19.6	%	0.10	0.10	1		10/13/16 12:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

Sample: BW16TR-010-0.0-0.15 **Lab ID: 10365387012** Collected: 10/07/16 12:40 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.068	mg/kg	0.026	0.0068	1	10/14/16 07:19	10/16/16 19:39	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	30.9	%	0.10	0.10	1		10/13/16 12:54		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

QC Batch: 440057 Analysis Method: EPA 7471B
 QC Batch Method: EPA 7471B Analysis Description: 7471B Mercury Solids
 Associated Lab Samples: 10365387001, 10365387002, 10365387003, 10365387004, 10365387005, 10365387006, 10365387007, 10365387008, 10365387009, 10365387010, 10365387011, 10365387012

METHOD BLANK: 2392994 Matrix: Solid
 Associated Lab Samples: 10365387001, 10365387002, 10365387003, 10365387004, 10365387005, 10365387006, 10365387007, 10365387008, 10365387009, 10365387010, 10365387011, 10365387012

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.020	0.0052	10/16/16 18:38	

LABORATORY CONTROL SAMPLE: 2392995

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.45	0.47	104	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2392996 2392997

Parameter	Units	10365387006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	0.098	.75	.77	0.85	0.88	100	101	75-125	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

QC Batch:	440863	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	10365387001, 10365387002, 10365387003, 10365387004, 10365387005, 10365387006, 10365387007, 10365387008, 10365387009, 10365387010		

SAMPLE DUPLICATE: 2398400

Parameter	Units	10365153005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.2	10.8	12	30	

SAMPLE DUPLICATE: 2398401

Parameter	Units	10365387006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	41.2	42.9	4	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

QC Batch:	440926	Analysis Method:	ASTM D2974
QC Batch Method:	ASTM D2974	Analysis Description:	Dry Weight/Percent Moisture
Associated Lab Samples:	10365387011, 10365387012		

SAMPLE DUPLICATE: 2398805

Parameter	Units	10362391018 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.1	12.4	2	30	

SAMPLE DUPLICATE: 2398806

Parameter	Units	10365389002 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	51.0	50.5	1	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365387

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOC
Pace Project No.: 10365387

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365387001	BW16TR-004-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387002	BW16TR-004-0.21-0.46	EPA 7471B	440057	EPA 7471B	441398
10365387003	BW16TR-005-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387004	BW16TR-005-0.23-0.48	EPA 7471B	440057	EPA 7471B	441398
10365387005	BW16TR-105-0.23-0.48	EPA 7471B	440057	EPA 7471B	441398
10365387006	BW16TR-006-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387007	BW16TR-006-0.15-0.28	EPA 7471B	440057	EPA 7471B	441398
10365387008	BW16TR-007-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387009	BW16TR-007-0.26-0.51	EPA 7471B	440057	EPA 7471B	441398
10365387010	BW16TR-107-0.26-0.51	EPA 7471B	440057	EPA 7471B	441398
10365387011	BW16TR-009-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387012	BW16TR-010-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365387001	BW16TR-004-0.0-0.15	ASTM D2974	440863		
10365387002	BW16TR-004-0.21-0.46	ASTM D2974	440863		
10365387003	BW16TR-005-0.0-0.15	ASTM D2974	440863		
10365387004	BW16TR-005-0.23-0.48	ASTM D2974	440863		
10365387005	BW16TR-105-0.23-0.48	ASTM D2974	440863		
10365387006	BW16TR-006-0.0-0.15	ASTM D2974	440863		
10365387007	BW16TR-006-0.15-0.28	ASTM D2974	440863		
10365387008	BW16TR-007-0.0-0.15	ASTM D2974	440863		
10365387009	BW16TR-007-0.26-0.51	ASTM D2974	440863		
10365387010	BW16TR-107-0.26-0.51	ASTM D2974	440863		
10365387011	BW16TR-009-0.0-0.15	ASTM D2974	440926		
10365387012	BW16TR-010-0.0-0.15	ASTM D2974	440926		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.


18365387

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Section D EQUS Information:
Company: Bay West, LLC Address: 5 Empire Drive St. Paul, MN 55103 Email To: nmcDonald@baywest.com Phone: 651-291-3483 Requested Due Date/TAT: Standard	Report To: Nancy McDonald Copy To: Paul Raymaker Purchase Order No.: 108002 Project Name: SLR Sediment AOCs Project Number: J160139	Attention: Accounts Payable Company Name: Bay West, LLC Address: 5 Empire Drive Lab Order Reference: 3000017136 Lab Project Manager: Oyejemi Odujole	Facility Name: St. Louis River Sediment Areas of Concern Facility Code: St. Louis River Sed Facility ID: 547023 Subfacility Code: Page 1 of 1 COC# SLR-TR-2 Site Location STATE: MN

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	Collection		# OF CONTAINERS	Preservatives										Dioxins and furans (SW-846 8290A)	Mercury (EPA 747B)	% Moisture	Comments				
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)				DATE	Time		H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other											
EX	BW15MLW-005	BW14MLW-005-0.15		SO	G	3/12/15	1204																			
1	BW16TR-004	BW16TR-004-0.0-0.15		SO	G	10/7/16	1040	3	3																	
2	BW16TR-004	BW16TR-004-0.21-0.46		SO	G	10/7/16	1045	3	3																	
3	BW16TR-005	BW16TR-005-0.0-0.15		SO	G	10/7/16	1100	3	3																	
4	BW16TR-005	BW16TR-005-0.23-0.48		SO	G	10/7/16	1105	3	3																	
5	BW16TR-005	BW16TR-105-0.23-0.48		SO	G	10/7/16	1110	3	3																	
6	BW16TR-006	BW16TR-006-0.0-0.15		SO	G	10/7/16	1130	6	6																	
7	BW16TR-006	BW16TR-006-0.15-0.28		SO	G	10/7/16	1135	3	3																	
8	BW16TR-007	BW16TR-007-0.0-0.15		SO	G	10/7/16	1150	3	3																	
9	BW16TR-007	BW16TR-007-0.26-0.51		SO	G	10/7/16	1155	3	3																	
10	BW16TR-007	BW16TR-107-0.26-0.51		SO	G	10/7/16	1200	3	3																	
11	BW16TR-009	BW16TR-009-0.0-0.15		SO	G	10/7/16	1225	3	3																	
12	BW16TR-010	BW16TR-010-0.0-0.15		SO	G	10/7/16	1240	3	3																	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
Chris Messon/Bay West Christina Polson	Christina Polson	10/7/16	1555	Christina Polson	10/7/16	1555
		10/7/16	1700		10/7/16	1700
		10/7/16	1935		10/7/16	1935
		10/7/16	1939		10/7/16	1939

Reference Face Subcontractor Order Form signed by Face on 9/16/16

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: Chris Messon
 SIGNATURE of SAMPLER:  DATE Signed (MM/DD/YYYY): 10/7/16

Sample Condition Upon Receipt

Client Name: Bay West, LLC Project #: WO# : 10365387

WO# : 10365387



10365387

Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeeDee Other: _____
 Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer 151401163 B88A912167504 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 Used: 151401164 B88A0143310098

Cooler Temp Read (°C): 5.0, 2.5, 3.0 Cooler Temp Corrected (°C): 4.9, 2.4, 2.9 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: -0.1 Date and Initials of Person Examining Contents: JDD 10-7-16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____ Field Data Required? Yes No
 Comments/Resolution: _____

Project Manager Review: Low Eater Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365384
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/17/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS/MSD was performed as batch QC from SDG 10365387.
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the mercury samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

October 17, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103


RE: Project: J160139 SLR Sediment AOCs
Pace Project No.: 10365384

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

525 N 8th Street, Salina, KS 67401

Alaska Certification UST-107

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365384001	BW16TR-010-0.15-0.38	Solid	10/07/16 12:45	10/07/16 19:35
10365384002	BW16TR-011-0.0-0.15	Solid	10/07/16 13:05	10/07/16 19:35
10365384003	BW16TR-011-0.60-0.85	Solid	10/07/16 13:10	10/07/16 19:35
10365384004	BW16TR-012-0.0-0.15	Solid	10/07/16 13:20	10/07/16 19:35
10365384005	BW16TR-014-0.0-0.15	Solid	10/07/16 13:30	10/07/16 19:35
10365384006	BW16TR-014-0.15-0.38	Solid	10/07/16 13:35	10/07/16 19:35
10365384007	BW16TR-015-0.0-0.15	Solid	10/07/16 13:50	10/07/16 19:35
10365384008	BW16TR-015-0.15-0.36	Solid	10/07/16 13:55	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10365384001	BW16TR-010-0.15-0.38	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384002	BW16TR-011-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384003	BW16TR-011-0.60-0.85	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384004	BW16TR-012-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384005	BW16TR-014-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384006	BW16TR-014-0.15-0.38	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384007	BW16TR-015-0.0-0.15	EPA 7471B	LMW	1
		ASTM D2974	JDL	1
10365384008	BW16TR-015-0.15-0.36	EPA 7471B	LMW	1
		ASTM D2974	JDL	1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Method: EPA 7471B

Description: 7471B Mercury

Client: Bay West, Inc.

Date: October 17, 2016

General Information:

8 samples were analyzed for EPA 7471B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-010-0.15-0.38 **Lab ID: 10365384001** Collected: 10/07/16 12:45 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.075	mg/kg	0.030	0.0078	1	10/14/16 07:19	10/16/16 18:42	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	37.4	%	0.10	0.10	1		10/13/16 11:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-011-0.0-0.15 **Lab ID: 10365384002** Collected: 10/07/16 13:05 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.12	mg/kg	0.039	0.010	1	10/14/16 07:19	10/16/16 18:44	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	50.1	%	0.10	0.10	1		10/13/16 11:30		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-011-0.60-0.85 **Lab ID: 10365384003** Collected: 10/07/16 13:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	2.2	mg/kg	0.076	0.020	2	10/14/16 07:19	10/16/16 19:16	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	54.7	%	0.10	0.10	1		10/13/16 11:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-012-0.0-0.15 **Lab ID: 10365384004** Collected: 10/07/16 13:20 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.56	mg/kg	0.042	0.011	1	10/14/16 07:19	10/16/16 18:48	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	55.3	%	0.10	0.10	1		10/13/16 11:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-014-0.0-0.15 **Lab ID: 10365384005** Collected: 10/07/16 13:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury	Analytical Method: EPA 7471B Preparation Method: EPA 7471B								
Mercury	0.077	mg/kg	0.039	0.010	1	10/14/16 07:19	10/16/16 18:51	7439-97-6	
Dry Weight	Analytical Method: ASTM D2974								
Percent Moisture	48.8	%	0.10	0.10	1		10/13/16 11:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-014-0.15-0.38 **Lab ID: 10365384006** Collected: 10/07/16 13:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.087	mg/kg	0.031	0.0081	1	10/14/16 07:19	10/16/16 18:53	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	38.2	%	0.10	0.10	1		10/13/16 11:31		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-015-0.0-0.15 **Lab ID: 10365384007** Collected: 10/07/16 13:50 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.088	mg/kg	0.031	0.0081	1	10/14/16 07:19	10/16/16 18:59	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	38.1	%	0.10	0.10	1		10/13/16 11:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Sample: BW16TR-015-0.15-0.36 Lab ID: 10365384008 Collected: 10/07/16 13:55 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.15	mg/kg	0.030	0.0078	1	10/14/16 07:19	10/16/16 19:01	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	37.8	%	0.10	0.10	1		10/13/16 11:32		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

QC Batch: 440863

Analysis Method: ASTM D2974

QC Batch Method: ASTM D2974

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 10365384001, 10365384002, 10365384003, 10365384004, 10365384005, 10365384006, 10365384007, 10365384008

SAMPLE DUPLICATE: 2398400

Parameter	Units	10365153005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	12.2	10.8	12	30	

SAMPLE DUPLICATE: 2398401

Parameter	Units	10365387006 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	41.2	42.9	4	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365384

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365384001	BW16TR-010-0.15-0.38	EPA 7471B	440057	EPA 7471B	441398
10365384002	BW16TR-011-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365384003	BW16TR-011-0.60-0.85	EPA 7471B	440057	EPA 7471B	441398
10365384004	BW16TR-012-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365384005	BW16TR-014-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365384006	BW16TR-014-0.15-0.38	EPA 7471B	440057	EPA 7471B	441398
10365384007	BW16TR-015-0.0-0.15	EPA 7471B	440057	EPA 7471B	441398
10365384008	BW16TR-015-0.15-0.36	EPA 7471B	440057	EPA 7471B	441398
10365384001	BW16TR-010-0.15-0.38	ASTM D2974	440863		
10365384002	BW16TR-011-0.0-0.15	ASTM D2974	440863		
10365384003	BW16TR-011-0.60-0.85	ASTM D2974	440863		
10365384004	BW16TR-012-0.0-0.15	ASTM D2974	440863		
10365384005	BW16TR-014-0.0-0.15	ASTM D2974	440863		
10365384006	BW16TR-014-0.15-0.38	ASTM D2974	440863		
10365384007	BW16TR-015-0.0-0.15	ASTM D2974	440863		
10365384008	BW16TR-015-0.15-0.36	ASTM D2974	440863		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10365384

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUS Information:	
Company: Bay West, LLC	Report To: Nancy McDonald	Copy To: Paul Raymaker	Accounts Payable	Facility Name: St. Louis River Sediment Areas of Concern	Page 1 of 1	Facility Code: St Louis River Sed	
Address: 5 Empire Drive	Copy To: Paul Raymaker	Address: 5 Empire Drive	Company Name: Bay West, LLC	Attention:	COC#	Facility ID: 547023	SLR-TR-3
St. Paul, MN 55103	Purchase Order No.: 108002	Lab Quote Reference: 3000017136	Address: 5 Empire Drive	Lab Project Manager: Oyeyemi Odujole	Subfacility_code:	Site Location STATE: MN	
Email To: nmcdonald@baywest.com	Project Name: SLR Sediment AOCs	Project Number: J160139					
Phone: 651-291-3483							
Requested Due Date/TAT: Standard							

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE (G=GRAB C=COMP)	DATE	Collection	Time	# OF CONTAINERS	PRESERVATIVES	ACCEPTED BY / AFFILIATION	DATE	TIME	RELINQUISHED BY / AFFILIATION	DATE	TIME	ADDITIONAL COMMENTS	SAMPLE CONDITIONS	Temp (°C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples In tact (Y/N)	
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)																					
Ex	BW15MLW-005	BW14MLW-005-0-0.15	SO	G	G	3/12/15		1204															
1	BW16TR-010	BW16TR-010-0-15-0.38	SO	G	G	10/7/16		1245	3	3													
2	BW16TR-011	BW16TR-011-0-0-0.15	SO	G	G	10/7/16		1305	3	3													
3	BW16TR-011	BW16TR-011-0-60-0.85	SO	G	G	10/7/16		1310	3	3													
4	BW16TR-012	BW16TR-012-0-0-0.15	SO	G	G	10/7/16		1320	3	3													
5	BW16TR-014	BW16TR-014-0-0-0.15	SO	G	G	10/7/16		1330	3	3													
6	BW16TR-014	BW16TR-014-0-15-0.38	SO	G	G	10/7/16		1335	3	3													
7	BW16TR-015	BW16TR-015-0-0-0.15	SO	G	G	10/7/16		1350	3	3													
8	BW16TR-015	BW16TR-015-0-15-0.36	SO	G	G	10/7/16		1355	3	3													
9																							
10																							
11																							
12																							

Reference Pace Subcontractor Order Form signed by Pace on 9/16/16

Chris Musson/Bay West 10/17/16
Christiana Polson 10/17/16
10/17/16

10/17/16 1555
10/17/16 1700
10/17/16 1935
10-7-16 1935

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER: Chris Musson
SIGNATURE of SAMPLER: *Chris Musson*
DATE Signed (MM/DD/YYYY): 10/17/16

Sample Condition Upon Receipt

Client Name: Bay West, LLC Project #: _____

WO#: 10365384



10365384

Courier: Fed Ex UPS USPS Client
 Commercial Pace Speedee Other: _____
 Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No
 Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No
 Thermometer 151401163 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 Used: 151401164
 Cooler Temp Read (°C): 5.0 Cooler Temp Corrected (°C): 4.9 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: -0.1 Date and Initials of Person Examining Contents: JDD 10-7-16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
 If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: *Low Eater* Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Laboratory: Pace - 10367136
 Work order number: 3000017136 Report date (mm/dd/yyyy): 11/04/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	COC includes samples for Scanlon Reservoir, Thomson Reservoir and Boulder Lake. This data review checklist only applies to Thomson Reservoir samples.
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

	calibration problems for any analyses? If yes, explain the data impact.				
--	---	--	--	--	--

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Low-level concentrations of Total TCDD, 1,2,3,4,6,7,8-HpCDD, Total HpCDD, and OCDD were detected in the method blank 52558.
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	All sample results were > 10x the blank concentrations.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dioxins/furans have internal standards instead of surrogates.
b.	Are the lab recovery limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is a Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iii.	Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Is the RPD for the duplicate pair within the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) Interfering substances impacted the determinations of PCDF congeners; the affected values were flagged "I" where incorrect isotope ratios were obtained. All results flagged "I" were qualified "J" as estimated by the reviewer. Concentrations below the calibration range were flagged "J" as estimated by the laboratory.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

Report Prepared for:

Nancy McDonald
Bay West, Inc.
5 Empire Drive
Saint Paul MN 55103

**REPORT OF
LABORATORY
ANALYSIS FOR
PCDD/PCDF**

Report Prepared Date:

November 3, 2016

Report Information:

Pace Project #: 10367136
Sample Receipt Date: 10/21/2016
Client Project #: J160139 SLR Sediment AOCs
Client Sub PO #: 108002
State Cert #: 027-053-137

Invoicing & Reporting Options:

The report provided has been invoiced as a Level 2 PCDD/PCDF Report. If an upgrade of this report package is requested, an additional charge may be applied.

Please review the attached invoice for accuracy and forward any questions to Carolynne Trout, your Pace Project Manager.

This report has been reviewed by:



November 04, 2016

Carolynne Trout, Project Manager
(612) 607-6351
(612) 607-6444 (fax)
Carolynne.Trout@pacelabs.com



Report of Laboratory Analysis

This report should not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

The results relate only to the samples included in this report.



DISCUSSION

This report presents the results from the analyses performed on seven samples submitted by a representative of BayWest, Inc. The samples were analyzed for the presence or absence of polychlorodibenzo-p-dioxins (PCDDs) and polychlorodibenzofurans (PCDFs) using a modified version of USEPA Method 8290. The reporting limits were based on signal-to-noise measurements. Estimated Maximum Possible Concentration (EMPC) values were treated as positives in the toxic equivalence calculations.

Second column confirmation analyses of 2,3,7,8-TCDF values obtained from the primary (DB5-MS) column are performed only when specifically requested for a project and only when the values are above the concentration of the lowest calibration standard. Typical resolution for this isomer using the DB5-MS column ranges from 25-30%.

The recoveries of the isotopically-labeled PCDD/PCDF internal standards in the sample extracts ranged from 49-99%. All of the labeled standard recoveries obtained for this project were within the 40-135% target range specified in Method 8290. Also, since the quantification of the native 2,3,7,8-substituted congeners was based on isotope dilution, the data were automatically corrected for variation in recovery and accurate values were obtained.

Values were flagged "I" where incorrect isotope ratios were obtained and "P" where diphenylethers were present at the elution times of PCDFs. Concentrations below the calibration range were flagged "J" and should be regarded as estimates. Levels above the calibration range were flagged "E" and should be regarded as estimated concentrations.

A laboratory method blank was prepared and analyzed with the sample batch as part of our routine quality control procedures. The results show the blank to contain trace levels of selected congeners. These levels were below the calibration range of the method. The levels reported for the affected congeners in the field samples were higher than the corresponding blank levels by one or more orders of magnitude. These results indicate that the sample processing steps did not contribute significantly to the levels reported for the field samples.

A laboratory spike sample was also prepared with the sample batch using clean reference matrix that had been fortified with native standard materials. The results show that the spiked native compounds were recovered at 85-114%. These values were within the target range for this method. Matrix spikes were prepared using sample material from a separate project. Results are available upon request.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Minnesota Laboratory Certifications

Authority	Certificate #	Authority	Certificate #
A2LA	2926.01	Mississippi	MN00064
Alabama	40770	Montana	92
Alaska	MN00064	Nebraska	NE-OS-18-06
Arizona	AZ0014	Nevada	MN_00064_200
Arkansas	88-0680	New Jersey (NE)	MN002
California	01155CA	New York (NEL)	11647
Colorado	MN00064	North Carolina	27700
Connecticut	PH-0256	North Dakota	R-036
EPA Region 8	8TMS-Q	Ohio	4150
Florida (NELAP)	E87605	Oklahoma	D9922
Georgia (DNR)	959	Oregon (ELAP)	MN200001-005
Guam	959	Oregon (OREL)	MN300001-001
Hawaii	SLD	Pennsylvania	68-00563
Idaho	MN00064	Puerto Rico	MN00064
Illinois	200012	Saipan	MP0003
Indiana	C-MN-01	South Carolina	74003001
Indiana	C-MN-01	Tennessee	TN02818
Iowa	368	Texas	T104704192-08
Kansas	E-10167	Utah (NELAP)	MN00064
Kentucky	90062	Virginia	00251
Louisiana	03086	Washington	C755
Maine	2007029	West Virginia #	9952C
Maryland	322	West Virginia D	382
Michigan	9909	Wisconsin	999407970
Minnesota	027-053-137	Wyoming	8TMS-Q

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....In-House

Appendix A

Sample Management


CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUIS Information:															
Company: Bay West, LLC Address: 5 Empire Drive St. Paul, MN 55103 Email To: jdfratton@glc.com Phone: 231-941-2230 Requested Due Date/TAT: Standard		Report To: Mallice Garton - Great Lake Environmental Center Copy To: Paul Raymaker - Bay West Nancy McDonald - Bay West Purchase Order No.: 108002 Project Name: SLR Sediment AOCs Project Number: J160139		Attention: Mallice Garton - Great Lake Environmental Center Company Name: Bay West, LLC Address: 5 Empire Drive Lab Quote Reference: 3000017136 Lab Project Manager: Oyeveni Odujole		Facility Name: St. Louis River Sediment Areas of Concern Facility Code: St. Louis River Sed Facility ID: 547023 Subfacility Code: Page 1 of 1 COC# SLR-ToxBio-02 MN															
ITEM #	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)	Section E Required Client Information	Valid Matrix Codes	MATRIX CODE	DATE	Collection	# OF CONTAINERS	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ SO ₄	Methanol	Other	Dioxins and furans (SW-846 8290A)	Mercury (747B)	% Moisture	TOC (SW-846 9060A Quad Burn)	Comments
1	BW16BLR-001	BW16BLR-001-0.0-0.15		Drinking Water	DW	10/20/16	12:04	1													001
2	BW16SR-016	BW16SR-016-0.15-0.60		Waste water Product	WWP	10/20/16	10:00	1													002
3	BW16TR-008	BW16TR-008-0.0-0.15		Soil/Solid	SO	10/20/16	10:00	1													003
4	BW16TR-013	BW16TR-013-0.0-0.15		Wipe	WP	10/20/16	10:00	1													004
5	BW16TR-017	BW16TR-017-0.0-0.15		Air Tissue	AR	10/20/16	10:00	1													005
6	BW16TR-018	BW16TR-018-0.0-0.15		Other	OT	10/20/16	10:00	1													006
7	BW16BLR-001	BW16BLR-001-0.0-0.15				10/20/16	10:00	1													007
<p>Ref: pace-tox lab Date: 20Oct16 SHIPPING: 6.13 Dep: Wgt: 5.00 LBS SPECIAL: 0.00 DV: 0.00 HANDLING: 0.00 TOTAL: 6.13</p> <p>Sves: PRIORITY OVERNIGHT TRCK: 9802 5318 5172</p> <p>RELINQUISHED BY AFFILIATION: DATE: TIME: 10/20/16 14:00 ACCEPTED BY AFFILIATION: DATE: TIME: 10/20/16 9:45</p> <p>ADDITIONAL COMMENTS: Mallice Garton/GLEC</p>																					
<p>Reference: Pace Subcontractor Order Form signed by Pace on 9/16/16</p> <p>Signature: <i>Mallice Garton</i> DATE SIGNED: 10/20/16</p>																					

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #: **WO#: 10367136**

 10367136

Courier: Fed Ex UPS USPS Client

Commercial Pace Speedee Other: _____
 Tracking Number: 9802 5318 5161
9802 5318 5172

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 0.6, 0.7 Cooler Temp Corrected (°C): 0.8, 0.9 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BC 10/21/16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
 If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Carynne Trust Date: 10/24/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Reporting Flags

- A = Reporting Limit based on signal to noise
- B = Less than 10x higher than method blank level
- C = Result obtained from confirmation analysis
- D = Result obtained from analysis of diluted sample
- E = Exceeds calibration range
- I = Interference present
- J = Estimated value
- Nn = Value obtained from additional analysis
- P = PCDE Interference
- R = Recovery outside target range
- S = Peak saturated
- U = Analyte not detected
- V = Result verified by confirmation analysis
- X = %D Exceeds limits
- Y = Calculated using average of daily RFs
- * = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Report No.....In-House

Report No.....10367136_8290

Page 7 of 18

Appendix B

Sample Analysis Summary



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16SR-004-0.0-0.15		
Lab Sample ID	10367136001		
Filename	F161101B_11		
Injected By	SMT		
Total Amount Extracted	18.6 g	Matrix	Solid
% Moisture	58.7	Dilution	NA
Dry Weight Extracted	7.68 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/01/2016 21:43

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	15.0	—	0.29	2,3,7,8-TCDF-13C	2.00	80
Total TCDF	43.0	—	0.29	2,3,7,8-TCDD-13C	2.00	89
				1,2,3,7,8-PeCDF-13C	2.00	80
2,3,7,8-TCDD	3.5	—	0.21	2,3,4,7,8-PeCDF-13C	2.00	73
Total TCDD	22.0	—	0.21	1,2,3,7,8-PeCDD-13C	2.00	79
				1,2,3,4,7,8-HxCDF-13C	2.00	93
1,2,3,7,8-PeCDF	—	1.2	0.13 J	1,2,3,6,7,8-HxCDF-13C	2.00	77
2,3,4,7,8-PeCDF	3.6	—	0.21 J	2,3,4,6,7,8-HxCDF-13C	2.00	86
Total PeCDF	58.0	—	0.17	1,2,3,7,8,9-HxCDF-13C	2.00	81
				1,2,3,4,7,8-HxCDD-13C	2.00	80
1,2,3,7,8-PeCDD	4.2	—	0.22 J	1,2,3,6,7,8-HxCDD-13C	2.00	66
Total PeCDD	51.0	—	0.22	1,2,3,4,6,7,8-HpCDF-13C	2.00	60
				1,2,3,4,7,8,9-HpCDF-13C	2.00	61
1,2,3,4,7,8-HxCDF	—	15.0	4.70 P	1,2,3,4,6,7,8-HpCDD-13C	2.00	72
1,2,3,6,7,8-HxCDF	19.0	—	0.82	OCDD-13C	4.00	67
2,3,4,6,7,8-HxCDF	7.9	—	0.29			
1,2,3,7,8,9-HxCDF	3.8	—	0.37 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	560.0	—	1.60	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	7.4	—	0.37	2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,6,7,8-HxCDD	55.0	—	0.72			
1,2,3,7,8,9-HxCDD	16.0	—	0.44			
Total HxCDD	350.0	—	0.51			
1,2,3,4,6,7,8-HpCDF	870.0	—	0.74	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	15.0	—	0.84	Equivalence: 45 ng/Kg		
Total HpCDF	1900.0	—	0.79	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	990.0	—	2.40			
Total HpCDD	2000.0	—	2.40			
OCDF	860.0	—	0.56			
OCDD	11000.0	—	0.39 E			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

P = PCDE Interference

E = Exceeds calibration range

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16SR-016-0.15-0.60		
Lab Sample ID	10367136002		
Filename	F161101B_12		
Injected By	SMT		
Total Amount Extracted	17.5 g	Matrix	Solid
% Moisture	44.5	Dilution	NA
Dry Weight Extracted	9.71 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/01/2016 22:31

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	12.0	—	0.70	2,3,7,8-TCDF-13C	2.00	79
Total TCDF	68.0	—	0.70	2,3,7,8-TCDD-13C	2.00	86
				1,2,3,7,8-PeCDF-13C	2.00	74
2,3,7,8-TCDD	6.1	—	0.34	2,3,4,7,8-PeCDF-13C	2.00	63
Total TCDD	53.0	—	0.34	1,2,3,7,8-PeCDD-13C	2.00	70
				1,2,3,4,7,8-HxCDF-13C	2.00	83
1,2,3,7,8-PeCDF	—	7.2	0.24	1,2,3,6,7,8-HxCDF-13C	2.00	78
2,3,4,7,8-PeCDF	17.0	—	0.40	2,3,4,6,7,8-HxCDF-13C	2.00	85
Total PeCDF	240.0	—	0.32	1,2,3,7,8,9-HxCDF-13C	2.00	82
				1,2,3,4,7,8-HxCDD-13C	2.00	81
1,2,3,7,8-PeCDD	23.0	—	0.13	1,2,3,6,7,8-HxCDD-13C	2.00	61
Total PeCDD	190.0	—	0.13	1,2,3,4,6,7,8-HpCDF-13C	2.00	62
				1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	72.0	—	0.58	1,2,3,4,6,7,8-HpCDD-13C	2.00	74
1,2,3,6,7,8-HxCDF	110.0	—	0.80	OCDD-13C	4.00	61
2,3,4,6,7,8-HxCDF	19.0	—	0.53			
1,2,3,7,8,9-HxCDF	11.0	—	0.66	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	2500.0	—	0.64	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	17.0	—	0.82	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	100.0	—	0.84			
1,2,3,7,8,9-HxCDD	67.0	—	0.71			
Total HxCDD	900.0	—	0.79			
1,2,3,4,6,7,8-HpCDF	4300.0	—	0.37	E	Total 2,3,7,8-TCDD	
1,2,3,4,7,8,9-HpCDF	34.0	—	2.90	E	Equivalence: 130 ng/Kg	
Total HpCDF	8300.0	—	1.70	E	(Using 2005 WHO Factors)	
1,2,3,4,6,7,8-HpCDD	850.0	—	1.40			
Total HpCDD	1700.0	—	1.40			
OCDF	2000.0	—	0.48			
OCDD	6700.0	—	0.28			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

P = PCDE Interference

E = Exceeds calibration range

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-008-0.0-0.15		
Lab Sample ID	10367136003		
Filename	F161101B_13		
Injected By	SMT		
Total Amount Extracted	18.2 g	Matrix	Solid
% Moisture	42.4	Dilution	NA
Dry Weight Extracted	10.5 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/01/2016 23:19

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.74	---	0.49	J	2,3,7,8-TCDF-13C	2.00	74
Total TCDF	2.50	---	0.49		2,3,7,8-TCDD-13C	2.00	82
					1,2,3,7,8-PeCDF-13C	2.00	78
2,3,7,8-TCDD	ND	---	0.54		2,3,4,7,8-PeCDF-13C	2.00	71
Total TCDD	2.20	---	0.54		1,2,3,7,8-PeCDD-13C	2.00	74
					1,2,3,4,7,8-HxCDF-13C	2.00	84
1,2,3,7,8-PeCDF	ND	---	0.44		1,2,3,6,7,8-HxCDF-13C	2.00	76
2,3,4,7,8-PeCDF	0.97	---	0.35	J	2,3,4,6,7,8-HxCDF-13C	2.00	83
Total PeCDF	9.40	---	0.40		1,2,3,7,8,9-HxCDF-13C	2.00	77
					1,2,3,4,7,8-HxCDD-13C	2.00	79
1,2,3,7,8-PeCDD	0.35	---	0.31	J	1,2,3,6,7,8-HxCDD-13C	2.00	59
Total PeCDD	26.00	---	0.31		1,2,3,4,6,7,8-HpCDF-13C	2.00	58
					1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	3.30	---	0.51	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	66
1,2,3,6,7,8-HxCDF	3.30	---	0.26	J	OCDD-13C	4.00	55
2,3,4,6,7,8-HxCDF	2.20	---	0.28	J			
1,2,3,7,8,9-HxCDF	---	0.82	0.25	I	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	150.00	---	0.32		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.50		2,3,7,8-TCDD-37Cl4	0.20	78
1,2,3,6,7,8-HxCDD	75.00	---	0.60				
1,2,3,7,8,9-HxCDD	26.00	---	0.37				
Total HxCDD	520.00	---	0.49				
1,2,3,4,6,7,8-HpCDF	260.00	---	0.33		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.00	---	0.31	J	Equivalence: 16 ng/Kg		
Total HpCDF	470.00	---	0.32		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	91.00	---	0.39				
Total HpCDD	190.00	---	0.39				
OCDF	87.00	---	0.20				
OCDD	320.00	---	0.21				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-008-0.0-0.15		
Lab Sample ID	10367136003		
Filename	F161102A_11		
Injected By	SMT		
Total Amount Extracted	18.2 g	Matrix	Solid
% Moisture	42.4	Dilution	NA
Dry Weight Extracted	10.5 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_19 & F161102A_15	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/02/2016 12:58

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg		Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	—	0.52	0.130	I	2,3,7,8-TCDF-13C	2.00	78
Total TCDF	2.60	—	0.130		2,3,7,8-TCDD-13C	2.00	83
					1,2,3,7,8-PeCDF-13C	2.00	83
2,3,7,8-TCDD	ND	—	0.130		2,3,4,7,8-PeCDF-13C	2.00	76
Total TCDD	3.80	—	0.130		1,2,3,7,8-PeCDD-13C	2.00	78
					1,2,3,4,7,8-HxCDF-13C	2.00	81
1,2,3,7,8-PeCDF	0.30	—	0.160	J	1,2,3,6,7,8-HxCDF-13C	2.00	81
2,3,4,7,8-PeCDF	—	0.96	0.079	I	2,3,4,6,7,8-HxCDF-13C	2.00	83
Total PeCDF	8.90	—	0.120		1,2,3,7,8,9-HxCDF-13C	2.00	76
					1,2,3,4,7,8-HxCDD-13C	2.00	75
1,2,3,7,8-PeCDD	ND	—	0.380		1,2,3,6,7,8-HxCDD-13C	2.00	63
Total PeCDD	27.00	—	0.380		1,2,3,4,6,7,8-HpCDF-13C	2.00	56
					1,2,3,4,7,8,9-HpCDF-13C	2.00	55
1,2,3,4,7,8-HxCDF	3.90	—	1.600	J	1,2,3,4,6,7,8-HpCDD-13C	2.00	62
1,2,3,6,7,8-HxCDF	3.60	—	0.370	J	OCDD-13C	4.00	49
2,3,4,6,7,8-HxCDF	2.20	—	1.500	J			
1,2,3,7,8,9-HxCDF	1.10	—	0.130	J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	150.00	—	0.900		1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	—	0.720		2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,6,7,8-HxCDD	72.00	—	0.710				
1,2,3,7,8,9-HxCDD	29.00	—	0.700				
Total HxCDD	530.00	—	0.710				
1,2,3,4,6,7,8-HpCDF	260.00	—	0.570		Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	—	1.60	0.690	I	Equivalence: 15 ng/Kg		
Total HpCDF	470.00	—	0.630		(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	94.00	—	0.720				
Total HpCDD	190.00	—	0.720				
OCDF	86.00	—	0.530				
OCDD	310.00	—	0.380				

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-013-0.0-0.15		
Lab Sample ID	10367136004		
Filename	F161101B_14		
Injected By	SMT		
Total Amount Extracted	18.9 g	Matrix	Solid
% Moisture	53.5	Dilution	NA
Dry Weight Extracted	8.79 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/02/2016 00:07

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.40	—	0.42	2,3,7,8-TCDF-13C	2.00	75
Total TCDF	5.60	—	0.42	2,3,7,8-TCDD-13C	2.00	83
				1,2,3,7,8-PeCDF-13C	2.00	79
2,3,7,8-TCDD	ND	—	0.31	2,3,4,7,8-PeCDF-13C	2.00	74
Total TCDD	6.40	—	0.31	1,2,3,7,8-PeCDD-13C	2.00	74
				1,2,3,4,7,8-HxCDF-13C	2.00	83
1,2,3,7,8-PeCDF	0.78	—	0.32 J	1,2,3,6,7,8-HxCDF-13C	2.00	79
2,3,4,7,8-PeCDF	1.20	—	0.39 J	2,3,4,6,7,8-HxCDF-13C	2.00	85
Total PeCDF	16.00	—	0.35	1,2,3,7,8,9-HxCDF-13C	2.00	78
				1,2,3,4,7,8-HxCDD-13C	2.00	75
1,2,3,7,8-PeCDD	—	0.80	0.53 I	1,2,3,6,7,8-HxCDD-13C	2.00	62
Total PeCDD	9.70	—	0.53	1,2,3,4,6,7,8-HpCDF-13C	2.00	58
				1,2,3,4,7,8,9-HpCDF-13C	2.00	59
1,2,3,4,7,8-HxCDF	4.00	—	0.98 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	66
1,2,3,6,7,8-HxCDF	8.90	—	0.36	OCDD-13C	4.00	57
2,3,4,6,7,8-HxCDF	2.80	—	0.36 J			
1,2,3,7,8,9-HxCDF	—	0.86	0.65 I	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	190.00	—	0.59	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.73	—	0.29 J	2,3,7,8-TCDD-37Cl4	0.20	77
1,2,3,6,7,8-HxCDD	6.10	—	0.26			
1,2,3,7,8,9-HxCDD	2.30	—	0.34 J			
Total HxCDD	55.00	—	0.30			
1,2,3,4,6,7,8-HpCDF	320.00	—	0.53	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	2.30	—	0.50 J	Equivalence: 8.4 ng/Kg		
Total HpCDF	600.00	—	0.51	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	85.00	—	0.83			
Total HpCDD	190.00	—	0.83			
OCDF	160.00	—	0.19			
OCDD	1100.00	—	0.28			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-017-0.0-0.15		
Lab Sample ID	10367136005		
Filename	F161101B_15		
Injected By	SMT		
Total Amount Extracted	18.8 g	Matrix	Solid
% Moisture	58.9	Dilution	NA
Dry Weight Extracted	7.73 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/02/2016 00:56

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	2.10	—	0.30	2,3,7,8-TCDF-13C	2.00	79
Total TCDF	9.70	—	0.30	2,3,7,8-TCDD-13C	2.00	89
				1,2,3,7,8-PeCDF-13C	2.00	85
2,3,7,8-TCDD	—	0.35	0.20 I	2,3,4,7,8-PeCDF-13C	2.00	81
Total TCDD	5.10	—	0.20	1,2,3,7,8-PeCDD-13C	2.00	83
				1,2,3,4,7,8-HxCDF-13C	2.00	89
1,2,3,7,8-PeCDF	0.57	—	0.30 J	1,2,3,6,7,8-HxCDF-13C	2.00	85
2,3,4,7,8-PeCDF	0.84	—	0.22 J	2,3,4,6,7,8-HxCDF-13C	2.00	91
Total PeCDF	14.00	—	0.26	1,2,3,7,8,9-HxCDF-13C	2.00	85
				1,2,3,4,7,8-HxCDD-13C	2.00	81
1,2,3,7,8-PeCDD	0.65	—	0.37 J	1,2,3,6,7,8-HxCDD-13C	2.00	65
Total PeCDD	12.00	—	0.37	1,2,3,4,6,7,8-HpCDF-13C	2.00	60
				1,2,3,4,7,8,9-HpCDF-13C	2.00	62
1,2,3,4,7,8-HxCDF	2.80	—	0.41 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	69
1,2,3,6,7,8-HxCDF	4.40	—	0.35 J	OCDD-13C	4.00	59
2,3,4,6,7,8-HxCDF	1.80	—	0.50 J			
1,2,3,7,8,9-HxCDF	0.88	—	0.39 J	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	90.00	—	0.41	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.67	—	0.33 J	2,3,7,8-TCDD-37Cl4	0.20	82
1,2,3,6,7,8-HxCDD	5.20	—	0.30 J			
1,2,3,7,8,9-HxCDD	2.30	—	0.26 J			
Total HxCDD	47.00	—	0.30			
1,2,3,4,6,7,8-HpCDF	140.00	—	0.48	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.80	—	0.33 J	Equivalence: 6.1 ng/Kg		
Total HpCDF	280.00	—	0.40	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	95.00	—	0.66			
Total HpCDD	220.00	—	0.66			
OCDF	100.00	—	0.50			
OCDD	1300.00	—	0.30			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

ND = Not Detected
NA = Not Applicable
NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16TR-018-0.0-0.15		
Lab Sample ID	10367136006		
Filename	F161101B_16		
Injected By	SMT		
Total Amount Extracted	18.6 g	Matrix	Solid
% Moisture	49.9	Dilution	NA
Dry Weight Extracted	9.32 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/02/2016 01:44

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.20	—	0.26	2,3,7,8-TCDF-13C	2.00	75
Total TCDF	5.00	—	0.26	2,3,7,8-TCDD-13C	2.00	83
				1,2,3,7,8-PeCDF-13C	2.00	78
2,3,7,8-TCDD	—	0.30	0.27 IJ	2,3,4,7,8-PeCDF-13C	2.00	71
Total TCDD	5.60	—	0.27	1,2,3,7,8-PeCDD-13C	2.00	76
				1,2,3,4,7,8-HxCDF-13C	2.00	85
1,2,3,7,8-PeCDF	0.49	—	0.29 J	1,2,3,6,7,8-HxCDF-13C	2.00	74
2,3,4,7,8-PeCDF	0.91	—	0.25 J	2,3,4,6,7,8-HxCDF-13C	2.00	83
Total PeCDF	12.00	—	0.27	1,2,3,7,8,9-HxCDF-13C	2.00	78
				1,2,3,4,7,8-HxCDD-13C	2.00	72
1,2,3,7,8-PeCDD	—	0.62	0.26 IJ	1,2,3,6,7,8-HxCDD-13C	2.00	61
Total PeCDD	8.70	—	0.26	1,2,3,4,6,7,8-HpCDF-13C	2.00	55
				1,2,3,4,7,8,9-HpCDF-13C	2.00	55
1,2,3,4,7,8-HxCDF	2.60	—	0.42 J	1,2,3,4,6,7,8-HpCDD-13C	2.00	64
1,2,3,6,7,8-HxCDF	5.60	—	0.60	OCDD-13C	4.00	53
2,3,4,6,7,8-HxCDF	1.70	—	0.50 J			
1,2,3,7,8,9-HxCDF	—	0.62	0.35 IJ	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	140.00	—	0.47	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	0.53	—	0.26 J	2,3,7,8-TCDD-37Cl4	0.20	76
1,2,3,6,7,8-HxCDD	5.30	—	0.27 J			
1,2,3,7,8,9-HxCDD	2.20	—	0.30 J			
Total HxCDD	44.00	—	0.28			
1,2,3,4,6,7,8-HpCDF	230.00	—	0.32	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	1.60	—	0.40 J	Equivalence: 6.5 ng/Kg		
Total HpCDF	440.00	—	0.36	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	74.00	—	0.40			
Total HpCDD	160.00	—	0.40			
OCDF	130.00	—	0.51			
OCDD	910.00	—	0.38			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Sample Analysis Results

Client - Bay West, Inc.

Client's Sample ID	BW16BLR-001-0.0-0.15		
Lab Sample ID	10367136007		
Filename	F161101B_17		
Injected By	SMT		
Total Amount Extracted	21.4 g	Matrix	Solid
% Moisture	82.6	Dilution	NA
Dry Weight Extracted	3.72 g	Collected	10/20/2016 10:00
ICAL ID	F161011	Received	10/21/2016 09:45
CCal Filename(s)	F161101B_03 & F161101B_19	Extracted	10/27/2016 16:25
Method Blank ID	BLANK-52558	Analyzed	11/02/2016 02:32

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	1.70	—	0.59 J	2,3,7,8-TCDF-13C	2.00	87
Total TCDF	14.00	—	0.59	2,3,7,8-TCDD-13C	2.00	94
				1,2,3,7,8-PeCDF-13C	2.00	91
2,3,7,8-TCDD	ND	—	0.47	2,3,4,7,8-PeCDF-13C	2.00	84
Total TCDD	0.82	—	0.47 J	1,2,3,7,8-PeCDD-13C	2.00	89
				1,2,3,4,7,8-HxCDF-13C	2.00	95
1,2,3,7,8-PeCDF	0.75	—	0.49 J	1,2,3,6,7,8-HxCDF-13C	2.00	93
2,3,4,7,8-PeCDF	—	0.97	0.34 IJ	2,3,4,6,7,8-HxCDF-13C	2.00	99
Total PeCDF	9.00	—	0.41 J	1,2,3,7,8,9-HxCDF-13C	2.00	92
				1,2,3,4,7,8-HxCDD-13C	2.00	85
1,2,3,7,8-PeCDD	0.47	—	0.43 J	1,2,3,6,7,8-HxCDD-13C	2.00	74
Total PeCDD	1.80	—	0.43 J	1,2,3,4,6,7,8-HpCDF-13C	2.00	65
				1,2,3,4,7,8,9-HpCDF-13C	2.00	68
1,2,3,4,7,8-HxCDF	—	0.69	0.41 IJ	1,2,3,4,6,7,8-HpCDD-13C	2.00	75
1,2,3,6,7,8-HxCDF	0.83	—	0.42 J	OCDD-13C	4.00	59
2,3,4,6,7,8-HxCDF	—	0.68	0.41 IJ			
1,2,3,7,8,9-HxCDF	ND	—	0.70	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	6.60	—	0.48 J	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	—	0.46	0.45 IJ	2,3,7,8-TCDD-37Cl4	0.20	87
1,2,3,6,7,8-HxCDD	—	1.00	0.50 IJ			
1,2,3,7,8,9-HxCDD	1.10	—	0.42 J			
Total HxCDD	12.00	—	0.46 J			
1,2,3,4,6,7,8-HpCDF	3.50	—	0.50 J	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	—	0.64	Equivalence: 1.6 ng/Kg		
Total HpCDF	5.50	—	0.57 J	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	14.00	—	0.37			
Total HpCDD	28.00	—	0.37			
OCDF	5.40	—	0.71 J			
OCDD	89.00	—	0.74			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).

EMPC = Estimated Maximum Possible Concentration

EDL = Estimated Detection Limit

ND = Not Detected

NA = Not Applicable

NC = Not Calculated

Results reported on a dry weight basis and are valid to no more than 2 significant figures.

J = Estimated value

I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Method 8290 Blank Analysis Results

Lab Sample ID	BLANK-52558	Matrix	Solid
Filename	U161101B_15	Dilution	NA
Total Amount Extracted	20.4 g	Extracted	10/27/2016 16:25
ICAL ID	U161025	Analyzed	11/02/2016 01:42
CCal Filename(s)	U161101B_03 & U161101B_19	Injected By	SMT

Native Isomers	Conc ng/Kg	EMPC ng/Kg	EDL ng/Kg	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	ND	---	0.031	2,3,7,8-TCDF-13C	2.00	75
Total TCDF	ND	---	0.031	2,3,7,8-TCDD-13C	2.00	92
				1,2,3,7,8-PeCDF-13C	2.00	85
2,3,7,8-TCDD	ND	---	0.033	2,3,4,7,8-PeCDF-13C	2.00	80
Total TCDD	0.042	---	0.033 J	1,2,3,7,8-PeCDD-13C	2.00	99
				1,2,3,4,7,8-HxCDF-13C	2.00	76
1,2,3,7,8-PeCDF	ND	---	0.039	1,2,3,6,7,8-HxCDF-13C	2.00	74
2,3,4,7,8-PeCDF	ND	---	0.023	2,3,4,6,7,8-HxCDF-13C	2.00	78
Total PeCDF	ND	---	0.031	1,2,3,7,8,9-HxCDF-13C	2.00	78
				1,2,3,4,7,8-HxCDD-13C	2.00	84
1,2,3,7,8-PeCDD	ND	---	0.029	1,2,3,6,7,8-HxCDD-13C	2.00	70
Total PeCDD	ND	---	0.029	1,2,3,4,6,7,8-HpCDF-13C	2.00	75
				1,2,3,4,7,8,9-HpCDF-13C	2.00	79
1,2,3,4,7,8-HxCDF	ND	---	0.027	1,2,3,4,6,7,8-HpCDD-13C	2.00	90
1,2,3,6,7,8-HxCDF	ND	---	0.023	OCDD-13C	4.00	75
2,3,4,6,7,8-HxCDF	ND	---	0.021			
1,2,3,7,8,9-HxCDF	ND	---	0.026	1,2,3,4-TCDD-13C	2.00	NA
Total HxCDF	ND	---	0.024	1,2,3,7,8,9-HxCDD-13C	2.00	NA
1,2,3,4,7,8-HxCDD	ND	---	0.036	2,3,7,8-TCDD-37Cl4	0.20	84
1,2,3,6,7,8-HxCDD	ND	---	0.035			
1,2,3,7,8,9-HxCDD	ND	---	0.037			
Total HxCDD	ND	---	0.036			
1,2,3,4,6,7,8-HpCDF	ND	---	0.036	Total 2,3,7,8-TCDD		
1,2,3,4,7,8,9-HpCDF	ND	---	0.038	Equivalence: 0.00051 ng/Kg		
Total HpCDF	ND	---	0.037	(Using 2005 WHO Factors)		
1,2,3,4,6,7,8-HpCDD	---	0.046	0.028 I			
Total HpCDD	0.076	---	0.028 J			
OCDF	ND	---	0.055			
OCDD	---	0.170	0.061 I			

Conc = Concentration (Totals include 2,3,7,8-substituted isomers).
EMPC = Estimated Maximum Possible Concentration
EDL = Estimated Detection Limit

Results reported on a total weight basis and are valid to no more than 2 significant figures.
J = Estimated value
I = Interference present

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

Method 8290 Laboratory Control Spike Results

Lab Sample ID	LCS-52559	Matrix	Solid
Filename	U161101B_18	Dilution	NA
Total Amount Extracted	20.1 g	Extracted	10/27/2016 16:25
ICAL ID	U161025	Analyzed	11/02/2016 04:01
CCal Filename(s)	U161101B_03 & U161101B_19	Injected By	SMT
Method Blank ID	BLANK-52558		

Native Isomers	Qs (ng)	Qm (ng)	% Rec.	Internal Standards	ng's Added	Percent Recovery
2,3,7,8-TCDF	0.20	0.19	96	2,3,7,8-TCDF-13C	2.0	67
Total TCDF				2,3,7,8-TCDD-13C	2.0	83
				1,2,3,7,8-PeCDF-13C	2.0	77
2,3,7,8-TCDD	0.20	0.17	85	2,3,4,7,8-PeCDF-13C	2.0	73
Total TCDD				1,2,3,7,8-PeCDD-13C	2.0	90
				1,2,3,4,7,8-HxCDF-13C	2.0	70
1,2,3,7,8-PeCDF	1.0	0.97	97	1,2,3,6,7,8-HxCDF-13C	2.0	67
2,3,4,7,8-PeCDF	1.0	1.0	104	2,3,4,6,7,8-HxCDF-13C	2.0	75
Total PeCDF				1,2,3,7,8,9-HxCDF-13C	2.0	76
				1,2,3,4,7,8-HxCDD-13C	2.0	80
1,2,3,7,8-PeCDD	1.0	0.95	95	1,2,3,6,7,8-HxCDD-13C	2.0	63
Total PeCDD				1,2,3,4,6,7,8-HpCDF-13C	2.0	75
				1,2,3,4,7,8,9-HpCDF-13C	2.0	81
1,2,3,4,7,8-HxCDF	1.0	1.1	107	1,2,3,4,6,7,8-HpCDD-13C	2.0	91
1,2,3,6,7,8-HxCDF	1.0	1.0	103	OCDD-13C	4.0	78
2,3,4,6,7,8-HxCDF	1.0	0.97	97			
1,2,3,7,8,9-HxCDF	1.0	1.0	101	1,2,3,4-TCDD-13C	2.0	NA
Total HxCDF				1,2,3,7,8,9-HxCDD-13C	2.0	NA
1,2,3,4,7,8-HxCDD	1.0	1.1	109	2,3,7,8-TCDD-37Cl4	0.20	81
1,2,3,6,7,8-HxCDD	1.0	1.1	114			
1,2,3,7,8,9-HxCDD	1.0	1.1	112			
Total HxCDD						
1,2,3,4,6,7,8-HpCDF	1.0	1.1	107			
1,2,3,4,7,8,9-HpCDF	1.0	1.00	100			
Total HpCDF						
1,2,3,4,6,7,8-HpCDD	1.0	0.97	97			
Total HpCDD						
OCDF	2.0	1.9	95			
OCDD	2.0	2.1	106			

Qs = Quantity Spiked
Qm = Quantity Measured
Rec. = Recovery (Expressed as Percent)
R = Recovery outside of target range

Y = RF averaging used in calculations
Nn = Value obtained from additional analysis
NA = Not Applicable
* = See Discussion

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365380
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/27/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sample BW16TR-101-0.15-0.35 was listed on the COC, but was not collected. No data were qualified.

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MS/MSDs were performed as batch QC.
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	The MS recovery for TOC was biased low and outside QC limits in the batch QC from SDG 10365379.
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	The source sample was not included with the samples in this SDG.
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the TOC samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

October 27, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOC
Pace Project No.: 10365380

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification UST-107

Alaska Certification UST-107

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification # : 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365380001	BW16TR-001-0.0-0.15	Solid	10/05/16 14:15	10/07/16 19:35
10365380002	BW16TR-001-0.15-0.35	Solid	10/05/16 14:21	10/07/16 19:35
10365380004	BW16TR-002-0.0-0.15	Solid	10/05/16 15:10	10/07/16 19:35
10365380005	BW16TR-002-0.30-0.55	Solid	10/05/16 15:15	10/07/16 19:35
10365380006	BW16TR-003-0.0-0.15	Solid	10/05/16 15:30	10/07/16 19:35
10365380007	BW16TR-003-0.27-052	Solid	10/05/16 15:35	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365380001	BW16TR-001-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365380002	BW16TR-001-0.15-0.35	EPA 9060A	KRV	5	PASI-V
10365380004	BW16TR-002-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365380005	BW16TR-002-0.30-0.55	EPA 9060A	KRV	5	PASI-V
10365380006	BW16TR-003-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365380007	BW16TR-003-0.27-052	EPA 9060A	KRV	5	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Method: EPA 9060A

Description: Total Organic Carbon Quad

Client: Bay West, Inc.

Date: October 27, 2016

General Information:

6 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 97885

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379003,10365945003

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 387933)
- Mean Total Organic Carbon

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-001-0.0-0.15 **Lab ID: 10365380001** Collected: 10/05/16 14:15 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	15800	mg/kg	2460	394	1		10/24/16 07:09	7440-44-0	
Total Organic Carbon	55100	mg/kg	1990	319	1		10/24/16 07:18	7440-44-0	
Total Organic Carbon	15200	mg/kg	1940	311	1		10/24/16 07:25	7440-44-0	
Total Organic Carbon	14300	mg/kg	1960	314	1		10/24/16 07:32	7440-44-0	
Mean Total Organic Carbon	25100	mg/kg	2090	335	1		10/24/16 07:32	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-001-0.15-0.35 Lab ID: 10365380002 Collected: 10/05/16 14:21 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	15200	mg/kg	2480	397	1		10/24/16 07:39	7440-44-0	
Total Organic Carbon	57200	mg/kg	1960	314	1		10/24/16 07:47	7440-44-0	
Total Organic Carbon	25400	mg/kg	1940	311	1		10/24/16 07:54	7440-44-0	
Total Organic Carbon	29600	mg/kg	1920	307	1		10/24/16 08:01	7440-44-0	
Mean Total Organic Carbon	31800	mg/kg	2080	332	1		10/24/16 08:01	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-002-0.0-0.15 **Lab ID: 10365380004** Collected: 10/05/16 15:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	25800	mg/kg	1950	313	1		10/24/16 08:09	7440-44-0	
Total Organic Carbon	29800	mg/kg	1940	311	1		10/24/16 08:16	7440-44-0	
Total Organic Carbon	20400	mg/kg	1990	318	1		10/24/16 08:23	7440-44-0	
Total Organic Carbon	28300	mg/kg	1950	312	1		10/24/16 08:30	7440-44-0	
Mean Total Organic Carbon	26100	mg/kg	1960	313	1		10/24/16 08:30	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-002-0.30-0.55 Lab ID: 10365380005 Collected: 10/05/16 15:15 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	55800	mg/kg	1920	307	1		10/24/16 08:38	7440-44-0	
Total Organic Carbon	60700	mg/kg	2800	448	1		10/24/16 08:45	7440-44-0	
Total Organic Carbon	30100	mg/kg	2960	474	1		10/24/16 08:52	7440-44-0	
Total Organic Carbon	28400	mg/kg	2810	449	1		10/24/16 09:00	7440-44-0	
Mean Total Organic Carbon	43800	mg/kg	2620	420	1		10/24/16 09:00	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-003-0.0-0.15 **Lab ID: 10365380006** Collected: 10/05/16 15:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	29600	mg/kg	2170	348	1		10/24/16 09:07	7440-44-0	
Total Organic Carbon	32500	mg/kg	2140	343	1		10/24/16 09:15	7440-44-0	
Total Organic Carbon	35000	mg/kg	2240	358	1		10/24/16 09:24	7440-44-0	
Total Organic Carbon	24700	mg/kg	2130	340	1		10/24/16 09:31	7440-44-0	
Mean Total Organic Carbon	30400	mg/kg	2170	347	1		10/24/16 09:31	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Sample: BW16TR-003-0.27-052 **Lab ID: 10365380007** Collected: 10/05/16 15:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	14400	mg/kg	2090	334	1		10/24/16 09:38	7440-44-0	
Total Organic Carbon	32600	mg/kg	1780	285	1		10/24/16 09:46	7440-44-0	
Total Organic Carbon	32000	mg/kg	1810	290	1		10/24/16 09:53	7440-44-0	
Total Organic Carbon	32500	mg/kg	1820	292	1		10/24/16 10:00	7440-44-0	
Mean Total Organic Carbon	27900	mg/kg	1880	300	1		10/24/16 10:00	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC
Pace Project No.: 10365380

QC Batch: 97885 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365380001, 10365380002, 10365380004, 10365380005, 10365380006, 10365380007

METHOD BLANK: 387929 Matrix: Solid
Associated Lab Samples: 10365380001, 10365380002, 10365380004, 10365380005, 10365380006, 10365380007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	<48.3	302	48.3	10/21/16 08:33	

LABORATORY CONTROL SAMPLE: 387930

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4930	85	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387931 387932

Parameter	Units	10365945003		387931		387932		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	25700	37600	36100	65200	62600	105	102	70-130	4	25

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387933 387934

Parameter	Units	10365379003		387933		387934		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	21300	21800	22500	30700	39500	43	81	70-130	25	25 M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-V Pace Analytical Services - Virginia

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365380

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365380001	BW16TR-001-0.0-0.15	EPA 9060A	97885		
10365380001	BW16TR-001-0.0-0.15	EPA 9060A	97886		
10365380002	BW16TR-001-0.15-0.35	EPA 9060A	97885		
10365380002	BW16TR-001-0.15-0.35	EPA 9060A	97886		
10365380004	BW16TR-002-0.0-0.15	EPA 9060A	97885		
10365380004	BW16TR-002-0.0-0.15	EPA 9060A	97886		
10365380005	BW16TR-002-0.30-0.55	EPA 9060A	97885		
10365380005	BW16TR-002-0.30-0.55	EPA 9060A	97886		
10365380006	BW16TR-003-0.0-0.15	EPA 9060A	97885		
10365380006	BW16TR-003-0.0-0.15	EPA 9060A	97886		
10365380007	BW16TR-003-0.27-052	EPA 9060A	97885		
10365380007	BW16TR-003-0.27-052	EPA 9060A	97886		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.


10365380

Section A Required Client Information:	Section B Required Project Information:	Section C Invoice Information:	Section D EQUIS Information:
Company: Bay West, LLC	Report To: Nancy McDonald	Attention: Accounts Payable	Facility Name: St. Louis River Sediment Areas of Concern
Address: 5 Empire Drive	Copy To: Paul Raymaker	Company Name: Bay West, LLC	Facility Code: St. Louis River Sed
St. Paul, MN 55103	Purchase Order No.: 108002	Address: 5 Empire Drive	Facility ID: 547023
Email To: nmcDonald@bawest.com	Project Name: SLR Sediment AOCs	Lab Quota Reference: 3000017136	Subfacility Code:
Phone: 651-291-3483	Project Number: J160139	Lab Project Manager: Oyeemi Odujole	
Requested Due Date/TAT: Standard			Page 1 of 1

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	MATRIX	DATE	Collection	Time	# OF CONTAINERS	Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ SO ₃	Methanol	Other	TQC (SW-846 9060A Quad Burn)	Grain Size (ASTM D422 w/ hydrometer)	Requested Analysis	Comments	
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)																				
Ex	BW15MLW-005	BW14MLW-005-0.0-0.15	SO	G	3/12/16	1204																
1	BW16TR-001	BW16TR-001-0.0-0.15	SO	G	10/5/16	1415		2	2									1	1		0e1	
2	BW16TR-001	BW16TR-001-0.15-0.35	SO	G	10/5/16	1421		2	2									1	1		0d2	
3	BW16TR-001	BW16TR-101-0.15-0.35	SO	G	10/5/16	1426		2	2									1	1		0d3	
4	BW16TR-002	BW16TR-002-0.0-0.15	SO	G	10/5/16	1510		2	2									1	1		0d4	
5	BW16TR-002	BW16TR-002-0.30-0.55	SO	G	10/5/16	1515		2	2									1	1		0d5	
6	BW16TR-003	BW16TR-003-0.0-0.15	SO	G	10/5/16	1530		2	2									1	1		0d6	
7	BW16TR-003	BW16TR-003-0.27-0.52	SO	G	10/5/16	1535		2	2									1	1		0d7	
8																						
9																						
10																						
11																						
12																						

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
Reference Subcontractor Goods and/or Services Purchase Order Form signed by Bay West on 9/19/16	Chris Messon	10/17/16	1555	Kristina Polson	10/17/16	1555
	Chris Messon	10/17/16	1700	Chris Messon	10/17/16	1700
	Chris Messon	10/17/16	1935	Chris Messon	10/17/16	1935

Page 5 of 38

Sample Condition Upon Receipt	Client Name: <u>Bay West LLC</u>	Project #: WO#: 10365380
	Courier: <input type="checkbox"/> Fed Ex <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Pace <input type="checkbox"/> SpeedDee <input type="checkbox"/> Other: _____ Tracking Number: _____	 10365380

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____
 Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No
 Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 Cooler Temp Read (°C): 2.9, 2.8 Cooler Temp Corrected (°C): 3.1 3.0 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and initials of Person Examining Contents: BC 10/7/16
 USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
 If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	12. <u>Item #3 is missing: BW16TR-101-0.15-0.35</u>
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION Field Data Required? Yes No
 Person Contacted: Paul, Nancy, Chris Date/Time: _____
 Comments/Resolution: per client BW16TR-101-0.15-0.35 was not collected

Project Manager Review: [Signature] Date: 10/10/16
 Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers).

Intra-Regional Chain of Custody



Workorder: 10365380 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Due Date: 10/17/2016

Received at:	Send To Lab:	Requested Analysis
Pace Analytical Minnesota 1700 Elm Street Suite 200 Minneapolis, MN 55414 Phone (612)607-1700	Pace Analytical Billings MT 150 N Ninth Street Billings, MT 59101 Phone (406)254-7226	

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		LAB USE ONLY
						Other		
1	BW16TR-001-0.0-0.15	PS	10/5/2016 14:15	10365380001	Solid	1		X
2	BW16TR-001-0.15-0.35	PS	10/5/2016 14:21	10365380002	Solid	1		X
3	BW16TR-001-0.15-0.35	PS	10/5/2016 14:26	10365380003	Solid	1		X
4	BW16TR-002-0.0-0.15	PS	10/5/2016 15:10	10365380004	Solid	1		X
5	BW16TR-002-0.30-0.55	PS	10/5/2016 15:15	10365380005	Solid	1		X
6	BW16TR-003-0.0-0.15	PS	10/5/2016 15:30	10365380006	Solid	1		X
7	BW16TR-003-0.27-0.52	PS	10/5/2016 15:35	10365380007	Solid	1		X

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Y or N	Samples Intact	Y or N
1	<i>[Signature]</i>	10/10/16 12:51	<i>[Signature]</i>	10/11/16 08:30		(N)	(Y)	(N)
2								
3								
4								

Cooler Temperature on Receipt *NA* °C Custody Seal *(Y)* or N Received on Ice Y or N Samples Intact *(Y)* or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Pace MW

Project #: 10365380

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 6751 5820 5478

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No **Optional:** Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 160285052 140279186 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 NA

Cooler Temp Read: NA

Date and Initials of Person Examining Contents: 10/11/16 [initials]

Cooler Temp Corrected: NA

Biological Tissue Frozen? Yes No

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # <u>NA</u>
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Lot # of added preservative: _____
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: [Signature]

Date: 10/11/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain of Custody

MO#: 1276787
 PM: CLJ Due Date: 10/21/16
 CLIENT: PACE MPLS

Pace Analytical
 www.pacelabs.com

Workorder: 10365380 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Results Requested By: 10/21/2016


Report To: Lori Castille
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Subcontract To: Pace Analytical Virginia MN
 315 Chestnut Street
 Virginia, MN 55792
 Phone (218)742-1042

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	Comments
						Unpreserved	Preserved		
1	BW16TR-001-0-0-0-15	PS	10/5/2016 14:15	10365380001	Solid	1			
2	BW16TR-001-0-15-0-35	PS	10/5/2016 14:21	10365380002	Solid	1			
3	BW16TR-002-0-0-0-15	PS	10/5/2016 15:10	10365380004	Solid	1			
4	BW16TR-002-0-30-0-55	PS	10/5/2016 15:15	10365380005	Solid	1			
5	BW16TR-003-0-0-0-15	PS	10/5/2016 15:30	10365380006	Solid	1			
6	BW16TR-003-0-27-052	PS	10/5/2016 15:35	10365380007	Solid	1			

Transfers	Released By	Date/Time	Received By	Date/Time	Cooler Temperature on Receipt 2-3 °C	Custody Seal	Received on Ice	Samples Intact
1	<i>[Signature]</i>	10/16/16 17:00	<i>[Signature]</i>	10/16/16 17:55		Y	Y	Y
2	<i>[Signature]</i>	10/16/16 21:00	<i>[Signature]</i>	10-12-16 05:00		Y	Y	Y
3								

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner laboratory.



Document Name:
Sample Condition Upon Receipt Form
 Document No.:
F-VM-C-001-Rev.09

Document Revised: 23Feb2015
 Page 1 of 1
 Issuing Authority:
 Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: pace-miv Project #: _____

WO#: 1276787

 1276787

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No
 Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: HAL PAW Temp Blank? Yes No

Thermometer Used: 140792808 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read °C: 2.0 Cooler Temp Corrected °C: 2.3 Biological Tissue Frozen? Yes No NA
 Temp should be above freezing to 6°C Correction Factor: 0.3 Date and Initials of Person Examining Contents: JAC 10/11/16

Comments: CA 10-12-16

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL 10/11/16</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____


FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Carrigan Date: 10/13/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	3	8	61	28

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	97		
#60	96		
#140	93		
#200	89		
0.0306 mm.	63		
0.0199 mm.	57		
0.0121 mm.	44		
0.0087 mm.	38		
0.0063 mm.	32		
0.0032 mm.	22		
0.0014 mm.	17		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0779 D₈₅= 0.0629 D₆₀= 0.0245
D₅₀= 0.0152 D₃₀= 0.0056 D₁₅=
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-001-0.0-0.15
Sample Number: 10365380-1

Date Sampled: 10/5/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-001-0.0-0.15

Sample Number: 10365380-1

Material Description: silt

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
626.72	571.21	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		51.73	0.00	#20	0.43	0.00	99
				#40	1.14	0.00	97
#60	0.42			0.00	96		
#140	1.65			0.00	93		
#200	1.88			0.00	89		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 51.73

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	41.0	32.5	0.0140	41.0	9.6	0.0306	62.9
5.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0199	57.1
15.00	18.0	31.0	22.5	0.0140	31.0	11.2	0.0121	43.6
30.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0087	37.8
60.00	18.0	25.0	16.5	0.0140	25.0	12.2	0.0063	32.0
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	22.3
1440.00	18.0	17.0	8.5	0.0140	17.0	13.5	0.0014	16.5

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	3	8	11	61	28	89

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
			0.0025	0.0056	0.0100	0.0152	0.0245	0.0537	0.0629	0.0779	0.1630

Fineness Modulus
0.11

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	2	65	33

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	99		
#140	99		
#200	98		
0.0279 mm.	68		
0.0182 mm.	63		
0.0113 mm.	50		
0.0082 mm.	44		
0.0060 mm.	38		
0.0031 mm.	23		
0.0013 mm.	17		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0538 D₈₅= 0.0471 D₆₀= 0.0158
D₅₀= 0.0111 D₃₀= 0.0043 D₁₅=
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-001-0.15-0.35
Sample Number: 10365380-2

Date Sampled: 10/5/16

Pace Analytical Services, Inc.

Billings, MT

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Project No: Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-001-0.15-0.35

Sample Number: 10365380-2

Material Description: silt

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
642.31	565.45	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		62.60	0.00	#20	0.12	0.00	100
				#40	0.17	0.00	100
#60	0.08			0.00	99		
#140	0.26			0.00	99		
#200	0.33			0.00	98		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 62.6

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	51.0	42.5	0.0140	51.0	7.9	0.0279	68.0
5.00	18.0	48.0	39.5	0.0140	48.0	8.4	0.0182	63.2
15.00	18.0	40.0	31.5	0.0140	40.0	9.7	0.0113	50.4
30.00	18.0	36.0	27.5	0.0140	36.0	10.4	0.0082	44.0
60.00	18.0	32.0	23.5	0.0140	32.0	11.0	0.0060	37.6
250.00	18.0	23.0	14.5	0.0140	23.0	12.5	0.0031	23.2
1440.00	18.0	19.0	10.5	0.0140	19.0	13.2	0.0013	16.8

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	2	2	65	33	98

D5	D10	D15	D20	D30	D40	D50	D60	D80	D85	D90	D95
			0.0024	0.0043	0.0067	0.0111	0.0158	0.0413	0.0471	0.0538	0.0631

Fineness Modulus
0.02

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	1	21	57	21

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	99		
#60	97		
#140	87		
#200	78		
0.0314 mm.	53		
0.0210 mm.	40		
0.0125 mm.	31		
0.0090 mm.	28		
0.0064 mm.	24		
0.0033 mm.	15		
0.0014 mm.	9.9		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.1209 D₈₅= 0.0971 D₆₀= 0.0398
D₅₀= 0.0287 D₃₀= 0.0111 D₁₅= 0.0032
D₁₀= 0.0014 C_u= 28.30 C_c= 2.19

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-002-0.0-0.15
Sample Number: 10365380-4

Date Sampled: 10/5/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-002-0.0-0.15

Sample Number: 10365380-4

Material Description: silt with sand

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
658.50	580.59	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.11	0.00	100		
		#10	0.14	0.00	100		
		55.70	0.00	#20	0.11	0.00	99
				#40	0.36	0.00	99
#60	1.10			0.00	97		
#140	5.39			0.00	87		
#200	5.42			0.00	78		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 55.7

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0314	52.9
5.00	18.0	31.0	22.5	0.0140	31.0	11.2	0.0210	40.3
15.00	18.0	26.0	17.5	0.0140	26.0	12.0	0.0125	31.4
30.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0090	27.8
60.00	18.0	22.0	13.5	0.0140	22.0	12.7	0.0064	24.2
250.00	18.0	17.0	8.5	0.0140	17.0	13.5	0.0033	15.3
1440.00	18.0	14.0	5.5	0.0140	14.0	14.0	0.0014	9.9

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	21	22	57	21	78

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0014	0.0032	0.0047	0.0111	0.0207	0.0287	0.0398	0.0816	0.0971	0.1209	0.1805

Fineness Modulus	C _u	C _c
0.11	28.30	2.19

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	5	69	26

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	99		
#140	98		
#200	95		
0.0290 mm.	60		
0.0190 mm.	54		
0.0116 mm.	45		
0.0085 mm.	37		
0.0062 mm.	31		
0.0032 mm.	18		
0.0014 mm.	12		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0618 D₈₅= 0.0542 D₆₀= 0.0286
D₅₀= 0.0147 D₃₀= 0.0060 D₁₅= 0.0025
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-002-0.30-0.55
Sample Number: 10365380-5

Date Sampled: 10/5/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-002-0.30-0.55

Sample Number: 10365380-5

Material Description: silt

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
709.44	583.49	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		63.90	0.00	#20	0.07	0.00	100
				#40	0.19	0.00	100
#60	0.14			0.00	99		
#140	0.80			0.00	98		
#200	1.77			0.00	95		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 63.9

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	47.0	38.5	0.0140	47.0	8.6	0.0290	60.3
5.00	18.0	43.0	34.5	0.0140	43.0	9.2	0.0190	54.1
15.00	18.0	37.0	28.5	0.0140	37.0	10.2	0.0116	44.7
30.00	18.0	32.0	23.5	0.0140	32.0	11.0	0.0085	36.8
60.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0062	30.6
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	18.1
1440.00	18.0	16.0	7.5	0.0140	16.0	13.7	0.0014	11.8

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	5	5	69	26	95

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0025	0.0036	0.0060	0.0096	0.0147	0.0286	0.0482	0.0542	0.0618	0.0737

Fineness Modulus
0.02

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	2	25	62	11

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	98		
#60	97		
#140	89		
#200	73		
0.0329 mm.	38		
0.0220 mm.	25		
0.0130 mm.	20		
0.0092 mm.	18		
0.0066 mm.	14		
0.0033 mm.	8.8		
0.0014 mm.	7.2		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.1141 D₈₅= 0.0962 D₆₀= 0.0575
D₅₀= 0.0454 D₃₀= 0.0266 D₁₅= 0.0073
D₁₀= 0.0045 C_u= 12.76 C_c= 2.73

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-003-0.0-0.15
Sample Number: 10365380-6

Date Sampled: 10/5/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-003-0.0-0.15

Sample Number: 10365380-6

Material Description: silt with sand

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
721.06	571.82	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		62.74	0.00	#20	0.61	0.00	99
				#40	0.80	0.00	98
#60	0.53			0.00	97		
#140	4.96			0.00	89		
#200	10.31			0.00	73		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 62.74

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	32.0	23.5	0.0140	32.0	11.0	0.0329	37.5
5.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0220	24.8
15.00	18.0	21.0	12.5	0.0140	21.0	12.9	0.0130	20.0
30.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0092	18.4
60.00	18.0	17.0	8.5	0.0140	17.0	13.5	0.0066	13.6
250.00	18.0	14.0	5.5	0.0140	14.0	14.0	0.0033	8.8
1440.00	18.0	13.0	4.5	0.0140	13.0	14.2	0.0014	7.2

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	2	25	27	62	11	73

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0045	0.0073	0.0130	0.0266	0.0351	0.0454	0.0575	0.0867	0.0962	0.1141	0.1837

Fineness Modulus	C _u	C _c
0.12	12.76	2.73

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	2	16	68	14

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	98		
#60	98		
#140	92		
#200	82		
0.0314 mm.	54		
0.0217 mm.	32		
0.0129 mm.	25		
0.0092 mm.	21		
0.0066 mm.	17		
0.0033 mm.	10		
0.0014 mm.	8.2		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0973 D₈₅= 0.0829 D₆₀= 0.0356
D₅₀= 0.0296 D₃₀= 0.0207 D₁₅= 0.0054
D₁₀= 0.0032 C_u= 11.00 C_c= 3.72

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-003-0.27-052
Sample Number: 10365380-7

Date Sampled: 10/5/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC
Project No: _____

Figure _____

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-003-0.27-052

Sample Number: 10365380-7

Material Description: silt with sand

Sample Date: 10/5/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
757.65	577.73	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.14	0.00	100		
		#10	0.18	0.00	100		
		55.08	0.00	#20	0.35	0.00	99
				#40	0.38	0.00	98
#60	0.30			0.00	98		
#140	3.12			0.00	92		
#200	5.71			0.00	82		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 55.08

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0314	53.5
5.00	18.0	26.0	17.5	0.0140	26.0	12.0	0.0217	31.8
15.00	18.0	22.0	13.5	0.0140	22.0	12.7	0.0129	24.5
30.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0092	20.9
60.00	18.0	18.0	9.5	0.0140	18.0	13.3	0.0066	17.3
250.00	18.0	14.0	5.5	0.0140	14.0	14.0	0.0033	10.0
1440.00	18.0	13.0	4.5	0.0140	13.0	14.2	0.0014	8.2

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	2	16	18	68	14	82

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0032	0.0054	0.0085	0.0207	0.0253	0.0296	0.0356	0.0699	0.0829	0.0973	0.1440

Fineness Modulus	C _u	C _c
0.08	11.00	3.72



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365383
 Work order number: 3000017136 Report date (mm/dd/yyyy): 10/27/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A low-level concentration of TOC (88.8 mg/kg) was detected in Method Blank 386204.
	i. If yes, are the same compounds present in the samples?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	TOC results in all samples were > 10x the blank concentration.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS/MSD was performed on TOC sample BW16TR-004-0.0-0.15.
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the TOC samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

October 27, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOC
Pace Project No.: 10365383

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification UST-107

Alaska Certification UST-107

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification # : 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365383001	BW16TR-004-0.0-0.15	Solid	10/07/16 10:40	10/07/16 19:35
10365383002	BW16TR-004-0.21-0.46	Solid	10/07/16 10:45	10/07/16 19:35
10365383003	BW16TR-005-0.0-0.15	Solid	10/07/16 11:00	10/07/16 19:35
10365383004	BW16TR-005-0.23-0.48	Solid	10/07/16 11:05	10/07/16 19:35
10365383005	BW16TR-006-0.0-0.15	Solid	10/07/16 11:30	10/07/16 19:35
10365383006	BW16TR-006-0.15-0.28	Solid	10/07/16 11:35	10/07/16 19:35
10365383007	BW16TR-007-0.0-0.15	Solid	10/07/16 11:50	10/07/16 19:35
10365383008	BW16TR-007-0.26-0.51	Solid	10/07/16 11:55	10/07/16 19:35
10365383009	BW16TR-009-0.0-0.15	Solid	10/07/16 12:25	10/07/16 19:35
10365383010	BW16TR-010-0.0-0.15	Solid	10/07/16 12:40	10/07/16 19:35
10365383011	BW16TR-010-0.15-0.38	Solid	10/07/16 12:45	10/07/16 19:35
10365383012	BW16TR-011-0.0-0.15	Solid	10/07/16 13:05	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365383001	BW16TR-004-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383002	BW16TR-004-0.21-0.46	EPA 9060A	KRV	5	PASI-V
10365383003	BW16TR-005-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383004	BW16TR-005-0.23-0.48	EPA 9060A	KRV	5	PASI-V
10365383005	BW16TR-006-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383006	BW16TR-006-0.15-0.28	EPA 9060A	KRV	5	PASI-V
10365383007	BW16TR-007-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383008	BW16TR-007-0.26-0.51	EPA 9060A	KRV	5	PASI-V
10365383009	BW16TR-009-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383010	BW16TR-010-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365383011	BW16TR-010-0.15-0.38	EPA 9060A	KRV	5	PASI-V
10365383012	BW16TR-011-0.0-0.15	EPA 9060A	KRV	5	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Method: EPA 9060A

Description: Total Organic Carbon Quad

Client: Bay West, Inc.

Date: October 27, 2016

General Information:

12 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 97596

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379001, 10365383012

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 386209)
- Mean Total Organic Carbon

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-004-0.0-0.15 **Lab ID: 10365383001** Collected: 10/07/16 10:40 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	18300	mg/kg	2730	437	1		10/19/16 12:30	7440-44-0	
Total Organic Carbon	26600	mg/kg	3130	501	1		10/19/16 12:37	7440-44-0	
Total Organic Carbon	24800	mg/kg	3050	487	1		10/19/16 12:45	7440-44-0	
Total Organic Carbon	25800	mg/kg	3060	489	1		10/19/16 12:52	7440-44-0	
Mean Total Organic Carbon	23900	mg/kg	2990	479	1		10/19/16 12:52	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-004-0.21-0.46 Lab ID: 10365383002 Collected: 10/07/16 10:45 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	34900	mg/kg	2820	451	1		10/19/16 13:00	7440-44-0	
Total Organic Carbon	38900	mg/kg	3020	484	1		10/19/16 13:07	7440-44-0	
Total Organic Carbon	38400	mg/kg	2990	478	1		10/19/16 13:14	7440-44-0	
Total Organic Carbon	37700	mg/kg	3000	480	1		10/19/16 13:22	7440-44-0	
Mean Total Organic Carbon	37500	mg/kg	2960	473	1		10/19/16 13:22	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-005-0.0-0.15 **Lab ID: 10365383003** Collected: 10/07/16 11:00 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	31100	mg/kg	3310	529	1		10/19/16 13:29	7440-44-0	
Total Organic Carbon	49700	mg/kg	3040	486	1		10/19/16 13:36	7440-44-0	
Total Organic Carbon	51000	mg/kg	2850	457	1		10/19/16 13:44	7440-44-0	
Total Organic Carbon	50800	mg/kg	2850	456	1		10/19/16 13:51	7440-44-0	
Mean Total Organic Carbon	45700	mg/kg	3010	482	1		10/19/16 13:51	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-005-0.23-0.48 Lab ID: 10365383004 Collected: 10/07/16 11:05 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	23300	mg/kg	2630	421	1		10/19/16 13:58	7440-44-0	
Total Organic Carbon	28900	mg/kg	2580	412	1		10/19/16 14:07	7440-44-0	
Total Organic Carbon	29200	mg/kg	2580	413	1		10/19/16 14:14	7440-44-0	
Total Organic Carbon	24900	mg/kg	2680	428	1		10/19/16 14:21	7440-44-0	
Mean Total Organic Carbon	26600	mg/kg	2620	418	1		10/19/16 14:21	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-006-0.0-0.15 **Lab ID: 10365383005** Collected: 10/07/16 11:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	15600	mg/kg	2740	438	1		10/19/16 14:29	7440-44-0	
Total Organic Carbon	22200	mg/kg	1970	315	1		10/19/16 14:36	7440-44-0	
Total Organic Carbon	22200	mg/kg	2220	356	1		10/19/16 14:43	7440-44-0	
Total Organic Carbon	18000	mg/kg	2100	336	1		10/19/16 14:51	7440-44-0	
Mean Total Organic Carbon	19500	mg/kg	2260	361	1		10/19/16 14:51	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-006-0.15-0.28 Lab ID: 10365383006 Collected: 10/07/16 11:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	48600	mg/kg	2370	380	1		10/19/16 14:58	7440-44-0	
Total Organic Carbon	55100	mg/kg	2820	452	1		10/19/16 15:05	7440-44-0	
Total Organic Carbon	55100	mg/kg	2790	447	1		10/19/16 15:13	7440-44-0	
Total Organic Carbon	44700	mg/kg	2860	458	1		10/19/16 15:21	7440-44-0	
Mean Total Organic Carbon	50900	mg/kg	2710	434	1		10/19/16 15:21	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-007-0.0-0.15 **Lab ID: 10365383007** Collected: 10/07/16 11:50 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	32500	mg/kg	2580	413	1		10/19/16 15:28	7440-44-0	
Total Organic Carbon	31800	mg/kg	2640	422	1		10/19/16 15:36	7440-44-0	
Total Organic Carbon	23100	mg/kg	2600	416	1		10/19/16 15:43	7440-44-0	
Total Organic Carbon	21600	mg/kg	2550	407	1		10/19/16 15:50	7440-44-0	
Mean Total Organic Carbon	27300	mg/kg	2590	414	1		10/19/16 15:50	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-007-0.26-0.51 **Lab ID: 10365383008** Collected: 10/07/16 11:55 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	40400	mg/kg	2820	451	1		10/19/16 15:58	7440-44-0	
Total Organic Carbon	47400	mg/kg	2660	426	1		10/19/16 16:05	7440-44-0	
Total Organic Carbon	44500	mg/kg	2610	417	1		10/19/16 16:12	7440-44-0	
Total Organic Carbon	43800	mg/kg	2740	439	1		10/19/16 16:20	7440-44-0	
Mean Total Organic Carbon	44100	mg/kg	2710	433	1		10/19/16 16:20	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-009-0.0-0.15 **Lab ID: 10365383009** Collected: 10/07/16 12:25 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	6180	mg/kg	2140	343	1		10/19/16 16:27	7440-44-0	
Total Organic Carbon	4520	mg/kg	1020	163	1		10/19/16 16:35	7440-44-0	
Total Organic Carbon	2580	mg/kg	990	158	1		10/19/16 16:44	7440-44-0	
Total Organic Carbon	2480	mg/kg	992	159	1		10/19/16 16:51	7440-44-0	
Mean Total Organic Carbon	3940	mg/kg	1290	206	1		10/19/16 16:51	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-010-0.0-0.15 **Lab ID: 10365383010** Collected: 10/07/16 12:40 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	33200	mg/kg	2330	373	1		10/19/16 17:19	7440-44-0	
Total Organic Carbon	33500	mg/kg	2420	386	1		10/19/16 17:27	7440-44-0	
Total Organic Carbon	29900	mg/kg	2300	368	1		10/19/16 17:35	7440-44-0	
Total Organic Carbon	34800	mg/kg	2250	360	1		10/19/16 17:44	7440-44-0	
Mean Total Organic Carbon	32800	mg/kg	2320	372	1		10/19/16 17:44	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-010-0.15-0.38 Lab ID: 10365383011 Collected: 10/07/16 12:45 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad	Analytical Method: EPA 9060A								
Total Organic Carbon	28800	mg/kg	2470	395	1		10/19/16 17:52	7440-44-0	
Total Organic Carbon	42000	mg/kg	2470	394	1		10/19/16 17:59	7440-44-0	
Total Organic Carbon	33200	mg/kg	2480	396	1		10/19/16 18:12	7440-44-0	
Total Organic Carbon	30800	mg/kg	2490	398	1		10/19/16 18:19	7440-44-0	
Mean Total Organic Carbon	33700	mg/kg	2470	396	1		10/19/16 18:19	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Sample: BW16TR-011-0.0-0.15 **Lab ID: 10365383012** Collected: 10/07/16 13:05 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	42400	mg/kg	2570	411	1		10/19/16 18:27	7440-44-0	
Total Organic Carbon	42200	mg/kg	2970	476	1		10/19/16 18:35	7440-44-0	
Total Organic Carbon	42100	mg/kg	2850	455	1		10/19/16 18:42	7440-44-0	
Total Organic Carbon	43400	mg/kg	2940	471	1		10/19/16 18:50	7440-44-0	
Mean Total Organic Carbon	42500	mg/kg	2830	453	1		10/19/16 18:50	7440-44-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

QC Batch:	97596	Analysis Method:	EPA 9060A
QC Batch Method:	EPA 9060A	Analysis Description:	9060 TOC Average
Associated Lab Samples:	10365383001, 10365383002, 10365383003, 10365383004, 10365383005, 10365383006, 10365383007, 10365383008, 10365383009, 10365383010, 10365383011, 10365383012		

METHOD BLANK:	386204	Matrix:	Solid
Associated Lab Samples:	10365383001, 10365383002, 10365383003, 10365383004, 10365383005, 10365383006, 10365383007, 10365383008, 10365383009, 10365383010, 10365383011, 10365383012		

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	88.8J	301	48.2	10/19/16 20:22	

LABORATORY CONTROL SAMPLE: 386205						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4490	77	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386206												386207	
Parameter	Units	10365379001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Mean Total Organic Carbon	mg/kg	33000	44700	45700	83900	74700	114	91	70-130	12	25		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386208												386209	
Parameter	Units	10365383012 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
Mean Total Organic Carbon	mg/kg	42500	31600	31100	68700	60100	83	57	70-130	13	25	M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-V Pace Analytical Services - Virginia

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365383

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365383001	BW16TR-004-0.0-0.15	EPA 9060A	97596		
10365383001	BW16TR-004-0.0-0.15	EPA 9060A	97656		
10365383002	BW16TR-004-0.21-0.46	EPA 9060A	97596		
10365383002	BW16TR-004-0.21-0.46	EPA 9060A	97656		
10365383003	BW16TR-005-0.0-0.15	EPA 9060A	97596		
10365383003	BW16TR-005-0.0-0.15	EPA 9060A	97656		
10365383004	BW16TR-005-0.23-0.48	EPA 9060A	97596		
10365383004	BW16TR-005-0.23-0.48	EPA 9060A	97656		
10365383005	BW16TR-006-0.0-0.15	EPA 9060A	97596		
10365383005	BW16TR-006-0.0-0.15	EPA 9060A	97656		
10365383006	BW16TR-006-0.15-0.28	EPA 9060A	97596		
10365383006	BW16TR-006-0.15-0.28	EPA 9060A	97656		
10365383007	BW16TR-007-0.0-0.15	EPA 9060A	97596		
10365383007	BW16TR-007-0.0-0.15	EPA 9060A	97656		
10365383008	BW16TR-007-0.26-0.51	EPA 9060A	97596		
10365383008	BW16TR-007-0.26-0.51	EPA 9060A	97656		
10365383009	BW16TR-009-0.0-0.15	EPA 9060A	97596		
10365383009	BW16TR-009-0.0-0.15	EPA 9060A	97656		
10365383010	BW16TR-010-0.0-0.15	EPA 9060A	97596		
10365383010	BW16TR-010-0.0-0.15	EPA 9060A	97656		
10365383011	BW16TR-010-0.15-0.38	EPA 9060A	97596		
10365383011	BW16TR-010-0.15-0.38	EPA 9060A	97656		
10365383012	BW16TR-011-0.0-0.15	EPA 9060A	97596		
10365383012	BW16TR-011-0.0-0.15	EPA 9060A	97656		


REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #: **WO# : 10365383**



10365383

Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeeDee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 2.9, 2.8 Cooler Temp Corrected (°C): 3.1, 3.0 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BC 10/7/16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	?
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Lowell Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Intra-Regional Chain of Custody



Workorder: 10365383 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Due Date: 10/17/2016

Received at: **Pace Analytical Minnesota**
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Send To Lab: **Pace Analytical Billings MT**
 150 N Ninth Street
 Billings, MT 59101
 Phone (406)254-7226

Report To:
 Lori Castille

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	LAB USE ONLY
						Other	ASTM D422		
1	BW16TR-004-0.0-0.15	PS	10/7/2016 10:40	10365383001	Solid	1		X	
2	BW16TR-004-0.21-0.46	PS	10/7/2016 10:45	10365383002	Solid	1		X	
3	BW16TR-005-0.0-0.15	PS	10/7/2016 11:00	10365383003	Solid	1		X	
4	BW16TR-005-0.23-0.48	PS	10/7/2016 11:05	10365383004	Solid	1		X	
5	BW16TR-006-0.0-0.15	PS	10/7/2016 11:30	10365383005	Solid	1		X	
6	BW16TR-006-0.15-0.28	PS	10/7/2016 11:35	10365383006	Solid	1		X	
7	BW16TR-007-0.0-0.15	PS	10/7/2016 11:50	10365383007	Solid	1		X	
8	BW16TR-007-0.26-0.51	PS	10/7/2016 11:55	10365383008	Solid	1		X	
9	BW16TR-009-0.0-0.15	PS	10/7/2016 12:25	10365383009	Solid	1		X	
10	BW16TR-010-0.0-0.15	PS	10/7/2016 12:40	10365383010	Solid	1		X	
11	BW16TR-010-0.15-0.38	PS	10/7/2016 12:45	10365383011	Solid	1		X	
12	BW16TR-011-0.0-0.15	PS	10/7/2016 13:05	10365383012	Solid	1		X	

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	<i>[Signature]</i>	10/10/16 12:52			
2	<i>[Signature]</i>		<i>[Signature]</i>	10/16/2016	
3					
4					

Cooler Temperature on Receipt NA °C Custody Seal (Y) or N Received on Ice (Y) or N Samples Intact (Y) or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Pace MN Project #: 10365383

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 6751 5820 5478

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 160285052 140279186 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 NA

Cooler Temp Read: NA

Date and Initials of Person Examining Contents: 10/11 mt

Cooler Temp Corrected: NA

Biological Tissue Frozen? Yes No

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # <u>NA</u>
All containers needing preservation are found to be in compliance with EPA recommendation (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Initial when completed: _____ Lot # of added preservative: _____
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low Eater

Date: 10/11/16

Note: Whenever there is a discrepancy affecting formal compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain of Custody

MO# : 1276788

PM: **CLJ** Due Date: **10/21/16**
 CLIENT: **PACE MPLS**



10/21

Workorder: 10365383 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Results Requested By: 10/17/2016


Report To: Loti Castille
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Subcontract To: Pace Analytical Virginia MN
 315 Chestnut Street
 Virginia, MN 55792
 Phone (218)742-1042

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	Comments
						Unpreserved	Preserved		
1	BW16TR-004-0-0-0-15	PS	10/7/2016 10:40	10365383001	Solid	1			
2	BW16TR-004-0-21-0-46	PS	10/7/2016 10:45	10365383002	Solid	1			
3	BW16TR-005-0-0-0-15	PS	10/7/2016 11:00	10365383003	Solid	1			
4	BW16TR-005-0-23-0-48	PS	10/7/2016 11:05	10365383004	Solid	1			
5	BW16TR-005-0-0-0-15	PS	10/7/2016 11:30	10365383005	Solid	1			
6	BW16TR-006-0-15-0-28	PS	10/7/2016 11:35	10365383006	Solid	1			
7	BW16TR-007-0-0-0-15	PS	10/7/2016 11:50	10365383007	Solid	1			
8	BW16TR-007-0-26-0-51	PS	10/7/2016 11:55	10365383008	Solid	1			
9	BW16TR-009-0-0-0-15	PS	10/7/2016 12:25	10365383009	Solid	1			
10	BW16TR-010-0-0-0-15	PS	10/7/2016 12:40	10365383010	Solid	1			
11	BW16TR-010-0-15-0-38	PS	10/7/2016 12:45	10365383011	Solid	1			
12	BW16TR-011-0-0-0-15	PS	10/7/2016 13:05	10365383012	Solid	1			

Transfers	Released By	Date/Time	Received By	Date/Time	Cooler Temperature on Receipt 2.3 °C	Custody Seal (Y/ or N)	Received on Ice (Y/ or N)	Samples Intact (Y/ or N)
1	[Signature]	10/11/16 17:00	[Signature]	10/11/16 17:00		Y	Y	Y
2	[Signature]	10/11/16 2:00	[Signature]	10-12-16 8:50		Y	Y	Y
3								

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner laboratory.



Document Name:
Sample Condition Upon Receipt Form
 Document No.:
F-VM-C-001-Rev.09

Document Revised: 23Feb2015
 Page 1 of 1
 Issuing Authority:
 Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: Pace-MIV

Project #:

WO#: 1276788

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: Hal Pow Temp Blank? Yes No

Thermometer Used: 140792808 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read °C: 2.0 Cooler Temp Corrected °C: 2.3 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 0.3 Date and Initials of Person Examining Contents: JDK 10/11/16

Comments: LA 10-12-16

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>				
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____				

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____


FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Carrigan Date: 10/13/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	3	44	43	10

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	97		
#60	91		
#140	59		
#200	53		
0.0350 mm.	31		
0.0226 mm.	26		
0.0134 mm.	18		
0.0095 mm.	16		
0.0068 mm.	12		
0.0034 mm.	8.3		
0.0014 mm.	6.4		

* (no specification provided)

Material Description

sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.2433 D₈₅= 0.2092 D₆₀= 0.1099
D₅₀= 0.0657 D₃₀= 0.0323 D₁₅= 0.0086
D₁₀= 0.0053 C_u= 20.89 C_c= 1.80

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-004-0.0-0.15
Sample Number: 10365383-1

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-004-0.0-0.15

Sample Number: 10365383-1

Material Description: sandy silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
731.01	565.59	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		51.91	0.00	#20	0.43	0.00	99
				#40	1.27	0.00	97
#60	3.11			0.00	91		
#140	16.42			0.00	59		
#200	3.10			0.00	53		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 51.91

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0350	31.5
5.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0226	25.7
15.00	17.0	18.0	9.3	0.0142	18.0	13.3	0.0134	18.0
30.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0095	16.0
60.00	17.0	15.0	6.3	0.0142	15.0	13.8	0.0068	12.2
250.00	17.0	13.0	4.3	0.0142	13.0	14.2	0.0034	8.3
1440.00	17.0	12.0	3.3	0.0142	12.0	14.3	0.0014	6.4

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	3	44	47	43	10	53

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0053	0.0086	0.0158	0.0323	0.0477	0.0657	0.1099	0.1845	0.2092	0.2433	0.3202

Fineness Modulus	C _u	C _c
0.37	20.89	1.80

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	1	12	70	17

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	99		
#60	98		
#140	93		
#200	87		
0.0326 mm.	48		
0.0212 mm.	40		
0.0128 mm.	29		
0.0092 mm.	24		
0.0066 mm.	20		
0.0033 mm.	13		
0.0014 mm.	7.8		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0849 D₈₅= 0.0715 D₆₀= 0.0435
D₅₀= 0.0350 D₃₀= 0.0131 D₁₅= 0.0040
D₁₀= 0.0021 C_u= 20.51 C_c= 1.86

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-004-0.21-0.46
Sample Number: 10365383-2

Date Sampled: 10/7/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC
Project No: _____ Figure _____

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-004-0.21-0.46

Sample Number: 10365383-2

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
815.16	558.57	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.12	0.00	100		
		#10	0.13	0.00	100		
		55.32	0.00	#20	0.26	0.00	99
				#40	0.29	0.00	99
#60	0.31			0.00	98		
#140	2.77			0.00	93		
#200	3.69			0.00	87		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 55.32

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	35.0	26.3	0.0142	35.0	10.6	0.0326	47.6
5.00	17.0	31.0	22.3	0.0142	31.0	11.2	0.0212	40.3
15.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0128	29.5
30.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0092	24.1
60.00	17.0	20.0	11.3	0.0142	20.0	13.0	0.0066	20.5
250.00	17.0	16.0	7.3	0.0142	16.0	13.7	0.0033	13.2
1440.00	17.0	13.0	4.3	0.0142	13.0	14.2	0.0014	7.8

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	12	13	70	17	87

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0021	0.0040	0.0063	0.0131	0.0208	0.0350	0.0435	0.0636	0.0715	0.0849	0.1253

Fineness Modulus	C _u	C _c
0.06	20.51	1.86

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	1	8	74	17

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	99		
#60	98		
#140	97		
#200	91		
0.0323 mm.	48		
0.0211 mm.	41		
0.0125 mm.	34		
0.0092 mm.	25		
0.0066 mm.	20		
0.0033 mm.	15		
0.0014 mm.	7.6		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0733 D₈₅= 0.0650 D₆₀= 0.0418
D₅₀= 0.0341 D₃₀= 0.0109 D₁₅= 0.0035
D₁₀= 0.0018 C_u= 22.69 C_c= 1.54

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-005-0.0-0.15
Sample Number: 10365383-3

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-005-0.0-0.15

Sample Number: 10365383-3

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
717.88	586.89	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		56.98	0.00	#20	0.31	0.00	99
				#40	0.31	0.00	99
#60	0.25			0.00	98		
#140	1.10			0.00	97		
#200	3.28			0.00	91		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 56.98

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	36.0	27.3	0.0142	36.0	10.4	0.0323	48.0
5.00	17.0	32.0	23.3	0.0142	32.0	11.0	0.0211	40.9
15.00	17.0	28.0	19.3	0.0142	28.0	11.7	0.0125	33.9
30.00	17.0	23.0	14.3	0.0142	23.0	12.5	0.0092	25.2
60.00	17.0	20.0	11.3	0.0142	20.0	13.0	0.0066	19.9
250.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0033	14.6
1440.00	17.0	13.0	4.3	0.0142	13.0	14.2	0.0014	7.6

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	8	9	74	17	91

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0018	0.0035	0.0067	0.0109	0.0187	0.0341	0.0418	0.0590	0.0650	0.0733	0.0907

Fineness Modulus	C _u	C _c
0.04	22.69	1.54

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-005-0.23-0.48

Sample Number: 10365383-4

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
780.22	604.54	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		58.24	0.00	#20	0.16	0.00	100
				#40	0.15	0.00	99
#60	0.19			0.00	99		
#140	1.36			0.00	97		
#200	1.98			0.00	93		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 58.24

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	41.0	32.3	0.0142	41.0	9.6	0.0310	55.5
5.00	17.0	35.0	26.3	0.0142	35.0	10.6	0.0206	45.2
15.00	17.0	27.0	18.3	0.0142	27.0	11.9	0.0126	31.5
30.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0090	28.0
60.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0065	22.9
250.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0033	14.3
1440.00	17.0	14.0	5.3	0.0142	14.0	14.0	0.0014	9.2

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	6	7	74	19	93

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0017	0.0036	0.0054	0.0113	0.0173	0.0253	0.0349	0.0527	0.0587	0.0667	0.0818

Fineness Modulus	C _u	C _c
0.03	20.84	2.19

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	2	38	46	14

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	98		
#60	89		
#140	64		
#200	60		
0.0313 mm.	37		
0.0206 mm.	31		
0.0125 mm.	23		
0.0090 mm.	20		
0.0065 mm.	17		
0.0033 mm.	9.7		
0.0014 mm.	6.2		

* (no specification provided)

Material Description

sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.2610 D₈₅= 0.2187 D₆₀= 0.0770
D₅₀= 0.0509 D₃₀= 0.0196 D₁₅= 0.0056
D₁₀= 0.0034 C_u= 22.55 C_c= 1.47

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-006-0.0-0.15
Sample Number: 10365383-5

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC
Location: BW16TR-006-0.0-0.15
Sample Number: 10365383-5
Material Description: sandy silt
Sample Date: 10/7/16
Date Received: 10/7/16 **PL:** NP **LL:** NV
USCS Classification: ML **AASHTO Classification:** A-4(0)
Grain Size Test Method: ASTM D422
Tested By: Will Thomas **Test Date:** 10/25/16
Checked By: Rhonda Johnson **Title:** Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
932.85	594.30	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		85.64	0.00	#20	0.38	0.00	100
				#40	1.49	0.00	98
#60	7.64			0.00	89		
#140	21.45			0.00	64		
#200	3.63			0.00	60		

Hydrometer Test Data

Hydrometer test uses material passing #10
Percent passing #10 based upon complete sample = 100
Weight of hydrometer sample = 85.64
Automatic temperature correction
Composite correction (fluid density and meniscus height) at 20 deg. C = -8
Meniscus correction only = 0.0
Specific gravity of solids = 2.65
Hydrometer type = 152H
Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	40.0	31.3	0.0142	40.0	9.7	0.0313	36.6
5.00	17.0	35.0	26.3	0.0142	35.0	10.6	0.0206	30.7
15.00	17.0	28.0	19.3	0.0142	28.0	11.7	0.0125	22.6
30.00	17.0	26.0	17.3	0.0142	26.0	12.0	0.0090	20.2
60.00	17.0	23.0	14.3	0.0142	23.0	12.5	0.0065	16.7
250.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0033	9.7
1440.00	17.0	14.0	5.3	0.0142	14.0	14.0	0.0014	6.2

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	2	38	40	46	14	60

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0034	0.0056	0.0087	0.0196	0.0363	0.0509	0.0770	0.1875	0.2187	0.2610	0.3349

Fineness Modulus	C _u	C _c
0.36	22.55	1.47

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-006-0.15-0.28

Sample Number: 10365383-6

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
854.61	617.17	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		66.74	0.00	#20	0.22	0.00	100
				#40	0.32	0.00	99
#60	1.16			0.00	97		
#140	4.09			0.00	91		
#200	3.40			0.00	86		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 66.74

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	43.0	34.3	0.0142	43.0	9.2	0.0305	51.4
5.00	17.0	37.0	28.3	0.0142	37.0	10.2	0.0203	42.4
15.00	17.0	29.0	20.3	0.0142	29.0	11.5	0.0124	30.5
30.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0090	24.5
60.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0065	20.0
250.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0033	12.5
1440.00	17.0	15.0	6.3	0.0142	15.0	13.8	0.0014	9.5

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	13	14	69	17	86

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0019	0.0043	0.0065	0.0122	0.0182	0.0289	0.0385	0.0616	0.0716	0.0932	0.1655

Fineness Modulus	C _u	C _c
0.08	20.36	2.03

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	1	17	69	13

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	99		
#60	99		
#140	93		
#200	82		
0.0323 mm.	41		
0.0214 mm.	32		
0.0128 mm.	25		
0.0092 mm.	22		
0.0066 mm.	17		
0.0033 mm.	9.6		
0.0014 mm.	5.0		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0936 D₈₅= 0.0809 D₆₀= 0.0487
D₅₀= 0.0400 D₃₀= 0.0187 D₁₅= 0.0057
D₁₀= 0.0035 C_u= 13.84 C_c= 2.04

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-007-0.0-0.15
Sample Number: 10365383-7

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-007-0.0-0.15

Sample Number: 10365383-7

Material Description: silt with sand

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
749.61	614.56	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		66.22	0.00	#20	0.33	0.00	100
				#40	0.19	0.00	99
#60	0.35			0.00	99		
#140	3.60			0.00	93		
#200	7.51			0.00	82		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 66.22

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	36.0	27.3	0.0142	36.0	10.4	0.0323	41.3
5.00	17.0	30.0	21.3	0.0142	30.0	11.4	0.0214	32.2
15.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0128	24.7
30.00	17.0	23.0	14.3	0.0142	23.0	12.5	0.0092	21.6
60.00	17.0	20.0	11.3	0.0142	20.0	13.0	0.0066	17.1
250.00	17.0	15.0	6.3	0.0142	15.0	13.8	0.0033	9.6
1440.00	17.0	12.0	3.3	0.0142	12.0	14.3	0.0014	5.0

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	17	18	69	13	82

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0035	0.0057	0.0080	0.0187	0.0310	0.0400	0.0487	0.0718	0.0809	0.0936	0.1291

Fineness Modulus	C _u	C _c
0.06	13.84	2.04

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	8	35	45	12

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	98		
#40	92		
#60	78		
#140	62		
#200	57		
0.0338 mm.	35		
0.0223 mm.	25		
0.0132 mm.	19		
0.0095 mm.	15		
0.0067 mm.	14		
0.0034 mm.	8.8		
0.0014 mm.	3.8		

* (no specification provided)

Material Description

sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.3924 D₈₅= 0.3248 D₆₀= 0.0920
D₅₀= 0.0569 D₃₀= 0.0279 D₁₅= 0.0090
D₁₀= 0.0039 C_u= 23.34 C_c= 2.14

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-007-0.26-0.51
Sample Number: 10365383-8

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-007-0.26-0.51

Sample Number: 10365383-8

Material Description: sandy silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
832.61	592.62	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.06	0.00	100		
		#10	0.65	0.00	100		
		60.62	0.00	#20	0.75	0.00	98
				#40	4.06	0.00	92
#60	8.55			0.00	78		
#140	9.53			0.00	62		
#200	3.37			0.00	57		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 60.62

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	30.0	21.3	0.0142	30.0	11.4	0.0338	35.1
5.00	17.0	24.0	15.3	0.0142	24.0	12.4	0.0223	25.2
15.00	17.0	20.0	11.3	0.0142	20.0	13.0	0.0132	18.6
30.00	17.0	18.0	9.3	0.0142	18.0	13.3	0.0095	15.3
60.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0067	13.7
250.00	17.0	14.0	5.3	0.0142	14.0	14.0	0.0034	8.8
1440.00	17.0	11.0	2.3	0.0142	11.0	14.5	0.0014	3.8

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	8	35	43	45	12	57

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
0.0018	0.0039	0.0090	0.0150	0.0279	0.0401	0.0569	0.0920	0.2721	0.3248	0.3924	0.5145

Fineness Modulus	C _u	C _c
0.54	23.34	2.14

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	1	58	37	3	1

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	99		
#20	88		
#40	41		
#60	12		
#140	5		
#200	4.1		
0.0384 mm.	1.5		
0.0243 mm.	1.5		
0.0140 mm.	1.5		
0.0099 mm.	1.5		
0.0070 mm.	1.5		
0.0035 mm.	0.4		
0.0014 mm.			

* (no specification provided)

Material Description

poorly graded sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= SP AASHTO (M 145)= A-1-b

Coefficients

D₉₀= 0.9526 D₈₅= 0.7994 D₆₀= 0.5497
D₅₀= 0.4818 D₃₀= 0.3629 D₁₅= 0.2738
D₁₀= 0.2115 C_u= 2.60 C_c= 1.13

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-009-0.0-0.15
Sample Number: 10365383-9

Date Sampled: 10/7/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC
Project No: _____ Figure _____

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-009-0.0-0.15

Sample Number: 10365383-9

Material Description: poorly graded sand

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: SP

AASHTO Classification: A-1-b

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer
1176.05	606.78	3	0.00	0.00	100
		2	0.00	0.00	100
		1.5	0.00	0.00	100
		1	0.00	0.00	100
		.75	0.00	0.00	100
		.375	0.00	0.00	100
		#4	0.86	0.00	100
85.93	0.00	#10	6.09	0.00	99
		#20	9.37	0.00	88
		#40	41.14	0.00	41
		#60	25.32	0.00	12
		#140	5.49	0.00	5
		#200	1.02	0.00	4.1

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 99

Weight of hydrometer sample = 85.93

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	10.0	1.3	0.0142	10.0	14.7	0.0384	1.5
5.00	17.0	10.0	1.3	0.0142	10.0	14.7	0.0243	1.5
15.00	17.0	10.0	1.3	0.0142	10.0	14.7	0.0140	1.5
30.00	17.0	10.0	1.3	0.0142	10.0	14.7	0.0099	1.5
60.00	17.0	10.0	1.3	0.0142	10.0	14.7	0.0070	1.5
250.00	17.0	9.0	0.3	0.0142	9.0	14.8	0.0035	0.4
1440.00	17.0	8.0	-0.7	0.0142	8.0	15.0	0.0014	-0.8

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	1	58	37	96	3	1	4

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
0.0913	0.2115	0.2738	0.3049	0.3629	0.4208	0.4818	0.5497	0.7320	0.7994	0.9526	1.3466

Fineness Modulus	C _u	C _c
2.15	2.60	1.13

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	2	2	10	41	36	9

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	99		
#4	98		
#10	96		
#20	92		
#40	86		
#60	74		
#140	54		
#200	45		
0.0350 mm.	22		
0.0226 mm.	18		
0.0133 mm.	14		
0.0095 mm.	11		
0.0068 mm.	9.9		
0.0034 mm.	7.2		
0.0014 mm.	4.5		

* (no specification provided)

Material Description

silty sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= SM AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.6233 D₈₅= 0.4090 D₆₀= 0.1397
D₅₀= 0.0897 D₃₀= 0.0471 D₁₅= 0.0149
D₁₀= 0.0069 C_u= 20.15 C_c= 2.29

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-010-0.0-0.15
Sample Number: 10365383-10

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-010-0.0-0.15

Sample Number: 10365383-10

Material Description: silty sand

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: SM

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer
753.51	612.99	3	0.00	0.00	100
		2	0.00	0.00	100
		1.5	0.00	0.00	100
		1	0.00	0.00	100
		.75	0.00	0.00	100
		.375	0.98	0.00	99
		#4	2.37	0.00	98
70.69	0.00	#10	2.74	0.00	96
		#20	2.83	0.00	92
		#40	4.57	0.00	86
		#60	8.63	0.00	74
		#140	14.95	0.00	54
		#200	6.15	0.00	45

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 96

Weight of hydrometer sample = 70.69

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0350	22.1
5.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0226	18.0
15.00	17.0	19.0	10.3	0.0142	19.0	13.2	0.0133	14.0
30.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0095	11.3
60.00	17.0	16.0	7.3	0.0142	16.0	13.7	0.0068	9.9
250.00	17.0	14.0	5.3	0.0142	14.0	14.0	0.0034	7.2
1440.00	17.0	12.0	3.3	0.0142	12.0	14.3	0.0014	4.5

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	2	2	2	10	41	53	36	9	45

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
0.0017	0.0069	0.0149	0.0302	0.0471	0.0632	0.0897	0.1397	0.3209	0.4090	0.6233	1.6604

Fineness Modulus	C _u	C _c
0.84	20.15	2.29

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	4	22	62	12

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	98		
#40	96		
#60	94		
#140	82		
#200	74		
0.0326 mm.	43		
0.0214 mm.	35		
0.0129 mm.	25		
0.0093 mm.	18		
0.0067 mm.	15		
0.0034 mm.	8.6		
0.0014 mm.	5.4		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.1708 D₈₅= 0.1239 D₆₀= 0.0518
D₅₀= 0.0406 D₃₀= 0.0166 D₁₅= 0.0066
D₁₀= 0.0039 C_u= 13.18 C_c= 1.34

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-010-0.15-0.38
Sample Number: 10365383-11

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-010-0.15-0.38

Sample Number: 10365383-11

Material Description: silt with sand

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
898.93	601.09	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.56	0.00	100		
		#10	0.82	0.00	100		
		61.48	0.00	#20	1.15	0.00	98
				#40	0.85	0.00	96
#60	1.39			0.00	94		
#140	7.35			0.00	82		
#200	5.02			0.00	74		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 61.48

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	35.0	26.3	0.0142	35.0	10.6	0.0326	42.6
5.00	17.0	30.0	21.3	0.0142	30.0	11.4	0.0214	34.5
15.00	17.0	24.0	15.3	0.0142	24.0	12.4	0.0129	24.8
30.00	17.0	20.0	11.3	0.0142	20.0	13.0	0.0093	18.3
60.00	17.0	18.0	9.3	0.0142	18.0	13.3	0.0067	15.1
250.00	17.0	14.0	5.3	0.0142	14.0	14.0	0.0034	8.6
1440.00	17.0	12.0	3.3	0.0142	12.0	14.3	0.0014	5.4

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	4	22	26	62	12	74

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0039	0.0066	0.0103	0.0166	0.0292	0.0406	0.0518	0.0951	0.1239	0.1708	0.2906

Fineness Modulus	C _u	C _c
0.22	13.18	1.34

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	6	73	21

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	99		
#140	98		
#200	94		
0.0313 mm.	59		
0.0206 mm.	49		
0.0123 mm.	40		
0.0090 mm.	31		
0.0065 mm.	25		
0.0033 mm.	16		
0.0014 mm.	8.1		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0656 D₈₅= 0.0575 D₆₀= 0.0324
D₅₀= 0.0214 D₃₀= 0.0088 D₁₅= 0.0031
D₁₀= 0.0018 C_u= 17.88 C_c= 1.32

Remarks

Date Received: 10/7/16 Date Tested: 10/25/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-011-0.0-0.15
Sample Number: 10365383-12

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLK Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/26/2016

Client: Bay West, Inc

Project: J160139 SLK Sediment AOC

Location: BW16TR-011-0.0-0.15

Sample Number: 10365383-12

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/25/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
672.62	587.18	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		53.29	0.00	#20	0.13	0.00	100
				#40	0.06	0.00	100
#60	0.15			0.00	99		
#140	0.83			0.00	98		
#200	2.11			0.00	94		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 53.29

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	17.0	40.0	31.3	0.0142	40.0	9.7	0.0313	58.8
5.00	17.0	35.0	26.3	0.0142	35.0	10.6	0.0206	49.4
15.00	17.0	30.0	21.3	0.0142	30.0	11.4	0.0123	40.0
30.00	17.0	25.0	16.3	0.0142	25.0	12.2	0.0090	30.6
60.00	17.0	22.0	13.3	0.0142	22.0	12.7	0.0065	25.0
250.00	17.0	17.0	8.3	0.0142	17.0	13.5	0.0033	15.6
1440.00	17.0	13.0	4.3	0.0142	13.0	14.2	0.0014	8.1

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	6	6	73	21	94

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0018	0.0031	0.0046	0.0088	0.0123	0.0214	0.0324	0.0512	0.0575	0.0656	0.0794

Fineness Modulus	C _u	C _c
0.02	17.88	1.32

October 31, 2016

Nancy McDonald
Bay West
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOCs
Pace Project No.: 10365950

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 12, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10365950

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365950001	BW16SR-004-0.0-0.15	Solid	10/12/16 12:00	10/12/16 18:30
10365950002	BW16SR-016-0.15-0.60	Solid	10/12/16 12:05	10/12/16 18:30
10365950003	BW16TR-008-0.0-0.15	Solid	10/12/16 13:10	10/12/16 18:30
10365950004	BW16TR-013-0.0-0.15	Solid	10/12/16 13:15	10/12/16 18:30
10365950005	BW16TR-017-0.0-0.15	Solid	10/12/16 13:35	10/12/16 18:30
10365950006	BW16TR-018-0.0-0.15	Solid	10/12/16 13:40	10/12/16 18:30
10365950007	BW16BLR-001-0.0-0.15	Solid	10/12/16 12:10	10/12/16 18:30

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10365980

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUIS Information:	
Company: Bay West, LLC		Report To: Nancy McDonald		Attention:		Facility Name: St. Louis River Sediment Areas of Concern	
Address: 5 Empire Drive		Copy To: Paul Raymaker		Company Name: Bay West, LLC		Facility Code: St. Louis River Sed	
St. Paul, MN 55103		Purchase Order No.: 108002		Address: 5 Empire Drive		Facility ID: 547023	
Email To: nrmcdonald@baywest.com		Project Name: SLR Sediment AOCs		Lab Quote Reference: 3000017136		Subfacility Code:	
Phone: 651-291-3483		Project Number: J160139		Lab Project Manager: Oyevert Odujole		COC#	
Requested Due Date/TAT: Standard						Page 1 of 1	
						SLR-Misc-2	
						Site Location STATE: MN	

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE (G-RAB C-COMP)	Collection		# OF CONTAINERS	Preservatives							Grain Size (ASTM D422 w/ hydrometer)	Comments	SAMPLE CONDITIONS					
	Sample Location ID (sys_loc_code)	Sample ID (sys_sample_code)				DATE	Time		H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₈	Methanol	Other			Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)	Temp (C)		
Ex.	BW15MLW-005	BW14MLW-005-0-0-15	SO	G	G	3/12/15	1204	1															
1	BW16SR-004	BW16SR-004-0-0-0-15	SO	G	G	10/12/16	1200	1	1								001	012					
2	BW16SR-016	BW16SR-016-0-15-0-60	SO	G	G	10/12/16	1205	1	1								002	013					
3	BW16TR-008	BW16TR-008-0-0-0-15	SO	G	G	10/12/16	1310	1	1								003	014					
4	BW16TR-013	BW16TR-013-0-0-0-15	SO	G	G	10/12/16	1315	1	1								004	015					
5	BW16TR-017	BW16TR-017-0-0-0-15	SO	G	G	10/12/16	1335	1	1								005	014					
6	BW16TR-018	BW16TR-018-0-0-0-15	SO	G	G	10/12/16	1340	1	1								006	012					
7	BW16BLR-001	BW16BLR-001-0-0-0-15	SO	C	C	10/12/16	1210	1	1								007	018					
8																							
9																							
10																							
11																							
12																							

Reference Subcontractor Goods and/or Services Purchase Order Form signed by Bay West on 9/18/16

Chris Musson / Bay West 10/12/16 1445
 Jan 10/12/16 1600
 10/12/16 1830

ACCEPTED BY / AFFILIATION: Jan / PACE
 DATE: 10/12/16
 TIME: 1830

SAMPLER NAME AND SIGNATURE: Chris Musson
 PRINT Name of SAMPLER: Chris Musson
 SIGNATURE of SAMPLER: [Signature]

DATE Signed (MM/DD/YYYY): 10/12/16

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #:

WO# : 10365950



Courier: Fed Ex UPS USPS Client
 Commercial Pace Speedee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098
 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 33.15 Cooler Temp Corrected (°C): 3.5.17 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.7 Date and Initials of Person Examining Contents: DC 10/12/16

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>WT/SL</u>	
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Sample # <u>10-50</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Low

Date: 10/13/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Intra-Regional Chain of Custody



Workorder: 10365950 Workorder Name: J160139 SLR Sediment AOCs Owner Received Date: 10/12/2016 Due Date: 10/26/2016

Received at:
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Send To Lab:
 Pace Analytical Billings MT
 150 N Ninth Street
 Billings, MT 59101
 Phone (406)254-7226

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	LAB USE ONLY
						Other	ASTM D422		
1	BW16SR-004-0 0-0 15	PS	10/12/2016 12:00	10365950001	Solid				
2	BW16SR-016-0 15-0 60	PS	10/12/2016 12:05	10365950002	Solid				
3	BW16TR-008-0 0-0 15	PS	10/12/2016 13:10	10365950003	Solid				
4	BW16TR-013-0 0-0 15	PS	10/12/2016 13:15	10365950004	Solid				
5	BW16TR-017-0 0-0 15	PS	10/12/2016 13:35	10365950005	Solid				
6	BW16TR-018-0 0-0 15	PS	10/12/2016 13:40	10365950006	Solid				
7	BW16BLR-001-0 0-0 15	PS	10/12/2016 12:10	10365950007	Solid				

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Custody Seal	Samples Intact	or	N	Comments
1	<i>[Signature]</i>	10/13/16 12:00	<i>[Signature]</i>	10/14/2016 09:45	Y	Y	Y			
2	<i>[Signature]</i>									
3										
4										

Cooler Temperature on Receipt 34 °C Received on Ice Y or N Custody Seal Y or N Samples Intact Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Pace MN Project #: 10365950

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 6752 58206496

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 160285052 140279186 NA Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read: 3.9

Date and Initials of Person Examining Contents: 10/14 NH

Cooler Temp Corrected: 3.4

Biological Tissue Frozen? Yes No

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # <u>NA</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Initial when completed: _____
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____


Comments/Resolution: _____

Project Manager Review: Low Eater

Date: 10/14/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	1	5	60	34

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	99		
#60	99		
#140	97		
#200	94		
0.0286 mm.	66		
0.0186 mm.	61		
0.0113 mm.	51		
0.0083 mm.	44		
0.0060 mm.	38		
0.0031 mm.	26		
0.0013 mm.	16		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0644 D₈₅= 0.0545 D₆₀= 0.0178
D₅₀= 0.0109 D₃₀= 0.0040 D₁₅=
D₁₀= C_u= C_c=

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16SR-004-0.0-0.15
Sample Number: 10365950-1

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16SR-004-0.0-0.15

Sample Number: 10365950-1

Material Description: silt

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
668.50	565.87	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		60.59	0.00	#20	0.40	0.00	99
				#40	0.10	0.00	99
#60	0.14			0.00	99		
#140	1.14			0.00	97		
#200	2.15			0.00	94		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 60.59

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	47.0	39.8	0.0138	47.0	8.6	0.0286	65.6
5.00	19.0	44.0	36.8	0.0138	44.0	9.1	0.0186	60.7
15.00	19.0	38.0	30.8	0.0138	38.0	10.1	0.0113	50.8
30.00	19.0	34.0	26.8	0.0138	34.0	10.7	0.0083	44.2
60.00	19.0	30.0	22.8	0.0138	30.0	11.4	0.0060	37.5
250.00	19.0	23.0	15.8	0.0138	23.0	12.5	0.0031	26.0
1440.00	19.0	17.0	9.8	0.0138	17.0	13.5	0.0013	16.1

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	5	6	60	34	94

D5	D10	D15	D20	D30	D40	D50	D60	D80	D85	D90	D95
			0.0019	0.0040	0.0068	0.0109	0.0178	0.0470	0.0545	0.0644	0.0825

Fineness Modulus
0.04

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	2	1	4	27	50	16

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	99		
#4	98		
#10	97		
#20	94		
#40	93		
#60	89		
#140	77		
#200	66		
0.0317 mm.	38		
0.0207 mm.	33		
0.0124 mm.	26		
0.0089 mm.	23		
0.0064 mm.	19		
0.0032 mm.	13		
0.0014 mm.	7.9		

* (no specification provided)

Material Description

sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.2687 D₈₅= 0.1618 D₆₀= 0.0636
D₅₀= 0.0483 D₃₀= 0.0170 D₁₅= 0.0041
D₁₀= 0.0019 C_u= 33.84 C_c= 2.43

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16SR-016-0.15-0.60
Sample Number: 10365950-2

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16SR-016-0.15-0.60

Sample Number: 10365950-2

Material Description: sandy silt

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
828.50	571.63	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	2.06	0.00	99		
		#4	3.06	0.00	98		
		#10	3.50	0.00	97		
		70.25	0.00	#20	1.80	0.00	94
				#40	1.03	0.00	93
#60	2.41			0.00	89		
#140	9.14			0.00	77		
#200	7.87			0.00	66		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 97

Weight of hydrometer sample = 70.25

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	35.0	27.8	0.0138	35.0	10.6	0.0317	38.2
5.00	19.0	31.0	23.8	0.0138	31.0	11.2	0.0207	32.7
15.00	19.0	26.0	18.8	0.0138	26.0	12.0	0.0124	25.8
30.00	19.0	24.0	16.8	0.0138	24.0	12.4	0.0089	23.0
60.00	19.0	21.0	13.8	0.0138	21.0	12.9	0.0064	18.9
250.00	19.0	17.0	9.8	0.0138	17.0	13.5	0.0032	13.4
1440.00	19.0	13.0	5.8	0.0138	13.0	14.2	0.0014	7.9

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	2	2	1	4	27	32	50	16	66

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0019	0.0041	0.0070	0.0170	0.0346	0.0483	0.0636	0.1211	0.1618	0.2687	1.1667

Fineness Modulus	C _u	C _c
0.42	33.84	2.43

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	5	43	41	11

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	98		
#40	95		
#60	89		
#140	62		
#200	52		
0.0334 mm.	25		
0.0216 mm.	22		
0.0128 mm.	17		
0.0092 mm.	14		
0.0065 mm.	13		
0.0033 mm.	8.2		
0.0014 mm.	5.8		

* (no specification provided)

Material Description

sandy silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.2636 D₈₅= 0.2127 D₆₀= 0.0999
D₅₀= 0.0705 D₃₀= 0.0405 D₁₅= 0.0104
D₁₀= 0.0042 C_u= 23.94 C_c= 3.93

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-008-0.0-0.15
Sample Number: 10365950-3

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16TR-008-0.0-0.15

Sample Number: 10365950-3

Material Description: sandy silt

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
932.69	624.30	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		82.21	0.00	#20	1.55	0.00	98
				#40	2.97	0.00	95
#60	4.53			0.00	89		
#140	22.45			0.00	62		
#200	7.94			0.00	52		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 82.21

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	28.0	20.8	0.0138	28.0	11.7	0.0334	25.2
5.00	19.0	25.0	17.8	0.0138	25.0	12.2	0.0216	21.6
15.00	19.0	21.0	13.8	0.0138	21.0	12.9	0.0128	16.7
30.00	19.0	19.0	11.8	0.0138	19.0	13.2	0.0092	14.3
60.00	19.0	18.0	10.8	0.0138	18.0	13.3	0.0065	13.1
250.00	19.0	14.0	6.8	0.0138	14.0	14.0	0.0033	8.2
1440.00	19.0	12.0	4.8	0.0138	12.0	14.3	0.0014	5.8

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	5	43	48	41	11	52

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0042	0.0104	0.0177	0.0405	0.0538	0.0705	0.0999	0.1812	0.2127	0.2636	0.4649

Fineness Modulus	C _u	C _c
0.39	23.94	3.93

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16TR-013-0.0-0.15

Sample Number: 10365950-4

Material Description: silt

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
801.76	607.95	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		59.36	0.00	#20	0.39	0.00	99
				#40	0.22	0.00	99
#60	0.17			0.00	99		
#140	0.29			0.00	98		
#200	0.33			0.00	98		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 59.36

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	47.0	39.8	0.0138	47.0	8.6	0.0286	67.0
5.00	19.0	45.0	37.8	0.0138	45.0	8.9	0.0185	63.6
15.00	19.0	39.0	31.8	0.0138	39.0	9.9	0.0112	53.5
30.00	19.0	33.0	25.8	0.0138	33.0	10.9	0.0083	43.4
60.00	19.0	29.0	21.8	0.0138	29.0	11.5	0.0061	36.6
250.00	19.0	21.0	13.8	0.0138	21.0	12.9	0.0031	23.2
1440.00	19.0	14.0	6.8	0.0138	14.0	14.0	0.0014	11.4

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	1	1	2	65	33	98

D5	D10	D15	D20	D30	D40	D50	D60	D80	D85	D90	D95
		0.0018	0.0026	0.0044	0.0072	0.0101	0.0143	0.0431	0.0488	0.0558	0.0655

Fineness Modulus
0.04

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	3	5	63	29

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	99		
#40	97		
#60	95		
#140	93		
#200	92		
0.0278 mm.	66		
0.0186 mm.	57		
0.0115 mm.	45		
0.0084 mm.	38		
0.0061 mm.	32		
0.0031 mm.	23		
0.0013 mm.	14		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0655 D₈₅= 0.0527 D₆₀= 0.0213
D₅₀= 0.0143 D₃₀= 0.0054 D₁₅= 0.0015
D₁₀= C_u= C_c=

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-017-0.0-0.15
Sample Number: 10365950-5

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16TR-017-0.0-0.15

Sample Number: 10365950-5

Material Description: silt

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
749.38	587.84	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.06	0.00	100		
		#10	0.29	0.00	100		
		64.45	0.00	#20	0.76	0.00	99
				#40	1.20	0.00	97
#60	1.35			0.00	95		
#140	0.89			0.00	93		
#200	0.86			0.00	92		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 64.45

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	50.0	42.8	0.0138	50.0	8.1	0.0278	66.2
5.00	19.0	44.0	36.8	0.0138	44.0	9.1	0.0186	56.9
15.00	19.0	36.0	28.8	0.0138	36.0	10.4	0.0115	44.5
30.00	19.0	32.0	24.8	0.0138	32.0	11.0	0.0084	38.3
60.00	19.0	28.0	20.8	0.0138	28.0	11.7	0.0061	32.1
250.00	19.0	22.0	14.8	0.0138	22.0	12.7	0.0031	22.8
1440.00	19.0	16.0	8.8	0.0138	16.0	13.7	0.0013	13.5

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	3	5	8	63	29	92

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0015	0.0024	0.0054	0.0092	0.0143	0.0213	0.0443	0.0527	0.0655	0.2722

Fineness Modulus
0.14

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	5	19	55	21

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	97		
#40	95		
#60	94		
#140	85		
#200	76		
0.0315 mm.	42		
0.0202 mm.	39		
0.0122 mm.	31		
0.0088 mm.	26		
0.0063 mm.	23		
0.0032 mm.	16		
0.0014 mm.	10.0		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.1539 D₈₅= 0.1085 D₆₀= 0.0517
D₅₀= 0.0409 D₃₀= 0.0118 D₁₅= 0.0029
D₁₀= 0.0014 C_u= 37.62 C_c= 1.96

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-018-0.0-0.15
Sample Number: 10365950-6

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16TR-018-0.0-0.15

Sample Number: 10365950-6

Material Description: silt with sand

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
910.51	617.36	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.11	0.00	100		
		#10	0.17	0.00	100		
		67.76	0.00	#20	1.82	0.00	97
				#40	1.32	0.00	95
#60	1.16			0.00	94		
#140	6.10			0.00	85		
#200	5.97			0.00	76		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 67.76

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	36.0	28.8	0.0138	36.0	10.4	0.0315	42.4
5.00	19.0	34.0	26.8	0.0138	34.0	10.7	0.0202	39.4
15.00	19.0	28.0	20.8	0.0138	28.0	11.7	0.0122	30.6
30.00	19.0	25.0	17.8	0.0138	25.0	12.2	0.0088	26.2
60.00	19.0	23.0	15.8	0.0138	23.0	12.5	0.0063	23.2
250.00	19.0	18.0	10.8	0.0138	18.0	13.3	0.0032	15.9
1440.00	19.0	14.0	6.8	0.0138	14.0	14.0	0.0014	10.0

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	5	19	24	55	21	76

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0014	0.0029	0.0047	0.0118	0.0221	0.0409	0.0517	0.0862	0.1085	0.1539	0.3815

Fineness Modulus	C _u	C _c
0.22	37.62	1.96

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	1	10	6	69	14

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	99		
#20	90		
#40	89		
#60	88		
#140	85		
#200	83		
0.0317 mm.	52		
0.0211 mm.	39		
0.0125 mm.	33		
0.0091 mm.	24		
0.0066 mm.	18		
0.0033 mm.	9.0		
0.0014 mm.	5.2		

* (no specification provided)

Material Description

silt with sand

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.8456 D₈₅= 0.0938 D₆₀= 0.0379
D₅₀= 0.0300 D₃₀= 0.0110 D₁₅= 0.0052
D₁₀= 0.0036 C_u= 10.45 C_c= 0.88

Remarks

Date Received: 10/12/16 Date Tested: 10/27/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16BLR-001-0.0-0.15
Sample Number: 10365950-7

Date Sampled: 10/12/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC's

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/28/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC's

Location: BW16BLR-001-0.0-0.15

Sample Number: 10365950-7

Material Description: silt with sand

Sample Date: 10/12/16

Date Received: 10/12/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/27/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer
657.22	594.23	3	0.00	0.00	100
		2	0.00	0.00	100
		1.5	0.00	0.00	100
		1	0.00	0.00	100
		.75	0.00	0.00	100
		.375	0.00	0.00	100
		#4	0.09	0.00	100
52.61	0.00	#10	0.44	0.00	99
		#20	4.84	0.00	90
		#40	0.71	0.00	89
		#60	0.51	0.00	88
		#140	1.33	0.00	85
		#200	1.05	0.00	83

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 99

Weight of hydrometer sample = 52.61

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -7

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	19.0	35.0	27.8	0.0138	35.0	10.6	0.0317	52.3
5.00	19.0	28.0	20.8	0.0138	28.0	11.7	0.0211	39.1
15.00	19.0	25.0	17.8	0.0138	25.0	12.2	0.0125	33.5
30.00	19.0	20.0	12.8	0.0138	20.0	13.0	0.0091	24.0
60.00	19.0	17.0	9.8	0.0138	17.0	13.5	0.0066	18.4
250.00	19.0	12.0	4.8	0.0138	12.0	14.3	0.0033	9.0
1440.00	19.0	10.0	2.8	0.0138	10.0	14.7	0.0014	5.2

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	1	10	6	17	69	14	83

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0036	0.0052	0.0074	0.0110	0.0221	0.0300	0.0379	0.0642	0.0938	0.8456	1.3476

Fineness Modulus	C _u	C _c
0.44	10.45	0.88



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365379
 Work order number: 3000017136 Report date (mm/dd/yyyy): 11/01/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The collection time on the sample label for BW16TR-015-0.15-0.36 was incorrect. The correct time was 13:55. No data were qualified.

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A low-level concentration of TOC (88.8 mg/kg) was detected in Method blank 386204.
	i. If yes, are the same compounds present in the samples?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sample results were > 10 times the blank concentration.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

		flagged for the same analyte(s)?				
	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MS/MSDs were performed on sample BW16TR-011-0.60-0.85.
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the TOC samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

November 01, 2016

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103


RE: Project: J160139 SLR Sediment AOC
Pace Project No.: 10365379

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification UST-107

Alaska Certification UST-107

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification # : 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365379001	BW16TR-011-0.60-0.85	Solid	10/07/16 13:10	10/07/16 19:35
10365379002	BW16TR-012-0.0-0.15	Solid	10/07/16 13:20	10/07/16 19:35
10365379003	BW16TR-014-0.0-0.15	Solid	10/07/16 13:30	10/07/16 19:35
10365379004	BW16TR-014-0.15-0.38	Solid	10/07/16 13:35	10/07/16 19:35
10365379005	BW16TR-015-0.0-0.15	Solid	10/07/16 13:50	10/07/16 19:35
10365379006	BW16TR-015-0.15-0.36	Solid	10/07/16 13:55	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365379001	BW16TR-011-0.60-0.85	EPA 9060A	KRV	5	PASI-V
10365379002	BW16TR-012-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365379003	BW16TR-014-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365379004	BW16TR-014-0.15-0.38	EPA 9060A	KRV	5	PASI-V
10365379005	BW16TR-015-0.0-0.15	EPA 9060A	KRV	5	PASI-V
10365379006	BW16TR-015-0.15-0.36	EPA 9060A	KRV	5	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Method: EPA 9060A

Description: Total Organic Carbon Quad

Client: Bay West, Inc.

Date: November 01, 2016

General Information:

6 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 97596

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379001,10365383012

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 386209)
- Mean Total Organic Carbon

QC Batch: 97885

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379003,10365945003

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 387933)
- Mean Total Organic Carbon

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-011-0.60-0.85 Lab ID: 10365379001 Collected: 10/07/16 13:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	10600	mg/kg	5810	930	1		10/19/16 10:16	7440-44-0	
Total Organic Carbon	53600	mg/kg	2520	403	1		10/19/16 10:25	7440-44-0	
Total Organic Carbon	54200	mg/kg	3470	555	1		10/19/16 10:33	7440-44-0	
Total Organic Carbon	13500	mg/kg	3810	609	1		10/19/16 10:40	7440-44-0	
Mean Total Organic Carbon	33000	mg/kg	3900	624	1		10/19/16 10:40	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-012-0.0-0.15 **Lab ID: 10365379002** Collected: 10/07/16 13:20 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	10900	mg/kg	3350	536	1		10/19/16 12:01	7440-44-0	
Total Organic Carbon	30200	mg/kg	2650	423	1		10/19/16 12:08	7440-44-0	
Total Organic Carbon	27700	mg/kg	2590	415	1		10/19/16 12:15	7440-44-0	
Total Organic Carbon	9260	mg/kg	2700	431	1		10/19/16 12:23	7440-44-0	
Mean Total Organic Carbon	19500	mg/kg	2820	451	1		10/19/16 12:23	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-014-0.0-0.15 **Lab ID: 10365379003** Collected: 10/07/16 13:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad	Analytical Method: EPA 9060A								
Total Organic Carbon	8230	mg/kg	3260	522	1		10/21/16 13:52	7440-44-0	
Total Organic Carbon	34100	mg/kg	1700	272	1		10/21/16 13:59	7440-44-0	
Total Organic Carbon	21700	mg/kg	1960	313	1		10/21/16 14:07	7440-44-0	
Total Organic Carbon	21100	mg/kg	1960	314	1		10/21/16 14:14	7440-44-0	
Mean Total Organic Carbon	21300	mg/kg	2220	355	1		10/21/16 14:14	7440-44-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-014-0.15-0.38 **Lab ID: 10365379004** Collected: 10/07/16 13:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	26900	mg/kg	2720	435	1		10/21/16 15:21	7440-44-0	
Total Organic Carbon	27600	mg/kg	2490	398	1		10/21/16 15:28	7440-44-0	
Total Organic Carbon	11400	mg/kg	2450	392	1		10/21/16 15:36	7440-44-0	
Total Organic Carbon	19900	mg/kg	2470	396	1		10/21/16 15:43	7440-44-0	
Mean Total Organic Carbon	21400	mg/kg	2530	405	1		10/21/16 15:43	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-015-0.0-0.15 **Lab ID: 10365379005** Collected: 10/07/16 13:50 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	16200	mg/kg	2470	394	1		10/24/16 06:39	7440-44-0	
Total Organic Carbon	28000	mg/kg	1970	315	1		10/24/16 06:46	7440-44-0	
Total Organic Carbon	28600	mg/kg	1860	297	1		10/24/16 06:55	7440-44-0	
Total Organic Carbon	16100	mg/kg	1880	302	1		10/24/16 07:02	7440-44-0	
Mean Total Organic Carbon	22200	mg/kg	2040	327	1		10/24/16 07:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-015-0.15-0.36 **Lab ID: 10365379006** Collected: 10/07/16 13:55 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	17300	mg/kg	2760	442	1		10/28/16 14:10	7440-44-0	
Total Organic Carbon	34000	mg/kg	2860	458	1		10/28/16 14:18	7440-44-0	
Total Organic Carbon	16200	mg/kg	2660	426	1		10/28/16 14:25	7440-44-0	
Total Organic Carbon	25800	mg/kg	2740	439	1		10/28/16 14:32	7440-44-0	
Mean Total Organic Carbon	23300	mg/kg	2760	441	1		10/28/16 14:32	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

QC Batch: 97596 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365379001, 10365379002

METHOD BLANK: 386204 Matrix: Solid

Associated Lab Samples: 10365379001, 10365379002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	88.8J	301	48.2	10/19/16 20:22	

LABORATORY CONTROL SAMPLE: 386205

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4490	77	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386206 386207

Parameter	Units	10365379001		386206		386207		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	33000	44700	45700	83900	74700	114	91	70-130	12	25

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386208 386209

Parameter	Units	10365383012		386208		386209		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	42500	31600	31100	68700	60100	83	57	70-130	13	25 M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

QC Batch: 97885 Analysis Method: EPA 9060A
 QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
 Associated Lab Samples: 10365379003, 10365379004, 10365379005

METHOD BLANK: 387929 Matrix: Solid
 Associated Lab Samples: 10365379003, 10365379004, 10365379005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	302	48.3	10/21/16 08:33	

LABORATORY CONTROL SAMPLE: 387930

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4930	85	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387931 387932

Parameter	Units	10365945003		387931		387932		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	25700	37600	36100	65200	62600	105	102	70-130	4	25

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387933 387934

Parameter	Units	10365379003		387933		387934		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	21300	21800	22500	30700	39500	43	81	70-130	25	25 M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC
Pace Project No.: 10365379

QC Batch: 98471 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365379006

METHOD BLANK: 390620 Matrix: Solid
Associated Lab Samples: 10365379006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	301	48.2	10/28/16 13:33	

LABORATORY CONTROL SAMPLE: 390621

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4780	82	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390622 390623

Parameter	Units	10365379006		390623		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Mean Total Organic Carbon	mg/kg	23300	31300	56900	32100	107	123	70-130	10	25	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390624 390625

Parameter	Units	10367134006		390625		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Mean Total Organic Carbon	mg/kg	34600	46600	68800	48400	73	109	70-130	24	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-V Pace Analytical Services - Virginia

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365379001	BW16TR-011-0.60-0.85	EPA 9060A	97596		
10365379001	BW16TR-011-0.60-0.85	EPA 9060A	97656		
10365379002	BW16TR-012-0.0-0.15	EPA 9060A	97596		
10365379002	BW16TR-012-0.0-0.15	EPA 9060A	97656		
10365379003	BW16TR-014-0.0-0.15	EPA 9060A	97885		
10365379003	BW16TR-014-0.0-0.15	EPA 9060A	97886		
10365379004	BW16TR-014-0.15-0.38	EPA 9060A	97885		
10365379004	BW16TR-014-0.15-0.38	EPA 9060A	97886		
10365379005	BW16TR-015-0.0-0.15	EPA 9060A	97885		
10365379005	BW16TR-015-0.0-0.15	EPA 9060A	97886		
10365379006	BW16TR-015-0.15-0.36	EPA 9060A	98471		
10365379006	BW16TR-015-0.15-0.36	EPA 9060A	98634		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10365379

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:		Section D EQUS Information:	
Company: Bay West, LLC		Report To: Nancy McDonald		Attention: St. Louis River Sediment Areas of Concern		Facility Name: St. Louis River Sed	
Address: 5 Empire Drive		Copy To: Paul Raymaker		Company Name: Bay West, LLC		Facility Code: St. Louis River Sed	
St. Paul, MN 55103		Purchase Order No.: 108002		Address: 5 Empire Drive		Facility ID: 547023	
Email To: nmcdonald@baywest.com		Project Name: SLR Sediment AOCs		Lab Quote Reference: 3000017136		Subfacility Code:	
Phone: 651-291-3483		Project Number: J160139		Lab Project Manager: Oyeiyemi Odujole		COO#	
Requested Due Date/TAT: Standard						Page 1 of 1	
						SLR-TR-6	
						Site Location STATE: MN	

ITEM #	Section E Required Client Information		Valid Matrix Codes	MATRIX CODE	MATRIX TYPE (G=GRAB C=COMP)	DATE	Collection	Time	# OF CONTAINERS	Unpreserved	Preservatives							Grain Size (ASTM D422 w/ hydrometer)	Comments					
	Sample ID (sys_loc_code)	Sample ID (sys_sample_code)									H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol	Other							
Ex. BW15MLW-005	BW14MLW-005-0-0.15		SO	SO	G	3/12/15		1204																
1	BW16TR-011	BW16TR-011-0.60-0.85	SO	SO	G	10/7/16		1310	2	2												607	001	
2	BW16TR-012	BW16TR-012-0.0-0.15	SO	SO	G	10/7/16		1320	2	2													002	
3	BW16TR-014	BW16TR-014-0.0-0.15	SO	SO	G	10/7/16		1330	2	2													003	
4	BW16TR-014	BW16TR-014-0.15-0.38	SO	SO	G	10/7/16		1335	2	2													004	
5	BW16TR-015	BW16TR-015-0.0-0.15	SO	SO	G	10/7/16		1350	2	2													005	
6	BW16TR-015	BW16TR-015-0.15-0.36	SO	SO	G	10/7/16		1355	2	2													006	
7																								
8																								
9																								
10																								
11																								
12																								

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	Temp (C)	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
Reference Subcontractor Goods and/or Services Purchase Order Form signed by Bay West on 9/19/16		Chris Musson/Bay West	10/7/16	1555	Kristina Polson	10/7/16	1700	4.9	Y	N	Y
		Kristina Polson	10/7/16	1700	Chris Musson	10/7/16	1935	2.7			
			10/7/16	1935				28			


SAMPLER NAME AND SIGNATURE: *Chris Musson*
 PRINT Name of SAMPLER: Chris Musson
 SIGNATURE of SAMPLER: *Chris Musson* DATE Signed (MM/DD/YYYY): 10/7/16

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #:

WO# : 10365379



Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeeDee Other: _____
 Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 2.9, 2.8 Cooler Temp Corrected (°C): 3.1, 3.0 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BC 10/7/16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
 If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	12. <u>ID # 1016TR-015-0.15-0.36 has incorrect time on label, should be "175"-11</u>
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: [Signature] Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Intra-Regional Chain of Custody



Workorder: 10365379 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Due Date: 10/17/2016

Received at:	Send To Lab:
Pace Analytical Minnesota 1700 Elm Street Suite 200 Minneapolis, MN 55414 Phone (612)607-1700	Pace Analytical Billings MT 150 N Ninth Street Billings, MT 59101 Phone (406)254-7226

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis
						Other	LAB USE ONLY	
1	BW16TR-011-0.60-0.85	PS	10/7/2016 13:10	10365379001	Solid	1		
2	BW16TR-012-0.0-0.15	PS	10/7/2016 13:20	10365379002	Solid	1		
3	BW16TR-014-0.0-0.15	PS	10/7/2016 13:30	10365379003	Solid	1		
4	BW16TR-014-0.15-0.38	PS	10/7/2016 13:35	10365379004	Solid	1		
5	BW16TR-015-0.0-0.15	PS	10/7/2016 13:50	10365379005	Solid	1		
6	BW16TR-015-0.15-0.36	PS	10/7/2016 13:55	10365379006	Solid	1		

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Y or N	Samples Intact	Y or N
1	<i>[Signature]</i>	10/10/16 12:50	<i>[Signature]</i>	10/10/16 09:30		N		N
2								
3								
4								

Cooler Temperature on Receipt NA °C Custody Seal (Y) or N Received on Ice Y or (N) Samples Intact (Y) or N

***In order to maintain client confidentiality, location/name of the sampling site, sample's name and signature may not be provided on this COC document.
This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Pace MW

Project #: 10365379

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other:

Tracking Number: 6751 5820 5479

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 160285052 140279186 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 NA

Cooler Temp Read: NA

Date and Initials of Person Examining Contents: John W

Cooler Temp Corrected: NA

Biological Tissue Frozen? Yes No

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # <u>NA</u>
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low E

Date: 10/11/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain of Custody

MO#: 1276786

PM: CLJ Due Date: 10/21/16
 CLIENT: PACE MPLS

Pace Analytical
 www.paceids.com

Workorder: 10365379 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Results Requested By: 10/21/2016

Report To: Lori Castille
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Subcontract To: Pace Analytical Virginia MN
 315 Chestnut Street
 Virginia, MN 55792
 Phone (218)742-1042

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	Comments
						Unpreserved	Preserved		
1	BW6TR-011-0-60-0-85	PS	10/7/2016 13:10	10365379001	Solid	1			
2	BW6TR-012-0-0-0-15	PS	10/7/2016 13:20	10365379002	Solid	1			
3	BW6TR-014-0-0-0-15	PS	10/7/2016 13:30	10365379003	Solid	1			
4	BW6TR-014-0-15-0-38	PS	10/7/2016 13:35	10365379004	Solid	1			
5	BW6TR-015-0-0-0-15	PS	10/7/2016 13:50	10365379005	Solid	1			
6	BW6TR-015-0-15-0-36	PS	10/7/2016 13:55	10365379006	Solid	1			

Transfers	Released By	Date/Time	Received By	Date/Time	Cooler Temperature on Receipt 2.3 °C	Custody Seal	Y or N	Received on Ice	Y or N	Samples Intact	Y or N
1	<i>[Signature]</i>	10/11/16 17:00	<i>[Signature]</i>	10/11/16 17:57							
2	<i>[Signature]</i>	10/11/16 21:00	<i>[Signature]</i>	10-12-16 05:00							
3											

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.



Document Name:
Sample Condition Upon Receipt Form

Document No.:
F-VM-C-001-Rev.09

Document Revised: 23Feb2015
Page 1 of 1

Issuing Authority:
Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: pace-miv

Project #:

WO#: 1276786

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: Hold Pad Temp Blank? Yes No

Thermometer Used: 140792808 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read °C: 2.0 Cooler Temp Corrected °C: 2.3 Biological Tissue Frozen? Yes No NA
 Temp should be above freezing to 6°C Correction Factor: 0.3 Date and Initials of Person Examining Contents: JMC 10/11/16

Comments: em 10-12-16

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____


FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Cavin Jones Date: 10/12/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	2	71	27

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	98		
0.0258 mm.	70		
0.0174 mm.	62		
0.0113 mm.	45		
0.0083 mm.	38		
0.0061 mm.	31		
0.0031 mm.	22		
0.0013 mm.	15		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0510 D₈₅= 0.0431 D₆₀= 0.0165
D₅₀= 0.0129 D₃₀= 0.0059 D₁₅= 0.0013
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16

Tested By: Will Thomas

Checked By: Rhonda Johnson

Title: Lab Manager

Location: BW16TR-011-0.60-0.85
Sample Number: 10365379-1

Date Sampled: 10/7/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC
Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-011-0.60-0.85

Sample Number: 10365379-1

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
686.24	580.62	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		70.32	0.00	#20	0.02	0.00	100
				#40	0.04	0.00	100
#60	0.04			0.00	100		
#140	0.29			0.00	99		
#200	0.95			0.00	98		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 70.32

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	58.0	49.5	0.0140	58.0	6.8	0.0258	70.5
5.00	18.0	52.0	43.5	0.0140	52.0	7.8	0.0174	61.9
15.00	18.0	40.0	31.5	0.0140	40.0	9.7	0.0113	44.9
30.00	18.0	35.0	26.5	0.0140	35.0	10.6	0.0083	37.7
60.00	18.0	30.0	21.5	0.0140	30.0	11.4	0.0061	30.6
250.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0031	22.1
1440.00	18.0	19.0	10.5	0.0140	19.0	13.2	0.0013	15.0

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	2	2	71	27	98

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0013	0.0024	0.0059	0.0093	0.0129	0.0165	0.0367	0.0431	0.0510	0.0622

Fineness Modulus
0.01

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	1	1	2	66	30

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	99		
#20	99		
#40	98		
#60	98		
#140	97		
#200	96		
0.0290 mm.	69		
0.0187 mm.	65		
0.0115 mm.	53		
0.0085 mm.	42		
0.0062 mm.	35		
0.0032 mm.	21		
0.0014 mm.	14		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0577 D₈₅= 0.0496 D₆₀= 0.0143
D₅₀= 0.0106 D₃₀= 0.0049 D₁₅= 0.0019
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-012-0.0-0.15
Sample Number: 10365379-2

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-012-0.0-0.15

Sample Number: 10365379-2

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
829.58	574.43	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.77	0.00	100		
		#10	1.31	0.00	99		
		55.38	0.00	#20	0.36	0.00	99
				#40	0.33	0.00	98
#60	0.23			0.00	98		
#140	0.53			0.00	97		
#200	0.41			0.00	96		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 99

Weight of hydrometer sample = 55.38

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	47.0	38.5	0.0140	47.0	8.6	0.0290	69.0
5.00	18.0	45.0	36.5	0.0140	45.0	8.9	0.0187	65.5
15.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0115	52.9
30.00	18.0	32.0	23.5	0.0140	32.0	11.0	0.0085	42.2
60.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0062	35.0
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	20.7
1440.00	18.0	16.0	7.5	0.0140	16.0	13.7	0.0014	13.5

Pace Analytical Services, Inc.

Hydrometer Test Data (continued)

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
----------------------------	------------------------	-----------------------	--------------------------	----------	-----------	-------------------	-----------------------	----------------------


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	1	1	2	4	66	30	96

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0019	0.0031	0.0049	0.0078	0.0106	0.0143	0.0430	0.0496	0.0577	0.0708

Fineness Modulus
0.09

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	3	72	25

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	97		
0.0314 mm.	57		
0.0210 mm.	44		
0.0124 mm.	36		
0.0090 mm.	30		
0.0064 mm.	28		
0.0032 mm.	19		
0.0014 mm.	13		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0601 D₈₅= 0.0537 D₆₀= 0.0332
D₅₀= 0.0261 D₃₀= 0.0088 D₁₅= 0.0023
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-014-0.0-0.15 Date Sampled: 10/7/16
Sample Number: 10365379-3

Pace Analytical Services, Inc.	Client: Bay West, Inc
Billings, MT	Project: J160139 SLR Sediment AOC
Project No:	Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-014-0.0-0.15

Sample Number: 10365379-3

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
657.30	565.75	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		51.49	0.00	#20	0.00	0.00	100
				#40	0.07	0.00	100
#60	0.00			0.00	100		
#140	0.23			0.00	99		
#200	1.25			0.00	97		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 51.49

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0314	57.4
5.00	18.0	31.0	22.5	0.0140	31.0	11.2	0.0210	43.8
15.00	18.0	27.0	18.5	0.0140	27.0	11.9	0.0124	36.0
30.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0090	30.2
60.00	18.0	23.0	14.5	0.0140	23.0	12.5	0.0064	28.2
250.00	18.0	18.0	9.5	0.0140	18.0	13.3	0.0032	18.5
1440.00	18.0	15.0	6.5	0.0140	15.0	13.8	0.0014	12.7

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	3	3	72	25	97

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0023	0.0036	0.0088	0.0166	0.0261	0.0332	0.0486	0.0537	0.0601	0.0692

Fineness Modulus
0.01

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	3	82	15

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	97		
0.0316 mm.	32		
0.0200 mm.	32		
0.0123 mm.	23		
0.0089 mm.	19		
0.0064 mm.	17		
0.0032 mm.	12		
0.0014 mm.	7.3		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0663 D₈₅= 0.0619 D₆₀= 0.0469
D₅₀= 0.0421 D₃₀= 0.0170 D₁₅= 0.0048
D₁₀= 0.0025 C_u= 19.02 C_c= 2.50

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-014-0.15-0.38
Sample Number: 10365379-4

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-014-0.15-0.38

Sample Number: 10365379-4

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
987.32	589.81	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		90.18	0.00	#20	0.05	0.00	100
				#40	0.03	0.00	100
#60	0.04			0.00	100		
#140	0.69			0.00	99		
#200	2.34			0.00	97		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 90.18

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	37.0	28.5	0.0140	37.0	10.2	0.0316	31.7
5.00	18.0	37.0	28.5	0.0140	37.0	10.2	0.0200	31.7
15.00	18.0	29.0	20.5	0.0140	29.0	11.5	0.0123	22.8
30.00	18.0	26.0	17.5	0.0140	26.0	12.0	0.0089	19.5
60.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0064	17.2
250.00	18.0	19.0	10.5	0.0140	19.0	13.2	0.0032	11.7
1440.00	18.0	15.0	6.5	0.0140	15.0	13.8	0.0014	7.3

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	3	3	82	15	97

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0025	0.0048	0.0096	0.0170	0.0371	0.0421	0.0469	0.0582	0.0619	0.0663	0.0724

Fineness Modulus	C _u	C _c
0.01	19.02	2.50

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	10	63	27

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	99		
#140	98		
#200	90		
0.0282 mm.	76		
0.0187 mm.	67		
0.0119 mm.	45		
0.0087 mm.	36		
0.0063 mm.	30		
0.0032 mm.	21		
0.0014 mm.	16		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0765 D₈₅= 0.0596 D₆₀= 0.0161
D₅₀= 0.0133 D₃₀= 0.0062 D₁₅=
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-015-0.0-0.15
Sample Number: 10365379-5

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-015-0.0-0.15

Sample Number: 10365379-5

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
683.51	571.55	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		54.62	0.00	#20	0.06	0.00	100
				#40	0.14	0.00	100
#60	0.16			0.00	99		
#140	0.85			0.00	98		
#200	4.51			0.00	90		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 54.62

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	50.0	41.5	0.0140	50.0	8.1	0.0282	76.1
5.00	18.0	45.0	36.5	0.0140	45.0	8.9	0.0187	66.9
15.00	18.0	33.0	24.5	0.0140	33.0	10.9	0.0119	44.9
30.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0087	35.8
60.00	18.0	25.0	16.5	0.0140	25.0	12.2	0.0063	30.3
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	21.1
1440.00	18.0	17.0	8.5	0.0140	17.0	13.5	0.0014	15.6

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	10	10	63	27	90

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
			0.0028	0.0062	0.0104	0.0133	0.0161	0.0403	0.0596	0.0765	0.0933

Fineness Modulus
0.02

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	4	71	25

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	96		
0.0287 mm.	57		
0.0189 mm.	51		
0.0117 mm.	41		
0.0086 mm.	34		
0.0063 mm.	29		
0.0032 mm.	18		
0.0014 mm.	13		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0621 D₈₅= 0.0552 D₆₀= 0.0321
D₅₀= 0.0173 D₃₀= 0.0068 D₁₅= 0.0023
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-015-0.15-0.36
Sample Number: 10365379-6

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-015-0.15-0.36

Sample Number: 10365379-6

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
954.72	568.99	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		76.69	0.00	#20	0.05	0.00	100
				#40	0.02	0.00	100
#60	0.06			0.00	100		
#140	0.69			0.00	99		
#200	2.31			0.00	96		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 76.69

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.56

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	51.0	42.5	0.0144	51.0	7.9	0.0287	56.7
5.00	18.0	47.0	38.5	0.0144	47.0	8.6	0.0189	51.4
15.00	18.0	39.0	30.5	0.0144	39.0	9.9	0.0117	40.7
30.00	18.0	34.0	25.5	0.0144	34.0	10.7	0.0086	34.0
60.00	18.0	30.0	21.5	0.0144	30.0	11.4	0.0063	28.7
250.00	18.0	22.0	13.5	0.0144	22.0	12.7	0.0032	18.0
1440.00	18.0	18.0	9.5	0.0144	18.0	13.3	0.0014	12.7

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	4	4	71	25	96

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0023	0.0037	0.0068	0.0114	0.0173	0.0321	0.0497	0.0552	0.0621	0.0722

Fineness Modulus
0.01



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10367134
 Work order number: 3000017136 Report date (mm/dd/yyyy): 11/02/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the same compounds present in the samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is a Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also flagged for the same analyte(s)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
--	-----	--	--------------------------	--------------------------	-------------------------------------	--

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The MS/MSD was performed as batch QC on a mercury sample from SDG 10366982. The MS/MSD for TOC was performed on sample BW16TR-018-0.0-0.15.
	ii. If no, is there and explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind duplicates were collected with the samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

November 02, 2016

Nancy McDonald
Bay West
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOCs
Pace Project No.: 10367134

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 21, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lori Castille
lori.castille@pacelabs.com
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOCs
Pace Project No.: 10367134

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
525 N 8th Street, Salina, KS 67401
Alaska Certification UST-107
A2LA Certification #: 2926.01
Alaska Certification #: UST-078
Alaska Certification #MN00064
Alabama Certification #40770
Arizona Certification #: AZ-0014
Arkansas Certification #: 88-0680
California Certification #: 01155CA
Colorado Certification #Pace
Connecticut Certification #: PH-0256
EPA Region 8 Certification #: 8TMS-L
Florida/NELAP Certification #: E87605
Guam Certification #:14-008r
Georgia Certification #: 959
Georgia EPD #: Pace
Idaho Certification #: MN00064
Hawaii Certification #MN00064
Illinois Certification #: 200011
Indiana Certification#C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky Dept of Envi. Protection - DW #90062
Kentucky Dept of Envi. Protection - WW #:90062
Louisiana DEQ Certification #: 3086
Louisiana DHH #: LA140001
Maine Certification #: 2013011
Maryland Certification #: 322

Michigan DEPH Certification #: 9909
Minnesota Certification #: 027-053-137
Mississippi Certification #: Pace
Montana Certification #: MT0092
Nevada Certification #: MN_00064
Nebraska Certification #: Pace
New Jersey Certification #: MN-002
New York Certification #: 11647
North Carolina Certification #: 530
North Carolina State Public Health #: 27700
North Dakota Certification #: R-036
Ohio EPA #: 4150
Ohio VAP Certification #: CL101
Oklahoma Certification #: 9507
Oregon Certification #: MN200001
Oregon Certification #: MN300001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification
Saipan (CNMI) #:MP0003
South Carolina #:74003001
Texas Certification #: T104704192
Tennessee Certification #: 02818
Utah Certification #: MN000642013-4
Virginia DGS Certification #: 251
Virginia/VELAP Certification #: Pace
Washington Certification #: C486
West Virginia Certification #: 382
West Virginia DHHR #:9952C
Wisconsin Certification #: 999407970

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792
Alaska Certification UST-107
Alaska Certification UST-107
Alaska Certification #MN01084
Arizona Department of Health Certification #AZ0785
Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203
Wisconsin DNR Certification #: 998027470
WA Department of Ecology Lab ID# C1007
Nevada DNR #MN010842015-1
Oklahoma Department of Environmental Quality

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10367134001	BW16SR-004-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45
10367134002	BW16SR-016-0.15-0.60	Solid	10/20/16 10:00	10/21/16 09:45
10367134003	BW16TR-008-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45
10367134004	BW16TR-013-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45
10367134005	BW16TR-017-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45
10367134006	BW16TR-018-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45
10367134007	BW16BLR-001-0.0-0.15	Solid	10/20/16 10:00	10/21/16 09:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10367134001	BW16SR-004-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134002	BW16SR-016-0.15-0.60	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134003	BW16TR-008-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134004	BW16TR-013-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134005	BW16TR-017-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134006	BW16TR-018-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V
10367134007	BW16BLR-001-0.0-0.15	EPA 7471B	LMW	1	PASI-M
		ASTM D2974	JDL	1	PASI-M
		EPA 9060A	KRV	5	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Method: EPA 7471B

Description: 7471B Mercury

Client: Bay West, Inc.

Date: November 02, 2016

General Information:

7 samples were analyzed for EPA 7471B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7471B with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Method: EPA 9060A

Description: Total Organic Carbon Quad

Client: Bay West, Inc.

Date: November 02, 2016

General Information:

7 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16SR-004-0.0-0.15 **Lab ID: 10367134001** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.17	mg/kg	0.049	0.013	1	10/25/16 10:40	10/27/16 15:19	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	60.5	%	0.10	0.10	1		11/01/16 14:32		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	48300	mg/kg	2800	447	1		10/28/16 07:13	7440-44-0	
Total Organic Carbon	46000	mg/kg	2980	477	1		10/28/16 07:20	7440-44-0	
Total Organic Carbon	29400	mg/kg	3320	531	1		10/28/16 07:28	7440-44-0	
Total Organic Carbon	34300	mg/kg	3290	526	1		10/28/16 07:35	7440-44-0	
Mean Total Organic Carbon	39500	mg/kg	3100	495	1		10/28/16 07:35	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16SR-016-0.15-0.60 **Lab ID: 10367134002** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.28	mg/kg	0.032	0.0084	1	10/25/16 10:40	10/27/16 15:21	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	45.7	%	0.10	0.10	1		11/01/16 14:32		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	48100	mg/kg	2890	463	1		10/28/16 07:42	7440-44-0	
Total Organic Carbon	62100	mg/kg	2670	428	1		10/28/16 07:51	7440-44-0	
Total Organic Carbon	19800	mg/kg	2920	468	1		10/28/16 07:58	7440-44-0	
Total Organic Carbon	15900	mg/kg	2930	469	1		10/28/16 08:05	7440-44-0	
Mean Total Organic Carbon	36500	mg/kg	2860	457	1		10/28/16 08:05	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16TR-008-0.0-0.15 **Lab ID: 10367134003** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.050	mg/kg	0.031	0.0082	1	10/25/16 10:40	10/27/16 15:23	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	45.5	%	0.10	0.10	1		11/01/16 14:32		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	7210	mg/kg	2930	469	1		10/28/16 08:13	7440-44-0	
Total Organic Carbon	24200	mg/kg	1890	303	1		10/28/16 08:21	7440-44-0	
Total Organic Carbon	26700	mg/kg	2050	328	1		10/28/16 08:28	7440-44-0	
Total Organic Carbon	23900	mg/kg	2270	363	1		10/28/16 08:40	7440-44-0	
Mean Total Organic Carbon	20500	mg/kg	2290	366	1		10/28/16 08:40	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16TR-013-0.0-0.15 **Lab ID: 10367134004** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.10	mg/kg	0.047	0.012	1	10/25/16 10:40	10/27/16 15:25	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	58.4	%	0.10	0.10	1		11/01/16 14:32		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	35800	mg/kg	2500	400	1		10/28/16 08:49	7440-44-0	
Total Organic Carbon	35900	mg/kg	2890	463	1		10/28/16 08:56	7440-44-0	
Total Organic Carbon	34600	mg/kg	2550	408	1		10/28/16 09:03	7440-44-0	
Total Organic Carbon	11700	mg/kg	2910	466	1		10/28/16 09:11	7440-44-0	
Mean Total Organic Carbon	29500	mg/kg	2710	434	1		10/28/16 09:11	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16TR-017-0.0-0.15 **Lab ID: 10367134005** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.13	mg/kg	0.044	0.012	1	10/25/16 10:40	10/27/16 15:27	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	54.8	%	0.10	0.10	1		11/01/16 14:33		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	45000	mg/kg	2950	472	1		10/28/16 09:18	7440-44-0	
Total Organic Carbon	45300	mg/kg	3280	524	1		10/28/16 09:26	7440-44-0	
Total Organic Carbon	7230	mg/kg	3090	495	1		10/28/16 09:33	7440-44-0	
Total Organic Carbon	5150	mg/kg	3170	507	1		10/28/16 09:40	7440-44-0	
Mean Total Organic Carbon	25700	mg/kg	3120	499	1		10/28/16 09:40	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16TR-018-0.0-0.15 **Lab ID: 10367134006** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.12	mg/kg	0.039	0.010	1	10/25/16 10:40	10/27/16 15:29	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	54.5	%	0.10	0.10	1		11/01/16 15:14		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	39400	mg/kg	3300	528	1		10/31/16 09:40	7440-44-0	
Total Organic Carbon	46800	mg/kg	3520	563	1		10/31/16 09:48	7440-44-0	
Total Organic Carbon	13600	mg/kg	3350	536	1		10/31/16 09:55	7440-44-0	
Total Organic Carbon	38800	mg/kg	3390	543	1		10/31/16 10:02	7440-44-0	
Mean Total Organic Carbon	34600	mg/kg	3390	543	1		10/31/16 10:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Sample: BW16BLR-001-0.0-0.15 **Lab ID: 10367134007** Collected: 10/20/16 10:00 Received: 10/21/16 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
7471B Mercury									
Analytical Method: EPA 7471B Preparation Method: EPA 7471B									
Mercury	0.19	mg/kg	0.11	0.030	1	10/25/16 10:40	10/27/16 15:32	7439-97-6	
Dry Weight									
Analytical Method: ASTM D2974									
Percent Moisture	82.5	%	0.10	0.10	1		11/01/16 15:15		
Total Organic Carbon Quad									
Analytical Method: EPA 9060A									
Total Organic Carbon	11200	mg/kg	4490	719	1		10/28/16 09:47	7440-44-0	
Total Organic Carbon	186000	mg/kg	4700	752	1		10/28/16 10:05	7440-44-0	
Total Organic Carbon	184000	mg/kg	13300	2130	1		10/28/16 10:15	7440-44-0	
Total Organic Carbon	204000	mg/kg	15000	2400	1		10/28/16 10:22	7440-44-0	
Mean Total Organic Carbon	146000	mg/kg	9380	1500	1		10/28/16 10:22	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

QC Batch: 442710 Analysis Method: EPA 7471B
 QC Batch Method: EPA 7471B Analysis Description: 7471B Mercury Solids
 Associated Lab Samples: 10367134001, 10367134002, 10367134003, 10367134004, 10367134005, 10367134006, 10367134007

METHOD BLANK: 2412946 Matrix: Solid
 Associated Lab Samples: 10367134001, 10367134002, 10367134003, 10367134004, 10367134005, 10367134006, 10367134007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	ND	0.017	0.0045	10/27/16 14:49	

LABORATORY CONTROL SAMPLE: 2412947

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	.5	0.55	110	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2412948 2412949

Parameter	Units	10366982001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	ND	.51	.5	0.59	0.55	113	108	75-125	7	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

QC Batch: 444492

Analysis Method: ASTM D2974

QC Batch Method: ASTM D2974

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 10367134001, 10367134002, 10367134003, 10367134004, 10367134005

SAMPLE DUPLICATE: 2425661

Parameter	Units	1277424005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	9.5	10.2	7	30	

SAMPLE DUPLICATE: 2425662

Parameter	Units	10367134005 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	54.8	54.8	0	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

QC Batch: 444507

Analysis Method: ASTM D2974

QC Batch Method: ASTM D2974

Analysis Description: Dry Weight/Percent Moisture

Associated Lab Samples: 10367134006, 10367134007

SAMPLE DUPLICATE: 2425768

Parameter	Units	10367218004 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	20.6	21.5	5	30	

SAMPLE DUPLICATE: 2425769

Parameter	Units	10367218017 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	20.5	19.3	6	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

QC Batch: 98471 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10367134001, 10367134002, 10367134003, 10367134004, 10367134005, 10367134006, 10367134007

METHOD BLANK: 390620 Matrix: Solid
Associated Lab Samples: 10367134001, 10367134002, 10367134003, 10367134004, 10367134005, 10367134006, 10367134007

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	301	48.2	10/28/16 13:33	

LABORATORY CONTROL SAMPLE: 390621

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4780	82	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390622 390623

Parameter	Units	10365379006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mean Total Organic Carbon	mg/kg	23300	31300	32100	56900	62700	107	123	70-130	10	25	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390624 390625

Parameter	Units	10367134006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mean Total Organic Carbon	mg/kg	34600	46600	48400	68800	87300	73	109	70-130	24	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

PASI-V Pace Analytical Services - Virginia

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: J160139 SLR Sediment AOCs

Pace Project No.: 10367134

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10367134001	BW16SR-004-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134002	BW16SR-016-0.15-0.60	EPA 7471B	442710	EPA 7471B	443204
10367134003	BW16TR-008-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134004	BW16TR-013-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134005	BW16TR-017-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134006	BW16TR-018-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134007	BW16BLR-001-0.0-0.15	EPA 7471B	442710	EPA 7471B	443204
10367134001	BW16SR-004-0.0-0.15	ASTM D2974	444492		
10367134002	BW16SR-016-0.15-0.60	ASTM D2974	444492		
10367134003	BW16TR-008-0.0-0.15	ASTM D2974	444492		
10367134004	BW16TR-013-0.0-0.15	ASTM D2974	444492		
10367134005	BW16TR-017-0.0-0.15	ASTM D2974	444492		
10367134006	BW16TR-018-0.0-0.15	ASTM D2974	444507		
10367134007	BW16BLR-001-0.0-0.15	ASTM D2974	444507		
10367134001	BW16SR-004-0.0-0.15	EPA 9060A	98471		
10367134001	BW16SR-004-0.0-0.15	EPA 9060A	98634		
10367134002	BW16SR-016-0.15-0.60	EPA 9060A	98471		
10367134002	BW16SR-016-0.15-0.60	EPA 9060A	98634		
10367134003	BW16TR-008-0.0-0.15	EPA 9060A	98471		
10367134003	BW16TR-008-0.0-0.15	EPA 9060A	98634		
10367134004	BW16TR-013-0.0-0.15	EPA 9060A	98471		
10367134004	BW16TR-013-0.0-0.15	EPA 9060A	98634		
10367134005	BW16TR-017-0.0-0.15	EPA 9060A	98471		
10367134005	BW16TR-017-0.0-0.15	EPA 9060A	98634		
10367134006	BW16TR-018-0.0-0.15	EPA 9060A	98471		
10367134006	BW16TR-018-0.0-0.15	EPA 9060A	98634		
10367134007	BW16BLR-001-0.0-0.15	EPA 9060A	98471		
10367134007	BW16BLR-001-0.0-0.15	EPA 9060A	98634		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt	Client Name: <u>Bay West LLC</u>	Project #: WO# : 10367134		 10367134
--------------------------------------	----------------------------------	----------------------------------	--	--

Courier: Fed Ex UPS USPS Client

Commercial Pace SpeedDee Other: _____

Tracking Number: 9802 5318 5161
9802 5318 5172

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 0.6.0.7 Cooler Temp Corrected (°C): 0.8.0.9 Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BC 10/21/16

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH >12 Cyanide)	Sample #
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low Eater Date: 10/24/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Chain of Custody

MO# : 1277663

PM: CLJ
 CLIENT: PAGE MPLS
 Due Date: 11/03/16

Pace Analytical
 www.paceanalytical.com

Workorder: 10367134 Workorder Name: J160139 SLR Sediment AOCs Owner Received date: 10/21/2016 Results Requested By: 11/3/2016

Report To:
 Lori Castille
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Subcontract To:
 Pace Analytical Virginia MN
 315 Chestnut Street
 Virginia, MN 55792
 Phone (218)742-1042

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	LAB USE ONLY
						Unpreserved	Preserved		
1	BW/SSR-004-0.0-0.15	PS	10/20/2016 10:00	10367134001	Solid	1		X	
2	BW/SSR-016-0.15-0.60	PS	10/20/2016 10:00	10367134002	Solid	1		X	
3	BW/STR-008-0.0-0.15	PS	10/20/2016 10:00	10367134003	Solid	1		X	
4	BW/STR-013-0.0-0.15	PS	10/20/2016 10:00	10367134004	Solid	1		X	
5	BW/STR-017-0.0-0.15	PS	10/20/2016 10:00	10367134005	Solid	1		X	
6	BW/STR-018-0.0-0.15	PS	10/20/2016 10:00	10367134006	Solid	1		X	
7	BW/BBLR-001-0.0-0.15	PS	10/20/2016 10:00	10367134007	Solid	1		X	

Comments

Cooler Temperature on Receipt 2.1 °C

Custody Seal for N

Received on Ice for N


Samples Intact or N

Transfers

Released By	Date/Time	Received By	Date/Time
<i>[Signature]</i>	10/21/16 17:00	<i>[Signature]</i>	10/21/16 17:00
<i>[Signature]</i>	10/21/16 17:00	<i>[Signature]</i>	10-25-16 0800

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.



Document Name:
Sample Condition Upon Receipt Form
Document No.:
F-VM-C-001-Rev.09

Document Revised: 23Feb2015
Page 1 of 1
Issuing Authority:
Pace Virginia, Minnesota Quality Office

Sample Condition Upon Receipt

Client Name: pace - MN
Project #: _____

WO#: 1277663

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: 4oz pads Temp Blank? Yes No

Thermometer Used: 140792808 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read °C: 1.8 Cooler Temp Corrected °C: 2.1 Biological Tissue Frozen? Yes No N/A

Temp should be above freezing to 6°C Correction Factor: 0.3 Date and Initials of Person Examining Contents: JPL 10/24/16

Comments: CL 10-25-16

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in MethyI Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Carrigan

Date: 10/26/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Instructions: The following is the Minnesota Pollution Control Agency's (MPCA) informal checklist that may be used to review data. The information follows the general format of the National Functional Guidelines which is the primary data review tool used in the U.S. Environmental Protection Agency's Contract Laboratory Program for Superfund analytical work. This checklist should be used in conjunction with the *Laboratory Data Checklist Guidance* (p-eao-11a): <http://www.pca.state.mn.us/index.php/view-document.html?gid=16113>. Also see the MPCA Laboratory Quality Control (QC) and Data Policy: <http://www.pca.state.mn.us/index.php/view-document.html?gid=16288>.

Project Information

Project name: SLR Sediments AOCs – Thomson Reservoir Laboratory: Pace - 10365379
 Work order number: 3000017136 Report date (mm/dd/yyyy): 11/01/2016

1. Preservation

For help with this section on holding times, containers and preservatives, refer to the Minnesota Department of Health's website at: <http://www.health.state.mn.us/divs/phl/environmental/handbook/internet/envhandbook.html>.

Questions	Yes	No	N/A	Comments
a. Is there a chain of custody (COC) with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b. Is there a sample condition form with the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
c. Were there samples requiring preservation?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
i. If so, were they properly preserved?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
ii. Were they received on ice?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
d. Were samples received in the correct containers?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
i. Was there enough sample volume/weight to complete all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
ii. Was there enough extra sample collected to complete method required batch QC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
e. Were samples received with adequate holding time for sample prep for all requested analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
f. Are there notes about sample condition or holding time issues on the COC? Explain impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
g. Is there narration or data qualifiers within the report about sample condition or holding time issues? Explain impact.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	The collection time on the sample label for BW16TR-015-0.15-0.36 was incorrect. The correct time was 13:55. No data were qualified.

2. Calibration

Question	Yes	No	N/A	Comments
a. Do the report narrative or data qualifiers indicate calibration problems for any analyses? If yes, explain the data impact.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

3. Blanks

Question		Yes	No	N/A	Comments
a.	Do any of the analyses contain samples for field or trip blanks?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are there target analytes present above the reporting limit?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If yes, are the same compounds also present in the samples? Explain possible impact.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Do method blanks for any analyses contain target analytes above the reporting limit?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	A low-level concentration of TOC (88.8 mg/kg) was detected in Method blank 386204.
	i. If yes, are the same compounds present in the samples?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. Is the amount of target analyte in the blank more than 1/10 th of that in the sample(s)? Explain the possible impact on sample results.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sample results were > 10 times the blank concentration.

4. Surrogates

Question		Yes	No	N/A	Comments
a.	Are there organic analyses that contain surrogate compounds?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b.	Are the lab recovery limits specified on the report?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. Do the lab limits seem reasonable when compared with the suggested guidelines in the MPCA QC Policy?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	Are there surrogates outside lab limits? (These should have a data qualifier)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	i. If yes, are the surrogates above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

5. Laboratory Control Sample/Laboratory Control Sample Duplicate (LCS/LCSD)

Question		Yes	No	N/A	Comments
a.	Are there LCS/LCSD samples present for the reported analyses? (An LCS alone is acceptable if there is an Matrix Spike/Matrix Spike Duplicate [MS/MSD] or sample/sample dup for precision.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	i. If so, do the lab limits seem reasonable compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
b.	Are there LCS/LCSD compounds outside lab limits? (These should have a data qualifier.)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Are all samples in the preparation batch also	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

		flagged for the same analyte(s)?				
	iv.	Explain what this could mean for the affected samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

6. Matrix Spike/Matrix Spike Duplicate/Sample Duplicate (MS/MSD/Dup)

Question		Yes	No	N/A	Comments
a.	Do the analytical methods used require an MS and/or MSD? If no, skip to 6.b.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	i. Have the required matrix spikes been prepared and reported?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	ii. If no, is there an explanation in the report as to why?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	iii. Did the lab process an alternate spiked sample (such as LCSD) instead?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MS/MSDs were performed on sample BW16TR-011-0.60-0.85.
	iv. Are the lab limits specified on the report?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	v. Do the limits seem reasonable when compared to the suggested guidelines in the MPCA QC Policy?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	vi. Are there compounds outside the lab limits?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
	1. If yes, are the analytes above the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	2. Below the lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	3. Is the source sample also flagged for compounds outside lab limits?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
b.	Is a sample duplicate reported for the analytical method(s)? If no, skip to 6.c.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	RPDs discussed apply to MS/MSDs.
	i. Is the RPD for the duplicate pair within the lab limits?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	ii. If no, has the associated source sample been flagged?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c.	What is the impact of failed QC on this project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

7. Method Detection Limits/Report Limits

Question		Yes	No	N/A	Comments
a.	Are reporting and/or method detection limits clearly listed on the report for all analyses? (may also be called quantitation limits)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Additional comments on report:

- (1) No blind field duplicates were collected with the TOC samples in this SDG.
- (2) Level II reports were reviewed, so calibrations and raw data were not reviewed.

March 17, 2017

Nancy McDonald
Bay West Inc
5 Empire Drive
Saint Paul, MN 55103

RE: Project: J160139 SLR Sediment AOC
Pace Project No.: 10365379

Dear Nancy McDonald:

Enclosed are the analytical results for sample(s) received by the laboratory on October 07, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Oyeyemi Odujole for
Lori Castille
lori.castille@pacelabs.com
(612)607-6402
Project Manager

Enclosures

cc: Paul Raymaker, Bay West
Jeff Smith, Pace Analytical Services, Inc



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Montana Certification IDs

150 N. 9th Street, Billings, MT 59101

A2LA Certification #: 3590.01

EPA Region 8 Certification #: 8TMS-L

Idaho Certification #: MT00012

Minnesota Dept of Health Certification #: 030-999-442

Montana Certification #: MT CERT0040

North Dakota Dept. Of Health #: R-209

Washington Department of Ecology #: C993

Nevada Certificate #: MT00012

Virginia Minnesota Certification ID's

315 Chestnut Street, Virginia, MN 55792

Alaska Certification UST-107

Alaska Certification UST-107

California Certification #2973

California Certification #2973

Alaska Certification #MN01084

Arizona Department of Health Certification #AZ0785

Minnesota Dept of Health Certification #: 027-137-445

North Dakota Certification: # R-203

Wisconsin DNR Certification #: 998027470

WA Department of Ecology Lab ID# C1007

Nevada DNR #MN010842015-1

Oklahoma Department of Environmental Quality

California Certification #2973

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365379001	BW16TR-011-0.60-0.85	Solid	10/07/16 13:10	10/07/16 19:35
10365379002	BW16TR-012-0.0-0.15	Solid	10/07/16 13:20	10/07/16 19:35
10365379003	BW16TR-014-0.0-0.15	Solid	10/07/16 13:30	10/07/16 19:35
10365379004	BW16TR-014-0.15-0.38	Solid	10/07/16 13:35	10/07/16 19:35
10365379005	BW16TR-015-0.0-0.15	Solid	10/07/16 13:50	10/07/16 19:35
10365379006	BW16TR-015-0.15-0.36	Solid	10/07/16 13:55	10/07/16 19:35

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365379001	BW16TR-011-0.60-0.85	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V
10365379002	BW16TR-012-0.0-0.15	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V
10365379003	BW16TR-014-0.0-0.15	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V
10365379004	BW16TR-014-0.15-0.38	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V
10365379005	BW16TR-015-0.0-0.15	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V
10365379006	BW16TR-015-0.15-0.36	ASTM D422	WT1	27	PASI-MT
		EPA 9060A	KRV	5	PASI-V

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Method: ASTM D422

Description: ASTM D422 Grain Size/Hydrom.

Client: Bay West, Inc.

Date: March 17, 2017

General Information:

6 samples were analyzed for ASTM D422. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Method: EPA 9060A

Description: Total Organic Carbon Quad

Client: Bay West, Inc.

Date: March 17, 2017

General Information:

6 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 97596

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379001,10365383012

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MSD (Lab ID: 386209)
- Mean Total Organic Carbon

QC Batch: 97885

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 10365379003,10365945003

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 387933)
- Mean Total Organic Carbon

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-011-0.60-0.85 **Lab ID: 10365379001** Collected: 10/07/16 13:10 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	100	%			1		10/20/16 09:00		
Sieve #20	100	%			1		10/20/16 09:00		
Sieve #40	100	%			1		10/20/16 09:00		
Sieve #60	100	%			1		10/20/16 09:00		
Sieve #140	99	%			1		10/20/16 09:00		
Sieve #200	98	%			1		10/20/16 09:00		
Hydrometer 1 Passing	70.5	%			1		10/20/16 09:00		
Hydrometer 2 Passing	61.9	%			1		10/20/16 09:00		
Hydrometer 3 Passing	44.9	%			1		10/20/16 09:00		
Hydrometer 4 Passing	37.7	%			1		10/20/16 09:00		
Hydrometer 5 Passing	30.6	%			1		10/20/16 09:00		
Hydrometer 6 Passing	22.1	%			1		10/20/16 09:00		
Hydrometer 7 Passing	15.0	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0258				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0174				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0113				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0083				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0061				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0031				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0013				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	10600	mg/kg	5810	930	1		10/19/16 10:16	7440-44-0	
Total Organic Carbon	53600	mg/kg	2520	403	1		10/19/16 10:25	7440-44-0	
Total Organic Carbon	54200	mg/kg	3470	555	1		10/19/16 10:33	7440-44-0	
Total Organic Carbon	13500	mg/kg	3810	609	1		10/19/16 10:40	7440-44-0	
Mean Total Organic Carbon	33000	mg/kg	3900	624	1		10/19/16 10:40	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-012-0.0-0.15 **Lab ID: 10365379002** Collected: 10/07/16 13:20 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	99	%			1		10/20/16 09:00		
Sieve #20	99	%			1		10/20/16 09:00		
Sieve #40	98	%			1		10/20/16 09:00		
Sieve #60	98	%			1		10/20/16 09:00		
Sieve #140	97	%			1		10/20/16 09:00		
Sieve #200	96	%			1		10/20/16 09:00		
Hydrometer 1 Passing	69.0	%			1		10/20/16 09:00		
Hydrometer 2 Passing	65.5	%			1		10/20/16 09:00		
Hydrometer 3 Passing	52.9	%			1		10/20/16 09:00		
Hydrometer 4 Passing	42.2	%			1		10/20/16 09:00		
Hydrometer 5 Passing	35.0	%			1		10/20/16 09:00		
Hydrometer 6 Passing	20.7	%			1		10/20/16 09:00		
Hydrometer 7 Passing	13.5	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0290				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0187				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0115				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0085				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0062				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0032				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0014				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	10900	mg/kg	3350	536	1		10/19/16 12:01	7440-44-0	
Total Organic Carbon	30200	mg/kg	2650	423	1		10/19/16 12:08	7440-44-0	
Total Organic Carbon	27700	mg/kg	2590	415	1		10/19/16 12:15	7440-44-0	
Total Organic Carbon	9260	mg/kg	2700	431	1		10/19/16 12:23	7440-44-0	
Mean Total Organic Carbon	19500	mg/kg	2820	451	1		10/19/16 12:23	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-014-0.0-0.15 **Lab ID: 10365379003** Collected: 10/07/16 13:30 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	100	%			1		10/20/16 09:00		
Sieve #20	100	%			1		10/20/16 09:00		
Sieve #40	100	%			1		10/20/16 09:00		
Sieve #60	100	%			1		10/20/16 09:00		
Sieve #140	99	%			1		10/20/16 09:00		
Sieve #200	97	%			1		10/20/16 09:00		
Hydrometer 1 Passing	57.4	%			1		10/20/16 09:00		
Hydrometer 2 Passing	43.8	%			1		10/20/16 09:00		
Hydrometer 3 Passing	36.0	%			1		10/20/16 09:00		
Hydrometer 4 Passing	30.2	%			1		10/20/16 09:00		
Hydrometer 5 Passing	28.2	%			1		10/20/16 09:00		
Hydrometer 6 Passing	18.5	%			1		10/20/16 09:00		
Hydrometer 7 Passing	12.7	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0314				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0210				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0124				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0090				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0064				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0032				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0014				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	8230	mg/kg	3260	522	1		10/21/16 13:52	7440-44-0	
Total Organic Carbon	34100	mg/kg	1700	272	1		10/21/16 13:59	7440-44-0	
Total Organic Carbon	21700	mg/kg	1960	313	1		10/21/16 14:07	7440-44-0	
Total Organic Carbon	21100	mg/kg	1960	314	1		10/21/16 14:14	7440-44-0	
Mean Total Organic Carbon	21300	mg/kg	2220	355	1		10/21/16 14:14	7440-44-0	M1

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-014-0.15-0.38 **Lab ID: 10365379004** Collected: 10/07/16 13:35 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	100	%			1		10/20/16 09:00		
Sieve #20	100	%			1		10/20/16 09:00		
Sieve #40	100	%			1		10/20/16 09:00		
Sieve #60	100	%			1		10/20/16 09:00		
Sieve #140	99	%			1		10/20/16 09:00		
Sieve #200	97	%			1		10/20/16 09:00		
Hydrometer 1 Passing	31.7	%			1		10/20/16 09:00		
Hydrometer 2 Passing	31.7	%			1		10/20/16 09:00		
Hydrometer 3 Passing	22.8	%			1		10/20/16 09:00		
Hydrometer 4 Passing	19.5	%			1		10/20/16 09:00		
Hydrometer 5 Passing	17.2	%			1		10/20/16 09:00		
Hydrometer 6 Passing	11.7	%			1		10/20/16 09:00		
Hydrometer 7 Passing	7.3	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0316				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0200				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0123				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0089				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0064				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0032				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0014				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	26900	mg/kg	2720	435	1		10/21/16 15:21	7440-44-0	
Total Organic Carbon	27600	mg/kg	2490	398	1		10/21/16 15:28	7440-44-0	
Total Organic Carbon	11400	mg/kg	2450	392	1		10/21/16 15:36	7440-44-0	
Total Organic Carbon	19900	mg/kg	2470	396	1		10/21/16 15:43	7440-44-0	
Mean Total Organic Carbon	21400	mg/kg	2530	405	1		10/21/16 15:43	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-015-0.0-0.15 **Lab ID: 10365379005** Collected: 10/07/16 13:50 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	100	%			1		10/20/16 09:00		
Sieve #20	100	%			1		10/20/16 09:00		
Sieve #40	100	%			1		10/20/16 09:00		
Sieve #60	99	%			1		10/20/16 09:00		
Sieve #140	98	%			1		10/20/16 09:00		
Sieve #200	90	%			1		10/20/16 09:00		
Hydrometer 1 Passing	76.1	%			1		10/20/16 09:00		
Hydrometer 2 Passing	66.9	%			1		10/20/16 09:00		
Hydrometer 3 Passing	44.9	%			1		10/20/16 09:00		
Hydrometer 4 Passing	35.8	%			1		10/20/16 09:00		
Hydrometer 5 Passing	30.3	%			1		10/20/16 09:00		
Hydrometer 6 Passing	21.1	%			1		10/20/16 09:00		
Hydrometer 7 Passing	15.6	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0282				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0187				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0119				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0087				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0063				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0032				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0014				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	16200	mg/kg	2470	394	1		10/24/16 06:39	7440-44-0	
Total Organic Carbon	28000	mg/kg	1970	315	1		10/24/16 06:46	7440-44-0	
Total Organic Carbon	28600	mg/kg	1860	297	1		10/24/16 06:55	7440-44-0	
Total Organic Carbon	16100	mg/kg	1880	302	1		10/24/16 07:02	7440-44-0	
Mean Total Organic Carbon	22200	mg/kg	2040	327	1		10/24/16 07:02	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

Sample: BW16TR-015-0.15-0.36 **Lab ID: 10365379006** Collected: 10/07/16 13:55 Received: 10/07/16 19:35 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
ASTM D422 Grain Size/Hydrom.		Analytical Method: ASTM D422							
Sieve 3.0"	100	%			1		10/20/16 09:00		
Sieve 2.0"	100	%			1		10/20/16 09:00		
Sieve 1.5"	100	%			1		10/20/16 09:00		
Sieve 1.0"	100	%			1		10/20/16 09:00		
Sieve 0.75"	100	%			1		10/20/16 09:00		
Sieve 0.375"	100	%			1		10/20/16 09:00		
Sieve #4	100	%			1		10/20/16 09:00		
Sieve #10	100	%			1		10/20/16 09:00		
Sieve #20	100	%			1		10/20/16 09:00		
Sieve #40	100	%			1		10/20/16 09:00		
Sieve #60	100	%			1		10/20/16 09:00		
Sieve #140	99	%			1		10/20/16 09:00		
Sieve #200	96	%			1		10/20/16 09:00		
Hydrometer 1 Passing	56.7	%			1		10/20/16 09:00		
Hydrometer 2 Passing	51.4	%			1		10/20/16 09:00		
Hydrometer 3 Passing	40.7	%			1		10/20/16 09:00		
Hydrometer 4 Passing	34.0	%			1		10/20/16 09:00		
Hydrometer 5 Passing	28.7	%			1		10/20/16 09:00		
Hydrometer 6 Passing	18.0	%			1		10/20/16 09:00		
Hydrometer 7 Passing	12.7	%			1		10/20/16 09:00		
Hydrometer 1 Particle Size(mm)	0.0287				1		10/20/16 09:00		
Hydrometer 2 Particle Size(mm)	0.0189				1		10/20/16 09:00		
Hydrometer 3 Particle Size(mm)	0.0117				1		10/20/16 09:00		
Hydrometer 4 Particle Size(mm)	0.0086				1		10/20/16 09:00		
Hydrometer 5 Particle Size(mm)	0.0063				1		10/20/16 09:00		
Hydrometer 6 Particle Size(mm)	0.0032				1		10/20/16 09:00		
Hydrometer 7 Particle Size(mm)	0.0014				1		10/20/16 09:00		
Total Organic Carbon Quad		Analytical Method: EPA 9060A							
Total Organic Carbon	17300	mg/kg	2760	442	1		10/28/16 14:10	7440-44-0	
Total Organic Carbon	34000	mg/kg	2860	458	1		10/28/16 14:18	7440-44-0	
Total Organic Carbon	16200	mg/kg	2660	426	1		10/28/16 14:25	7440-44-0	
Total Organic Carbon	25800	mg/kg	2740	439	1		10/28/16 14:32	7440-44-0	
Mean Total Organic Carbon	23300	mg/kg	2760	441	1		10/28/16 14:32	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC
Pace Project No.: 10365379

QC Batch: 97596 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365379001, 10365379002

METHOD BLANK: 386204 Matrix: Solid
Associated Lab Samples: 10365379001, 10365379002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	88.8J	301	48.2	10/19/16 20:22	

LABORATORY CONTROL SAMPLE: 386205

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4490	77	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386206 386207

Parameter	Units	10365379001		386206		386207		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.					
Mean Total Organic Carbon	mg/kg	33000	44700	45700	83900	74700	114	91	70-130	12	25	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 386208 386209

Parameter	Units	10365383012		386208		386209		% Rec Limits	RPD	Max RPD	Qual	
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.					
Mean Total Organic Carbon	mg/kg	42500	31600	31100	68700	60100	83	57	70-130	13	25 M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

QC Batch: 97885 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365379003, 10365379004, 10365379005

METHOD BLANK: 387929 Matrix: Solid

Associated Lab Samples: 10365379003, 10365379004, 10365379005

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	302	48.3	10/21/16 08:33	

LABORATORY CONTROL SAMPLE: 387930

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4930	85	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387931 387932

Parameter	Units	10365945003		387931		387932		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	25700	37600	36100	65200	62600	105	102	70-130	4	25

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 387933 387934

Parameter	Units	10365379003		387933		387934		% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.				
Mean Total Organic Carbon	mg/kg	21300	21800	22500	30700	39500	43	81	70-130	25	25 M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

QC Batch: 98471	Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A	Analysis Description: 9060 TOC Average
Associated Lab Samples: 10365379006	

METHOD BLANK: 390620 Matrix: Solid
Associated Lab Samples: 10365379006

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/kg	ND	301	48.2	10/28/16 13:33	

LABORATORY CONTROL SAMPLE: 390621

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/kg	5820	4780	82	49-151	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390622 390623

Parameter	Units	10365379006		390623		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Mean Total Organic Carbon	mg/kg	23300	31300	56900	32100	107	123	70-130	10	25	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 390624 390625

Parameter	Units	10367134006		390625		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Mean Total Organic Carbon	mg/kg	34600	46600	68800	48400	73	109	70-130	24	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: J160139 SLR Sediment AOC

Pace Project No.: 10365379

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-MT Pace Analytical Services - Montana

PASI-V Pace Analytical Services - Virginia

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: J160139 SLR Sediment AOC
Pace Project No.: 10365379

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365379001	BW16TR-011-0.60-0.85	ASTM D422	442044		
10365379002	BW16TR-012-0.0-0.15	ASTM D422	442044		
10365379003	BW16TR-014-0.0-0.15	ASTM D422	442044		
10365379004	BW16TR-014-0.15-0.38	ASTM D422	442044		
10365379005	BW16TR-015-0.0-0.15	ASTM D422	442044		
10365379006	BW16TR-015-0.15-0.36	ASTM D422	442044		
10365379001	BW16TR-011-0.60-0.85	EPA 9060A	97596		
10365379001	BW16TR-011-0.60-0.85	EPA 9060A	97656		
10365379002	BW16TR-012-0.0-0.15	EPA 9060A	97596		
10365379002	BW16TR-012-0.0-0.15	EPA 9060A	97656		
10365379003	BW16TR-014-0.0-0.15	EPA 9060A	97885		
10365379003	BW16TR-014-0.0-0.15	EPA 9060A	97886		
10365379004	BW16TR-014-0.15-0.38	EPA 9060A	97885		
10365379004	BW16TR-014-0.15-0.38	EPA 9060A	97886		
10365379005	BW16TR-015-0.0-0.15	EPA 9060A	97885		
10365379005	BW16TR-015-0.0-0.15	EPA 9060A	97886		
10365379006	BW16TR-015-0.15-0.36	EPA 9060A	98471		
10365379006	BW16TR-015-0.15-0.36	EPA 9060A	98634		

REPORT OF LABORATORY ANALYSIS


This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Sample Condition Upon Receipt

Client Name: Bay West LLC

Project #:

WO#: 10365379



10365379

Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeeDee Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 2.9, 2.8 Cooler Temp Corrected (°C): 3.1, 3.0 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: +0.2 Date and Initials of Person Examining Contents: BC 10/7/16

USDA Regulated Soil (N/A, water sample)
 Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No
 Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No
If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes Date/Time/ID/Analysis Matrix: <u>SL</u>	12. <u>ID # 1716TR-015-0.15-0.36 has incorrect time on label, should be "175"-11</u>
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample # Initial when completed: _____ Lot # of added preservative: _____
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Lois Carter Date: 10/10/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Intra-Regional Chain of Custody



Workorder: 10365379 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Due Date: 10/17/2016

Received at:	Send To Lab:
Pace Analytical Minnesota 1700 Elm Street Suite 200 Minneapolis, MN 55414 Phone (612)607-1700	Pace Analytical Billings MT 150 N Ninth Street Billings, MT 59101 Phone (406)254-7226

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis
						Other	LAB USE ONLY	
1	BW16TR-011-0.60-0.85	PS	10/7/2016 13:10	10365379001	Solid	1		
2	BW16TR-012-0.0-0.15	PS	10/7/2016 13:20	10365379002	Solid	1		
3	BW16TR-014-0.0-0.15	PS	10/7/2016 13:30	10365379003	Solid	1		
4	BW16TR-014-0.15-0.38	PS	10/7/2016 13:35	10365379004	Solid	1		
5	BW16TR-015-0.0-0.15	PS	10/7/2016 13:50	10365379005	Solid	1		
6	BW16TR-015-0.15-0.36	PS	10/7/2016 13:55	10365379006	Solid	1		

Transfers	Released By	Date/Time	Received By	Date/Time	Received on Ice	Y or N	Samples Intact	Y or N
1	<i>[Signature]</i>	10/10/16 12:50	<i>[Signature]</i>	10/10/16 09:30		N	Y	N
2								
3								
4								

Cooler Temperature on Receipt NA °C Custody Seal Y or N Received on Ice Y or N Samples Intact Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sample's name and signature may not be provided on this COC document.
This chain of custody is considered complete as is since this information is available in the owner laboratory.

Sample Condition Upon Receipt

Client Name: Pace MW

Project #: 10365379

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 6751 5820 5479

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 160285052 140279186 Type of Ice: Wet Blue None Samples on ice, cooling process has begun
 NA

Cooler Temp Read: NA

Date and Initials of Person Examining Contents: John W

Cooler Temp Corrected: NA

Biological Tissue Frozen? Yes No

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample # <u>NA</u>
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, WI-DRO (water)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Lot # of added preservative: _____
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>NA</u>		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review: Low E

Date: 10/11/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Chain of Custody

MO#: 1276786

PM: CLJ Due Date: 10/21/16
 CLIENT: PACE MPLS

Pace Analytical
 www.pacelabs.com

Workorder: 10365379 Workorder Name: J160139 SLR Sediment AOC Owner Received Date: 10/7/2016 Results Requested By: 10/21/2016

Report To: Lori Castille
 Pace Analytical Minnesota
 1700 Elm Street
 Suite 200
 Minneapolis, MN 55414
 Phone (612)607-1700

Subcontract To: Pace Analytical Virginia MN
 315 Chestnut Street
 Virginia, MN 55792
 Phone (218)742-1042

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Requested Analysis	Comments
						Unpreserved	Preserved		
1	BW6TR-011-0-60-0-85	PS	10/7/2016 13:10	10365379001	Solid	1			
2	BW6TR-012-0-0-0-15	PS	10/7/2016 13:20	10365379002	Solid	1			
3	BW6TR-014-0-0-0-15	PS	10/7/2016 13:30	10365379003	Solid	1			
4	BW6TR-014-0-15-0-38	PS	10/7/2016 13:35	10365379004	Solid	1			
5	BW6TR-015-0-0-0-15	PS	10/7/2016 13:50	10365379005	Solid	1			
6	BW6TR-015-0-15-0-36	PS	10/7/2016 13:55	10365379006	Solid	1			

Transfers	Released By	Date/Time	Received By	Date/Time	Cooler Temperature on Receipt	2.3 °C	Custody Seal	Y or N	Received on Ice	Y or N	Samples Intact	Y or N
1	<i>[Signature]</i>	10/11/16 17:00	<i>[Signature]</i>	10/11/16 17:57								
2	<i>[Signature]</i>	10/11/16 21:00	<i>[Signature]</i>	10-12-16 05:00								
3												

TOC 9060 quad

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document. This chain of custody is considered complete as is since this information is available in the owner laboratory.



Document Name:
Sample Condition Upon Receipt Form
 Document No.:
F-VM-C-001-Rev.09

Document Revised: 23Feb2015
 Page 1 of 1
 Issuing Authority:
 Pace Virginia, Minnesota Quality Office

**Sample Condition
 Upon Receipt**

Client Name: pace-miv

Project #:

WO#: 1276786

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: _____

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: Hold Pad Temp Blank? Yes No

Thermometer Used: 140792808 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read °C: 2.0 Cooler Temp Corrected °C: 2.3 Biological Tissue Frozen? Yes No NA
 Temp should be above freezing to 6°C Correction Factor: 0.3 Date and Initials of Person Examining Contents: JMC 10/11/16

Comments: em 10-12-16

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and Signature on COC?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved containers.
Sample Labels Match COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <u>SL</u>		
All containers needing acid/base preservation will be checked and documented in the pH logbook.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	See pH log for results and additional preservation documentation
Headspace in Methyl Mercury Container	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____


FECAL WAIVER ON FILE Y N

TEMPERATURE WAIVER ON FILE Y N

Project Manager Review: Carrigan Date: 10/12/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	2	71	27

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	98		
0.0258 mm.	70		
0.0174 mm.	62		
0.0113 mm.	45		
0.0083 mm.	38		
0.0061 mm.	31		
0.0031 mm.	22		
0.0013 mm.	15		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0510 D₈₅= 0.0431 D₆₀= 0.0165
D₅₀= 0.0129 D₃₀= 0.0059 D₁₅= 0.0013
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-011-0.60-0.85
Sample Number: 10365379-1

Date Sampled: 10/7/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC
Project No: Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-011-0.60-0.85

Sample Number: 10365379-1

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
686.24	580.62	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		70.32	0.00	#20	0.02	0.00	100
				#40	0.04	0.00	100
#60	0.04			0.00	100		
#140	0.29			0.00	99		
#200	0.95			0.00	98		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 70.32

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	58.0	49.5	0.0140	58.0	6.8	0.0258	70.5
5.00	18.0	52.0	43.5	0.0140	52.0	7.8	0.0174	61.9
15.00	18.0	40.0	31.5	0.0140	40.0	9.7	0.0113	44.9
30.00	18.0	35.0	26.5	0.0140	35.0	10.6	0.0083	37.7
60.00	18.0	30.0	21.5	0.0140	30.0	11.4	0.0061	30.6
250.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0031	22.1
1440.00	18.0	19.0	10.5	0.0140	19.0	13.2	0.0013	15.0

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	2	2	71	27	98

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0013	0.0024	0.0059	0.0093	0.0129	0.0165	0.0367	0.0431	0.0510	0.0622

Fineness Modulus
0.01

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	1	1	2	66	30

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	99		
#20	99		
#40	98		
#60	98		
#140	97		
#200	96		
0.0290 mm.	69		
0.0187 mm.	65		
0.0115 mm.	53		
0.0085 mm.	42		
0.0062 mm.	35		
0.0032 mm.	21		
0.0014 mm.	14		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0577 D₈₅= 0.0496 D₆₀= 0.0143
D₅₀= 0.0106 D₃₀= 0.0049 D₁₅= 0.0019
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-012-0.0-0.15
Sample Number: 10365379-2

Date Sampled: 10/7/16

Pace Analytical Services, Inc.
Billings, MT

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC
Project No: **Figure**

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-012-0.0-0.15

Sample Number: 10365379-2

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
829.58	574.43	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.77	0.00	100		
		#10	1.31	0.00	99		
		55.38	0.00	#20	0.36	0.00	99
				#40	0.33	0.00	98
#60	0.23			0.00	98		
#140	0.53			0.00	97		
#200	0.41			0.00	96		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 99

Weight of hydrometer sample = 55.38

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	47.0	38.5	0.0140	47.0	8.6	0.0290	69.0
5.00	18.0	45.0	36.5	0.0140	45.0	8.9	0.0187	65.5
15.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0115	52.9
30.00	18.0	32.0	23.5	0.0140	32.0	11.0	0.0085	42.2
60.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0062	35.0
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	20.7
1440.00	18.0	16.0	7.5	0.0140	16.0	13.7	0.0014	13.5

Pace Analytical Services, Inc.

Hydrometer Test Data (continued)

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
----------------------------	------------------------	-----------------------	--------------------------	----------	-----------	-------------------	-----------------------	----------------------


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	1	1	2	4	66	30	96

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0019	0.0031	0.0049	0.0078	0.0106	0.0143	0.0430	0.0496	0.0577	0.0708

Fineness Modulus
0.09

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	3	72	25

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	97		
0.0314 mm.	57		
0.0210 mm.	44		
0.0124 mm.	36		
0.0090 mm.	30		
0.0064 mm.	28		
0.0032 mm.	19		
0.0014 mm.	13		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0601 D₈₅= 0.0537 D₆₀= 0.0332
D₅₀= 0.0261 D₃₀= 0.0088 D₁₅= 0.0023
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-014-0.0-0.15
Sample Number: 10365379-3

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-014-0.0-0.15

Sample Number: 10365379-3

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
657.30	565.75	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		51.49	0.00	#20	0.00	0.00	100
				#40	0.07	0.00	100
#60	0.00			0.00	100		
#140	0.23			0.00	99		
#200	1.25			0.00	97		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 51.49

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	38.0	29.5	0.0140	38.0	10.1	0.0314	57.4
5.00	18.0	31.0	22.5	0.0140	31.0	11.2	0.0210	43.8
15.00	18.0	27.0	18.5	0.0140	27.0	11.9	0.0124	36.0
30.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0090	30.2
60.00	18.0	23.0	14.5	0.0140	23.0	12.5	0.0064	28.2
250.00	18.0	18.0	9.5	0.0140	18.0	13.3	0.0032	18.5
1440.00	18.0	15.0	6.5	0.0140	15.0	13.8	0.0014	12.7

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	3	3	72	25	97

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0023	0.0036	0.0088	0.0166	0.0261	0.0332	0.0486	0.0537	0.0601	0.0692

Fineness Modulus
0.01

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	3	82	15

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	97		
0.0316 mm.	32		
0.0200 mm.	32		
0.0123 mm.	23		
0.0089 mm.	19		
0.0064 mm.	17		
0.0032 mm.	12		
0.0014 mm.	7.3		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0663 D₈₅= 0.0619 D₆₀= 0.0469
D₅₀= 0.0421 D₃₀= 0.0170 D₁₅= 0.0048
D₁₀= 0.0025 C_u= 19.02 C_c= 2.50

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-014-0.15-0.38
Sample Number: 10365379-4

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-014-0.15-0.38

Sample Number: 10365379-4

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
987.32	589.81	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		90.18	0.00	#20	0.05	0.00	100
				#40	0.03	0.00	100
#60	0.04			0.00	100		
#140	0.69			0.00	99		
#200	2.34			0.00	97		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 90.18

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	37.0	28.5	0.0140	37.0	10.2	0.0316	31.7
5.00	18.0	37.0	28.5	0.0140	37.0	10.2	0.0200	31.7
15.00	18.0	29.0	20.5	0.0140	29.0	11.5	0.0123	22.8
30.00	18.0	26.0	17.5	0.0140	26.0	12.0	0.0089	19.5
60.00	18.0	24.0	15.5	0.0140	24.0	12.4	0.0064	17.2
250.00	18.0	19.0	10.5	0.0140	19.0	13.2	0.0032	11.7
1440.00	18.0	15.0	6.5	0.0140	15.0	13.8	0.0014	7.3

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	3	3	82	15	97

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
	0.0025	0.0048	0.0096	0.0170	0.0371	0.0421	0.0469	0.0582	0.0619	0.0663	0.0724

Fineness Modulus	C _u	C _c
0.01	19.02	2.50

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	10	63	27

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	99		
#140	98		
#200	90		
0.0282 mm.	76		
0.0187 mm.	67		
0.0119 mm.	45		
0.0087 mm.	36		
0.0063 mm.	30		
0.0032 mm.	21		
0.0014 mm.	16		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0765 D₈₅= 0.0596 D₆₀= 0.0161
D₅₀= 0.0133 D₃₀= 0.0062 D₁₅=
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-015-0.0-0.15
Sample Number: 10365379-5

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-015-0.0-0.15

Sample Number: 10365379-5

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
683.51	571.55	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		54.62	0.00	#20	0.06	0.00	100
				#40	0.14	0.00	100
#60	0.16			0.00	99		
#140	0.85			0.00	98		
#200	4.51			0.00	90		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 54.62

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.65

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	50.0	41.5	0.0140	50.0	8.1	0.0282	76.1
5.00	18.0	45.0	36.5	0.0140	45.0	8.9	0.0187	66.9
15.00	18.0	33.0	24.5	0.0140	33.0	10.9	0.0119	44.9
30.00	18.0	28.0	19.5	0.0140	28.0	11.7	0.0087	35.8
60.00	18.0	25.0	16.5	0.0140	25.0	12.2	0.0063	30.3
250.00	18.0	20.0	11.5	0.0140	20.0	13.0	0.0032	21.1
1440.00	18.0	17.0	8.5	0.0140	17.0	13.5	0.0014	15.6

Pace Analytical Services, Inc.


Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	10	10	63	27	90

D5	D10	D15	D20	D30	D40	D50	D60	D80	D85	D90	D95
			0.0028	0.0062	0.0104	0.0133	0.0161	0.0403	0.0596	0.0765	0.0933

Fineness Modulus
0.02

Particle Size Distribution Report



% +3"	% Gravel		% Sand			% Fines	
	Coarse	Fine	Coarse	Medium	Fine	Silt	Clay
0	0	0	0	0	4	71	25

TEST RESULTS (ASTM D422)			
Opening Size	Percent Finer	Spec.* (Percent)	Pass? (X=Fail)
3	100		
2	100		
1.5	100		
1	100		
.75	100		
.375	100		
#4	100		
#10	100		
#20	100		
#40	100		
#60	100		
#140	99		
#200	96		
0.0287 mm.	57		
0.0189 mm.	51		
0.0117 mm.	41		
0.0086 mm.	34		
0.0063 mm.	29		
0.0032 mm.	18		
0.0014 mm.	13		

* (no specification provided)

Material Description

silt

Atterberg Limits (ASTM D 4318)

PL= NP LL= NV PI=

Classification

USCS (D 2487)= ML AASHTO (M 145)= A-4(0)

Coefficients

D₉₀= 0.0621 D₈₅= 0.0552 D₆₀= 0.0321
D₅₀= 0.0173 D₃₀= 0.0068 D₁₅= 0.0023
D₁₀= C_u= C_c=

Remarks

Date Received: 10/7/16 Date Tested: 10/20/16
Tested By: Will Thomas
Checked By: Rhonda Johnson
Title: Lab Manager

Location: BW16TR-015-0.15-0.36
Sample Number: 10365379-6

Date Sampled: 10/7/16

Pace Analytical Services, Inc.

Client: Bay West, Inc
Project: J160139 SLR Sediment AOC

Billings, MT

Project No:

Figure

GRAIN SIZE DISTRIBUTION TEST DATA

10/25/2016

Client: Bay West, Inc

Project: J160139 SLR Sediment AOC

Location: BW16TR-015-0.15-0.36

Sample Number: 10365379-6

Material Description: silt

Sample Date: 10/7/16

Date Received: 10/7/16 **PL:** NP

LL: NV

USCS Classification: ML

AASHTO Classification: A-4(0)

Grain Size Test Method: ASTM D422

Tested By: Will Thomas

Test Date: 10/20/16

Checked By: Rhonda Johnson

Title: Lab Manager

Sieve Test Data

Dry Sample and Tare (grams)	Tare (grams)	Sieve Opening Size	Weight Retained (grams)	Sieve Weight (grams)	Percent Finer		
954.72	568.99	3	0.00	0.00	100		
		2	0.00	0.00	100		
		1.5	0.00	0.00	100		
		1	0.00	0.00	100		
		.75	0.00	0.00	100		
		.375	0.00	0.00	100		
		#4	0.00	0.00	100		
		#10	0.00	0.00	100		
		76.69	0.00	#20	0.05	0.00	100
				#40	0.02	0.00	100
#60	0.06			0.00	100		
#140	0.69			0.00	99		
#200	2.31			0.00	96		

Hydrometer Test Data

Hydrometer test uses material passing #10

Percent passing #10 based upon complete sample = 100

Weight of hydrometer sample = 76.69

Automatic temperature correction

Composite correction (fluid density and meniscus height) at 20 deg. C = -8

Meniscus correction only = 0.0

Specific gravity of solids = 2.56

Hydrometer type = 152H

Hydrometer effective depth equation: $L = 16.294964 - 0.164 \times R_m$

Elapsed Time (min.)	Temp. (deg. C.)	Actual Reading	Corrected Reading	K	Rm	Eff. Depth	Diameter (mm.)	Percent Finer
2.00	18.0	51.0	42.5	0.0144	51.0	7.9	0.0287	56.7
5.00	18.0	47.0	38.5	0.0144	47.0	8.6	0.0189	51.4
15.00	18.0	39.0	30.5	0.0144	39.0	9.9	0.0117	40.7
30.00	18.0	34.0	25.5	0.0144	34.0	10.7	0.0086	34.0
60.00	18.0	30.0	21.5	0.0144	30.0	11.4	0.0063	28.7
250.00	18.0	22.0	13.5	0.0144	22.0	12.7	0.0032	18.0
1440.00	18.0	18.0	9.5	0.0144	18.0	13.3	0.0014	12.7

Pace Analytical Services, Inc.

Fractional Components

Cobbles	Gravel			Sand				Fines		
	Coarse	Fine	Total	Coarse	Medium	Fine	Total	Silt	Clay	Total
0	0	0	0	0	0	4	4	71	25	96

D ₅	D ₁₀	D ₁₅	D ₂₀	D ₃₀	D ₄₀	D ₅₀	D ₆₀	D ₈₀	D ₈₅	D ₉₀	D ₉₅
		0.0023	0.0037	0.0068	0.0114	0.0173	0.0321	0.0497	0.0552	0.0621	0.0722

Fineness Modulus
0.01

Appendix E
Classical Oneway ANOVA Statistics Tests

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:51:38 PM								
3	From File			Copy of Thomson Fish Stats v1_0_b.xls								
4	Full Precision			OFF								
5	Trophic Level 2 Species											
6												
7	Total Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	3	0.102	0.0171	2.9200E-4						
11		boulder	6	0.0635	0.00831	6.9100E-5						
12	Grand Statistics (All data)		9	0.0763	0.0221	4.8675E-4						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	0.00296	1	0.00296	22.33	0.00215					
17		Within Groups	9.2950E-4	7	1.3279E-4							
18		Total	0.00389	8								
19												
20	Pooled Standard Deviation			0.0115								
21	R-Sq			0.761								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:52:04 PM								
3	From File			Copy of Thomson Fish Stats v1_0_b.xls								
4	Full Precision			OFF								
5	Trophic Level 2 Species											
6												
7	Methyl Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	3	104.7	9.238	85.33						
11		boulder	6	72.83	19.97	399						
12	Grand Statistics (All data)		9	83.44	22.89	524						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	2027	1	2027	6.551	0.0376					
17		Within Groups	2166	7	309.4							
18		Total	4192	8								
19												
20	Pooled Standard Deviation			17.59								
21	R-Sq			0.483								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.16/20/2017 10:45:27 AM								
3	From File			Thomson fish Stats_b.xls								
4	Full Precision			OFF								
5												
6	Trophic Level 2 Species											
7	TEQ Fish1											
8												
9	Group		Obs	Mean	SD	Variance						
10	thomson		4	0.727	0.325	0.105						
11	boulder		6	0.152	0.171	0.0291						
12	Grand Statistics (All data)		10	0.382	0.373	0.139						
13												
14	Classical One-Way Analysis of Variance Table											
15	Source	SS	DOF	MS	V.R.(F Stat)	P-Value						
16	Between Groups	0.793	1	0.793	13.74	0.00598						
17	Within Groups	0.462	8	0.0577								
18	Total	1.255	9									
19												
20	Pooled Standard Deviation		0.24									
21	R-Sq		0.632									
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.16/20/2017 10:45:53 AM								
3	From File			Thomson fish Stats_b.xls								
4	Full Precision			OFF								
5	Trophic Level 2 Species											
6												
7	TEQ HH2											
8												
9	Group		Obs	Mean	SD	Variance						
10	thomson		4	0.733	0.296	0.0875						
11	boulder		6	0.155	0.178	0.0316						
12	Grand Statistics (All data)		10	0.386	0.369	0.136						
13												
14	Classical One-Way Analysis of Variance Table											
15	Source	SS	DOF	MS	V.R.(F Stat)	P-Value						
16	Between Groups	0.802	1	0.802	15.26	0.0045						
17	Within Groups	0.42	8	0.0526								
18	Total	1.223	9									
19												
20	Pooled Standard Deviation		0.229									
21	R-Sq		0.656									
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:49:08 PM								
3	From File			Copy of Thomson Fish Stats v1_0_a.xls								
4	Full Precision			OFF								
5	<div style="border: 1px solid red; padding: 2px; display: inline-block;">Trophic Level 3 Species</div>											
6												
7	Total Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	8	0.108	0.059	0.00348						
11		boulder	5	0.0726	0.00451	2.0300E-5						
12	Grand Statistics (All data)		13	0.0945	0.0486	0.00236						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	0.00388	1	0.00388	1.745	0.213					
17		Within Groups	0.0245	11	0.00222							
18		Total	0.0284	12								
19												
20	Pooled Standard Deviation			0.0472								
21	R-Sq			0.137								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:49:32 PM								
3	From File			Copy of Thomson Fish Stats v1_0_a.xls								
4	Full Precision			OFF								
5	Trophic Level 3 Species											
6												
7	Methyl Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	8	103.4	54.04	2920						
11		boulder	5	60.8	9.731	94.7						
12	Grand Statistics (All data)		13	87	46.9	2200						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	5577	1	5577	2.947	0.114					
17		Within Groups	20819	11	1893							
18		Total	26396	12								
19												
20	Pooled Standard Deviation			43.5								
21	R-Sq			0.211								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.16/20/2017 10:41:57 AM								
3	From File			Thomson fish Stats_a.xls								
4	Full Precision			OFF								
5	Trophic Level 3 Species											
6												
7	TEQ Fish1											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	9	0.393	0.241	0.0581						
11		boulder	5	0.0578	0.00993	9.8694E-5						
12	Grand Statistics (All data)		14	0.273	0.252	0.0636						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	0.362	1	0.362	9.321	0.01					
17		Within Groups	0.466	12	0.0388							
18		Total	0.827	13								
19												
20	Pooled Standard Deviation			0.197								
21	R-Sq			0.437								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												


	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.16/20/2017 10:43:01 AM								
3	From File			Thomson fish Stats_a.xls								
4	Full Precision			OFF								
5	Trophic Level 3 Species											
6												
7	TEQ HH2											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	9	0.394	0.239	0.0572						
11		boulder	5	0.0556	0.0111	1.2359E-4						
12	Grand Statistics (All data)		14	0.273	0.252	0.0635						
13												
14	Classical One-Way Analysis of Variance Table											
15		Source	SS	DOF	MS	V.R.(F Stat)	P-Value					
16		Between Groups	0.368	1	0.368	9.62	0.00916					
17		Within Groups	0.458	12	0.0382							
18		Total	0.826	13								
19												
20	Pooled Standard Deviation			0.195								
21	R-Sq			0.445								
22												
23	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
24	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
25	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
26												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:46:10 PM								
3	From File			Copy of Thomson Fish Stats v1_0.xls								
4	Full Precision			OFF								
5	Trophic Level 4 Species											
6												
7	Total Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	2	0.118	0.0735	0.00541						
11		boulder	3	0.113	0.0162	2.6133E-4						
12		Grand Statistics (All data)	5	0.115	0.0386	0.00149						
13												
14	Some groups have < 3 observations ANOVA Results based on such data sets may not be reliable.											
15	You may want to perform ANOVA without groups with too few observations.											
16												
17	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
18	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
19	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
20												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.14/28/2017 12:47:02 PM								
3	From File			Copy of Thomson Fish Stats v1_0.xls								
4	Full Precision			OFF								
5	Trophic Level 4 Species											
6												
7	Methyl Mercury											
8												
9		Group	Obs	Mean	SD	Variance						
10		thomson	2	139	86.27	7442						
11		boulder	3	130	10	100						
12		Grand Statistics (All data)	5	133.6	43.99	1935						
13												
14	Some groups have < 3 observations ANOVA Results based on such data sets may not be reliable.											
15	You may want to perform ANOVA without groups with too few observations.											
16												
17	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
18	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
19	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
20												

	A	B	C	D	E	F	G	H	I	J	K	L
1				Classical Oneway ANOVA								
2	Date/Time of Computation			ProUCL 5.16/20/2017 11:01:48 AM								
3	From File			Copy of Thomson fish Stats v1_0.xls								
4	Full Precision			OFF								
5	Trophic Level 4 Species											
6												
7	TEQ HH2											
8												
9		Group	Obs	Mean	SD	Variance						
10		0.323790178571431	1	0.324	N/A	N/A						
11		0.272978000000003	1	0.273	N/A	N/A						
12		0.17585163636364	1	0.176	N/A	N/A						
13		0.0796775466666768	1	0.0797	N/A	N/A						
14		0.0512918999999974	1	0.0513	N/A	N/A						
15		0.0475140500000013	1	0.0475	N/A	N/A						
16		Grand Statistics (All data)	6	0.159	0.119	0.0142						
17												
18	Some groups have < 3 observations ANOVA Results based on such data sets may not be reliable.											
19	You may want to perform ANOVA without groups with too few observations.											
20												
21	Note: A p-value ≤ 0.05 (or some other selected level) suggests that there are significant differences in											
22	mean/median characteristics of the various groups at 0.05 or other selected level of significance											
23	A p-value > 0.05 (or other selected level) suggests that mean/median characteristics of the various groups are comparable.											
24												

Appendix D
2016 Minnesota Power Thomson Reservoir Bathymetry





NGVD29 ELEV(ft)	
<1040	
1040	
1041	
1042	
1043	
1044	
1045	
1046	
1047	
1048	
1049	
1050	
1051	
1052	
1053	
1054	
1055	
1056	
1057	
1058	
1059	
1060	
1061	
1062	
1063	
1064	
1065	
1066	
>=1067	

**MINNESOTA POWER
THOMSON RESERVOIR - THOMSON, MN
SINGLE-BEAM BATHYMETRIC SURVEY**

Horizontal Datum: U.S. State Plane NAD83
 Zone: 2202-MN Central
 Horizontal Units: U.S. Survey Feet
 Vertical Datum: NGVD29
 Vertical Units: U.S. Survey Feet

Date of Survey: Aug. 30th-Sept. 1st, 2016
 Location of Survey: Thomson, MN
 Survey Crew: JD, MW

Legend
 NGVD29 Elev. Contour
 Local Control Point



J.F. Brennan Co., Inc.
 820 Bainbridge St.
 La Crosse, WI 54603
 (608)-784-7173



Appendix E
**Focused Feasibility Study Alternatives Technical
Memorandum**

TECHNICAL MEMORANDUM

To: Heidi Bauman – Minnesota Pollution Control Agency

From: Bay West LLC

Subject: Remediation and Cleanup Goals of Dioxin Sediment Sites Outside of St. Louis River (SLR) Area of Concern (AOC) and Potential Remedial Action Objectives (RAOs) and Focused Feasibility Study Alternatives

Date: January 2016

Project: SLR AOC – Scanlon and Thomson Reservoir Sites

1.0 INTRODUCTION

One of the contaminant groups present in the St. Louis River (SLR) Area of Concern (AOC) is polychlorinated dibenzo-*p*-dioxins (dioxins) and polychlorinated dibenzofurans (furans). While furans are not dioxins, strictly speaking, some of the furan congeners have dioxin-like qualities and, therefore, the two compound groups are often referred to jointly as dioxins. Dioxins are highly toxic and can cause cancer, reproductive and developmental problems, and damage to the immune system, and they can interfere with hormones. Dioxins are a concern in sediments since they are persistent organic pollutants that can be taken up by benthic organisms and concentrated in the food chain through bioaccumulation to levels that adversely affect aquatic organisms, aquatic-dependent wildlife species, and human health.

Based on the initial information presented in the 2013 Sediment Characterization Report (LimnoTech, 2013), the Minnesota Pollution Control Agency (MPCA) asked Bay West LLC (Bay West) to research how the dioxins/furans have been addressed at other sediment sites across the U.S. to evaluate potential dioxins/furans remediation options for SLR AOC Scanlon and Thomson Reservoirs Sediment Assessment Areas (SAAs). Both reservoirs are owned and operated by Minnesota Power (<http://www.mnpower.com/>) for the generation of hydroelectric power and do not serve as a source of drinking water. The Thomson reservoir is accessible to the public and there is significant recreational use by the public including kayaking, rafting, and canoeing. There appears to be very limited access and public use of the Scanlon reservoir area because of its proximity to the Sappi Paper mill and the adjacent Cloquet reservoir.

This document also presents a current conceptual site model, conclusions, and recommendations. The recommendations section presents potential remedial action objectives (RAOs) and alternatives to be carried forward into each Focused Feasibility Study (FFS). Detailed outlines for the four potential alternatives for the Thomson Reservoir and Scanlon Reservoir are also attached. This Technical Memorandum will be used as an attachment to the FFSs.

2.0 METHODS AND DATA SOURCES

To meet the MPCA's request, Bay West reviewed information under the National Priorities List (NPL), the U.S. Environmental Protection Agency (USEPA) impaired water bodies, and Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA; otherwise known as Superfund) programs. There are currently 60 sites listed in the NPL database (<http://cumulis.epa.gov/supercpad/cursites/srchsites.cfm>) under sediment (contaminated media)

and dioxin (contaminant group) search criteria. As of the 2014 reporting period, the USEPA list of impaired water bodies includes 561 sites where dioxins are listed as an impairment cause (http://iaspub.epa.gov/tmdl_waters10/attains_nation_cy.cause_detail_303d?p_cause_group_id=435). The St. Louis River below the Pokegama R. is included on the list of impairments due to dioxins. At least two of the sites in the impaired water body lists are reservoirs.

In addition, there are six Tier 1 Superfund sites that contain dioxins as a contaminant of concern for the site (<http://www2.epa.gov/superfund/superfund-contaminated-sediments-list-sediments-sites>). Tier 1 Superfund sites are defined as sites where the proposed sediment action will address more than 10,000 cubic yards or 5 acres of contaminated sediment.

3.0 SEDIMENT QUALITY TARGETS AND SEDIMENT SCREENING VALUES

Consensus-based sediment quality guidelines (SQGs) have been developed for use within the SLR AOC. SQGs account for specific compounds and/or contaminant mixtures, and reflect casual rather than strictly correlative effects. SQGs applicable to the SLR AOC include sediment quality targets (SQTs) developed by the MPCA and sediment screening values (SSVs) developed by the Minnesota Department of Health (MDH).

Numerical SQTs, adopted for use in the SLR AOC to protect benthic invertebrates, can be used throughout Minnesota as benchmark values for making comparisons to surficial sediment chemistry measurements. Level 1 and Level 2 SQTs for the protection of sediment-dwelling organisms are available for 8 trace metals, 13 individual PAHs, total PAHs (all 13 priority PAHs), total PCBs, and 10 organochlorine pesticides. In addition, Level 1 and Level 2 SQTs for constituents of interest (COI)s polychlorinated dibenzo-p-dioxins/dibenzo furans (PCDD/F) were adopted for the protection of fish, as insufficient information is available for sediment-dwelling organisms. PCDD/F SQT values are comparable to PCDD/F toxic equivalents (TEQ) units calculated using 1998 toxic equivalency factor (TEF) values for fish. SQTs are highly useful when evaluating risk for a specific compound or a group of compounds (i.e., total PCBs and total PAHs). Contaminant concentrations below the Level 1 SQTs are unlikely to have harmful effects on sediment-dwelling organisms (i.e., benthic invertebrates). Contaminant concentrations above the Level 2 SQTs are more likely to result in harmful effects to benthic invertebrates (MPCA, 2007). A qualitative comparison value midway between the Level 1 SQTs and Level 2 SQTs (i.e., midpoint SQT) is used as conservative criteria to identify, rank, and prioritize sediment-associated contaminants within the SLR AOC.

Sediment Screening Values (SSVs) provide a human health-based toxicity value related to sediment for the SLR and specifically developed for the U.S. Steel Superfund site. The SSVs are a tool for screening contaminated sediments for potential impacts to human health. Chemical concentrations in water-covered sediments at or below the SSVs are considered safe for the general public; however, chemical concentrations in sediments exceeding the SSVs should not be considered unsafe because the SSVs were developed using conservative measures of site-specific exposure, bioavailability, and toxicity. Any exceedance of these values suggests that site-specific conditions need to be evaluated prior to concluding that contaminated sediments may impact health. Furthermore, the SSVs are not intended to be used as sediment cleanup values (MDH, 2013).

4.0 FILE REVIEW RESULTS FROM COMPARABLE DIOXIN SITES

Many of the dioxin-impacted sediment sites reviewed by Bay West resulted from industrial facilities such as bleached chemical pulp and paper mills, wood preserving facilities, and coal fired power plants, where compound-specific sediment cleanup criterion was only developed for the most pervasive contaminant present such as polynuclear aromatic hydrocarbons (PAHs) or polychlorinated biphenyls (PCBs) rather than dioxins. **Table 1** below presents the sites that Bay West reviewed, which have established either action levels (ALs), cleanup levels (CULs) or remedial goals (RGs) for dioxins. **Table 1** includes SQTs and SSVs for comparison. **Table 1** does not account for potential differences in risk exposure pathways and receptors such as humans versus benthic organisms.

Table 1 – Site-Specific Promulgated Dioxin Values

Site Name	Water Body	State	USEPA Region	Sample Matrix	Contaminant*	SLR AOC SQGs			
						SQT Level 1 (ppt)	Midpoint SQT(ppt)	SQT Level 2 (ppt)	SSV (ppt)
St. Louis River Area of Concern	St. Louis River	MN	5	Sediment	PCDD/F TEQ	0.85	11.18	21.5	0.02
						Cleanup Criteria			
						AL (ppt)	CUL (ppt)	RG (ppt)	
Centredale Manor Restoration Project	Woonasquatucket River	RI	1	Fish	2,3,7,8-dioxin	NA	NA	2.2	
					PCDD/F TEQ	NA	NA	44	
				Sediment	2,3,7,8-dioxin	NA	15	NA	
Love Canal	Black and Bergholtz Creeks	NY	2	Sediment	2,3,7,8-dioxin	1,000	1,000	NA	
Passaic River	Passaic River	NJ	2	Sediment	Dioxin	NA	NA	7.1 ^a	
Former Weyerhaeuser Company Wood Treating Plant	Lower Roanoke River	NC	4	Fish	Dioxin (TEQ)	NA	NA	3	
				Sediment	Dioxin (TEQ) ^c	NA	Un-known	NA	
	Welch Creek Area	NC		Sediment	Dioxin (TEQ) ^c	NA	1,000	NA	
Allied Paper, Inc./ Portage Creek/ Kalamazoo River	Portage Creek	MI	5	Sediment	Dioxin (TEQ) ^c	NA	NA	Hot spot removal ^b	
Tittabawassee/ Saginaw River and Bay Site	Tittabawassee River	MI	5	Sediment	Dioxin	NA	NA	Hot spot removal ^b	
Romaine Creek Portion of Minker/Stout/ Romaine Creek NPL Site	Romaine Creek	MO	7	Sediment and soil	2,3,7,8-dioxin	NA	1,000	NA	
McCormick & Baxter Creosote Co.	Old Mormon Slough	CA	9	Sediment	Dioxin (TEQ) ^d	21	21	NA	
Commencement Bay, Near Shore/Tide Flats	Puget Sound, Olympic View Resource Area (NTCRA)	WA	10	Sediment	Dioxin/furan	20	20	NA	
Lockheed West Seattle	Puget Sound, Harbor Bay	WA	10	Sediment	Dioxin/furan (TEQ)	NA	2	NA	

Table 1 – Site-Specific Promulgated Dioxin Values

Site Name	Water Body	State	USEPA Region	Sample Matrix	Contaminant*	SLR AOC SQGs			
						SQT Level 1 (ppt)	Midpoint SQT(ppt)	SQT Level 2 (ppt)	SSV (ppt)

Table modified from USEPA website <http://www2.epa.gov/superfund/superfund-contaminated-sediments-list-sediments-sites>.

* Other contaminants are also present, the specific wording for dioxins in the regulatory documents preserved

^a Preliminary Remedial Goal

^b AL/CUL/RG not established, rather the effects of hot spot removal will be monitored via long-term biological indicators

^c TEQ based on WHO fish, WHO Mammalian & WHO Avian TEFs^d TEQ based on USEPA International TEFs

EC – Engineering controls

EMNR – Enhanced Monitored Natural Recovery

IC – Institutional controls

TEQ - Toxic Equivalents

NTCRA – Non-Time Critical Removal Action

PCDD/F TEQ – polychlorinated dibenzo-p-dioxins and dibenzofurans toxic equivalency

Table 1 is not all inclusive, as not all record of decision (ROD) or consent decree documents for dioxin-impacted sites could be located for review; however, **Table 1** shows the range of ALs, CULs, and/or RGs that have been promulgated for dioxin-impacted sites located across the U.S. The ALs, CULs, and RGs in **Table 1** were developed using site specific receptors and EPA guidance at the time of the record of decision which changed between the earliest site (love canal) and the more recent sites (Lockheed West Seattle).

5.0 SLR AOC SQGS VS. AL, CUL, AND RG

The MPCA dioxin SQT Level 1, mid-point, and Level 2 values in nanograms toxic equivalency per kilogram (ng TEQ/kg; referred to in this document as ppt) are 0.85 ppt, 11.18 ppt and 21.5 ppt, respectively, as shown in **Table 1**. The Level 2 MPCA dioxin SQT values match the AL and CUL for several sites listed in **Table 1**, such as the McCormick & Baxter Creosote Co. and the Commencement Bay Near Shore/Tide Flats sites (CommBay; **Table 1**). The Level 2 MPCA dioxin SQT values are less stringent than the CUL for the Centredale Manor Restoration Project (15 ppt), the CUL for Lockheed West Seattle site (2 ppt), and the preliminary remediation goal (PRG) for the Passaic River site (7.1 ppt). The Level 2 MPCA dioxin SQT values are more stringent than the CUL for Former Weyerhaeuser Company Wood Treating Plant, Love canal, and Romaine Creek Portion of the Minker/Stout/Romaine Creek NPL Sites, which all have CULs of 1,000 ppt. One interesting observation is the different CULs for CommBay and Lockheed sites, which are located in the Puget Sound within 25 miles of each other, and under the same State and USEPA Region 10 jurisdictions. At CommBay, 20 ppt TEQ was selected as the CUL based on the Washington State standards (sediment quality objectives [SQOs]), while at Lockheed West, risks from consumption of seafood were below natural background so the background number was used to set the CUL at 2 ppt TEQ (**Table 1**).

The SSV developed by MDH is 0.02 in 2,3,7,8-TCDD equivalents (referred to as ppt in this document), as shown in **Table 1**. The MDH Public Health Consultation document that presents the SSVs and discusses their development, acknowledges that the SSV for dioxins is likely less than background concentrations and that local or regional background concentrations may be used as more reasonable site-specific SSVs; however, background concentrations in the SLR AOC were not available at the time of publication. The SSV for dioxins is at least two orders of magnitude less than cleanup criteria reviewed by Bay West; therefore, the SSV for dioxins is not

comparable to promulgated cleanup criteria and requires further evaluation for use in the SLR AOC and will not be discussed further in this document. SQGs for the protection of human health due to dioxin contamination in the SLR AOC should be further evaluated when background concentrations in the SLR AOC are available.

6.0 RESERVOIR FILE REVIEW RESULTS

Contamination has been assessed in Scanlon and Thomson Reservoirs in various sampling events conducted by the MPCA, USEPA, and Minnesota Power between 1995 and 2014; however, dioxins were only assessed in studies conducted in 1992, 2011, and 2014. In order to make comparisons between the reservoirs and other dioxin-impacted sites around the country, Bay West reviewed available dioxin data. Bay West also reviewed a 2011 Minnesota Power report for Thomson Reservoir that addressed mercury, as trends in mercury concentrations may also be applicable to dioxin concentration trends (Minnesota Power, 2011). This section discusses the results of file data reviews.

6.1 Dioxins

The use of elemental chlorine, and its resulting chemical byproducts, in wood pulp bleaching operations is known to be a common source of environmental dioxin contamination. The 1996 Preliminary Contaminant Assessment of the Thomson, Forbay, and Fond Du Lac Reservoirs report (MPCA, 1996) identified the Sappi paper mill (formerly Potlatch) and the Conwed facilities in Cloquet, Minnesota as possible contaminants sources to the St. Louis River. Industrial sources of dioxin to the SLR was significantly reduced, if not eliminated, in 1979 when the paper mill and Conwed facility connected their waste water to the newly opened Western Lake Superior Sanitary District waste water treatment plant (WLSSD).

6.1.1 Thomson Reservoir

According to the 2013 Sediment Characterization Report (LimnoTech, 2013), dioxins were analyzed in eight samples collected at depths ranging from 4 to 280 centimeters (cm) at only one sample location in Thomson Reservoir. Dioxin concentrations exceeded the MPCA Level 2 sediment quality target (SQT) in two samples collected between 184 and 200 cm, with a maximum detection of 27 ppt TEQ using fish TEFs (all dioxin values from Thomson and Scanlon reservoirs referenced in this document were calculated using fish TEFs).

According to the 2015 Site Characterization Report (EA Engineering, Science, and Technology, Inc. [EA], 2015), dioxin concentrations exceed the Level 2 SQT at 10 locations (out of 23 locations) dispersed relatively evenly throughout the Thomson Reservoir with a maximum concentration of 374.29 ppt TEQ. Sediment samples collected from Thomson and Scanlon Reservoirs during this investigation were collected from 0 to approximately 75 cm.

6.1.2 Scanlon Reservoir

According to the 2013 Sediment Characterization Report (LimnoTech, 2013), dioxins were analyzed in three sediment sample locations in Scanlon Reservoir; however, only one sample location exceeded the MPCA Level 2 SQT with a maximum detection of 135.4 ppt TEQ.

According to the 2015 Site Characterization Report (EA, 2015), dioxin concentrations in Scanlon Reservoir exceed the Level 2 SQT in 4 locations (out of 13 locations) primarily located in the eastern arm of the reservoir with a maximum concentration of 349.8 ppt TEQ. The 2014 dioxin results appeared to show that the highest dioxin concentrations are found in low energy areas of

each reservoir; however, a hydrodynamic model has not been prepared for the reservoirs. Historical sediment core results may not be comparable to each other.

6.2 Mercury

In 2011, Minnesota Power conducted sampling in Thomson Reservoir to evaluate whether mercury deposits within the reservoir remain intact and, therefore, were not eroding into downstream areas (Minnesota Power, 2011). The study provides some evidence that Monitored Natural Recovery (MNR) may be occurring within the reservoir. The 2011 Sediment report depth trends indicated that over a 17-year period (1994 – 2011) average mercury concentrations in the top 50-cm declined for five of the six locations sampled. The 1994 and 2011 sediment profile analyses showed that the highest concentrations of mercury occurred lower in the sediment profile for three of the six samples, suggesting that those mercury deposits remain intact. Additionally, the two sediment sample locations located furthest downstream on the SLR to Forebay channel displayed sedimentation patterns that suggest that a natural capping mechanism may be occurring. Although the remaining three sediment samples had the highest relative mercury concentrations in the same sediment profile in 2011 compared to 1994, the mercury concentrations in those horizons were considerably lower in the 2011 sediment cores. A decrease in the highest concentrations suggests that the historically high mercury deposits are either being blended with low-mercury sediments, or are being dispersed throughout the reservoir.

A fish consumption advisory is currently in effect for the SLR AOC based on the occurrence of mercury in fish tissue at concentrations that have been deemed unsafe for the consumption by sensitive populations, such as pregnant women and children under the age of 15 years old (MDH, 2014). While not currently intended to prevent exposure to dioxin-impacted fish, the fish consumption advisory may prevent the consumption of fish that have been adversely affected by dioxin contamination; however, in order to mitigate exposure to dioxin-contaminated fish, the fish consumption advisory would likely require revision to incorporate specific species and meal consumption rates specific to dioxins.

7.0 DIOXIN LEVELS IN SLR AOC RESERVOIRS VS. AL, CUL, AND RG

Predicated upon the screening information presented in the 2013 Sediment Characterization Report (LimnoTech, 2013), nine dioxin detections in Thomson Reservoir exceeded the MPCA Level 2 SQT with a maximum detection of 374.2 ppt. Four dioxin detections in Scanlon Reservoir exceeded the MPCA Level 2 SQT with a maximum detection of 349.8 ppt. These maximum detection values are greater than all CULs in **Table 1** with the exception of the 1,000 ppt CUL established for the former Weyerhaeuser Company Wood Treating Plant, Love Canal, and Romaine Creek Portion of Minker/Stout/Romaine Creek NPL Sites.

Table 2 – Reservoir Dioxin Statistics vs. SQTs, AL, CUL, and RG Ranges

Reservoir Statistics		
Statistic	Thomson	Scanlon
Mean	29.08	30.27
Median	6.97	6.34
Standard Deviation	66.67	68.28
Range	349.39	339.77
Minimum	0.14	0.19
Maximum	349.53	339.96
95% UCL	64.42 ^a	56.86 ^b
95-95 UTL	230.6 ^c	176.4 ^d
Number of Results	53	26
Number of Level 1 SQT Exceedances (0.85)	47	23
Level 1 SQT Percent of Samples	89%	88%
Number of Midpoint SQT Exceedances (11.81)	19	10
Midpoint SQT Exceedance Percent of Samples	36%	38%
Number of Level 2 SQT Exceedance (21.5)	13	7
Level 2 SQT Exceedance Percent of Samples	25%	27%
Number of SSV Exceedances (0.02)	53	26
SSV Exceedance Percent of Samples	100%	100%
Table 1 Ranges	Min	Max
AL	20	1,000
CUL	2	1,000
RG	3	44

Notes:

All values are parts per trillion (ppt) unless otherwise noted

All dioxin values calculated with wildlife toxic equivalence factors (TEFs), with the exception of statistics relating to SSVs, which were calculated using 2005 WHO TEFs

a - ProUCL calculated 95% H-UCL

b - ProUCL calculated 95% Adjusted Gamma UCL

c - ProUCL calculated 95% UTL with 95% Coverage

d - ProUCL calculated 95% HW Approx. Gamma UTL with 95% Coverage

AL - Action Level

CUL - Cleanup Level

RG - Remediation Goal

UCL - upper confidence level

UTL - upper tolerance level

8.0 DIOXIN RESPONSE MEASURES

Table 3 lists the various means of site remediation that have been applied to the listed sites. Many of these sites have other contaminants present besides dioxins that contribute to the overall selection of the site's remedy. The most aggressive remedy appears to be the approach for the Lower Passaic River, which consists of the bank-to-bank dredging of 43 million cubic yards (yd³) of sediment, followed by the bank-to-bank capping of 8.3 river miles with a 2-foot-thick sand cover. The least aggressive approach is for the Former Weyerhaeuser Company Wood Treating Plant, which includes Enhanced Monitored Natural Recovery (EMNR) of an 18-acre area with a 6-inch sand cover and MNR of 14.3 river miles.

Table 3 – Dioxin Site Geomorphic Settings and Remedial Option Applied

Site Name	General Waterbody Settings	Sediment Co-Contaminants	Max Dioxin (ppt)	Remedy
Centredale Manor Restoration Project, Woonasquatucket River	The Woonasquatucket flows for 16 miles, with various levels of anthropogenic alterations. The stream is channelized in heavily developed areas to the Rising Sun Dam. Downstream of the dam, the stream is tidal and bordered by palustrine emergent and scrub shrub wetland habitat in the undeveloped stretches.	Hexa- and tri-chlorophene, PCBs, and pesticides	15,000	Excavate 156k yd ³ , thin layer cover over remaining contaminated sediment in the river
Love Canal	Man-made canal (filled) storm sewer lines, plus the neighboring Bergholz and Black Creeks	Trichlorophenols	650,000	Excavate 24-34k yd ³ creek sediment, 1k yd ³ sewer sediment, backfill and cap
Lower Passaic River	The Lower Passaic river consists of the 17-mile tidal portion of the Passaic River from Dundee Dam (located at RM17.4) to the confluence with Newark Bay at RM0. The Lower Passaic is channelized and maintained for navigation.	PCB mixtures, PAH compounds, DDT2, mercury, lead	37,900	Dredge 43M yd ³ , cap 8.3 miles
Weyerhaeuser Company Wood Treating Plant	The lower Roanoke was a meandering stream until the construction of several dams in the 1950s and 1960s that impacted stream flow. Presently, the lower Roanoke is not a naturally meandering channel; however, it is impacted by tidal and seiche events.	Mercury, chromium, copper, zinc, and volatile organic compounds (VOCs)	224	MNR 14.3 river miles
	Welch Creek has frequent meanders especially in Lower Creek. The base flow of the creek is 10 to 29 cubic feet per second (cfs). Flow reversals are due to lunar tide and wind events.		4,080	Thin cover EMNR 18 acres
Allied Paper, Inc./ Portage Creek/ Kalamazoo River	The Kalamazoo River drains an approximately 2,000-square-mile watershed including nearly 400 miles of tributaries. The Kalamazoo is a meandering, generally shallow river with several dams that impact flow, some channelization for flood control, and some relatively free-flowing segments. Portage Creek originates in Portage, Michigan, and enters the Kalamazoo River at Kalamazoo, Michigan. The Site includes approximately 80 miles of the lower portion of the River and the lower 3 miles of the Creek.	PCBs	252	Excavation, MNR, ICs, and ECs

Table 3 – Dioxin Site Geomorphic Settings and Remedial Option Applied

Site Name	General Waterbody Settings	Sediment Co-Contaminants	Max Dioxin (ppt)	Remedy
Tittabawassee/ Saginaw River and Bay Site	The Tittabawassee/Saginaw Rivers are generally free-flowing, meandering, relatively shallow streams that are prone to flash-flooding. Naturally formed levee deposits are located along the banks in many areas of river. Levees consist primarily of very fine sand to sand, in stratified deposits that correspond to flood events. Postindustrial age levees and banks were formed more recently and are located closer to the channel (when both are present) than the pre-industrial age levees and banks, based on contaminant levels in the levees. The in-channel surface sediment is dominated by sands and gravels, and ranges in thickness from 0 to 12 feet.	PCBs	140,000	Excavation, Cap, ICs, and ECs
Minker/Stout/ Romaine Creek NPL Site	Minker/Stout/Romaine is a small, intermittent stream that flows primarily during periods of heavy precipitation and runoff, resulting in both floodplain and in-channel geomorphic characteristics.	2,3,7,8-dioxin	>20,000	Excavation 28,420 tons of soil and sediment
McCormick & Baxter Creosote Co.	The Old Mormon Slough is a heavily altered back bay that connects to the Stockton Deepwater Channel.	Pentachlorophenol (PCP), PAHs (constituents of creosote), arsenic, chromium, and copper	1.35	Bank stabilization (phase I), Cap 8.8 acres (phase 2) and MNR
Commencement Bay, Near Shore/ Tide Flats	The near shore tidal flats extend 1,000 feet offshore into Commencement Bay. Water depths are up to approximately 300 feet deep. Strong, tidally generated currents are characteristic of the area.	Metals	Could not be determined via online search	Dredge 11,500 tons and 1-acre cap
Lockheed West Seattle	The former Lockheed shipyard No. 2 is connected and influenced by the Lower Duwamish waterway and its tides. The narrow shoreline includes numerous pilings and pier structures.	PCBs	14	EMNR 28.4 acre

9.0 CURRENT CONCEPTUAL SITE MODEL

Reducing surface sediment concentrations or chemical bioavailability is the primary goal of sediment remediation processes. The deposition of cleaner sediment that buries and isolates contaminants of concern (COCs) below the upper bioturbation layer reduces risk of chemical exposure to benthic receptors and to humans through ingestion of contaminated fish or shellfish or by direct contact. A model developed by Beak Consultants predicted that sediment deposition rates in Thomson Reservoir would be on the order of less than one millimeter/year (Beak, 1992). During the Thomson, Forbay, and Fond Du Lac primary contaminant assessment in 1992, sediment deposit rates calculated from one core in the Thomson Reservoir resulted in estimated sedimentation rates from 1954-1964 and 1964-1992 as 2.8 ± 0.8 and 5.0 ± 0.2 cm/year, respectively. As part of the primary contaminant assessment, an attempt was made to corroborate the core-based deposition rates estimated for Thomson Reservoir by setting out

sediment traps during the summer of 1993; however, many of the traps were found to contain nesting organisms, such as fish and crayfish and therefore, sediment accumulation in the traps could not be quantified (MPCA, 1996). Because the MPCA primary contaminant assessment sedimentation rates rely on only a single data point, the rates are likely unreliable; however, the 1993 Beak sediment accumulation estimates indicate that MNR may be a viable component of the selected remedy. The predesign investigation proposed in the remedial alternatives recommended in **Section 11** will evaluate a wider distribution of sediment cores to further evaluate the resuspension effects of the major flood events that occurred in 1999 and 2012 and the robustness of future sediment and COC stability.

Industrial sources up river from the Scanlon and Thomson reservoirs likely began contributing contaminants to the SLR as early as 1900s. Prior to 1979, the primary effluent dischargers to the St. Louis River, upstream of the reservoirs, were the City of Cloquet, the USG Corporation (formerly Conwed), and the Sappi paper Mill (formerly the Potlatch Northwest Paper Division facility). In 1979 the industrial waste water from the paper mill, which has been in operation since 1898, was connected to the WLSSD eliminating the Mill's contaminant contribution to the St. Louis River.

Dioxin analysis was not conducted for the paper mill effluent during the period of direct discharge into the St. Louis River. However, in 1987 the paper mill's effluent and in WLSSD influent were analyzed for 2,3,7,8-TCDD due to increasing concerns over dioxin contamination in the St. Louis River (Poe, 1989). The 1987 dioxin results provide an indication of pre-1979 loads into the St. Louis River. The concentration of TCDD in suspended solids from WLSSD influent (260 ng/kg) was approximately one-half that in suspended solids from Potlatch effluent (620 ng/kg). The approximately 50% decrease between the paper mill's effluent and the WLSSD influent corresponds well since nearly half the inflow into WLSSD was from the paper mill at the time of the sampling (J. Stollenwerk, MPCA Regional Water Quality Specialist, personal communication with 1996 preliminary assessment authors).

Based on the previous SLR, Thomson Reservoir, and industrial COC source investigations the current site conceptual model is that the Thomson and Scanlon reservoirs have retained significant levels of dioxin and its associated sediment transferred into the reservoirs. The cycle of high water events, such as the 1999 and 2012 floods, have re-suspended dioxin and associated sediment from the main river and reservoir flow channels and likely caused deposition in the less energetic areas within the reservoirs. Industrial sources of dioxin and other COCs has been significantly reduced, if not eliminated, beginning in the early 1970's with only dioxin background levels now entering the river and reservoir systems. Sediment accumulating in the reservoirs have gradually covered the highest levels of COC; however, major flooding events appear to have scoured much of the dioxin laden sediment from the main reservoir flow paths and redeposited it in the less energetic areas.

10.0 CONCLUSIONS

SQGs developed for the SLR AOC include SQTs, which were developed for the protection of sediment-dwelling benthic organisms, and SSVs, which were developed for the protection of human health. While the dioxin SQTs are comparable to other dioxin-contaminated sites throughout the country, the dioxin SSV is not comparable. The dioxin SSV is two orders of magnitude less than any of the cleanup criteria reviewed in this document and is likely less than background concentrations. In order to ensure the protection of human health due to dioxins contamination in the SLR AOC, the dioxin SSV should be further evaluated after background concentrations in the SLR AOC become available.

ALs, CULs, and RGs for dioxin-contaminated sites throughout the country are within the range of the MPCA Level 2 SQT which was developed for use in the SLR AOC, including Thomson and Scanlon Reservoirs. Studies conducted in 1992, 2011, and 2014 indicate that dioxin contamination is present at concentrations that exceed the MPCA Level 2 SQT for dioxins; therefore, remedial action in the reservoirs may be necessary and dioxin contamination cleanup alternatives in the reservoirs require additional examination.

The 2011 mercury study for Thomson Reservoir indicates that MNR may be a viable remedial option for the reservoir. MNR relies on natural physical, chemical, and biological processes that transform, isolate, or remove contaminants until they no longer pose a risk to receptors. MNR relies on a natural decrease in sediment contamination and a reduction in bioavailability or toxicity of chemicals following accretion of clean suspended sediment. Natural processes that contribute to MNR may include sediment burial, sediment erosion or dispersion, and contaminant degradation, precipitation, adsorption, and/or transformation. The demonstration of MNR processes together with the long-term observation of contaminant concentrations reductions in fish tissue, sediments, and water provide multiple lines of evidence to validate the selection of a MNR remedy. The predesign investigation will evaluate a wider distribution of sediment cores to further evaluate the resuspension effects of the major flood events that occurred in 1999 and 2012 and the robustness of future sediment and COC stability.

Enhanced MNR (EMNR) enhances ongoing natural recovery processes, while minimizing effects on the aquatic environment. EMNR consists of an engineered amendment, such as placement of a thin-layer sand cover and introduction of reactive amendments such as activated carbon (AC). Thin-layer (typically 15 to 30 cm) covers are not intended to completely isolate the affected sediment, as in a conventional isolation capping remedy. Instead, the thin-layer cover provides a top layer of cleaner sediment, which reduces surface chemical concentrations so that benthic organisms can colonize the sediment. This layer also accelerates the process of physical isolation, which continues over time with additional natural sediment deposition.

Based on Bay West's review of the above dioxin-impacted sites, a presumed remedial approach for the SLR AOC reservoir sites is not apparent. Additional information would be highly beneficial to further evaluate which remedial approach (e.g., MNR, EMNR, "hot spot" sediment removal, and/or capping) is most appropriate for the reservoir sites.

11.0 RECOMMENDATIONS

All of the potential remedial approaches require continued refinement of the current site conceptual model and the understanding of the sediment fate and transport within its system, as well as the contaminant source, to select the long term viability of the selected remedy. For example, capping, EMNR, or sediment armoring may be less desirable than dredging due to the loss of water capacity for hydroelectric generation. Currently Minnesota Power does not conduct regular dredging events and dredging has not occurred in the recent past indicating that the major flooding event in 1999 and 2012 has not significantly increased reservoir sediment levels. Many of the reservoirs' physical characteristics such as bathymetry, sediment slope, shore line, and water body infrastructure (e.g., underwater utilities, debris, piers, pilings, and docks) are known and do not pose as a potential disqualifier for any of the potential remedial options.

Remedy selection and implementation would require a full evaluation of MNR processes present in the SLR reservoirs; therefore, the following information may be needed to support or confirm previous assessments for the FFSs and/or remedy design documents:

- Assessment of depositional/erosional environment of the reservoirs:
 - Sediment traps, erosion pins, and evaluations of existing bathymetric data; and
 - Hydrodynamic evaluations that include flow measurements and the anthropogenic effects of the hydroelectric dam operations;
 - Hydrodynamic modeling
- Contaminant risk assessments;
 - Biodegradation and bioavailability; and
 - Exposure pathway risk assessment;
- Suitability of various designs;
 - TOC, sediment redox potential, pH, etc.
 - Amendment/Sequestering Agent possibilities for EMNR

Bay West understands that, due to MPCA budget limitations and time constraints, additional investigation and data collection may not be feasible prior to preparing FFSs for these two reservoir sites. Based on this assumption and the information contained in this memo, Bay West recommends the following:

1. The MPCA review and approve remedial action objectives (RAOs) to be carried forward into each FFS. **Potential** RAOs include:
 - Minimize or remove exposure to sediment contaminants that bioaccumulate in the food chain and contribute to fish consumption advisories.
 - Minimize or remove exposure of the benthic organisms to contaminated sediments above sediment cleanup goals.
 - Preserve water depth to enable the current and/or planned use of the reservoir.
 - Enhance aquatic habitat, if conditions allow, in a manner that contributes to the removal of beneficial use impairments.
2. The MPCA review and approve potential alternatives to be carried forward into the FFSs for the Thomson and Scanlon reservoirs. **Potential** alternatives include:
 - **Alternative 1:** No Action. This alternative does not include any treatment or engineering controls. The No Action Alternative does include long-term monitoring and institutional controls.
 - **Alternative 2:** Monitored Natural Recovery (MNR). MNR may be used in areas that have accumulated sufficient clean natural cover material over elevated COCs. This option should only be considered in depositional areas that have low potential for erosion, or if erosion is controlled by an appropriate armor material. Monitoring to ensure that protectiveness will be required.
 - **Alternative 3A/B:** Enhanced Monitored Natural Recovery (EMNR) may comprise a thin layer cover without (Alternative 3A) or with (Alternative 3B) reactive amendments. Common sediment cover amendments include, but are not limited to, activated carbon, aqua-block, apatite, and zeolite. Monitoring will be required to ensure protectiveness. EMNR will target areas that exceed the level 2 SQT

within the top 50 centimeter sediment depth (or depth defined in future by Eco-Risk and/or Human Health Risk parameters).

- **Alternative 4:** Monitored Natural Recovery coupled with Dredging hotspots above midpoint SQTs. The concentration of dioxin exceeding the level 2 SQT within the upper bioturbation layer (i.e. the upper 30 cm) would be permanently removed via dredging for off site disposal at a MPCA approved facility. Dredging will target areas that exceed the level 2 SQT depth within the top 50 centimeter sediment depth (or depth defined in future by Eco-Risk and/or Human Health Risk parameters).

A detailed outlines for the four potential alternatives listed above as they apply to the Thomson Reservoir and Scanlon Reservoir are provided in **Attachment A** and **Attachment B**, respectively. Screening of potential technologies incorporated into these Alternatives, and screening of the alternatives themselves, will be performed as part of the FFS for each reservoir. While the pending feasibility studies for the two reservoirs will present remedial alternatives, further development and refinement of the selected alternatives is likely following the evaluation of the predesign investigation results. Post predesign investigation remedy refinements may include the dimensions and overall area for EMNR covers or dredging, revision of the analytical program, and sediment and/or dredge material processing approaches. Remedial selection and implementation will be in concert with future Minnesota Power reservoir maintenance projects necessary for the operation of the hydroelectric generation operations at Scanlon and Thomson Reservoirs and in compliance with the various SLR AOC/Thomson Reservoir State and Federal Stakeholders.

12.0 REFERENCES AND WEBSITE LINKS

Allied Paper, Inc./Portage Creek/Kalamazoo River Administrative Record:

<http://semspub.epa.gov/src/collection/05/AR62420>

Beak Consultants, LTD. 1992. Estimation of suspended solids loadings in the lower St. Louis River system.

Centredale Manor Restoration Project Online Administrative Record:

<http://semspub.epa.gov/src/collection/01/AR62265>

Commencement Bay, Near Shore/Tide Flats Website:

<http://cumulis.epa.gov/supercpad/SiteProfiles/index.cfm?fuseaction=second.scs&id=1000981>

EA Engineering, Science, and Technology, Inc., 2015. Site Characterization Report Assessment of Contaminated Sediment, St. Louis River Site Characterization, St. Louis River and Bay Area of Concern, Duluth, Minnesota. February.

LimnoTech. 2013. St. Louis River Area of Concern, Sediment Characterization: Final Report. July 11.

Lockheed West Seattle Superfund Website:

2013 ROD: <http://semspub.epa.gov/work/10/690142.pdf>

Love Canal Website:

<http://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0201290&msspp=med>

McCormick & Baxter Creosote Co. USEPA Region 9 Super fund site overview Website:

<http://yosemite.epa.gov/r9/sfund/r9sfdocw.nsf/vwsoalphabetic/McCormick+&+Baxter+Creosotin+g+Co.>

Minker/Stout/Romaine Creek NPL Website:

1987 Record of Decisions (ROD): <http://semspub.epa.gov/work/07/40260873.pdf>

1990 Explanation of Significant Differences (ESD):

<http://semspub.epa.gov/work/07/2074595.pdf>

1999 ROD: <http://semspub.epa.gov/work/09/46674.pdf>

2005 ESD: <http://semspub.epa.gov/work/09/2078699.pdf>

Minnesota Department of Health (MDH). 2013. Public Health Consultation, Updated Human Health Screening Values for St. Louis River Sediment: US Steel Site, Duluth, St. Louis County, Minnesota. April.

MDH. 2014. Fish Consumption Guidelines for Women Who Are or May become Pregnant and Children Under Age 15, Rivers. March.

Minnesota Pollution Control Agency (MPCA). 1996. Preliminary Contaminant Assessment of the Thomson, Forbay, and Fond du Lac Reservoirs. April.

MPCA. 2007. Guidance for the Use and Application of Sediment Quality Targets for the Protection of Sediment-Dwelling Organisms in Minnesota. February.

Minnesota Power. 2011. 2011 Thomson Reservoir Sediment Sampling. December 19.

Lower Passaic River Website:

<http://www.ourpassaic.org/>

Poe, D. 1989. Legislative Commission on Minnesota Resources (LCMR) Dioxin database, Ver.1.1. Chemical Toxicology Research Center, University of Minnesota-Duluth.

Superfund Dioxin (contaminant) & Sediment (media) Search Results Website:

<http://cumulis.epa.gov/supercpad/cursites/srchrslt.cfm?start=1&CFID=16282474&CFTOKEN=57459244>

Tittabawassee/Saginaw River and Bay Site Summary Website:

<http://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0503250>

Weyerhaeuser Company Wood Treating Plant Website:

<http://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0403156>

OU-2 ROD (Roanoke River): <http://semspub.epa.gov/work/04/10588779.pdf>

OU-4 ROD (Welch Creek): <http://semspub.epa.gov/work/04/10520261.pdf>

Attachment A

Thomson Reservoir FFS Alternatives Outline

Alternative 1: No Action: Minimal Long Term Monitoring to track COC trends.

- Sampling letter work plan
- Sediment monitoring at the 22 current sampling locations. At each location samples will be collected from two sample depths for a total of 44 samples.
 - o Dioxin (EPA 8290A)
 - o Selected metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
- A total of 10 sampling events on years 1, 2, 3, 4, 5, 10, 15, 20, 25, & 30
- A total of 10 Institutional Control (IC) site reviews
- A total of 10 Sampling & IC Results letter
- Seven bathymetric surveys years 0, 5, 10, 15, 20, 25, & 30
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 2: Monitoring Natural Recovery (MNR): Demonstration and tracking of natural process that are having a positive effect on sediment COCs and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 24 current and 12 additional sampling locations. The baseline event is to define the extent to which MNR is occurring and to provide the basis and justification for the selected remedy.
 - o Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - o 108 Sediment locations (3 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - o 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - o 36 Surface water locations 1 sample at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - o Bathymetric survey of entire reservoir area or designated AOCs
- Predesign Results Report
- MNR Implementation Work Plan
- MNR Implementation sampling event

- 72 Sediment locations – (2 sample depth at 36 locations) The actual number of chemical parameters and sample locations for analysis will be based on the predesign sampling results and will be scaled up/down to be able to effectively evaluate the progress of the selected remedy)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - 36 Surface water locations (1 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - 8 Bathymetric survey (every 5 years Plus after two major flooding events)
 - Repeat above sampling annually through year 30
 - Annual MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 3A: MNR & Enhanced Monitoring Natural Recovery (EMNR): Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment COCs and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 24 current and 12 additional sampling locations
 - Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - 108 Sediment locations (3 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - 36 Surface water locations (1 sample at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - Bathymetric survey of entire reservoir area or designated AOCs

- Predesign Results Report
- MNR/EMNR Remedy Implementation Work Plan
 - o Identification of contiguous laydown area for contractor logistical support operations
 - o Identification for the subaqueous clearance of debris that would adversely affect the deployment of a RCM mat installation
 - Identification of a waste management plan for the preparation and off-site T&D of removed subaqueous objects (ie., trees, snags, tires, etc.)
- EMNR Implementation
 - o Construct upland staging area
 - o Import 81,000 yd³ of clean sand from an upland borrow
 - o Place 6 in sand cover over 86 acres
 - o Assume 1,500 yd³ sand/day = ~ 54 work days plus mob/demob
 - o Conduct construction oversight
 - o Conduct quality assurance activities
- EMNR construction report
- MNR/EMNR post implementation sampling event
 - o 72 Sediment locations (2 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - o 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - o 36 Surface water locations (1 sample at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - o 8 Bathymetric survey (every 5 years Plus after two major flooding events)
- Repeat above sampling years 3-10, 12, 14, 16, 18, 20, 25, and year 30
- 16 MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 3B: MNR & EMNR with reactive cover material: Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 24 current and 12 additional sampling locations
 - o Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - o 108 Sediment locations (3 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap

- pH
 - DOC & TOC (EPA 9060A)
 - 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - 36 Surface water locations (1 sample at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - Bathymetric survey of entire reservoir area or designated AOCs
- Predesign Results Report
- MNR/EMNR Remedy Implementation Work Plan
 - Identification of contiguous laydown area for contractor logistical support operations
 - Identification for the subaqueous clearance of debris that would adversely affect the deployment of a RCM mat installation
 - Identification of a waste management plan for the preparation and off-site T&D of removed subaqueous objects (ie., trees, snags, tires, etc.)
- EMNR Implementation
 - Construct upland staging area
 - Import 78,000 yd³ of clean sand from an upland borrow
 - Place 6 in sand cover over 86 acres
 - Assume 1,500 yd³ sand/day = ~ 52 work days plus mob/demob
 - Conduct construction oversight
 - Conduct quality assurance activities
- MNR/EMNR Remedy Implementation Work Plan
- EMNR Implementation
 - Construct upland staging area
 - Import 78,000 yd³ of clean sand from an upland borrow location and reactive material
 - Place 6 in sand cover and reactive reagent over 86 acres
 - Assume 1,500 yd³ sand/day = ~ 52 work days plus mob/demob
 - Conduct quality assurance activities
- EMNR construction report
- MNR/EMNR post implementation sampling event (year 2)
 - 72 Sediment locations (2 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - 36 Surface water locations (1 sample from 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)

- 8 Bathymetric survey (every 5 years Plus after two major flooding events)
- Repeat above sampling years 3-5, 7, 9, 12, 15, 20, 25, and year 30
- 12 MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 4: MNR & Dredging: Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 24 current and 12 additional sampling locations
 - Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - 108 Sediment locations (3 sample depth at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - 24 Sediment locations (3 samples from 8 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - 36 Surface water locations (1 sample at 36 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - Bathymetric survey of entire reservoir area or designated AOCs
- Secure representative sediment samples for bench-scale dewaterability testing
- Determination of dredge plan, cut elevations (cut to “clean” for a depth – then potentially cap), quantity determinations, availability of contiguous laydown areas for sediment dewatering, treated excess dredge water discharges criteria (i.e., NPDES), final dewatered sediment disposal location (near/far/truck/train T&D), potential Beneficial Use Designation (BUD) of sediments (i.e., topsoil manufacturing).
- Predesign Results Report

- MNR & Dredging Remedy Implementation Work Plan
- MNR & dredge Implementation
 - Construct upland staging area
 - Hydraulically dredge 1 ft over 50 acres
 - Dewater dredged sediment, treat contact water, and dispose of dewatered sediment at landfill
 - Conduct construction oversight and quality assurance activities
 - Assume 2k yd³ sediment/day = ~ 50 work days plus mob/demob
 - Conduct Dredging oversight
 - Conduct QA/QC sampling to demonstrate dredging activities achieved
- Dredge completion report
- MNR & Dredge post implementation sampling event

- 36 Sediment locations (2 sample depth at 18 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
- 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
- 18 Surface water locations (1 sample from 18 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
- 8 Bathymetric survey (every 5 years Plus after two major flooding events)
- Repeat above sampling year 3,5, 7, 9, 12, 15, 20, 25, and year 30
- 11 MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Attachment B

Scanlon Reservoir FFS Alternatives Outline

Alternative 1: No Action: Minimal Long Term Monitoring to track COC trends.

- Sampling letter work plan
- Sediment monitoring at the 13 current sampling locations. At each location samples will be collected from two sample depths for a total of 26 samples.
 - o Dioxin (EPA 8290A)
 - o Selected metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
- A total of 10 sampling events on years 1, 2, 3, 4, 5, 10, 15, 20, 25, & 30
- A total of 10 Institutional Control (IC) site reviews
- A total of 10 Sampling & IC Results letter
- Seven bathymetric surveys years 0, 5, 10, 15, 20, 25, & 30
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 2: Monitoring Natural Recovery (MNR): Demonstration and tracking of natural process that are having a positive effect on sediment COCs and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 13 current and 7 additional sampling locations. The baseline event is to define the extent to which MNR is occurring and to provide the basis and justification for the selected remedy. At each location samples will be collected from three sample depths.
 - o Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - o 60 Sediment samples (3 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - o 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - o 20 Surface water locations (1 sample at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - o Bathymetric survey of entire reservoir area or designated AOCs
- Predesign Results Report
- MNR Implementation Work Plan

- MNR Implementation sampling event
 - o 40 Sediment locations – (2 sample depth at 20 locations) The actual number of chemical parameters and sample locations for analysis will be based on the predesign sampling results and will be scaled up/down to be able to effectively evaluate the progress of the selected remedy)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - o 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - o 20 Surface water locations (1 sample from 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - o 8 Bathymetric surveys (every 5 years Plus after two major flooding events)
 - Repeat above sampling annually through year 30
 - Annual MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 3A: MNR & Enhanced Monitoring Natural Recovery (EMNR): Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment COCs and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 13 current and 7 additional sampling locations. The baseline event is to define the extent to which MNR is occurring and to provide the basis and justification for the selected remedy. At each location samples will be collected from three sample depths.
 - o Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - o 60 Sediment locations (3 samples from 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - o 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Toxicity/bio accumulation
 - Fish tissue
 - Benthic community
 - Sediment slope/sediment loading engineering assessment

- 20 Surface water locations (1 sample at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
- Bathymetric survey of entire reservoir area or designated AOCs
- Predesign Results Report
- MNR/EMNR Remedy Implementation Work Plan
 - Identification of contiguous laydown area for contractor logistical support operations
 - Identification for the subaqueous clearance of debris that would adversely affect the deployment of a RCM mat installation
 - Identification of a waste management plan for the preparation and off-site T&D of removed subaqueous objects (i.e., trees, snags, tires, etc.)
- EMNR Implementation
 - Construct upland staging area
 - Import ~5,000 yd³ of clean sand from an upland borrow
 - Place 6 in sand cover over 6 acres
 - Conduct construction oversight
 - Conduct quality assurance activities
- EMNR construction report
- MNR/EMNR post implementation sampling event
 - 40 Sediment locations (2 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - 20 Surface water locations (1 sample at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - 8 Bathymetric surveys (every 5 years Plus after two major flooding events)
- Repeat above sampling years 3-10, 12, 14, 16, 18, 20, 25, and year 30
- 16 MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 3B: MNR & EMNR with reactive cover material: Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 13 current and 7 additional sampling locations. The baseline event is to define the extent to which MNR is occurring and to provide the basis and justification for the selected remedy. At each location samples will be collected from three sample depths.

- Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
- 60 Sediment locations (3 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
- 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - Fish tissue
 - Benthic community
 - Sediment slope/sediment loading engineering assessment
- 20 Surface water locations (1 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
- Bathymetric survey of entire reservoir area or designated AOCs
- Predesign Results Report
- MNR/EMNR Remedy Implementation Work Plan
 - Identification of contiguous laydown area for contractor logistical support operations
 - Identification for the subaqueous clearance of debris that would adversely affect the deployment of a RCM mat installation
 - Identification of a waste management plan for the preparation and off-site T&D of removed subaqueous objects (i.e., trees, snags, tires, etc.)
- EMNR Implementation
 - Construct upland staging area
 - Import 5,000 yd³ of clean sand from an upland borrow
 - Place 6 inch sand cover over 6 acres
 - Assume 1,500 yd³ sand/day = ~ 4 work days plus mob/demob
 - Conduct construction oversight
 - Conduct quality assurance activities
- MNR/EMNR Remedy Implementation Work Plan
- EMNR Implementation
 - Construct upland staging area
 - Import 5,000 yd³ of clean sand from an upland borrow location and reactive material
 - Place 6 inch sand cover and reactive reagent over 6 acres
 - Assume 1,500 yd³ sand/day = ~ 4 work days plus mob/demob
 - Conduct quality assurance activities
- EMNR construction report
- MNR/EMNR post implementation sampling event (year 2)
 - 34 Sediment locations (2 sample depth at 17 locations)
 - Dioxin (EPA 8290A)

- 12 Sediment locations (2 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
- 17 Surface water locations (1 sample at 17 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
- 8 Bathymetric survey (every 5 years Plus after two major flooding events)
- Repeat above sampling years 3-5, 7, 9, 12, 15, 20, 25, and year 30
- 12 MNR progress reports & Institutional Control (IC) site reviews
- Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Alternative 4: MNR & Dredging: Demonstration and tracking of natural process and EMNR cover that are having a positive effect on sediment and biological indicators

- Predesign Investigation Work Plan
- Predesign Investigation at 13 current and 7 additional sampling locations. The baseline event is to define the extent to which MNR is occurring and to provide the basis and justification for the selected remedy. At each location samples will be collected from three sample depths.
 - Determination of the remedy selection impact on reservoir operations by Minnesota Power and current public use.
 - 60 Sediment locations (3 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - PCBs (EPA 8082A)
 - PAH 17 list (EPA 8270D SIM)
 - Grain size (ASTM D422 w/ hydrometer)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060A)
 - 18 Sediment locations (3 samples from 6 locations that are > SQT 2)
 - Sediment trap
 - Fish tissue
 - Benthic community
 - Sediment slope/sediment loading engineering assessment
 - 20 Surface water locations (1 sample depth at 20 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - Bathymetric survey of entire reservoir area or designated AOCs
- Secure representative sediment samples for bench-scale dewaterability testing
- Determination of dredge plan, cut elevations (cut to “clean” for a depth – then potentially cap), quantity determinations, availability of contiguous laydown areas for sediment dewatering, treated excess dredge water discharges criteria (i.e., NPDES),

- final dewatered sediment disposal location (near/far/truck/train T&D), potential Beneficial Use Designation (BUD) of sediments (i.e., topsoil manufacturing).
- Predesign Results Report
 - MNR & Dredging Remedy Implementation Work Plan
 - MNR & dredge Implementation
 - o Construct upland staging area
 - o Hydraulically dredge 1 ft. over 6 acres ~10,000 yd³
 - o Dewater dredged sediment, treat contact water, and dispose of dewatered sediment at landfill
 - o Conduct construction oversight and quality assurance activities
 - o Assume 2k yd³ sediment/day = ~ 5 work days plus mob/demob
 - o Conduct Dredging oversight
 - o Conduct QA/QC sampling to demonstrate dredging activities achieved
 - Dredge completion report
 - MNR & Dredge post implementation sampling event
 - o 20 Sediment locations (2 sample depth at 10 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - o 15 Sediment locations (3 samples from 5 locations that are > SQT 2)
 - Sediment trap
 - pH
 - DOC & TOC (EPA 9060)
 - Fish tissue
 - Benthic community
 - o 10 Surface water locations (1 sample from 10 locations)
 - Dioxin (EPA 8290A)
 - Select Metals (As, Cd, Cr, Cu, Pb, Hg, Ni, Zn) (EPA 6020A/7471B)
 - Water quality parameters (pH, DO, temp, Sp. Cond, ORP)
 - o 8 Bathymetric survey (every 5 years Plus after two major flooding events)
 - Repeat above sampling year 3,5, 7, 9, 12, 15, 20, 25, and year 30
 - 11 MNR progress reports & Institutional Control (IC) site reviews
 - Six 5-year review reports years 5, 10, 15, 20, 25, & 30

Appendix F

Draft Benchscale Treatability Testing Report, February 2020

DRAFT



February 2020
Research and Development Pilot Project Design for Remediation
of Contaminated Sediments at the Scanlon Reservoir,
Scanlon, Minnesota



Contract Number: W912P4-16-D-0001

Benchscale Treatability Testing Report

Prepared for U.S. Army Corps of Engineers – Detroit District

DRAFT

February 2020
Research and Development Pilot Project Design for Remediation
of Contaminated Sediments at the Scanlon Reservoir,
Scanlon, Minnesota

Contract Number: W912P4-16-D-0001

Benchscale Treatability Testing Report

Prepared for
U.S. Army Corps of Engineers – Detroit District
447 Michigan Avenue
Detroit, Michigan 48226

Prepared by
Anchor QEA-Baird Joint Venture
290 Elwood Davis Road, Suite 340
Liverpool, New York 13088

TABLE OF CONTENTS

1	Introduction	1
1.1	Report Organization.....	1
1.2	Treatability Testing Purpose and Objectives	1
2	Materials and Methods	3
2.1	Sample Collection	3
2.1.1	Sediment.....	3
2.1.2	Activated Carbon.....	3
2.2	Sample Selection	4
2.2.1	Sediment Data Treatment.....	4
2.2.2	Sample Screening.....	5
2.3	Treatability Study Design	5
2.4	Sediment Batch Preparation	6
2.5	LDPE Passive Sampling	7
2.5.1	Preparation of LDPE Sheets.....	7
2.5.2	Deployment and Retrieval	8
2.5.3	Data Analysis	9
3	Laboratory Data Quality Assessment.....	12
3.1	Quality Assurance/Quality Control.....	12
3.1.1	LDPE Passive Sampler Data	12
3.2	Data Validation.....	12
4	Results.....	14
4.1	Bulk Sediment Results.....	14
4.2	Sediment Porewater Results	14
4.2.1	Performance Reference Compounds.....	14
4.2.2	Dioxin/Furan Concentrations and AC Performance.....	18
5	Summary and Recommendations	22
6	References	23

TABLES

Table 1	Total Dioxin/Furan TEQ and Carbon Concentrations in PDI Samples	5
Table 2	Sediment Batch Test Design Scenarios	6
Table 3	Log K_{ow} and Calculated Log K_{PE-W} of the Target Dioxin/Furan Congeners and PRCs.....	10
Table 4	Fraction of Equilibrium of the PRCs ($f_{e,PRC}$) Achieved in Set 1 LDPE Samplers and Set 2 LDPE Samplers	15
Table 5	Linear Regression Between the Fraction of Equilibrium of the PRCs ($f_{e,PRC}$) and the Log of the LDPE-Water Partitioning Coefficient (Log K_{PE-W}) in Set 1 and Set 2 LDPE Samplers.....	16
Table 6	Estimated Fraction of Equilibrium of the Target Dioxin/Furan Congeners ($f_{e,PRG}$) in Set 1 LDPE Samplers and Set 2 LDPE Samplers.....	17
Table 7	Reductions of Bioavailable TEQ Concentrations Measured in Sediment Porewater in Set 1 after 60 Days and in Set 2 after 97 Days of AC Amendment.....	19
Table 8	Reductions of TEQ Concentrations in LDPE Passive Samplers after 60 Days (Set 1) and 97 Days (Set 2) of AC Amendment	21

FIGURES

Figure 1	Dioxin/Furan TEQ Congener Distribution in Site Sediment Samples
Figure 2	Set 1 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-04
Figure 3	Set 2 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-04
Figure 4	Set 1 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-06
Figure 5	Set 2 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-06
Figure 6	Set 1 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-04
Figure 7	Set 2 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-04
Figure 8	Set 1 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-06
Figure 9	Set 2 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-06
Figure 10	Set 1 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-04
Figure 11	Set 2 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-04
Figure 12	Set 1 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-06
Figure 13	Set 2 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-06

APPENDICES

Appendix A	Congener Distributions
Appendix B	Fraction of Equilibrium Regressions
Appendix C	Data Validation Reports
Appendix D	Effect of K_{ow} on Reduction in Sampler Uptake

ABBREVIATIONS

¹³ C	carbon-13
µm	micrometer
AC	activated carbon
ASTM	ASTM International
cm	centimeter
dioxin/furan	polychlorinated dibenzo dioxin and furan
DSR	<i>Pre-Remedial Design Data Summary Report</i>
EGL	Environmental Geochemistry Laboratory
EPA	U.S. Environmental Protection Agency
f _e	fraction of equilibrium
f _{e,PRC}	fraction of PRC equilibrium
GAC	granular activated carbon
HOC	hydrophobic organic contaminant
HPLC	high-performance liquid chromatography
JV	Anchor QEA-Baird Joint Venture
KM	Kaplan-Meier
K _{ow}	octanol-water partitioning coefficient
K _{PE-W}	LDPE-water partitioning coefficient
LDPE	low-density polyethylene
mg	milligram
NA	not available
NaN ₃	sodium azide
NC	not calculated
ng/g	nanograms per gram
OCDD	octachlorodibenzo-p-dioxin
OCDF	octachlorodibenzofuran
PAC	powdered activated carbon
PDI	pre-remedial design investigation
PDI Workplan	<i>Pre-Remedial Design Investigation Workplan</i>
PE	polyethylene
pg/L	picograms per liter
PRC	performance reference compound
QA/QC	quality assurance/quality control
QAPP	<i>Quality Assurance Project Plan</i>
RPD	relative percent difference
SC	soot carbon

SGS	SGS North America Inc.
Site	Scanlon Reservoir Site
TEF	toxic equivalency factor
TEQ	toxic equivalent
TOC	total organic carbon
Treatability Report	<i>Benchscale Treatability Testing Report</i>
Treatability Testing Workplan	<i>Benchscale Treatability Testing Workplan</i>
USACE	U.S. Army Corps of Engineers

1 Introduction

This *Benchscale Treatability Testing Report* (Treatability Report) has been prepared by the Anchor QEA-Baird Joint Venture (JV), on behalf of the U.S. Army Corps of Engineers (USACE), Detroit District, as required under the USACE Contract Number W912P4-16-D-0001. This Treatability Report describes the methodology and results from a treatability study for amendment application to contaminated sediment at the Scanlon Reservoir (Site) of the St. Louis River located in Scanlon, Minnesota. The treatability study was conducted to evaluate the effectiveness of activated carbon (AC) to reduce the bioavailability of polychlorinated dibenzo dioxins and furans (dioxins/furans) in surface sediments at the Site. Sediment sampling procedures and minor deviations from the *Pre-Remedial Design Investigation Workplan* (PDI Workplan; JV 2019a) are presented in the *Pre-Remedial Design Data Summary Report* (DSR; JV 2019b). Treatability testing was performed in Anchor QEA, LLC's Environmental Geochemistry Laboratory (EGL) in Portland, Oregon, in accordance with the *Benchscale Treatability Testing Workplan* (Treatability Testing Workplan; JV 2019c). Sample analyses were performed by SGS North America Inc. (SGS) in Wilmington, North Carolina.

1.1 Report Organization

This Treatability Report is organized into six sections as follows:

- Section 1 (this section) presents the report organization and treatability testing purpose and objectives.
- Section 2 presents materials and methods utilized for treatability testing, including laboratory set-up, sample collection, sample preparation, sampling procedures, sampling frequency, and initial characterization analyses.
- Section 3 discusses the laboratory data quality assessment, including quality assurance/quality control (QA/QC), data validation, and data completeness.
- Section 4 briefly summarizes the results of this study.
- Section 5 provides a summary and recommendations for future evaluations.
- Section 6 is a list of references cited in this document.

1.2 Treatability Testing Purpose and Objectives

As described in the Treatability Testing Workplan (JV 2019c), the *Final Focused Feasibility Study* (Bay West 2017) identified dioxins/furans as the primary contaminants of concern for the Scanlon Reservoir, with concentrations elevated above Minnesota Pollution Control Agency Level II Sediment Quality Targets. Additional investigations by Bay West (2017) indicated that dioxins/furans in Site sediments may bioaccumulate in fish tissue above reference levels. Dioxins/furans are hydrophobic organic contaminants (HOCs) that adsorb strongly to carbonaceous material such as natural organic matter or AC. It has been shown for polychlorinated biphenyls (another group of HOCs) that adsorption to AC is 2 to 3 orders of magnitude stronger compared to natural organic matter

(Gomez-Eyles et al. 2013). Adsorption of dioxins/furans to AC has been shown to significantly reduce sediment porewater concentrations in laboratory-scale studies (Fagervold et al. 2010; Chai et al. 2012) and in a large-scale field study (Cornelissen et al. 2012).

The objective of the treatability testing described in this report was to evaluate the effectiveness of different AC amendments and doses to reduce the bioavailability of dioxins/furans in Site sediments in order to identify optimal amendments for potential application to Scanlon Reservoir.

Bioavailability was assessed based on measurements of freely dissolved concentrations of dioxins/furans in sediment porewater using polyethylene (PE) passive samplers in unamended (control) sediments compared with AC-amended sediments. The rationale and methods for carrying out the benchscale treatability testing to assess amendment effectiveness are described in the Treatability Testing Workplan (JV 2019c).

2 Materials and Methods

2.1 Sample Collection

All sediment samples used in the benchscale treatability testing were collected as part of the pre-remedial design investigation (PDI) sampling effort. Sample acquisition and processing methods are reported in the DSR (JV 2019b) and briefly summarized in Section 2.1.1. Section 2.1.2 describes the selection of the AC amendments.

2.1.1 Sediment

Ten surface sediment (0 to 15 centimeters [cm]) samples were collected from the Site between September 23 and 24, 2019. Six of these samples were collected from areas that previously contained locally elevated surface sediment dioxin/furan concentrations. After collecting the required sample mass at each of the six locations, the samples were homogenized, and aliquots were sent out for the following analyses:

- Dioxins/furans (U.S. Environmental Protection Agency [EPA] Method 1613B)
- Total mercury (EPA Method 7471B)
- Total organic carbon (TOC) (EPA Method 9060A)
- Soot carbon (SC) (EPA Method 9060A [modified])
- Moisture content (ASTM International [ASTM] D2216)
- Atterberg limits (ASTM D4318)
- Particle size (ASTM D422)
- Specific gravity (ASTM D854)
- Total solids (Standard Method 2540)

In addition to laboratory testing, an aliquot of each sediment sample was set aside for benchscale treatability testing, sealed in large Mylar bags, and sent to the EGL, in accordance with the *Quality Assurance Project Plan* (QAPP; Appendix A to the PDI Workplan; JV 2019a), pending the results of laboratory testing. At EGL, an aliquot of each sediment sample was treated with AC and allowed to mix prior to starting the benchscale treatability tests. Sample preparations are described in more detail in Section 2.5.

Following receipt of laboratory testing results, two representative sediment samples were selected for benchscale treatability testing. The sediment sample selection process is described further in Section 2.2.

2.1.2 Activated Carbon

As discussed previously, the objective of the treatability testing was to assess the effectiveness of AC amendments in reducing the bioavailability of dioxins/furans in Site sediments as measured in

porewater. Two AC particle size ranges were evaluated—a silt-sized powdered activated carbon (PAC) and a fine sand-sized granular activated carbon (GAC). Both of the AC amendments tested were bituminous coal-based.

The AC products were sourced from Calgon Carbon and are as follows:

- GAC: Calgon Carbon – TOG LF 80x325; 60 U.S. mesh/0.25 millimeter (0.5% weight), 80 U.S. mesh/0.18 millimeter (4% weight), less than 325 U.S. mesh/0.045 millimeter (10% weight)
- PAC: Calgon Carbon – VPAC-I; less than 325 U.S. mesh/0.045 millimeter (90% volume)

The basis for selection of these two products is described in more detail in the Treatability Testing Workplan.

2.2 Sample Selection

This section describes the data review process that was used to select the samples for treatability testing following receipt of the data from the PDI sampling effort. In accordance with the Treatability Testing Workplan, two of the six sediment samples submitted for treatability testing were selected following a review of chemical and physical data to select representative samples that span a range of sediment types to assess the performance of AC treatment at the Site. The data review focused primarily on bulk sediment concentrations of dioxins/furans, as well as sediment TOC and SC content.

2.2.1 Sediment Data Treatment

Prior to review of the bulk sediment data, total dioxin/furan toxic equivalents (TEQs) were calculated for the 17 2,3,7,8-substituted dioxins/furans presented in the 2005 World Health Organization toxic equivalency factors (TEFs) for protection of fish, per EPA recommendations (EPA 2010). Total TEQ levels represent the sum of each individual congener concentration multiplied by its respective TEF. Calculated total TEQs are presented in Table 1.

The total dioxin/furan TEQ results presented in this report have been transformed using a variety of data treatment techniques to address the data reported at the analytical laboratory detection limit. Kaplan-Meier (KM) statistics with Efron's adjustments were applied to all samples with reportable detected and non-detected values (Helsel 2009). In instances where a sample had all non-detect values or all non-detect and not reportable values, KM statistics do not apply, and a KM value could not be calculated. In addition to KM statistics, non-detected dioxin/furan congeners are also reported at the analytical laboratory detection limit, as well as substituting a value of zero. These two techniques provide the higher and lower range of possible values for the non-detected value, and therefore, the corresponding total dioxin/furan TEQ results represent the higher and lower range of possible values.

2.2.2 Sample Screening

Representative sediment samples SR-2019-04 and SR-2019-06 were selected to carry forward into benchscale treatability testing. Compared to other samples collected during the PDI, these samples contained relatively higher total TEQ levels, and spanned the general range of TOC and SC content measured at the Site (Table 1). TOC and SC are common, naturally occurring sorbent phases that can affect the bioavailability of dioxins/furans in sediments. The TOC and SC contents of sample SR-2019-04 was generally typical of PDI samples collected from the Site, while sample SR-2019-06 contained the highest TOC and SC contents (8.1% and 2.25%, respectively). These data suggest a greater untreated sediment dioxin/furan sorption potential in sample SR-2019-06 compared to the others, with a corresponding lower potential for sequestration by AC. Thus, sample SR-2019-06 was selected as one of the two treatability testing samples to provide a conservative representation of AC amendment effectiveness.

Figure 1 presents the total dioxin/furan TEQ concentration of each sediment sample collected during the PDI. Individual dioxin/furan congeners plotted against their corresponding fraction of total TEQ are presented in Appendix A. Because congener distributions and “fingerprints” were similar amongst the PDI samples (suggesting a likely common legacy source), fingerprint characteristics did not influence sample screening.

Table 1
Total Dioxin/Furan TEQ and Carbon Concentrations in PDI Samples

Sample	Total TEQ (ng/kg) ¹	TOC (%)	SC (%)
SR-2019-01	0.343 – 1.66	2.2	0.03
SR-2019-02	13.7 – 13.8	4.0	0.14
SR-2019-03	20.1 – 20.2	3.5	0.15
SR-2019-04	62.0 – 62.1	4.6	0.65
SR-2019-05	27.9 – 27.9	4.0	0.53
SR-2019-06	29.4 – 29.4 (19.3 – 19.3)	8.1	2.25

Notes:

1. Per Section 2.2.1, total dioxin/furan TEQ results are reported with non-detect results set to zero and the analytical laboratory detection limit.

Values in **bold** were selected for the benchscale treatability test.

Values in parentheses represent field duplicate sample results.

ng/kg: nanograms per kilogram

2.3 Treatability Study Design

To assess the effectiveness of AC in reducing bioavailable dioxin/furan concentrations in sediment porewater, the selected sediment samples (SR-2019-04 and SR-2019-06) were amended with two

types of AC (PAC and GAC). The PAC amendment was applied at target AC doses of 2% and 4% by dry weight, while the GAC was amended at a target AC dose of 4% by dry weight. An unamended control sample was also prepared in parallel for each sample.

Eight unique sediment batches (4% PAC-amended, 2% PAC-amended, 4% GAC-amended, and control) were prepared. In addition, one duplicate sediment batch for SR-2019-04 was also included to assess the reproducibility of the treatability testing. Therefore, a total of nine sediment batches were assembled (as shown in Table 2).

Table 2
Sediment Batch Test Design Scenarios

Sediment Sample	Amendment	Number of Sediment Batches	Number of Deployed LDPE Strips (Set 1 and Set 2) ¹
SR-2019-04	Untreated Control	1	2
	AC 1 – 4% PAC	1	4
	AC 1 – 4% PAC (Duplicate)	1	4
	AC 2 – 4% GAC	1	4
	AC 1 – 2% PAC	1	4
SR-2019-06	Untreated Control	1	2
	AC 1 – 4% PAC	1	4
	AC 2 – 4% GAC	1	4
	AC 1 – 2% PAC	1	4

Note:

1. The number (and dimensions) of low-density polyethylene (LDPE) strips was determined after selection of test sediments. This is discussed further in Section 2.5.2.

2.4 Sediment Batch Preparation

The sediment batches were prepared as described in the Treatability Testing Workplan (JV 2019c), with some minor modifications. As stated in the Treatability Testing Workplan, bulk sediment samples were sealed in large Mylar bags and shipped on ice in coolers to EGL. Upon arrival at EGL, bulk sediment samples were homogenized within their original sample containers, and coarse rocks and debris were removed by hand.

Homogenized bulk sediment samples were then transferred to stainless-steel bowls and homogenized further and added to wide-mouth, EPA-certified, pre-cleaned glass jars (1 liter) with Teflon-lined lids. An aliquot of this sediment was removed to measure moisture content using the methods provided in ASTM D2216. The moisture content of each sediment was then used to calculate the mass of high-performance liquid chromatography (HPLC)-grade water containing 200 milligrams per liter sodium azide (NaN_3) needed to be mixed into the sediment to make a slurry with

a weight ratio of 1:2 (dry sediment to water). As stated in the Treatability Testing Workplan, NaN_3 , a biocide, was added to inhibit the biodegradation of dioxins/furans during testing. AC was then added to sediment jars according to the target doses outlined in Table 2. The sediment jars were then sealed and loaded onto an orbital shaker table and gently agitated for 30 days before the deployment of low-density polyethylene (LDPE). The sediment jars were also manually shaken approximately once per day to enhance uptake of dioxins/furans onto the AC.

2.5 LDPE Passive Sampling

LDPE passive samplers were used to measure the freely dissolved concentrations of dioxins/furans in sediment porewater. Passive sampling using LDPE is a well-documented approach for measuring the freely dissolved concentrations of HOCs such as dioxins/furans in sediment porewater (EPA et al. 2017). Once deployed, these samplers absorb freely dissolved HOCs from the porewater into the sampler. Passive sampling using LDPE is a continuous sampling process, providing time-averaged concentrations of HOCs in sediment porewater. It should be noted that porewater concentrations reported in this treatability study represent time-averaged concentrations following 31 and 37 days of contact with AC-amended sediments for the Set 1 and Set 2 LDPE samplers, respectively. LDPE sheets are impregnated with isotopically labeled (carbon-13 [^{13}C]) performance reference compounds (PRCs), which are analytically noninterfering, not native to the sediment, and have similar diffusivities and partitioning properties as the target dioxins/furans. Isotropic exchange kinetics are generally assumed in the PRC approach (Ghosh et al. 2014), and the depletion rate of the PRCs during the deployment of the LDPE sheet reflects the uptake rate of a target dioxin/furan. The differences in the uptake rates of dioxin/furan congeners into the LDPE samplers can be estimated by the depletion observed in the PRC concentrations and corrected for differences in the chemical characteristics. The PRCs used in this study were selected to cover a wide range of hydrophobicity of the target dioxins/furans. During deployment, PRCs diffuse out of the LDPE samples as target dioxins/furans diffuse into the LDPE samplers. The fraction of PRC equilibrium ($f_{e,\text{PRC}}$) is determined by dividing the final, post-retrieval concentration by the initial, pre-deployment concentration. The calculated $f_{e,\text{PRC}}$ is then used to estimate the fraction of equilibrium (f_e) of the target dioxins/furans, as described in detail in Section 2.5.3.2.

2.5.1 Preparation of LDPE Sheets

The LDPE sheets (25.4 micrometers [μm] thick) used for this study were obtained from Poly-America (Grand Prairie, Texas). LDPE sheets were cut and cleaned, as described in the Treatability Testing Workplan, with minor modifications. Each LDPE sheet was cut so that it was at least 60 milligrams (mg; approximately 5 cm by 5 cm). The LDPE sheets were then cleaned by sequentially soaking in HPLC-grade toluene, hexane, methanol, and water in a glass jar on a shaker table to extract any contaminants that may interfere with subsequent analysis.

Clean LDPE sheets then were spiked with the PRC, which was done by soaking in an 80:20 volume to volume methanol/water mixture containing four different PRCs (^{13}C -1,2,7,8-TCDD, ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD) purchased from Wellington Laboratories, Inc. (Guelph, Ontario, Canada) (Booij et al. 2002). The PRCs were selected to cover a wide range of hydrophobicity of the target dioxins/furans and not to interfere with the analysis of target congeners. The LDPE sheets equilibrated with the PRC-spiked solution for 14 days on an orbital shaker table. During the spiking process, methanol in the PRC-spiked solution caused the LDPE sheet to swell (this helps increase the PRC uptake rate). Therefore, after 14 days, all LDPE sheets were removed from the PRC-spiked solution and rinsed with HPLC-grade water for a day to purge methanol from the LDPE strips and reduce the swelling. Following the PRC spiking process, three PRC-spiked LDPE strips were immediately sent to SGS for analysis of the PRCs and dioxin/furan congeners, to assess if any contamination occurred as part of the spiking process (see Section 3 for further discussion on this topic).

The remainder of the LDPE sheets from this batch (Set 1) were deployed in prepared sediment batches. Using the same procedures, a second batch of LDPE sheets (Set 2) were prepared to deploy following the retrieval of Set 1. This process is discussed further in Section 2.5.2.

2.5.2 *Deployment and Retrieval*

Following receipt of the sediment data, the porewater concentrations were estimated based on general equilibrium partitioning theory (Lohmann 2011) to determine appropriate LDPE masses to detect the target dioxin/furan congeners and not to significantly deplete them in sediment porewater. Four of the 60-mg LDPE strips were deployed in the AC-treated sediment jars (i.e., 2% PAC, 4% PAC, and 4% GAC), while two of the 60-mg LDPE strips were deployed in untreated sediment jars. All Set 1 LDPE strips were deployed on October 25, 2019, and retrieved on November 25, 2019, for a total of 31 days of exposure.

Upon retrieval from the sediment jars, the Set 1 LDPE strips were thoroughly rinsed with HPLC-grade water and blotted dry with Kim wipes to remove water and adhering particles. The LDPE strips were then weighed and stored in EPA-certified, pre-cleaned volatile organic compound vials. Samples were placed in a cooler with ice and shipped for overnight delivery to SGS for analysis. Following retrieval, the Set 2 LDPE strips were deployed into the same sediment batches using the same number of sheets per batch on November 27, 2019 (Table 2). The Set 2 LDPE strips were later retrieved on January 2, 2020, resulting in a total of 37 days of exposure. The procedure described above for rinsing, weighing, and packing the vials was also followed for Set 2.

All results and data analysis are discussed in Section 4.

2.5.3 Data Analysis

This section discusses data analysis associated with the following: calculating freely dissolved porewater concentrations based on measured LDPE concentrations, correcting porewater data for non-equilibrium using the PRCs, and correcting porewater data for sediment depletion.

2.5.3.1 Analysis of Dioxins/Furans in the LDPE Strips

The retrieved LDPE strips were sonicated in toluene three times to extract dioxins/furans at SGS. The extracts were concentrated and analyzed for dioxins/furans by EPA Method 1613B.

2.5.3.2 Calculation of Dioxin/Furan Porewater Concentrations

Freely dissolved porewater dioxin/furan concentrations are calculated using the laboratory-measured LDPE dioxin/furan concentration, the LDPE-water partitioning coefficient (K_{PE-W}), and the f_e achieved within the LDPE strips, as shown in Equation 2-1:

Equation 2-1

$$C_w = \frac{C_{PE}}{K_{PE-W} \times f_e}$$

where:

C_w	=	Concentration in sediment porewater
C_{PE}	=	Concentration in LDPE sampler
K_{PE-W}	=	LDPE-water partitioning coefficient
f_e	=	Fraction of equilibrium of target dioxins/furans

Published K_{PE-W} values are not available for all target dioxin/furan congeners, but K_{PE-W} values can be predicted from the octanol-water partitioning coefficient (K_{ow}) using a linear regression. Adams et al. (2007) published a regression of the logarithm of measured K_{PE-W} ($\log K_{PE-W}$) against published logarithms of the octanol-water partitioning coefficient ($\log K_{ow}$); this regression is presented as Equation 2-2. Using Equation 2-2, the $\log K_{PE-W}$ value for each dioxin/furan congener was calculated based on its $\log K_{ow}$ value. The $\log K_{ow}$ and calculated $\log K_{PE-W}$ values for the target dioxins/furans and PRCs used in the calculation of C_w are presented in Table 3.

Equation 2-2

$$\log K_{PE-W} = 1.13 \times \log K_{OW} - 0.86 \quad (r^2 = 0.89)$$

where:

K_{PE-W} = LDPE-water partitioning coefficient
 K_{OW} = Octanol-water partitioning coefficient

Table 3
Log K_{OW} and Calculated Log K_{PE-W} of the Target Dioxin/Furan Congeners and PRCs

Type	Congener	Log K_{OW} ¹	Calculated Log K_{PE-W} ²
Target Analyte	2,3,7,8-TeCDD	6.96	7.00
	1,2,3,7,8-PeCDD	7.50	7.59
	1,2,3,4,7,8-HxCDD	7.94	8.11
	1,2,3,6,7,8-HxCDD	7.98	8.16
	1,2,3,7,8,9-HxCDD	8.02	8.20
	1,2,3,4,6,7,8-HpCDD	8.40	8.65
	OCDD	8.60	8.89
	2,3,7,8-TCDF	6.96	6.95
	1,2,3,7,8-PeCDF	6.99	6.99
	2,3,4,7,8-PeCDF	7.50	7.59
	1,2,3,4,7,8-HxCDF	7.94	8.11
	1,2,3,6,7,8-HxCDF	7.57	7.67
	1,2,3,7,8,9-HxCDF	7.76	7.90
	2,3,4,6,7,8-HxCDF	8.02	8.20
	1,2,3,4,6,7,8-HpCDF	8.40	8.65
	1,2,3,4,7,8,9-HpCDF	8.25	8.48
OCDF	8.60	8.89	
PRCs	¹³ C-1,2,7,8-TCDD	6.99	7.04
	¹³ C-1,2,4,7,8-PeCDD	7.36	7.46
	¹³ C-1,2,3,4,6,8-HxCDD	7.77	7.92
	¹³ C-1,2,3,4,6,7,9-HpCDD	8.25	8.46

Notes:

1. Cited from Govers and Krop (1998)
 2. Calculated using Equation 2-2 cited from Adams et al. (2007)
- OCDD: octachlorodibenzo-p-dioxin
OCDF: octachlorodibenzofuran

The $f_{e,PRC}$ of the four PRCs was calculated using the ratio of the final PRC concentration (i.e., following deployment) to the initial PRC concentration, as shown in Equation 2-3. Subsequently, the calculated $f_{e,PRC}$ and $\log K_{PE-W}$ values (Table 3) were plotted and a linear regression was developed for each sample as described in Apell et al. (2018) for well-mixed systems (Appendix B). The linear regression and the $\log K_{PE-W}$ values of the target compounds were used to calculate the fraction of equilibrium of the target dioxins/furans (f_e) (Equation 2-4). Finally, f_e was used to calculate the freely dissolved equilibrium porewater concentration (C_w) for each congener using Equation 2-1.

Equation 2-3

$$f_{e,PRC} = 1 - \frac{C_{PRC,final}}{C_{PRC,init}}$$

where:

- $f_{e,PRC}$ = Fraction of equilibrium of PRCs
- $C_{PRC,final}$ = Final PRC concentration in LDPE sampler
- $C_{PRC,init}$ = Initial PRC concentration in LDPE sampler

Equation 2-4

$$f_e = a \times \log K_{PE-W} + b$$

where:

- f_e = Fraction of equilibrium of target dioxins/furans
- $K_{PE-W, PRC}$ = LDPE-water partitioning coefficient
- a = Slope of linear regression curve (Appendix B)
- b = Y-intercept of linear regression curve (Appendix B)

3 Laboratory Data Quality Assessment

3.1 Quality Assurance/Quality Control

3.1.1 LDPE Passive Sampler Data

A method blank, PRC-loaded LDPE passive sampler reproducibility standards, and laboratory duplicates were prepared to assess the data quality of LDPE passive sampling for both Set 1 and Set 2. Details of these QA/QC samples are summarized in the following:

- **Method blank:** A method blank was used to assess background contamination introduced to the LDPE strips during cutting and cleaning. The method blank (a 60-mg LDPE strip) was cut and cleaned with the other LDPE strips, then wrapped with aluminum foil, and stored in an air-tight bag in a refrigerator at 4°C until the other LDPE strips were deployed in the benchscale treatability test. Following the start of the treatability test, the method blank sample was shipped to SGS for analysis. No target or PRC compounds were detected in the method blanks of Set 1 and Set 2.
- **Laboratory duplicates:** One laboratory duplicate was included in each set (i.e., Set 1 and Set 2) of LDPE sampler deployment in the benchscale treatability test. An additional batch of SR-2019-04 amended with 4% PAC was prepared and LDPE strips were deployed to provide a measure of experimental reproducibility. The relative percent difference (RPD) for the Set 1 sampler uptake for the two identical batches was 25%, and the RPD for the freely dissolved concentrations corrected for the fraction of PRC loss was 4%, both within the QAPP data quality objective. The RPD for the Set 2 sampler uptake was 16% and the RPD for the freely dissolved concentrations corrected for the fraction of PRC loss was 36%, both within the QAPP data quality objective.

3.2 Data Validation

Data quality criteria and data validation procedures are provided in the QAPP. Data from each laboratory package were evaluated and documented in a data validation report by the JV. Data validation reports are provided in Appendix C. All data qualifiers applied to the data during final validation have been incorporated into the database for this project. Most data were acceptable as reported, and all other data were acceptable as qualified. The data qualifier "U" was assigned to various results during validation to indicate the associated numerical value was non-detect at or above the specified limit. The data qualifier "J" was assigned to various results during data validation to indicate the associated numerical value is an estimated concentration. All dioxin/furan data that were qualified by the laboratory as estimated maximum possible concentration were assigned "J" qualifiers to indicate a detected and estimated concentration. Other results were assigned a "J"

qualifier based on a method or technical criterion, as stated in the EPA National Functional Guidelines (EPA 2016) or the QAPP.

Overall, reporting limits were deemed acceptable to meet project objectives and reporting limits, because undetected results were met or below those specified for the project.

4 Results

4.1 Bulk Sediment Results

The results of the TEQ concentrations in the bulk sediments are presented in Table 1. Additional physical parameters such as grain size, plasticity, liquid limits, and specific gravity are presented in Table 1 of the DSR (JV 2019b). The sediments collected for the benchscale treatability test predominately comprised fine to coarse sands and silt (89% to 93%). The clay fraction of the samples ranged from 6.9% to 10%, and gravels were measured in two samples SR-2019-02 (0.1%) and SR-2019-04 (0.4%). The TOC and SC content of the samples are discussed in Section 2.2.2.

As shown in Appendix A, the two predominant TEQ congeners in the PDI sediment samples were 1,2,3,7,8-PeCDD and 1,2,3,4,6,7,8-HpCDF, representing approximately half of the total TEQ. As discussed in Section 2.2, representative samples SR-2019-04 and SR-2019-06 were selected for benchscale treatability testing.

4.2 Sediment Porewater Results

4.2.1 Performance Reference Compounds

Low variability in initial PRC concentrations is a key step in accurately characterizing the fraction of equilibrium of a target dioxin/furan congener. To assess variability, the four ¹³C-labeled dioxin/furan congeners were spiked into QA/QC LDPE samplers, along with the samplers deployed in the treatability test. The initial PRC concentrations in the Set 1 QA/QC samplers (i.e., PRC-loaded LDPE sampler reproducibility standards) had low variability, with a 1.0% to 5.3% coefficient of variation. The initial PRC concentrations in the Set 2 QA/QC samplers had 1.5% to 28.4% coefficient of variation, with only the highest K_{ow} PRC (¹³C-1,2,3,4,6,7,9-HpCDD) having a coefficient of variation above 6%. The increase in variability from Set 1 to Set 2 is likely the result in a smaller number of initial PRC samples (two initial PRC samples in Set 2 as opposed to three initial PRC samples in Set 1). For the Set 2 initial PRC samples, one of the three samples was rejected because the initial concentrations were much lower than those of the other two samples. The sensitivity analysis indicated that rejecting the PRC sample did not change the estimated porewater concentrations of dioxins/furans (less than 5% differences). The two remaining PRC samples were used to calculate the initial PRC concentrations for Set 2.

f_{e-PRC} was calculated separately for each sediment batch as described in Section 2.5.3. The lower molecular weight PRCs (¹³C-1,2,7,8-TCDD and ¹³C-1,2,4,7,8-PeCDD) were approximately 100% dissipated from LDPE samplers after 31 and 37 days of deployment in Set 1 and Set 2, respectively. The f_{e-PRC} of the higher molecular weight PRCs (¹³C-1,2,3,4,6,8-HxCDD and ¹³C-1,2,3,4,6,7,9-HpCDD)

were on average 50% and 15% dissipated in Set 1 and average 83% and 78% dissipated in Set 2, respectively.

On average, higher f_{e-PRC} were achieved for larger molecular weight PRCs in Set 2 compared to Set 1. The increase in f_{e-PRC} is likely attributable to the increased variability in the initial PRC results. However, the significant difference in f_{e-PRC} values, and therefore, the f_e of the target dioxins/furans, did not result in a significant difference between the Set 1 and Set 2 freely dissolved TEQ concentrations (see Table 7 for freely dissolved TEQ concentrations). The fractions of equilibrium of the PRCs for Set 1 and Set 2 are shown in Table 4.

Table 4
Fraction of Equilibrium of the PRCs (f_{e-PRC}) Achieved in Set 1 LDPE Samplers and Set 2 LDPE Samplers

PRCs	SR-2019-04					SR-2019-06			
	Control	4% PAC	4% PAC (Dup.)	2% PAC	4% GAC	Control	4% PAC	2% PAC	4% GAC
Set 1 (60 Days)									
¹³ C-1,2,7,8-TCDD ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
¹³ C-1,2,4,7,8-PeCDD	0.98	0.98	0.98	0.98	0.98	0.97	0.96	0.96	1.00
¹³ C-1,2,3,4,6,8-HxCDD	0.76	0.50	0.52	0.58	0.58	0.61	0.31	0.33	0.26
¹³ C-1,2,3,4,6,7,9-HpCDD	0.29	0.13	0.21	0.18	0.22	0.21	0.16	0.17	0.00
Set 2 (97 Days)									
¹³ C-1,2,7,8-TCDD ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
¹³ C-1,2,4,7,8-PeCDD	0.98	0.99	0.99	0.99	0.98	0.97	0.97	0.98	0.97
¹³ C-1,2,3,4,6,8-HxCDD	0.93	0.75	0.87	0.90	0.80	0.84	0.77	0.80	0.77
¹³ C-1,2,3,4,6,7,9-HpCDD	0.84	0.63	0.87	0.88	0.67	0.78	0.79	0.81	0.76

1. Indicates a congener with a K_{PE-W} less than that of ¹³C-1,2,4,7,8-PeCDD, and therefore, was applied a fraction of equilibrium value of 1.00.

After calculating f_{e-PRC} , a linear regression between f_{e-PRC} and $\log K_{PE-W}$ was developed for each sediment batch (Appendix B), and the fraction of equilibrium of target dioxin/furan congeners in the LDPE samples was estimated for each sediment batch using Equation 2-4 (Appendix B). Because ¹³C-1,2,7,8-TCDD achieved approximately 100% depletion from the LDPE samplers in all sediment batches, the other three PRCs were used to develop the linear regression. Not including ¹³C-1,2,7,8-TCDD greatly improved the fit of the linear regression to the dataset, and all target dioxin/furan congeners with K_{PE-W} values smaller than that of ¹³C-1,2,4,7,8-PeCDD (7.46) were assigned an f_{e-PRC} of

1.00. The f_e for the remaining target dioxins/furans were estimated from the linear regression and are presented in Table 5.

Table 5
Linear Regression Between the Fraction of Equilibrium of the PRCs ($f_{e,PRC}$) and the Log of the LDPE-Water Partitioning Coefficient (Log K_{PE-W}) in Set 1 and Set 2 LDPE Samplers

Sediment	Amendment	Linear Regression (Equation 2-4: $f_{e,PRC} = a \times \log K_{PE-W} + b$)					
		Set 1 (60 Days)			Set 2 (97 Days)		
		a	b	R ²	a	b	R ²
SR-2019-04	Control	-0.69	6.14	0.98	-0.135	1.99	0.992
	4% PAC	-0.84	7.21	0.99	-0.346	3.54	0.944
	4% PAC (Duplicate)	-0.76	6.60	0.98	-0.117	1.84	0.749
	2% PAC	-0.80	6.92	1.00	-0.107	1.77	0.859
	4% GAC	-0.75	6.54	0.99	-0.302	3.22	0.975
SR-2019-06	Control	-0.76	6.60	1.00	-0.182	2.31	0.923
	4% PAC	-0.79	6.73	0.86	-0.169	2.19	0.611
	2% PAC	-0.77	6.62	0.87	-0.161	2.14	0.665
	4% GAC	-0.94	7.90	0.91	-0.204	2.46	0.737

The values of f_e for target compounds calculated from the regression equations for Set 1 and Set 2 are listed in Table 6. To avoid over-correction of the freely dissolved porewater concentrations, a freely dissolved porewater concentration was not calculated for any congener with a calculated f_e of less than 10%. Congeners with an f_e of less than 10% are indicated in Table 6 with a value of "NC" (not calculated). As shown in Equation 2-1, an f_e value of 10% or below results in a correction of greater than 1 order of magnitude. Analytical uncertainty in these data has a much larger effect on the calculated freely dissolved porewater concentration. 1,2,3,4,6,7,8-HpCDD, OCDD (octachlorodibenzo-p-dioxin), 1,2,3,4,6,7,8-HpCDF, and OCDF (octachlorodibenzofuran) were not calculated for SR-2019-04; and 1,2,3,4,6,7,8-HpCDD, OCDD, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF were not calculated for SR-2019-06. Freely dissolved equilibrium porewater concentrations for target dioxin/furan congeners with f_e values greater than 0.10 were calculated using Equation 2-1.

Table 6
Estimated Fraction of Equilibrium of the Target Dioxin/Furan Congeners (f_{e-PRG}) in Set 1 LDPE Samplers and Set 2 LDPE Samplers

Congeners	SR-2019-04					SR-2019-06			
	Control	4% PAC	4% PAC (Duplicate)	2% PAC	4% GAC	Control	4% PAC	2% PAC	4% GAC
Set 1 (60 Days)									
2,3,7,8-TeCDD ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
1,2,3,7,8-PeCDD	0.92	0.84	0.84	0.87	0.86	0.87	0.76	0.76	0.74
1,2,3,4,7,8-HxCDD	0.57	0.40	0.45	0.45	0.47	0.47	0.35	0.36	0.25
1,2,3,6,7,8-HxCDD	0.53	0.36	0.41	0.41	0.44	0.44	0.31	0.33	0.21
1,2,3,7,8,9-HxCDD	0.50	0.32	0.38	0.38	0.40	0.40	0.28	0.29	0.17
1,2,3,4,6,7,8-HpCDD	NC	NC	NC	NC	NC	NC	NC	NC	NC
OCDD	NC	NC	NC	NC	NC	NC	NC	NC	NC
2,3,7,8-TCDF ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
1,2,3,7,8-PeCDF ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
2,3,4,7,8-PeCDF	0.92	0.84	0.84	0.87	0.86	0.87	0.76	0.76	0.74
1,2,3,4,7,8-HxCDF	0.57	0.40	0.45	0.45	0.47	0.47	0.35	0.36	0.25
1,2,3,6,7,8-HxCDF	0.87	0.77	0.78	0.80	0.80	0.80	0.69	0.70	0.67
2,3,4,6,7,8-HxCDF	0.50	0.32	0.38	0.38	0.40	0.40	0.27	0.29	0.17
1,2,3,7,8,9-HxCDF	0.71	0.58	0.61	0.62	0.63	0.63	0.52	0.53	0.45
1,2,3,4,6,7,8-HpCDF	NC	NC	NC	NC	NC	NC	NC	NC	NC
1,2,3,4,7,8,9-HpCDF	0.31	0.10	0.17	0.16	0.20	NC	NC	NC	NC
OCDF	NC	NC	NC	NC	NC	NC	NC	NC	NC
Set 2 (97 Days)									
2,3,7,8-TeCDD ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
1,2,3,7,8-PeCDD	0.97	0.91	0.95	0.96	0.93	0.93	0.91	0.92	0.87
1,2,3,4,7,8-HxCDD	0.90	0.73	0.89	0.91	0.77	0.83	0.82	0.84	0.68
1,2,3,6,7,8-HxCDD	0.89	0.72	0.89	0.90	0.76	0.83	0.81	0.83	0.66
1,2,3,7,8,9-HxCDD	0.88	0.70	0.88	0.90	0.74	0.82	0.80	0.82	0.65
1,2,3,4,6,7,8-HpCDD	0.82	0.55	0.83	0.85	0.61	0.74	0.73	0.75	0.48
OCDD	0.79	0.46	0.80	0.82	0.54	0.69	0.69	0.71	0.40
2,3,7,8-TCDF ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
1,2,3,7,8-PeCDF ¹	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
2,3,4,7,8-PeCDF	0.97	0.91	0.95	0.96	0.93	0.93	0.91	0.92	0.87

Congeners	SR-2019-04					SR-2019-06			
	Control	4% PAC	4% PAC (Duplicate)	2% PAC	4% GAC	Control	4% PAC	2% PAC	4% GAC
1,2,3,4,7,8-HxCDF	0.90	0.73	0.89	0.91	0.77	0.83	0.82	0.84	0.68
1,2,3,6,7,8-HxCDF	0.95	0.89	0.94	0.95	0.90	0.91	0.89	0.91	0.84
2,3,4,6,7,8-HxCDF	0.88	0.70	0.88	0.90	0.74	0.82	0.80	0.82	0.65
1,2,3,7,8,9-HxCDF	0.92	0.81	0.92	0.93	0.83	0.87	0.85	0.87	0.76
1,2,3,4,6,7,8-HpCDF	0.82	0.55	0.83	0.85	0.61	0.74	0.73	0.75	0.48
1,2,3,4,7,8,9-HpCDF	0.85	0.61	0.85	0.87	0.66	0.77	0.76	0.78	0.55
OCDF	0.79	0.46	0.80	0.82	0.54	0.69	0.69	0.71	0.40

Notes:

1. Indicates a congener with a K_{PE-W} less than that of ^{13}C -1,2,4,7,8-PeCDD, and therefore, was applied a fraction of equilibrium value of 1.00.

NC: not calculated

4.2.2 Dioxin/Furan Concentrations and AC Performance

KM-transformed sediment porewater total TEQ concentrations in the control and AC-amended sediments were calculated as described in Sections 2.2.1 and 2.5.3 (Table 7). TEQ concentrations in the control and AC-amended sediments for Set 1 and Set 2 samples for SR-2019-04 are presented in Figures 2 and 3, respectively; and for Set 1 and Set 2 samples for SR-2019-06, they are presented in Figures 4 and 5, respectively. As stated in Section 4.2.1, freely dissolved concentrations could not be reliably calculated for 1,2,3,4,6,7,8-HpCDD, OCDD, 1,2,3,4,6,7,8-HpCDF, and OCDF in SR-2019-04 and 1,2,3,4,6,7,8-HpCDD, OCDD, 1,2,3,4,6,7,8-HpCDF, 1,2,3,4,7,8,9-HpCDF, and OCDF in SR-2019-06.

Table 7
Reductions of Bioavailable TEQ Concentrations Measured in Sediment Porewater in Set 1 after 60 Days and in Set 2 after 97 Days of AC Amendment

Sediment	Amendment	Set 1 (60 Days)		Set 2 (97 Days)	
		Freely Dissolved TEQ ($\times 10^{-4}$ pg/L TEQ) ¹	TEQ Reduction (%)	Freely Dissolved TEQ ($\times 10^{-4}$ pg/L TEQ) ¹	TEQ Reduction (%)
SR-2019-04	Control	86.5 – 106	NA	108 – 109	NA
	4% PAC	0.876 – 15.8 (0.982 – 13.5)	99% – 85% (99% – 87%)	0.997 – 12.0 (0.603 – 9.97)	99% – 89% (99% – 91%)
	2% PAC	4.38 – 18.1	95% – 83%	2.18 – 12.6	98% – 88%
	4% GAC	10.2 – 27.6	88% – 74%	7.14 – 20.5	93% – 81%
SR-2019-06	Control	30.2 – 49.3	NA	25.2 – 57.2	NA
	4% PAC	0 – 15.0	100% – 70%	0.0631 – 12.3	100% – 79%
	2% PAC	0.0315 – 14.5	100% – 71%	0.551 – 11.1	98% – 81%
	4% GAC	5.07 – 18.3	83% – 63%	1.86 – 14.8	93% – 74%

Notes:

1. Per Section 2.2.1, total dioxin/furan TEQ results are reported with non-detect results set to zero and the analytical laboratory detection limit.

Values in parentheses represent duplicate sample results.

NA: not available

pg/L: picograms per liter

Significant porewater concentration reductions in the amended sediments compared to the controls were observed across both Sets 1 and 2 (Figures 2 through 5).

In Set 1, the calculated freely dissolved porewater total TEQ concentrations in the control sediments ranged from 86.5×10^{-4} to 106×10^{-4} picograms per liter (pg/L) TEQ in SR-2019-04 and from 30.2×10^{-4} to 49.3×10^{-4} pg/L TEQ in SR-2019-06. Reductions in quantified total TEQ porewater concentrations ranged from 74% to 99% in SR-2019-04, and from 63% to 100% in SR-2019-06, with the 4% GAC amendment proving the lowest reductions and the 4% PAC amendment providing the highest reductions for both sediments. However, because freely dissolved concentrations of the few strongly hydrophobic congeners could not be reliably calculated, these reductions are representative of the less hydrophobic congeners.

In Set 2, freely dissolved total TEQ concentrations in the control sediments ranged from 108×10^{-4} to 109×10^{-4} pg/L TEQ for SR-2019-04 and from 25.2×10^{-4} to 57.2×10^{-4} pg/L TEQ for SR-2019-06. Reductions in total TEQ porewater concentrations ranged from 81% to 99% in SR-2019-04, and from 74% to 100% in SR-2019-06, with the 4% GAC amendment proving the lowest reductions and the 4% PAC amendment providing the highest reductions for both sediments. Freely dissolved concentrations were calculated for all congeners in Set 2.

Overall, Set 2 achieved higher TEQ reduction rates than Set 1 for all AC amendments in SR-2019-04 and SR-2019-06. Although 4% GAC achieved the lesser reduction of all amendments, more than 90% reduction was achieved in both SR-2019-04 and SR-2019-06 after 97 days of AC amendment.

To understand the effect of the AC amendments on the more hydrophobic congeners for which freely dissolved concentrations could not be reliably calculated, dioxin/furan congener concentrations in the LDPE samplers were directly compared (Table 8; Figures 6 through 9). Because all sample batches were maintained under the same experimental conditions (i.e., mixing rate, temperature), the uptake kinetics of the congeners by LDPE passive sampler during the study should be similar among the different sediment batches. The figures presented in Appendix D show the percent reduction of individual congeners, measured above the detection limit, plotted against their Log K_{ow} , for SR-2019-04 and SR-2019-06, respectively. These data indicate that the percent reduction, based on passive sampler uptake, decreases with increasing K_{ow} , which is the same trend observed in short-term porewater studies (Fagervold et al. 2010). In this case, it is reasonable to assume that reductions measured in passive sampler uptake are similar to the reductions measured in porewater. For Set 1, total TEQ reductions in the LDPE samplers ranged from 70% to 99%. For Set 2, total TEQ reductions ranged from 73% to 100% (Table 8; Figures 10 through 13). The total TEQ in LDPE sampler TEQ concentration, as shown in Table 8, are two to nine times higher (depending on which type of non-detect treatment is selected) in the 4% GAC amendment compared to the 4% PAC amendment. This would result in the need to apply two to nine times the amount of GAC to achieve the same LDPE TEQ concentrations observed in the 4% PAC amendment. Overall, both the PAC and GAC substantially reduced the dioxin/furan concentrations in each treatability testing batch.

Table 8
Reductions of TEQ Concentrations in LDPE Passive Samplers after 60 Days (Set 1) and 97 Days (Set 2) of AC Amendment

Sediment	Amendment	Set 1 (60 Days)		Set 2 (97 Days)	
		Total TEQ in LDPE (ng/g TEQ) ¹	TEQ Reduction (%)	Total TEQ in LDPE (ng/g TEQ) ¹	TEQ Reduction (%)
SR-2019-04	Control	0.402 – 0.432	NA	0.396 – 0.400	NA
	4% PAC	0.0241 – 0.0508 (0.00506 – 0.0284)	94% – 88% (99% – 93%)	0.0146 – 0.0392 (0.00195 – 0.0219)	96% – 90% (100% – 95%)
	2% PAC	0.0521 – 0.0769	87% – 82%	0.0344 – 0.0573	91% – 86%
	4% GAC	0.0964 – 0.129	76% – 70%	0.0818 – 0.107	79% – 73%
SR-2019-06	Control	0.146 – 0.178	NA	0.165 – 0.200	NA
	4% PAC	0.00277 – 0.0286	98% – 84%	0.00207 – 0.0274	99% – 86%
	2% PAC	0.00675 – 0.0330	95% – 82%	0.00766 – 0.0291	95% – 85%
	4% GAC	0.0269 – 0.0473	82% – 74%	0.0191 – 0.0421	89% – 79%

Notes:

1. Per Section 2.2.1, total dioxin/furan TEQ results are reported with non-detect results set to zero and the analytical laboratory detection limit.

Values in parentheses represent duplicate sample results.

NA: not available

ng/g: nanograms per gram

5 Summary and Recommendations

Two different types of AC amendments (PAC at 2% and 4% dose, and GAC at 4% dose) were mixed directly into Site sediments, and continuous agitation was applied to accelerate the uptake kinetics of dioxins/furans by the AC. The continuous agitation enabled the study to produce meaningful results within the project schedule constraints. The goal of the study was to evaluate the effectiveness of the AC amendments at reducing bioavailable concentrations of dioxins/furans. Freely dissolved concentrations of dioxins/furans in the sediment porewater were measured twice by LDPE passive samplers 60 and 97 days after AC amendment. The benchscale testing results are summarized as follows:

- In all the tested conditions, the freely dissolved dioxin/furan concentrations in the sediment porewater were substantially reduced by both the PAC and GAC amendments.
- Among the three amendment conditions, 4% PAC amendment was the most effective, with TEQ reductions in the freely dissolved phase of approximately 79% to 100% after 97 days.
- While the 4% GAC amendment achieved a lower TEQ reduction (TEQ reductions in the freely dissolved phase of approximately 74% to 93% after 97 days—two to nine times less effective than 4% PAC due to larger grain size and lower specific surface area), the GAC amendment performed well enough to be retained for further engineering evaluations.

The results of this benchscale treatability study are promising, indicating that different AC amendments and doses (PAC at 2% and 4% dose, and GAC at 4% dose) are likely to be effective at significantly reducing bioavailable concentration of dioxins/furans in Site sediments. Extrapolating the results of this study to assess the short- and long-term effectiveness of different AC amendment application methods requires additional calculations to be conducted in a follow-on engineering phase. Application methods will be retained for further engineering and cost evaluations.

6 References

- Adams, R.G., R. Lohmann, L.A. Fernandez, J.K. Macfarlane, and P.M. Gschwend, 2007. "Polyethylene devices: Passive samplers for measuring dissolved hydrophobic organic compounds in aquatic environments." *Environ. Sci. Technol.* 41(4):1317–1323.
- Apell, J.N., D.H. Shull, A.M. Hoyt, and P.M. Gschwend, 2018. "Investigating the effect of bioirrigation on in situ porewater concentrations and fluxes of polychlorinated biphenyls using passive samplers." 52(8):4565–4573.
- Bay West, 2017. *Final Focused Feasibility Study*. Scanlon Reservoir, Scanlon, Minnesota. June 2017.
- Booij, K., P. Smedes, and E.M. van Weerlee, 2002. "Spiking of performance reference compounds in low density polyethylene and silicone passive water samplers." *Chemosphere*. 46:1157–1161.
- Chai, Y., R.J. Currie, and U. Ghosh, 2012. "Effectiveness of activated carbon and biochar in reducing the availability of polychlorinated dibenzo-p-dioxins/dibenzofurans in soils." *Environmental Science and Technology* 46:1035–1043.
- Cornelissen G., K. Amstaetter, A. Hauge, M. Schaanning, B. Beylich, J.S. Gunnarsson, G.D. Breedveld, A.M.P. Oen, and E. Eek, 2012. "Large-scale field study on thin-layer capping of marine PCDD/F-contaminated sediments in Grenlandfjords, Norway: Physicochemical Effects." *Environmental Science and Technology* 46(21):12030–12037.
- EPA (U.S. Environmental Protection Agency), 2010. *Recommended Toxicity Equivalence Factors (TEFs) for Human Health Risk Assessments of 2,3,7,8-Tetrachlorodibenzo-p-dioxin and Dioxin-Like Compounds*. Risk Assessment Forum. EPA/100/R-10/005. December 2010.
- EPA, 2016. *National Functional Guidelines for Superfund Organic Methods Data Review*. EPA-540-R-2016-002. September 2016.
- EPA, SERDP, and ESTCP (U.S. Environmental Protection Agency, U.S. Department of Defense, Strategic Environmental Research and Development Program, and Environmental Security Technology Certification Program), 2017. *Laboratory, Field, and Analytical Procedures for Using Passive Sampling in the Evaluation of Contaminated Sediments: User's Manual*. EPA/600/R-16/357. February 2017.
- Fagervold, S.K., Y. Chai, J.W. Davis, M. Wilken, G. Cornelissen, U. Ghosh, 2010. "Bioaccumulation of polychlorinated dibenzo-p-dioxins/dibenzofurans in *E. fetida* from floodplain soils and the effect of activated carbon amendment." *Environmental Science and Technology* 44(14):5546–5552.

- Ghosh, U., S.K. Driscoll, R.M. Burgess, M.T.O. Jonker, D. Reible, F. Gobas, Y. Choi, S.E. Apitz, K.A. Maruya, W.R. Gala, and M. Mortimer, 2014. "Passive Sampling Methods for Contaminated Sediments: Practical Guidance for Selection, Calibration, and Implementation." *Integrated Environmental Assessment and Management* 10(2):210–223.
- Gomez-Eyles, J.L., C. Yupanqui, B. Beckingham, G. Riedel, C. Gilmour, and U. Ghosh, 2013. "Evaluation of Biochars and Activated Carbons for In Situ Remediation Of Sediments Impacted With Organics, Mercury, and Methylmercury." *Environmental Science and Technology* 23:13721–13729.
- Govers, H.A.J., and H.B. Krop, 1998. "Partition constants of chlorinated dibenzofurans and dibenzo-p-dioxins." *Chemosphere* 37:2139–2152.
- Helsel, D.R., 2009. "Summing Nondetects: Incorporating Low-Level Contaminants in Risk Assessment." *Integrated Environmental Assessment and Management* 6(3):361–366.
- JV (Anchor QEA-Baird Joint Venture), 2019a. *Pre-Remedial Design Investigation Workplan*. Research and Development Pilot Project Design for Remediation of Contaminated Sediments at the Scanlon Reservoir, Scanlon, Minnesota. USACE LRE Contract No. W912P4-16-D-0001. September 2019.
- JV, 2019b. *Pre-Remedial Design Data Summary Report*. Research and Development Pilot Project Design for Remediation of Contaminated Sediments at the Scanlon Reservoir, Scanlon, Minnesota. USACE LRE Contract No. W912P4-16-D-0001. December 2019.
- JV, 2019c. *Benchscale Treatability Testing Workplan*. Research and Development Pilot Project Design for Remediation of Contaminated Sediments at the Scanlon Reservoir, Scanlon, Minnesota. USACE LRE Contract No. W912P4-16-D-0001. September 2019.
- Lohmann R., 2011. "Critical Review of Low-Density Polyethylene's Partitioning and Diffusion Coefficients for Trace Organic Contaminants and Implications for Its Use As a Passive Sampler." *Environmental Science and Technology* 46:606–618.

Figures




Figure 1
Dioxin/Furan TEQ Congener Distribution in Site Sediment Samples




Figure 2
Set 1 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-04




Figure 3
Set 2 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-04




Figure 4
Set 1 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-06




Figure 5
Set 2 Dioxin/Furan Congener TEQ Profiles in the Sediment Porewater – SR-2019-06




Figure 6
Set 1 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-04





Figure 7
Set 2 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-04






Figure 9
Set 2 Dioxin/Furan TEQ Concentration Profile in Passive Samplers – SR-2019-06





Figure 10
Set 1 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-04






Figure 12
Set 1 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-06





Figure 13
Set 2 Percent Reduction in Passive Sampler Dioxin/Furan TEQ Concentration by Congener – SR-2019-06


Appendix A

Congener Distributions




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:
 1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.



Note:

1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.




Note:


1. The data presented in these figures have non-detect congeners reported at the analytical laboratory detection limit.

Appendix B


Fraction of Equilibrium Regressions

**Notes:**


1. Calculated f_{e-PRC} and corresponding $\log K_{PE-W}$ values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding $\log K_{PE-W}$ values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding $\log K_{PE-W}$ values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotopic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 31 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotopic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ¹³C-1,2,4,7,8-PeCDD, ¹³C-1,2,3,4,6,8-HxCDD, and ¹³C-1,2,3,4,6,7,9-HpCDD. Since ¹³C-1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotopic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**


1. Calculated $f_{e,PRC}$ and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e,PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**

1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**

1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

**Notes:**

1. Calculated f_{e-PRC} and corresponding log K_{PE-W} values are plotted for ^{13}C -1,2,4,7,8-PeCDD, ^{13}C -1,2,3,4,6,8-HxCDD, and ^{13}C -1,2,3,4,6,7,9-HpCDD. Since ^{13}C -1,2,7,8-TCDD achieved approximately 100% depletion from LDPE samplers after 37 days of deployment, it was removed from the plot to improve the fit of the linear regression.
2. The linear regression of this plot follows the equation $f_{e-PRC} = a \times \log K_{PE-W} + b$, where "a" is the slope and "b" is the y-intercept.
3. Isotropic exchange kinetics are assumed (i.e., the depletion rate of a PRC on an LDPE sampler reflects the uptake rate of a target analyte). Therefore, the linear regression line represents the possible fraction of equilibrium of target dioxins/furans (f_e). The slope (i.e., "a") and y-intercept (i.e., "b") from this linear regression are utilized to calculate the f_e of each target compound.

Appendix C
Data Validation Reports

Data Validation Report – EPA Stage 2A

December 20, 2019

Project: Scanlon Reservoir

Project Number: 191473-02.01

This report summarizes the review of analytical results for 12 low-density polyethylene (LDPE) samples and one field duplicate sample collected on October 28 and November 25, 2019, in Scanlon Reservoir. The samples were collected by the Anchor QEA-Baird Joint Venture (JV) and submitted to SGS North America Inc. (SGS) in Wilmington, North Carolina. The following analytical parameter results were reviewed in this report:

- Polychlorinated dibenzo dioxin and furan (dioxin/furan or PCD/F) by the U.S. Environmental Protection Agency (EPA) Method 1613B

SGS sample delivery group (SDG) numbers B3820 and B3916 were reviewed in this report. Sample IDs, SDGs, matrices, and analyses are presented in Table 1.

Table 1
Sample IDs, SDGs, Matrices, and Analyses

Sample ID	Laboratory Sample ID	Matrix	Analysis
SR-PE-MB-20191028	B3820_17099_DF_001	LDPE	PCD/F
SR-PE-PRC-C0-1-20191028	B3820_17099_DF_002	LDPE	PCD/F
SR-PE-PRC-C0-2-20191028	B3820_17099_DF_003	LDPE	PCD/F
SR-PE-PRC-C0-3-20191028	B3820_17099_DF_004	LDPE	PCD/F
SR-2019-04-PE-CTRL	B3916_17162_DF_001	LDPE	PCD/F
SR-2019-04-PE-4PAC	B3916_17162_DF_002	LDPE	PCD/F
SR-2019-04-PE-4PAC-D	B3916_17162_DF_003	LDPE	PCD/F
SR-2019-04-PE-2PAC	B3916_17162_DF_004	LDPE	PCD/F
SR-2019-04-PE-4GAC	B3916_17162_DF_005	LDPE	PCD/F
SR-2019-06-PE-CTRL	B3916_17162_DF_006	LDPE	PCD/F
SR-2019-06-PE-4PAC	B3916_17162_DF_007	LDPE	PCD/F
SR-2019-06-PE-2PAC	B3916_17162_DF_008	LDPE	PCD/F
SR-2019-06-PE-4GAC	B3916_17162_DF_009	LDPE	PCD/F

Data Validation and Qualifications

The following comments refer to the laboratory's performance in meeting the quality assurance (QA)/quality control (QC) guidelines outlined in the analytical procedures. Laboratory results were reviewed using the following guidelines:

- *Quality Assurance Project Plan (QAPP)* for the Research and Development Pilot Project Design for Remediation of Contaminated Sediments at the Scanlon Reservoir (JV 2019)

- *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods* (EPA 1986)
- *National Functional Guidelines for High Resolution Superfund Methods Data Review* (EPA 2016)

Unless noted in this report, laboratory results for the samples listed above were within QC criteria.

Field Documentation

Field documentation was checked for completeness and accuracy. The chain-of-custody forms were signed by SGS at the time of sample receipt. Samples were received in good condition and within the recommended temperature range.

Sample Preservation and Holding Times

Samples were appropriately preserved and analyzed within holding times.

Laboratory Method Blanks

Laboratory method blanks were analyzed at the required frequencies. All blanks were free of target analytes, with the exception of Method Blank B3916_17162, which had detected results for 11 analytes. Associated sample results that were not significantly greater than (greater than five times) the levels found in the blank were qualified as non-detected.

Field Quality Control

Field Duplicate

One field duplicate was collected in association with this sample set. Detected results are summarized in Table 2.

Table 2
Field Duplicate Summary

Analyte	SR-2019-04-PE-4PAC	SR-2019-04-PE-4PAC-D	RPD	Difference	Control Limit
1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	185 pg	98.7 pg	--	86.3 pg	100 pg
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	1,080 pg	556 pg	64.1%	--	--
1,2,3,4,6,7,8-Heptachlorodibenzofuran (HpCDF)	484 pg	348 pg	32.7%	--	--
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD)	141 pg	90.2 pg	--	50.8 pg	50 pg
1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)	2.52J pg	3.39J EMPC pg	--	0.87 pg	50 pg
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	6.97J pg	6.02J pg	--	0.95 pg	50 pg
Total Heptachlorodibenzofuran (HpCDF)	894 pg	637 pg	33.6%	--	--
Total Heptachlorodibenzo-p-dioxin (HpCDD)	330 pg	207 pg	45.8%	--	--
Total Hexachlorodibenzofuran (HxCDF)	137EMPC pg	138EMPC pg	0.7%	--	--
Total Hexachlorodibenzo-p-dioxin (HxCDD)	65.1EMPC pg	58.7 pg	--	6.4 pg	50 pg

Notes:

pg: picogram

RPD: relative percent difference

EMPC: estimated maximum possible concentration

Results less than five times the method reporting limit (RL) may have exaggerated relative percent difference (RPD) values; therefore, if the sample or field duplicate result was less than five times the RL, the sample result is evaluated by the difference between them using $\pm 2x$ the RL as the control limit.

All RPD and/or difference values were within control limits, with the exception of the 1,2,3,4,6,7,8-octachlorodibenzo-p-dioxin (OCDD) RPD value and the 1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD) difference value for samples SR-2019-04-PE-4PAC and SR-2019-04-PE-4PAC-D, which were above the control limits. These results have been qualified "J" to indicate they are estimated.

Qualified data are summarized in Table 3.

Labeled Standard Recoveries

All labeled standards were recovered within laboratory control limits in the PCD/F analyses.

Laboratory Control or Ongoing Precision and Recovery Samples

Laboratory control samples and ongoing precision and recovery (OPR) samples were analyzed at the required frequency and resulted in recoveries within project-required control limits.

Matrix Spike and Matrix Spike Duplicate Samples

Matrix spike samples were not required to be analyzed with this sample set.

Laboratory Duplicates

Laboratory duplicates were not required to be analyzed with this sample set.

Estimated Maximum Potential Concentration

The laboratory qualified PCD/F results that did not meet ion-abundance ratio requirements as estimated maximum possible concentration (EMPC); these results have been qualified "J" to indicate they are estimated.

Method Reporting Limits

RLs were acceptable as reported. All values were reported using the laboratory RLs. Values were reported as undiluted. Some RLs were slightly elevated above the target limits listed in the QAPP due to sample aliquot size and moisture content. Data quality objectives are not expected to be impacted.

Overall Assessment

As was determined by this evaluation, the laboratory followed the specified analytical methods, and all requested sample analyses were completed. Accuracy was acceptable as demonstrated by the OPR recovery values. Precision was acceptable as demonstrated by the field duplicate RPD or difference values, with the exceptions noted above. Most data are acceptable as reported, and all other data are acceptable as qualified. Table 3 summarizes the qualifiers applied to the sample results reviewed in this report.

Data Qualifier Definitions

- J Indicates an estimated value.
- U Indicates the compound or analyte was analyzed for but not detected at or above the specified limit.

Table 3
Data Qualification Summary

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
SR-2019-04-PE-CTRL	PCD/F	1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)	10.3J B pg	10.3U pg	Method blank contamination
		1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	14.2J EMPC pg	14.2J pg	EMPC
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	612EMPC pg	612J pg	
		Total Pentachlorodibenzofuran (PeCDF)	173EMPC pg	173J pg	
		Total Pentachlorodibenzo-p-dioxin (PeCDD)	181EMPC pg	181J pg	
		Total Tetrachlorodibenzofuran (TCDF)	30EMPC pg	30J pg	
		Total Tetrachlorodibenzo-p-dioxin (TCDD)	28.5EMPC pg	28.5J pg	
SR-2019-04-PE-4PAC	PCD/F	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	1080 pg	1080J pg	Field duplicate RPD above control limit
		1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD)	141 pg	141J pg	Field duplicate difference value above control limit
		1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF)	5.21J B EMPC pg	5.21U pg	Method blank contamination
		1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD)	6.19J B pg	6.19U pg	
		Total Hexachlorodibenzofuran (HxCDF)	137EMPC pg	137J pg	EMPC
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	65.1EMPC pg	65.1J pg	
SR-2019-04-PE-4PAC-D	PCD/F	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin (OCDD)	556 pg	556J pg	Field duplicate RPD above control limit
		1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (HpCDD)	90.2 pg	90.2J pg	Field duplicate difference value above control limit
		1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)	3.39J EMPC pg	3.39J pg	EMPC
		Total Hexachlorodibenzofuran (HxCDF)	138EMPC pg	138J pg	
		1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF)	5.36J B pg	5.36U pg	Method blank contamination
		1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD)	4.51J B pg	4.51U pg	
		2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF)	1.65J B EMPC pg	1.65U pg	

Sample ID	Parameter	Analyte	Reported Result	Qualified Result	Reason
SR-2019-04-PE-2PAC	PCD/F	1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)	5.85J EMPC pg	5.85U pg	Method blank contamination
		2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF)	4.21J pg	4.21U pg	
		1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)	6.71J EMPC pg	6.71J pg	EMPC
		1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	15.1J EMPC pg	15.1J pg	
		Total Heptachlorodibenzofuran (HpCDF)	1410EMPC pg	1410J pg	
		Total Hexachlorodibenzofuran (HxCDF)	461EMPC pg	461J pg	
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	213EMPC pg	213J pg	
SR-2019-04-PE-4GAC	PCD/F	1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)	7.35J pg	7.35U pg	Method blank contamination
		1,2,3,6,7,8-Hexachlorodibenzofuran (HxCDF)	34.7EMPC pg	34.7J pg	EMPC
		Total Hexachlorodibenzofuran (HxCDF)	941EMPC pg	941J pg	
		Total Pentachlorodibenzofuran (PeCDF)	40.8EMPC pg	40.8J pg	
		Total Pentachlorodibenzo-p-dioxin (PeCDD)	32.9EMPC pg	32.9J pg	
SR-2019-06-PE-CTRL	PCD/F	1,2,3,4,7,8,9-Heptachlorodibenzofuran (HpCDF)	5.71J pg	5.71U pg	Method blank contamination
		1,2,3,7,8-Pentachlorodibenzofuran (PeCDF)	2.57J EMPC pg	2.57J pg	EMPC
		1,2,3,7,8-Pentachlorodibenzo-p-dioxin (PeCDD)	5.51J EMPC pg	5.51J pg	
		Total Pentachlorodibenzofuran (PeCDF)	83.7EMPC pg	83.7J pg	
		Total Pentachlorodibenzo-p-dioxin (PeCDD)	81.1EMPC pg	81.1J pg	
		Total Tetrachlorodibenzofuran (TCDF)	4.7EMPC pg	4.7J pg	
SR-2019-06-PE-4PAC	PCD/F	1,2,3,4,6,7,8,9-Octachlorodibenzofuran (OCDF)	14.6J EMPC pg	14.6U pg	Method blank contamination
		Total Heptachlorodibenzo-p-dioxin (HpCDD)	37.4EMPC pg	37.4J pg	EMPC
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	9.67EMPC pg	9.67J pg	
SR-2019-06-PE-2PAC	PCD/F	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	3.8J EMPC pg	3.8J pg	EMPC
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	48.7EMPC pg	48.7J pg	
SR-2019-06-PE-4GAC	PCD/F	1,2,3,4,7,8-Hexachlorodibenzofuran (HxCDF)	3.41J EMPC pg	3.41J pg	EMPC
		1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (HxCDD)	5.56J EMPC pg	5.56J pg	
		Total Hexachlorodibenzofuran (HxCDF)	208EMPC pg	208J pg	
		Total Hexachlorodibenzo-p-dioxin (HxCDD)	84.2EMPC pg	84.2J pg	
		1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (HxCDD)	3.12J EMPC pg	3.12U pg	Method blank contamination
		2,3,4,6,7,8-Hexachlorodibenzofuran (HxCDF)	3.09J EMPC pg	3.09U pg	

Notes:

EMPC: estimated maximum possible concentration

pg: picogram

RPD: relative percent difference

References

- EPA (U.S. Environmental Protection Agency) 1986. *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods*. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. EPA 530/SW-846.
- EPA 2016. *National Functional Guidelines for High Resolution Superfund Methods Data Review*. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation (OSRTI). EPA 542-B-16-001. April 2016.
- JV (Anchor QEA-Baird Joint Venture), 2019. *Quality Assurance Project Plan*. Research and Development Pilot Project Design for Remediation of Contaminated Sediments at the Scanlon Reservoir, Scanlon, Minnesota. Contract Number W912P4-D-0001. Prepared for U.S. Army Corps of Engineers – Detroit District. September 2019.

Appendix D

Effect of K_{ow} on Reduction in Sampler Uptake

